



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 07:25 PM UTC

PDB ID : 7QQS / pdb_00007qqs
Title : SpCas9 bound to FANCF on-target DNA substrate
Authors : Pacesa, M.; Jinek, M.
Deposited on : 2022-01-10
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)
RNA backbone	3983	1155 (2.70-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	84	55% 38% 7%
2	B	1368	84% 14% •
3	C	28	68% 32%
4	D	12	8% 75% 17% 8%

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 13993 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called FANCF sgRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	84	Total	C	N	O	P	0	0	1
			1755	784	317	571	83			

- Molecule 2 is a protein called CRISPR-associated endonuclease Cas9/Csn1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	1333	Total	C	N	O	S	0	0	0
			10892	6940	1892	2038	22			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	10	ALA	ASP	engineered mutation	UNP Q99ZW2
B	840	ALA	HIS	engineered mutation	UNP Q99ZW2

- Molecule 3 is a DNA chain called FANCF on-target target strand.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	28	Total	C	N	O	P	0	0	0
			574	273	111	163	27			

- Molecule 4 is a DNA chain called FANCF on-target non-target strand.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	11	Total	C	N	O	P	0	0	1
			206	98	34	64	10			

- Molecule 5 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	2	Total	Mg	0	0
			2	2		

- Molecule 6 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	3	Total 3	K 3	0	0
6	B	7	Total 7	K 7	0	0

- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	148	Total 148	O 148	0	0
7	B	368	Total 368	O 368	0	0
7	C	28	Total 28	O 28	0	0
7	D	10	Total 10	O 10	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: FANCF sgRNA

Chain A: 



• Molecule 2: CRISPR-associated endonuclease Cas9/Csn1

Chain B: 





• Molecule 3: FANCF on-target target strand

Chain C: 



- Molecule 4: FANCF on-target non-target strand



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	177.91Å 67.06Å 187.40Å 90.00° 111.11° 90.00°	Depositor
Resolution (Å)	47.72 – 2.40 47.72 – 2.40	Depositor EDS
% Data completeness (in resolution range)	99.9 (47.72-2.40) 99.9 (47.72-2.40)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.39 (at 2.39Å)	Xtriage
Refinement program	PHENIX 1.17.1_3660	Depositor
R, R_{free}	0.197 , 0.229 0.199 , 0.231	Depositor DCC
R_{free} test set	4603 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	49.9	Xtriage
Anisotropy	0.307	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 46.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	13993	wwPDB-VP
Average B, all atoms (Å ²)	66.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.14% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, K

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.16	0/1964	0.39	0/3060
2	B	0.14	0/11084	0.34	0/14891
3	C	0.26	0/645	0.53	0/994
4	D	0.28	0/229	0.52	0/353
All	All	0.16	0/13922	0.37	0/19298

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1755	0	881	28	0
2	B	10892	0	11074	115	0
3	C	574	0	315	7	0
4	D	206	0	115	3	0
5	A	2	0	0	0	0
6	A	3	0	0	0	0
6	B	7	0	0	0	0
7	A	148	0	0	0	0
7	B	368	0	0	10	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	C	28	0	0	0	0
7	D	10	0	0	0	0
All	All	13993	0	12385	143	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (143) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:158:LEU:HD22	2:B:419:LEU:HD12	1.63	0.81
2:B:1004:LEU:HD11	2:B:1042:ILE:HD11	1.71	0.72
3:C:-6:DA:H2'	3:C:-5:DA:C8	2.25	0.71
2:B:1047:LYS:O	2:B:1076:LYS:NZ	2.27	0.67
2:B:557:ARG:NH2	2:B:596:ASP:OD1	2.28	0.66
1:A:3:A:H2'	1:A:4:A:C8	2.31	0.66
2:B:967:ARG:NH1	2:B:986:ASP:OD1	2.29	0.66
1:A:59:U:OP1	2:B:467:ARG:NH2	2.29	0.65
2:B:168:PHE:CG	2:B:447:ARG:HD2	2.31	0.65
2:B:271:TYR:HA	2:B:274:ASP:HB2	1.79	0.65
2:B:635:ARG:NH1	7:B:1507:HOH:O	2.30	0.65
2:B:870:VAL:HG22	2:B:871:PRO:HD2	1.77	0.64
2:B:262:ALA:HB1	2:B:278:LEU:HD12	1.81	0.63
2:B:184:LEU:HD12	2:B:299:ALA:HB2	1.82	0.61
2:B:1215:ALA:HB2	2:B:1221:GLN:HG3	1.82	0.61
1:A:46:A:H2'	1:A:47:A:C8	2.34	0.61
2:B:80:CYS:SG	7:B:1820:HOH:O	2.56	0.60
2:B:141:LYS:NZ	7:B:1512:HOH:O	2.33	0.59
1:A:41:A:OP2	2:B:340:ARG:NH2	2.34	0.59
2:B:780:ARG:NH1	2:B:806:LEU:O	2.34	0.59
2:B:574:CYS:SG	7:B:1644:HOH:O	2.56	0.59
2:B:967:ARG:NH2	7:B:1509:HOH:O	2.32	0.59
1:A:22:U:H2'	1:A:23:U:C6	2.38	0.59
1:A:73:G:H2'	1:A:75:A:N7	2.18	0.59
1:A:20:C:OP2	2:B:403:ARG:NH1	2.36	0.58
2:B:1335:ARG:NH2	4:D:2:DG:O6	2.36	0.57
2:B:898:ASP:O	2:B:905:ARG:NH2	2.36	0.57
2:B:1151:LYS:HD2	2:B:1158:LYS:HD2	1.86	0.57
1:A:3:A:H2'	1:A:4:A:H8	1.66	0.57
2:B:1210:ARG:HA	2:B:1280:VAL:HG22	1.88	0.56
2:B:1212:ARG:NH2	2:B:1280:VAL:O	2.39	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:777:SER:HB2	2:B:803:ASN:HB2	1.87	0.56
2:B:936:ASP:OD1	2:B:951:ARG:NH1	2.38	0.56
2:B:1110:ILE:HG23	2:B:1122:ARG:HD2	1.88	0.55
2:B:704:PHE:O	2:B:708:ILE:HG12	2.07	0.55
3:C:-5:DA:H1'	3:C:-4:DT:H5'	1.88	0.55
1:A:54:G:H2'	1:A:55:C:C6	2.42	0.55
2:B:1042:ILE:HG23	2:B:1043:MET:HG2	1.88	0.54
2:B:790:GLU:HG2	2:B:889:ALA:HA	1.90	0.54
3:C:10:DG:H2'	3:C:11:DA:C8	2.43	0.53
2:B:784:ILE:HD12	2:B:806:LEU:HD13	1.91	0.53
2:B:787:GLY:O	2:B:791:LEU:HB2	2.09	0.53
1:A:49:A:N3	2:B:1122:ARG:NH2	2.54	0.52
1:A:70:C:H2'	1:A:71:U:C6	2.45	0.52
2:B:892:ILE:HB	2:B:896:LYS:HD3	1.91	0.52
1:A:69:A:H2'	1:A:70:C:H6	1.74	0.52
2:B:276:ASP:HB3	2:B:599:LYS:NZ	2.25	0.52
1:A:70:C:H2'	1:A:71:U:H6	1.75	0.51
2:B:489:GLN:HG3	2:B:625:LEU:HD21	1.91	0.51
1:A:4:A:OP1	2:B:661:ARG:NE	2.27	0.50
2:B:763:MET:HE1	2:B:931:VAL:HG21	1.92	0.50
2:B:776:ASN:OD1	2:B:777:SER:N	2.44	0.50
1:A:33:G:H5'	1:A:34:A:OP2	2.11	0.50
2:B:176:PRO:C	2:B:178:ASN:H	2.18	0.50
2:B:253:LYS:HD2	2:B:261:ASP:OD1	2.11	0.50
2:B:841:ILE:O	2:B:864:ARG:NH2	2.46	0.49
1:A:22:U:H2'	1:A:23:U:H6	1.78	0.49
1:A:52:A:OP1	2:B:1123:LYS:NZ	2.46	0.49
2:B:253:LYS:HG3	2:B:258:LEU:O	2.13	0.48
2:B:1306:ALA:O	2:B:1310:ILE:HG12	2.13	0.48
3:C:-3:DA:H2''	3:C:-2:DC:O5'	2.12	0.48
2:B:1143:VAL:HG13	2:B:1195:ILE:HG23	1.95	0.48
2:B:439:LYS:HG2	2:B:476:TRP:CD1	2.48	0.48
2:B:781:MET:HG2	2:B:803:ASN:HA	1.94	0.48
2:B:400:ARG:NH2	2:B:406:ASP:OD2	2.41	0.48
2:B:468:LYS:N	2:B:481:VAL:O	2.39	0.47
3:C:-4:DT:H2''	3:C:-3:DA:C8	2.49	0.47
2:B:342:GLN:HB2	2:B:383:MET:HE3	1.97	0.47
2:B:258:LEU:HD21	2:B:282:ILE:HD11	1.97	0.47
3:C:8:DC:H2'	3:C:9:DA:C8	2.50	0.47
1:A:32:A:H2'	1:A:33:G:O4'	2.15	0.46
2:B:901:THR:O	2:B:904:GLU:HG2	2.15	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:46:A:H2'	1:A:47:A:H8	1.77	0.46
2:B:787:GLY:HA3	2:B:891:LEU:HD21	1.97	0.46
1:A:4:A:H2'	1:A:5:U:H6	1.80	0.46
1:A:73:G:H5'	1:A:74:A:OP2	2.16	0.46
2:B:250:PRO:HD2	2:B:264:LEU:O	2.15	0.46
1:A:74:A:OP1	1:A:74:A:H8	1.99	0.46
2:B:107:VAL:HG23	2:B:1131:TYR:CE1	2.50	0.46
2:B:1114:ARG:NH1	4:D:4:DA:OP1	2.50	0.45
2:B:174:LEU:HD12	2:B:174:LEU:HA	1.76	0.45
3:C:-4:DT:H2''	3:C:-3:DA:H8	1.81	0.45
2:B:21:ILE:HA	2:B:26:LYS:O	2.17	0.45
2:B:820:ARG:HD3	2:B:882:TYR:CE1	2.51	0.45
2:B:400:ARG:HH22	2:B:406:ASP:CG	2.23	0.45
2:B:1205:GLU:OE1	2:B:1359:ARG:NH2	2.50	0.44
2:B:529:TYR:HA	2:B:579:GLU:O	2.17	0.44
2:B:1212:ARG:NH1	7:B:1525:HOH:O	2.44	0.44
2:B:71:ARG:NH1	7:B:1515:HOH:O	2.36	0.44
2:B:345:GLU:H	2:B:345:GLU:CD	2.26	0.44
2:B:958:LEU:HD22	2:B:962:LEU:HD12	1.99	0.44
2:B:973:TYR:HB3	2:B:1237:TYR:CD2	2.53	0.44
2:B:1136:SER:HA	4:D:2:DG:O3'	2.18	0.44
2:B:447:ARG:NH2	7:B:1538:HOH:O	2.50	0.44
2:B:518:PHE:CD1	2:B:667:ILE:HD12	2.53	0.44
2:B:814:TYR:CZ	2:B:830:ILE:HG12	2.53	0.44
2:B:1216:SER:OG	2:B:1217:ALA:N	2.51	0.44
2:B:291:LEU:O	2:B:294:LYS:HB3	2.17	0.43
2:B:882:TYR:CZ	2:B:886:LEU:HD11	2.52	0.43
2:B:1357:GLU:OE1	2:B:1359:ARG:NH1	2.51	0.43
2:B:137:HIS:HA	2:B:322:ILE:HD11	1.99	0.43
2:B:633:GLU:HB2	2:B:652:LYS:HE3	2.00	0.43
2:B:1114:ARG:HD2	2:B:1116:SER:HB2	1.99	0.43
2:B:168:PHE:CD1	2:B:447:ARG:HD2	2.53	0.43
2:B:1241:HIS:CD2	2:B:1245:LEU:HD21	2.54	0.43
2:B:1317:ASN:ND2	7:B:1520:HOH:O	2.39	0.43
2:B:178:ASN:HA	2:B:184:LEU:HD11	2.01	0.43
2:B:821:ASP:HB3	2:B:824:VAL:O	2.19	0.43
1:A:69:A:H2'	1:A:70:C:C6	2.52	0.43
1:A:34:A:OP1	1:A:34:A:H8	2.02	0.43
1:A:38:A:H2'	1:A:39:G:C8	2.54	0.43
2:B:730:SER:O	2:B:733:ILE:HG22	2.19	0.43
2:B:956:ILE:HA	2:B:1008:PHE:O	2.19	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:282:ILE:HG22	2:B:286:TYR:CE2	2.54	0.42
2:B:1000:LYS:NZ	2:B:1064:GLU:OE1	2.45	0.42
2:B:1308:ASN:HB3	2:B:1326:TYR:CD1	2.54	0.42
2:B:48:ILE:HG12	2:B:984:ALA:HB1	2.00	0.42
2:B:979:ASN:HB2	2:B:1225:GLU:OE1	2.19	0.42
2:B:846:PHE:CZ	2:B:913:LYS:HD3	2.54	0.42
2:B:306:LEU:HD21	2:B:414:ILE:HD13	2.01	0.42
2:B:841:ILE:HD13	2:B:900:LEU:HG	2.01	0.42
2:B:232:GLU:HG3	7:B:1524:HOH:O	2.19	0.41
2:B:844:GLN:HA	2:B:847:LEU:O	2.21	0.41
2:B:985:HIS:CG	2:B:1087:LEU:HD22	2.55	0.41
2:B:1157:LEU:HD23	2:B:1157:LEU:HA	1.92	0.41
1:A:61:C:OP2	2:B:70:ARG:HD3	2.20	0.41
1:A:71:U:H2'	1:A:72:U:O4'	2.20	0.41
2:B:600:ILE:HG23	2:B:650:GLN:HB3	2.02	0.41
2:B:265:GLN:HG2	2:B:267:SER:H	1.86	0.41
2:B:307:ARG:HH12	2:B:397:ASP:CG	2.29	0.41
2:B:763:MET:HE3	2:B:763:MET:HB2	1.96	0.41
1:A:30:C:H2'	1:A:31:U:C6	2.56	0.41
2:B:526:LYS:HD3	2:B:526:LYS:HA	1.81	0.41
2:B:539:PHE:HB3	2:B:690:ASN:ND2	2.36	0.41
2:B:1241:HIS:CG	2:B:1245:LEU:HD21	2.56	0.41
2:B:182:ASP:OD2	2:B:209:LYS:HB2	2.21	0.40
2:B:182:ASP:CG	2:B:209:LYS:HB2	2.47	0.40
2:B:963:VAL:O	2:B:967:ARG:HG3	2.21	0.40
2:B:846:PHE:O	2:B:916:PHE:HB3	2.20	0.40
2:B:918:LYS:NZ	2:B:1007:GLU:OE1	2.37	0.40
2:B:1147:ALA:HB2	2:B:1190:VAL:HA	2.03	0.40
2:B:262:ALA:CB	2:B:278:LEU:HD12	2.50	0.40
2:B:756:PRO:HD2	2:B:939:MET:HE2	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	B	1325/1368 (97%)	1287 (97%)	38 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	B	1195/1225 (98%)	1175 (98%)	20 (2%)	53	74

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	B	23	ASP
2	B	75	ARG
2	B	228	GLN
2	B	301	LEU
2	B	507	VAL
2	B	525	THR
2	B	546	LYS
2	B	634	GLU
2	B	654	ARG
2	B	713	VAL
2	B	832	ARG
2	B	856	VAL
2	B	874	GLU
2	B	1047	LYS
2	B	1051	THR
2	B	1058	ARG
2	B	1212	ARG
2	B	1245	LEU
2	B	1280	VAL
2	B	1290	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	178	ASN
2	B	277	ASN
2	B	394	ASN
2	B	407	ASN
2	B	459	ASN
2	B	501	ASN
2	B	511	HIS
2	B	698	HIS
2	B	805	GLN
2	B	807	GLN
2	B	826	GLN
2	B	985	HIS
2	B	1041	ASN
2	B	1101	GLN
2	B	1234	ASN
2	B	1264	HIS

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	A	81/84 (96%)	15 (18%)	0

All (15) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	A	17	C
1	A	20	C
1	A	28	A
1	A	29	G
1	A	35	A
1	A	40	C
1	A	51	A
1	A	56	U
1	A	59	U
1	A	68	A
1	A	72	U
1	A	73	G
1	A	74	A
1	A	75	A
1	A	77	A

There are no RNA pucker outliers to report.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 12 ligands modelled in this entry, 12 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	84/84 (100%)	-0.56	0 100 100	36, 53, 149, 187	0
2	B	1333/1368 (97%)	0.07	18 (1%) 73 69	34, 60, 110, 159	0
3	C	28/28 (100%)	-0.43	0 100 100	45, 52, 124, 140	0
4	D	11/12 (91%)	0.09	1 (9%) 15 12	47, 74, 136, 140	0
All	All	1456/1492 (97%)	0.02	19 (1%) 75 71	34, 59, 113, 187	0

All (19) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	291	LEU	4.0
2	B	1367	GLY	3.6
4	D	-3	DA	3.6
2	B	1057	ILE	2.9
2	B	293	ALA	2.9
2	B	1034	ALA	2.8
2	B	278	LEU	2.8
2	B	290	PHE	2.7
2	B	188	LEU	2.6
2	B	1245	LEU	2.5
2	B	199	ASN	2.5
2	B	804	THR	2.4
2	B	297	SER	2.4
2	B	862	LYS	2.4
2	B	176	PRO	2.3
2	B	175	ASN	2.1
2	B	270	THR	2.1
2	B	795	ILE	2.1
2	B	775	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	K	B	1406	1/1	0.91	0.16	64,64,64,64	0
6	K	B	1404	1/1	0.92	0.13	58,58,58,58	0
6	K	B	1405	1/1	0.93	0.13	60,60,60,60	0
6	K	B	1401	1/1	0.93	0.19	57,57,57,57	0
6	K	B	1403	1/1	0.94	0.14	49,49,49,49	0
6	K	A	105	1/1	0.96	0.13	49,49,49,49	0
6	K	A	104	1/1	0.96	0.14	45,45,45,45	0
6	K	B	1402	1/1	0.97	0.12	45,45,45,45	0
5	MG	A	101	1/1	0.98	0.04	57,57,57,57	0
6	K	A	103	1/1	0.98	0.11	40,40,40,40	0
6	K	B	1407	1/1	0.98	0.04	55,55,55,55	0
5	MG	A	102	1/1	0.99	0.02	36,36,36,36	0

6.5 Other polymers [i](#)

There are no such residues in this entry.