



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 01:01 AM UTC

PDB ID : 7QQW / pdb_00007qqw
Title : SpCas9 bound to FANCF off-target4 DNA substrate
Authors : Pacesa, M.; Jinek, M.
Deposited on : 2022-01-10
Resolution : 3.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1456 (3.10-3.10)
Clashscore	190562	1539 (3.10-3.10)
Ramachandran outliers	187476	1467 (3.10-3.10)
Sidechain outliers	187428	1467 (3.10-3.10)
RSRZ outliers	180081	1456 (3.10-3.10)
RNA backbone	3983	1022 (3.32-2.88)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	84	48% 38% 11%
2	B	1368	80% 15%
3	C	28	57% 39%
4	D	12	50% 33% 17%

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 13375 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called FANCF sgRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	81	Total	C	N	O	P	0	0	1
			1686	754	302	550	80			

- Molecule 2 is a protein called CRISPR-associated endonuclease Cas9/Csn1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	1317	Total	C	N	O	S	0	0	0
			10771	6867	1866	2016	22			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	10	ALA	ASP	engineered mutation	UNP Q99ZW2
B	840	ALA	HIS	engineered mutation	UNP Q99ZW2

- Molecule 3 is a DNA chain called FANCF off-target4 target strand.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	27	Total	C	N	O	P	0	0	0
			542	255	105	156	26			

- Molecule 4 is a DNA chain called FANCF off-target4 non-target strand.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	10	Total	C	N	O	P	0	0	0
			203	98	37	59	9			

- Molecule 5 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	2	Total	Mg	0	0
			2	2		

- Molecule 6 is POTASSIUM ION (CCD ID: K) (formula: K).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	2	Total K 2 2	0	0
6	B	6	Total K 6 6	0	0
6	C	2	Total K 2 2	0	0

- Molecule 7 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	60	Total O 60 60	0	0
7	B	82	Total O 82 82	0	0
7	C	17	Total O 17 17	0	0
7	D	2	Total O 2 2	0	0



● Molecule 3: FANCF off-target4 target strand



● Molecule 4: FANCF off-target4 non-target strand



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	177.63Å 69.91Å 188.92Å 90.00° 112.04° 90.00°	Depositor
Resolution (Å)	48.56 – 3.10 48.56 – 3.10	Depositor EDS
% Data completeness (in resolution range)	99.3 (48.56-3.10) 99.2 (48.56-3.10)	Depositor EDS
R_{merge}	0.26	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.20 (at 3.12Å)	Xtriage
Refinement program	PHENIX 1.17.1 _3660	Depositor
R, R_{free}	0.215 , 0.234 0.217 , 0.233	Depositor DCC
R_{free} test set	1958 reflections (4.96%)	wwPDB-VP
Wilson B-factor (Å ²)	80.3	Xtriage
Anisotropy	0.260	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 59.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	13375	wwPDB-VP
Average B, all atoms (Å ²)	93.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.36% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, K

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.19	0/1886	0.38	0/2937
2	B	0.14	0/10960	0.34	0/14719
3	C	0.31	0/609	0.49	0/941
4	D	0.28	0/227	0.44	0/349
All	All	0.16	0/13682	0.36	0/18946

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1686	0	848	32	0
2	B	10771	0	10932	152	0
3	C	542	0	292	8	0
4	D	203	0	115	3	0
5	A	2	0	0	0	0
6	A	2	0	0	0	0
6	B	6	0	0	0	0
6	C	2	0	0	0	0
7	A	60	0	0	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	B	82	0	0	0	0
7	C	17	0	0	0	0
7	D	2	0	0	0	0
All	All	13375	0	12187	184	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (184) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:13:G:H21	2:B:495:MET:HE1	1.36	0.91
1:A:46:A:H2'	1:A:47:A:H8	1.46	0.79
2:B:644:ASP:N	2:B:644:ASP:OD1	2.17	0.77
4:D:6:DT:H2''	4:D:7:DG:H5''	1.67	0.75
1:A:46:A:H2'	1:A:47:A:C8	2.22	0.75
2:B:274:ASP:HA	2:B:277:ASN:HD21	1.51	0.74
2:B:485:GLY:HA2	2:B:631:MET:HE3	1.72	0.72
3:C:12:DA:H2'	3:C:13:DG:C8	2.24	0.72
2:B:1243:GLU:HB3	2:B:1252:ASN:HD22	1.56	0.70
2:B:191:THR:O	2:B:195:LEU:HB2	1.92	0.70
2:B:560:THR:HG22	2:B:586:ARG:HG2	1.75	0.69
2:B:1243:GLU:HB3	2:B:1252:ASN:HB3	1.77	0.67
2:B:650:GLN:HA	2:B:653:ARG:HD3	1.77	0.65
2:B:827:GLU:O	2:B:859:ARG:NH1	2.30	0.65
2:B:184:LEU:HB2	2:B:296:LEU:HD13	1.80	0.64
2:B:226:ILE:HG13	2:B:234:LYS:HA	1.79	0.63
2:B:8:GLY:HA3	2:B:991:ALA:HB2	1.82	0.62
2:B:192:TYR:CE1	2:B:201:ILE:HG12	2.35	0.62
2:B:244:LEU:HB2	2:B:250:PRO:HG3	1.80	0.62
2:B:268:LYS:HB2	2:B:271:TYR:HB2	1.82	0.61
2:B:787:GLY:O	2:B:791:LEU:HB2	2.01	0.61
2:B:832:ARG:NH2	2:B:835:ASP:OD2	2.33	0.61
2:B:191:THR:O	2:B:195:LEU:CB	2.48	0.61
2:B:788:ILE:HG23	2:B:793:SER:HB3	1.83	0.61
2:B:274:ASP:HA	2:B:277:ASN:ND2	2.15	0.60
2:B:158:LEU:HD22	2:B:419:LEU:HD12	1.84	0.59
1:A:13:G:N2	2:B:495:MET:HE1	2.15	0.59
1:A:37:U:H2'	1:A:38:A:H8	1.68	0.58
2:B:1042:ILE:HG23	2:B:1043:MET:HG2	1.85	0.58
1:A:17:C:OP2	2:B:74:ARG:NH1	2.34	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:12:DA:H2'	3:C:13:DG:H8	1.69	0.58
2:B:249:THR:HG1	2:B:265:GLN:N	2.02	0.58
2:B:501:ASN:HB3	2:B:708:ILE:HD12	1.86	0.58
1:A:6:C:H2'	1:A:7:C:C6	2.38	0.58
2:B:870:VAL:HG21	2:B:902:LYS:HB3	1.86	0.57
2:B:265:GLN:HG2	2:B:268:LYS:HE3	1.87	0.57
2:B:67:THR:OG1	2:B:71:ARG:NH2	2.38	0.56
2:B:1147:ALA:HB2	2:B:1190:VAL:HA	1.87	0.56
3:C:-1:DC:H2'	3:C:0:DT:C6	2.40	0.56
1:A:33:G:H8	1:A:36:A:H62	1.54	0.56
2:B:1236:LEU:O	2:B:1240:SER:HB3	2.06	0.55
1:A:47:A:O2'	2:B:101:LEU:O	2.23	0.55
2:B:762:GLU:HB3	2:B:990:ASN:ND2	2.22	0.55
1:A:77:A:H2'	1:A:78:A:C8	2.42	0.54
1:A:68:A:C4	1:A:69:A:C8	2.96	0.54
1:A:64:U:H1'	2:B:59:ALA:HB2	1.88	0.54
3:C:-7:DC:H2'	3:C:-6:DA:C8	2.43	0.53
2:B:182:ASP:OD2	2:B:209:LYS:HB2	2.09	0.53
1:A:59:U:OP1	2:B:467:ARG:NH2	2.42	0.53
2:B:178:ASN:ND2	2:B:295:ASN:OD1	2.42	0.53
2:B:851:SER:O	2:B:855:LYS:HG3	2.09	0.52
2:B:195:LEU:HD11	2:B:286:TYR:N	2.24	0.52
2:B:1004:LEU:HD11	2:B:1042:ILE:HD11	1.91	0.52
2:B:1357:GLU:OE1	2:B:1359:ARG:NH1	2.43	0.52
2:B:917:ILE:HG13	2:B:1036:TYR:CE2	2.45	0.52
2:B:600:ILE:HG21	2:B:651:LEU:HD13	1.92	0.51
2:B:870:VAL:HG23	2:B:908:LEU:HG	1.93	0.51
1:A:8:C:H2'	1:A:9:U:C6	2.46	0.51
2:B:489:GLN:HG3	2:B:625:LEU:HD21	1.92	0.51
2:B:566:GLU:HA	2:B:570:LYS:HD2	1.92	0.51
1:A:37:U:H2'	1:A:38:A:C8	2.46	0.51
2:B:287:ALA:HA	2:B:290:PHE:HD2	1.76	0.51
2:B:814:TYR:CZ	2:B:830:ILE:HG12	2.46	0.51
2:B:870:VAL:HG11	2:B:902:LYS:HB3	1.92	0.51
2:B:909:SER:O	2:B:913:LYS:HG3	2.11	0.51
2:B:186:ILE:O	2:B:190:GLN:HG2	2.11	0.50
1:A:5:U:H2'	1:A:6:C:C6	2.47	0.50
2:B:1205:GLU:OE1	2:B:1359:ARG:NH2	2.44	0.50
2:B:1212:ARG:NH2	2:B:1280:VAL:O	2.45	0.50
2:B:650:GLN:O	2:B:653:ARG:HG2	2.11	0.49
2:B:1215:ALA:HB2	2:B:1221:GLN:HG3	1.94	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:211:ILE:HG22	2:B:212:LEU:HD23	1.94	0.49
2:B:763:MET:HE1	2:B:931:VAL:HG21	1.94	0.49
1:A:57:A:H5'	2:B:457:ARG:NH2	2.27	0.49
2:B:775:LYS:HE3	4:D:-2:DC:C2	2.48	0.48
2:B:902:LYS:HE2	2:B:907:GLY:O	2.13	0.48
2:B:958:LEU:HD22	2:B:962:LEU:HD12	1.94	0.48
2:B:963:VAL:O	2:B:967:ARG:HG3	2.12	0.48
2:B:935:LEU:O	2:B:939:MET:HG2	2.14	0.48
2:B:1306:ALA:O	2:B:1310:ILE:HG12	2.13	0.48
1:A:34:A:OP1	1:A:34:A:H8	1.96	0.48
2:B:566:GLU:O	2:B:570:LYS:HB2	2.13	0.48
2:B:677:LYS:HB3	2:B:681:ASP:CB	2.44	0.48
2:B:795:ILE:HD11	2:B:814:TYR:CE2	2.48	0.48
2:B:1011:GLY:HA3	2:B:1013:TYR:CE2	2.49	0.48
2:B:902:LYS:HA	2:B:905:ARG:NH1	2.29	0.47
1:A:49:A:N3	2:B:1122:ARG:NH2	2.62	0.47
1:A:7:C:H2'	1:A:8:C:C6	2.49	0.47
1:A:5:U:H2'	1:A:6:C:H6	1.80	0.47
2:B:220:ARG:NE	2:B:792:GLY:HA3	2.30	0.47
2:B:756:PRO:HD2	2:B:939:MET:HE2	1.96	0.47
2:B:822:MET:HG3	2:B:883:TRP:HE1	1.79	0.47
2:B:220:ARG:HE	2:B:792:GLY:HA3	1.80	0.47
2:B:902:LYS:NZ	2:B:908:LEU:HD23	2.29	0.47
1:A:22:U:H2'	1:A:23:U:C6	2.50	0.47
2:B:179:SER:HA	2:B:299:ALA:HA	1.96	0.47
2:B:218:LYS:HD3	2:B:221:ARG:NH2	2.30	0.47
2:B:302:LEU:HD22	2:B:414:ILE:HD11	1.97	0.47
2:B:133:PRO:HG2	2:B:137:HIS:CE1	2.51	0.46
2:B:252:PHE:HE2	2:B:290:PHE:HE1	1.64	0.46
1:A:24:U:H2'	1:A:25:U:C6	2.51	0.46
2:B:763:MET:HE3	2:B:763:MET:HB2	1.82	0.46
2:B:238:PHE:HA	2:B:241:LEU:HD12	1.97	0.46
2:B:134:THR:HG23	2:B:137:HIS:CE1	2.50	0.46
2:B:192:TYR:CE2	2:B:237:LEU:HD11	2.50	0.46
2:B:202:ASN:ND2	2:B:204:SER:H	2.14	0.46
2:B:1284:ASP:N	2:B:1284:ASP:OD1	2.48	0.45
4:D:-2:DC:H2''	4:D:-1:DC:C6	2.51	0.45
2:B:289:LEU:O	2:B:293:ALA:N	2.48	0.45
1:A:77:A:H2'	1:A:78:A:H8	1.80	0.45
2:B:252:PHE:HE2	2:B:290:PHE:CE1	2.35	0.45
1:A:8:C:H2'	1:A:9:U:H6	1.81	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:4:A:H2'	1:A:5:U:C6	2.51	0.45
2:B:488:ALA:HB3	2:B:631:MET:HE1	1.99	0.45
2:B:663:SER:O	2:B:667:ILE:HG12	2.17	0.45
2:B:963:VAL:HG21	2:B:990:ASN:OD1	2.16	0.45
2:B:154:ILE:O	2:B:158:LEU:HG	2.17	0.44
2:B:31:LYS:HD3	2:B:31:LYS:HA	1.85	0.44
2:B:218:LYS:HB2	2:B:248:LEU:HD21	2.00	0.44
2:B:1229:PRO:HD2	2:B:1232:TYR:HD2	1.81	0.44
2:B:63:ARG:O	2:B:67:THR:HG23	2.18	0.44
2:B:192:TYR:HE2	2:B:237:LEU:HD11	1.82	0.44
2:B:823:TYR:OH	2:B:856:VAL:HG11	2.18	0.44
2:B:82:LEU:HD22	2:B:162:ILE:HD12	2.00	0.44
2:B:212:LEU:HD13	2:B:300:ILE:HD11	1.99	0.44
2:B:216:LEU:HD13	2:B:220:ARG:HH11	1.83	0.43
2:B:349:GLU:HG3	2:B:356:LYS:HG3	1.98	0.43
2:B:103:GLU:O	2:B:111:LYS:NZ	2.52	0.43
2:B:485:GLY:HA2	2:B:631:MET:CE	2.46	0.43
1:A:9:U:H2'	1:A:10:U:C6	2.53	0.43
2:B:143:VAL:HG11	2:B:315:ALA:HB2	1.99	0.43
2:B:189:VAL:HG21	2:B:203:ALA:HB2	2.01	0.43
2:B:817:GLN:O	2:B:882:TYR:OH	2.35	0.43
2:B:844:GLN:HA	2:B:847:LEU:O	2.19	0.43
2:B:193:ASN:OD1	2:B:201:ILE:N	2.45	0.43
2:B:788:ILE:O	2:B:792:GLY:N	2.50	0.43
2:B:956:ILE:HG23	2:B:1008:PHE:HB3	2.01	0.43
2:B:1117:ASP:OD1	2:B:1117:ASP:N	2.52	0.43
2:B:237:LEU:HD12	2:B:238:PHE:N	2.34	0.43
2:B:277:ASN:HB2	2:B:653:ARG:NE	2.34	0.43
2:B:271:TYR:O	2:B:274:ASP:HB3	2.19	0.43
2:B:673:LYS:HB2	2:B:703:THR:HG21	2.00	0.43
2:B:1110:ILE:HG23	2:B:1122:ARG:HD2	2.01	0.43
2:B:1143:VAL:HG13	2:B:1195:ILE:HG23	2.01	0.43
2:B:209:LYS:O	2:B:213:SER:HB3	2.19	0.42
1:A:22:U:H2'	1:A:23:U:H6	1.83	0.42
2:B:240:ASN:ND2	2:B:255:ASN:OD1	2.53	0.42
2:B:905:ARG:NH1	3:C:16:DA:OP1	2.52	0.42
2:B:1243:GLU:HB3	2:B:1252:ASN:ND2	2.28	0.42
2:B:66:ARG:HG3	2:B:69:ARG:NH1	2.34	0.42
2:B:287:ALA:HA	2:B:290:PHE:CD2	2.54	0.42
2:B:468:LYS:HD2	2:B:483:ASP:HA	2.01	0.42
2:B:1147:ALA:HB1	2:B:1188:LYS:O	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:704:PHE:O	2:B:708:ILE:HG12	2.19	0.42
2:B:1151:LYS:HD2	2:B:1158:LYS:HD2	2.02	0.41
2:B:692:ASN:O	2:B:696:LEU:HG	2.19	0.41
2:B:760:VAL:HG22	2:B:956:ILE:HD12	2.02	0.41
2:B:850:ASP:O	2:B:855:LYS:HD2	2.21	0.41
2:B:853:ASP:HB3	2:B:895:ARG:NH1	2.35	0.41
2:B:192:TYR:HE1	2:B:201:ILE:HG12	1.85	0.41
2:B:1163:LEU:HG	2:B:1343:LEU:HD21	2.02	0.41
2:B:1204:PHE:HE1	2:B:1214:LEU:HD13	1.84	0.41
1:A:20:C:OP2	2:B:403:ARG:NH1	2.53	0.41
2:B:225:LEU:HD23	2:B:242:ILE:HG21	2.03	0.41
2:B:36:GLY:HA3	2:B:1359:ARG:O	2.21	0.41
2:B:468:LYS:HG3	2:B:483:ASP:HB2	2.02	0.41
2:B:870:VAL:HG13	2:B:871:PRO:HD2	2.03	0.41
3:C:8:DC:H2'	3:C:9:DA:C8	2.55	0.41
1:A:48:A:N6	7:A:207:HOH:O	2.54	0.41
2:B:244:LEU:HD13	2:B:250:PRO:HD2	2.02	0.41
2:B:597:LEU:O	2:B:601:ILE:HG12	2.21	0.41
2:B:735:LYS:NZ	2:B:1099:GLU:OE2	2.40	0.41
1:A:65:A:N6	7:A:206:HOH:O	2.53	0.41
2:B:830:ILE:O	2:B:833:LEU:HG	2.21	0.40
2:B:870:VAL:HG21	2:B:902:LYS:HD3	2.02	0.40
2:B:814:TYR:CE1	2:B:819:GLY:HA2	2.55	0.40
1:A:70:C:C2	1:A:71:U:C5	3.10	0.40
2:B:465:MET:HE3	2:B:465:MET:HB3	1.94	0.40
2:B:548:ILE:HG23	2:B:552:LEU:HD12	2.03	0.40
2:B:755:LYS:HE2	2:B:939:MET:O	2.21	0.40
2:B:1312:LEU:HD23	2:B:1312:LEU:HA	1.86	0.40
2:B:1064:GLU:O	2:B:1073:VAL:HG22	2.22	0.40
3:C:11:DG:H2''	3:C:12:DA:O4'	2.21	0.40
3:C:16:DA:C8	3:C:17:DT:H72	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	B	1301/1368 (95%)	1255 (96%)	46 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	B	1182/1225 (96%)	1161 (98%)	21 (2%)	51	73

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	B	57	GLU
2	B	75	ARG
2	B	134	THR
2	B	178	ASN
2	B	188	LEU
2	B	202	ASN
2	B	286	TYR
2	B	435	ASP
2	B	495	MET
2	B	512	SER
2	B	644	ASP
2	B	824	VAL
2	B	830	ILE
2	B	832	ARG
2	B	853	ASP
2	B	894	GLN
2	B	995	THR
2	B	1241	HIS
2	B	1245	LEU
2	B	1284	ASP
2	B	1298	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	14	ASN
2	B	137	HIS
2	B	199	ASN
2	B	202	ASN
2	B	240	ASN
2	B	255	ASN
2	B	277	ASN
2	B	412	HIS
2	B	426	GLN
2	B	501	ASN
2	B	799	HIS
2	B	1041	ASN
2	B	1044	ASN
2	B	1221	GLN
2	B	1234	ASN
2	B	1264	HIS

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	A	78/84 (92%)	17 (21%)	0

All (17) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	A	12	U
1	A	17	C
1	A	20	C
1	A	28	A
1	A	29	G
1	A	33	G
1	A	34	A
1	A	37	U
1	A	39	G
1	A	40	C
1	A	51	A
1	A	53	G
1	A	56	U
1	A	57	A
1	A	59	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	68	A
1	A	77	A

There are no RNA pucker outliers to report.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 12 ligands modelled in this entry, 12 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	81/84 (96%)	-0.70	1 (1%) 76 58	47, 73, 132, 164	0
2	B	1317/1368 (96%)	-0.18	8 (0%) 85 70	40, 91, 160, 194	0
3	C	27/28 (96%)	-0.32	0 100 100	59, 71, 151, 210	0
4	D	10/12 (83%)	-0.52	0 100 100	63, 85, 143, 148	0
All	All	1435/1492 (96%)	-0.22	9 (0%) 85 70	40, 90, 159, 210	0

All (9) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	2	G	5.1
2	B	225	LEU	3.0
2	B	176	PRO	2.4
2	B	278	LEU	2.4
2	B	266	LEU	2.3
2	B	267	SER	2.2
2	B	212	LEU	2.2
2	B	188	LEU	2.1
2	B	246	LEU	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	K	B	1406	1/1	0.63	0.10	147,147,147,147	0
6	K	B	1405	1/1	0.75	0.11	138,138,138,138	0
6	K	B	1401	1/1	0.77	0.14	122,122,122,122	0
6	K	B	1402	1/1	0.78	0.11	111,111,111,111	0
6	K	B	1403	1/1	0.78	0.16	108,108,108,108	0
6	K	B	1404	1/1	0.85	0.07	149,149,149,149	0
6	K	C	102	1/1	0.85	0.11	105,105,105,105	0
6	K	C	101	1/1	0.92	0.07	75,75,75,75	0
6	K	A	104	1/1	0.92	0.14	95,95,95,95	0
5	MG	A	101	1/1	0.93	0.06	88,88,88,88	0
6	K	A	103	1/1	0.98	0.04	73,73,73,73	0
5	MG	A	102	1/1	0.99	0.03	56,56,56,56	0

6.5 Other polymers [i](#)

There are no such residues in this entry.