



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 7, 2026 – 02:33 AM UTC

PDB ID : 1QRU / pdb_00001qru
Title : GLUTAMINYL-TRNA SYNTHETASE MUTANT I129T COMPLEXED
WITH GLUTAMINE TRANSFER RNA
Authors : Arnez, J.G.; Steitz, T.A.
Deposited on : 1996-06-14
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	2977 (3.00-3.00)
Ramachandran outliers	187476	2877 (3.00-3.00)
Sidechain outliers	187428	2880 (3.00-3.00)
RSRZ outliers	180081	2671 (3.00-3.00)
RNA backbone	3983	1109 (3.20-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	B	75	
2	A	553	

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 7104 atoms, of which 1208 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called TRNAGLN2.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	B	74	Total	C	H	N	O	P	0	0	0
			1802	702	229	279	518	74			


- Molecule 2 is a protein called PROTEIN (GLUTAMINYL-TRNA SYNTHETASE (E.C.6.1.1.18)).

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	A	529	Total	C	H	N	O	S	0	0	0
			5254	2702	976	752	803	21			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	129	THR	ILE	engineered mutation	UNP P00962

- Molecule 3 is ADENOSINE-5'-TRIPHOSPHATE (CCD ID: ATP) (formula: $C_{10}H_{16}N_5O_{13}P_3$).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	A	1	Total	C	H	N	O	P	0	0
			34	10	3	5	13	3		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	1	Total	O	0	0
			1	1		
4	A	13	Total	O	0	0
			13	13		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: TRNAGLN2



- Molecule 2: PROTEIN (GLUTAMINYL-TRNA SYNTHETASE (E.C.6.1.1.18))



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	242.00Å 93.70Å 115.50Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	7.00 – 3.00 7.00 – 3.00	Depositor EDS
% Data completeness (in resolution range)	(Not available) (7.00-3.00) 83.0 (7.00-3.00)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.69 (at 2.98Å)	Xtriage
Refinement program	X-PLOR 3.1	Depositor
R, R_{free}	0.230 , (Not available) 0.230 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	39.4	Xtriage
Anisotropy	0.072	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 50.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	7104	wwPDB-VP
Average B, all atoms (Å ²)	22.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.22% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ATP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	B	0.48	0/1756	0.94	9/2734 (0.3%)
2	A	0.74	0/4378	1.11	31/5927 (0.5%)
All	All	0.68	0/6134	1.06	40/8661 (0.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	5

There are no bond length outliers.

All (40) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	215	HIS	N-CA-C	10.03	122.22	111.28
2	A	492	ASN	CA-C-N	-7.98	111.42	120.04
2	A	492	ASN	C-N-CA	-7.98	111.42	120.04
2	A	312	ARG	N-CA-C	7.64	119.40	111.14
1	B	74	C	C4'-C3'-O3'	-7.10	98.75	109.40
2	A	230	THR	N-CA-C	6.97	119.97	110.55
2	A	25	THR	N-CA-C	-6.74	105.68	114.04
2	A	368	HIS	CA-C-N	6.68	128.18	119.84
2	A	368	HIS	C-N-CA	6.68	128.18	119.84
2	A	403	LEU	N-CA-C	6.57	119.56	107.99
2	A	63	LEU	N-CA-C	-6.53	97.87	108.52
2	A	425	ASP	N-CA-C	-6.52	100.83	110.48
1	B	15	G	C2'-C3'-O3'	6.52	119.28	109.50
1	B	20	U	C2'-C3'-O3'	6.47	119.20	109.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	19	G	N9-C1'-C2'	6.43	123.65	114.00
1	B	18	G	N9-C1'-C2'	6.38	123.57	114.00
2	A	99	SER	N-CA-C	-6.09	104.72	111.36
2	A	530	HIS	N-CA-C	6.07	121.20	113.55
2	A	31	PHE	N-CA-C	-5.99	99.82	109.40
2	A	208	TYR	CA-C-N	5.81	125.72	119.85
2	A	208	TYR	C-N-CA	5.81	125.72	119.85
2	A	212	ASP	N-CA-C	5.78	117.58	111.28
2	A	424	LYS	N-CA-C	5.71	119.36	110.17
2	A	214	THR	N-CA-C	5.54	117.12	111.14
2	A	34	GLU	N-CA-C	-5.53	102.17	110.24
2	A	367	ASN	N-CA-C	-5.41	106.64	113.18
2	A	348	PRO	N-CA-C	5.36	123.51	112.47
1	B	19	G	O4'-C1'-C2'	5.34	111.14	105.80
2	A	110	ALA	N-CA-C	-5.32	105.56	111.36
2	A	293	ILE	CB-CA-C	-5.29	105.00	112.14
2	A	159	LYS	N-CA-C	-5.25	105.63	111.36
2	A	299	ARG	N-CA-C	-5.25	106.14	112.54
2	A	31	PHE	CA-C-N	-5.22	115.00	120.38
2	A	31	PHE	C-N-CA	-5.22	115.00	120.38
2	A	240	TYR	N-CA-C	-5.13	104.75	111.02
2	A	415	TYR	N-CA-C	5.09	118.42	110.32
1	B	18	G	C4'-C3'-O3'	-5.09	101.77	109.40
2	A	146	ARG	N-CA-C	5.04	118.53	112.38
1	B	73	G	N9-C1'-C2'	5.03	121.55	114.00
1	B	45	A	C2'-C3'-O3'	5.01	117.02	109.50

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	19	G	Sidechain
1	B	38	U	Sidechain
1	B	47	U	Sidechain
1	B	48	C	Sidechain
1	B	72	A	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	1573	229	800	81	0
2	A	4278	976	4168	164	0
3	A	31	3	12	1	0
4	A	13	0	0	1	0
4	B	1	0	0	0	0
All	All	5896	1208	4980	232	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 21.

All (232) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:46:U:H4'	1:B:47:U:C6	1.79	1.17
1:B:58:A:H4'	1:B:59:A:OP1	1.61	1.01
1:B:16:C:OP2	1:B:16:C:H3'	1.61	1.00
1:B:40:C:O2'	1:B:41:C:H5'	1.60	1.00
2:A:522:GLY:HA2	2:A:544:LEU:HD13	1.53	0.90
1:B:36:G:H4'	1:B:37:A:OP2	1.71	0.89
2:A:39:LEU:HD13	2:A:81:ILE:HG12	1.55	0.87
2:A:41:ILE:HG23	2:A:268:MET:HE1	1.57	0.87
2:A:362:MET:HG2	2:A:378:GLN:HG3	1.57	0.86
1:B:47:U:H2'	1:B:47:U:O2	1.79	0.82
1:B:40:C:HO2'	1:B:41:C:H5'	1.45	0.82
1:B:46:U:H4'	1:B:47:U:C5	2.15	0.81
1:B:44:C:H6	1:B:44:C:H5''	1.47	0.80
1:B:40:C:H2'	1:B:41:C:H6	1.49	0.78
2:A:534:GLU:O	2:A:536:PRO:HD3	1.83	0.77
1:B:15:G:H3'	1:B:16:C:C5	2.19	0.77
2:A:30:ARG:NH1	2:A:215:HIS:HE1	1.83	0.76
2:A:353:ILE:HG21	2:A:437:TYR:HB3	1.68	0.76
1:B:42:G:O2'	1:B:43:G:H5'	1.85	0.75
2:A:30:ARG:NH1	2:A:215:HIS:CE1	2.55	0.74
1:B:7:A:C5'	2:A:318:GLN:HE22	2.01	0.74
2:A:335:LEU:HB3	2:A:523:TYR:CD2	2.21	0.74
1:B:40:C:H2'	1:B:41:C:C6	2.23	0.72
2:A:380:PRO:HB2	2:A:463:HIS:ND1	2.05	0.72
1:B:38:U:C5	1:B:39:U:C5	2.78	0.72
2:A:44:ALA:HB2	2:A:293:ILE:HD11	1.72	0.72

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:349:VAL:HB	2:A:389:ARG:HD3	1.71	0.71
1:B:39:U:H2'	1:B:39:U:O2	1.91	0.70
2:A:341:ARG:HD2	2:A:369:PRO:HD2	1.74	0.70
2:A:365:MET:HE3	2:A:379:VAL:HG21	1.74	0.69
1:B:61:C:O2'	1:B:62:C:H5'	1.92	0.69
2:A:393:ARG:O	2:A:404:VAL:HA	1.92	0.69
1:B:50:G:O2'	1:B:51:A:H5'	1.91	0.69
2:A:114:ILE:HG21	2:A:154:LEU:HD13	1.73	0.69
1:B:35:U:C5	1:B:37:A:C2	2.82	0.68
2:A:393:ARG:HD2	2:A:400:TYR:CE2	2.29	0.68
1:B:38:U:C4	1:B:39:U:C5	2.82	0.68
2:A:388:ASP:HB3	2:A:391:ASP:OD2	1.94	0.67
1:B:33:U:H2'	1:B:35:U:OP1	1.95	0.67
2:A:425:ASP:HB3	2:A:429:ASN:HB2	1.75	0.67
2:A:408:GLU:HG2	2:A:418:LYS:HG3	1.76	0.66
1:B:15:G:H3'	1:B:16:C:C6	2.31	0.65
1:B:19:G:O2'	1:B:20:U:C5	2.49	0.65
1:B:58:A:C4'	1:B:59:A:OP1	2.41	0.65
2:A:487:PHE:O	2:A:490:VAL:HG12	1.96	0.65
2:A:132:TYR:CD2	2:A:141:LYS:HG3	2.31	0.64
1:B:16:C:H4'	1:B:18:G:O5'	1.96	0.64
2:A:41:ILE:CG2	2:A:268:MET:HE1	2.27	0.64
2:A:430:ILE:HD12	2:A:430:ILE:N	2.14	0.63
2:A:437:TYR:HE1	2:A:439:ALA:HA	1.62	0.63
2:A:393:ARG:HB2	2:A:400:TYR:CZ	2.34	0.63
2:A:422:VAL:HG12	2:A:423:GLU:N	2.13	0.62
1:B:44:C:H6	1:B:44:C:C5'	2.13	0.62
2:A:437:TYR:CE1	2:A:439:ALA:HA	2.34	0.62
2:A:363:VAL:HG23	2:A:381:PHE:HB2	1.82	0.61
2:A:43:HIS:CE1	2:A:270:LYS:HE2	2.35	0.61
1:B:72:A:C8	2:A:136:LEU:HD21	2.35	0.61
1:B:38:U:C5	1:B:39:U:H5	2.19	0.60
2:A:347:ASP:O	2:A:388:ASP:HA	2.02	0.59
2:A:363:VAL:HG11	2:A:413:ASN:O	2.03	0.59
2:A:30:ARG:NH1	2:A:32:PRO:HG3	2.18	0.58
1:B:47:U:O2	1:B:47:U:C2'	2.51	0.58
1:B:32:U:C4	1:B:33:U:C5	2.92	0.58
2:A:43:HIS:HE1	2:A:270:LYS:HE2	1.69	0.57
2:A:98:TYR:O	2:A:101:ASP:HB2	2.04	0.57
2:A:403:LEU:HD13	2:A:409:VAL:HG22	1.84	0.57
1:B:36:G:C4'	1:B:37:A:OP2	2.50	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:41:C:H2'	1:B:42:G:O4'	2.04	0.57
2:A:415:TYR:CE1	2:A:442:LEU:HD22	2.40	0.56
1:B:38:U:H2'	1:B:39:U:H6	1.71	0.56
2:A:472:TYR:CE1	2:A:496:LEU:HD13	2.41	0.56
2:A:125:THR:O	2:A:129:THR:HG23	2.07	0.55
2:A:393:ARG:HG2	2:A:395:GLU:O	2.06	0.55
1:B:46:U:C4'	1:B:47:U:C5	2.87	0.55
2:A:39:LEU:CD1	2:A:81:ILE:HG12	2.34	0.55
2:A:105:GLN:HG2	2:A:221:LEU:HD11	1.89	0.55
2:A:301:TYR:CE2	2:A:327:LEU:HD22	2.41	0.55
1:B:35:U:H1'	2:A:520:ARG:HG2	1.89	0.55
2:A:505:PRO:O	2:A:508:LYS:HB2	2.06	0.54
2:A:30:ARG:HH11	2:A:215:HIS:CE1	2.26	0.54
1:B:7:A:H4'	1:B:8:U:OP2	2.07	0.54
2:A:35:PRO:HG2	2:A:73:GLU:HB3	1.90	0.54
2:A:173:ARG:HD2	2:A:187:ASP:O	2.07	0.54
2:A:503:ALA:HB1	2:A:507:LEU:HD22	1.89	0.54
2:A:531:SER:HA	2:A:537:VAL:HG23	1.89	0.54
2:A:287:ASP:OD1	2:A:289:ARG:HD3	2.08	0.54
1:B:7:A:C4'	2:A:318:GLN:HE22	2.22	0.53
2:A:123:GLU:HG3	2:A:148:ARG:NH2	2.23	0.53
2:A:263:LEU:HB3	2:A:266:THR:CG2	2.38	0.53
2:A:114:ILE:CG2	2:A:154:LEU:HD13	2.37	0.53
2:A:124:LEU:HG	2:A:128:GLN:HB3	1.90	0.53
2:A:49:LEU:O	2:A:53:ILE:HG13	2.09	0.53
2:A:410:ARG:HH11	2:A:410:ARG:CG	2.22	0.53
1:B:38:U:C6	1:B:39:U:H5	2.27	0.52
2:A:230:THR:HG21	2:A:260:ARG:HB3	1.91	0.52
2:A:301:TYR:HE2	2:A:327:LEU:HD22	1.74	0.52
2:A:441:THR:O	2:A:442:LEU:HB3	2.08	0.52
2:A:416:VAL:HB	2:A:441:THR:HG21	1.91	0.52
2:A:389:ARG:O	2:A:391:ASP:N	2.43	0.51
1:B:43:G:H2'	1:B:44:C:H5''	1.92	0.51
2:A:380:PRO:HB2	2:A:463:HIS:HD1	1.75	0.51
2:A:410:ARG:HH11	2:A:410:ARG:HG2	1.75	0.51
2:A:410:ARG:HG2	2:A:410:ARG:NH1	2.26	0.51
1:B:39:U:O2	1:B:39:U:C2'	2.59	0.51
2:A:149:SER:OG	2:A:152:GLU:HB2	2.11	0.51
1:B:12:C:H5''	1:B:12:C:H6	1.75	0.51
2:A:157:PHE:CE1	2:A:172:LEU:HD22	2.46	0.50
1:B:2:G:C4	2:A:136:LEU:O	2.64	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:67:A:H2'	1:B:68:C:C6	2.47	0.50
1:B:36:G:C4	2:A:401:LYS:HD3	2.47	0.49
2:A:71:VAL:HG23	2:A:72:LYS:HG2	1.94	0.49
2:A:506:SER:C	2:A:508:LYS:H	2.20	0.49
2:A:422:VAL:CG1	2:A:423:GLU:N	2.74	0.49
1:B:15:G:O2'	1:B:16:C:OP1	2.31	0.49
1:B:38:U:C6	1:B:39:U:C5	3.00	0.49
2:A:418:LYS:O	2:A:435:CYS:HB3	2.13	0.49
1:B:16:C:C4'	1:B:18:G:O5'	2.62	0.48
2:A:227:SER:O	2:A:255:GLN:HA	2.13	0.48
2:A:392:PHE:HZ	2:A:405:LEU:HB2	1.78	0.48
1:B:73:G:H5'	2:A:133:ARG:NH2	2.28	0.48
2:A:135:THR:OG1	2:A:138:GLN:HB2	2.14	0.48
2:A:29:THR:O	2:A:61:CYS:HA	2.13	0.48
2:A:127:GLU:CD	2:A:127:GLU:H	2.22	0.48
1:B:21:A:C2	1:B:45:A:C6	3.02	0.48
2:A:176:ILE:HG22	2:A:177:ASP:N	2.29	0.48
1:B:35:U:O4	2:A:341:ARG:HD3	2.14	0.48
2:A:368:HIS:HD2	2:A:370:ASN:H	1.60	0.48
2:A:421:ARG:O	2:A:434:PHE:HD1	1.97	0.48
2:A:331:ILE:HG13	2:A:335:LEU:HD22	1.96	0.47
1:B:73:G:O2'	1:B:74:C:H5''	2.14	0.47
2:A:403:LEU:CA	2:A:409:VAL:HG11	2.44	0.47
1:B:20:U:O2'	1:B:21:A:OP2	2.29	0.47
1:B:61:C:C2'	1:B:62:C:H5'	2.45	0.47
2:A:335:LEU:HD12	2:A:335:LEU:HA	1.73	0.47
1:B:35:U:H5	1:B:37:A:C2	2.31	0.47
2:A:289:ARG:HB3	2:A:475:LEU:HG	1.96	0.47
2:A:474:ARG:HE	2:A:474:ARG:HB3	1.45	0.47
2:A:408:GLU:HG2	2:A:418:LYS:CG	2.43	0.47
2:A:459:VAL:HG12	2:A:464:ALA:HB2	1.97	0.47
2:A:127:GLU:CD	2:A:127:GLU:N	2.73	0.47
1:B:7:A:H4'	2:A:318:GLN:HE22	1.80	0.46
2:A:11:ILE:HD13	2:A:228:LEU:HD22	1.97	0.46
1:B:74:C:N3	2:A:168:GLY:HA2	2.30	0.46
2:A:178:MET:O	2:A:186:ARG:HD2	2.15	0.46
2:A:335:LEU:HB3	2:A:523:TYR:CE2	2.49	0.46
2:A:522:GLY:O	2:A:524:PHE:HD1	1.98	0.46
2:A:423:GLU:HB2	2:A:434:PHE:HE1	1.80	0.46
2:A:40:HIS:HA	2:A:292:THR:HA	1.98	0.46
2:A:322:ILE:HD12	2:A:322:ILE:N	2.30	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:351:LEU:C	2:A:351:LEU:HD23	2.40	0.46
1:B:12:C:H2'	1:B:13:A:H5'	1.98	0.46
2:A:262:ASN:HB2	2:A:320:ASN:O	2.15	0.46
2:A:30:ARG:NH2	2:A:228:LEU:O	2.49	0.45
2:A:363:VAL:CG2	2:A:381:PHE:HB2	2.46	0.45
1:B:15:G:O2'	1:B:16:C:P	2.75	0.45
2:A:60:GLN:HE21	2:A:60:GLN:HA	1.81	0.45
2:A:288:PRO:HG3	2:A:298:ARG:HG2	1.98	0.45
2:A:408:GLU:HB3	2:A:417:ILE:O	2.16	0.45
2:A:412:ARG:N	2:A:458:TRP:HE1	2.14	0.45
1:B:15:G:H3'	1:B:16:C:H5	1.73	0.45
1:B:30:G:O2'	1:B:31:A:H5'	2.16	0.45
1:B:31:A:C6	1:B:32:U:C4	3.04	0.45
1:B:49:C:O5'	1:B:49:C:H6	2.00	0.45
1:B:38:U:C2	1:B:39:U:C6	3.05	0.45
1:B:9:C:O2'	1:B:10:G:N7	2.43	0.45
1:B:35:U:C2	2:A:519:GLU:OE1	2.71	0.45
1:B:15:G:HO2'	1:B:16:C:P	2.40	0.44
1:B:73:G:O2'	1:B:74:C:H3'	2.16	0.44
2:A:403:LEU:HD11	2:A:419:ALA:HB2	1.99	0.44
2:A:411:LEU:HB3	2:A:458:TRP:CD1	2.52	0.44
2:A:14:ILE:HD13	2:A:256:TYR:CE1	2.52	0.44
2:A:393:ARG:HG2	2:A:396:ALA:HB2	1.99	0.44
1:B:46:U:H4'	1:B:47:U:H6	1.65	0.44
2:A:455:VAL:HG12	2:A:456:ILE:N	2.32	0.44
2:A:405:LEU:HG	2:A:405:LEU:O	2.18	0.44
1:B:7:A:C4'	1:B:8:U:OP2	2.66	0.44
1:B:61:C:H2'	1:B:62:C:C6	2.52	0.44
2:A:342:ALA:O	2:A:343:MET:HG2	2.18	0.44
2:A:422:VAL:CG1	2:A:423:GLU:H	2.31	0.44
2:A:471:LEU:HB2	2:A:497:VAL:HG13	1.99	0.44
2:A:506:SER:C	2:A:508:LYS:N	2.75	0.44
2:A:522:GLY:O	2:A:524:PHE:CD1	2.70	0.44
2:A:546:ASP:O	2:A:547:THR:HG23	2.18	0.44
2:A:229:CYS:O	2:A:257:GLU:HA	2.18	0.43
1:B:40:C:C2'	1:B:41:C:H5'	2.46	0.43
2:A:84:ASP:OD1	2:A:297:ARG:NH2	2.51	0.43
2:A:464:ALA:HB1	2:A:502:PHE:HB3	2.01	0.43
2:A:465:LEU:HD12	2:A:466:PRO:HD2	1.99	0.43
2:A:517:GLN:HG3	2:A:523:TYR:CE2	2.53	0.43
2:A:422:VAL:HG12	2:A:423:GLU:H	1.80	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:511:VAL:HG23	2:A:514:LYS:HB2	2.00	0.43
1:B:76:A:C2	2:A:233:PHE:CZ	3.07	0.43
1:B:69:C:O2'	1:B:70:C:H5'	2.19	0.43
2:A:527:ASP:HB2	2:A:539:ASN:ND2	2.33	0.43
2:A:403:LEU:HA	2:A:409:VAL:HG11	2.00	0.43
1:B:8:U:O2'	1:B:21:A:N1	2.51	0.43
2:A:261:LEU:HD13	2:A:313:ILE:HD12	2.00	0.42
2:A:8:THR:HG23	2:A:13:GLN:HE21	1.85	0.42
2:A:100:SER:HA	2:A:103:PHE:CE1	2.54	0.42
2:A:386:TRP:HB2	2:A:459:VAL:O	2.19	0.42
2:A:410:ARG:HA	2:A:410:ARG:HD3	1.87	0.42
2:A:418:LYS:HD2	2:A:420:GLU:OE1	2.19	0.42
2:A:427:GLU:N	2:A:427:GLU:CD	2.77	0.42
1:B:32:U:C5	1:B:33:U:C5	3.07	0.42
2:A:403:LEU:HD13	2:A:409:VAL:CG2	2.49	0.42
2:A:28:HIS:O	2:A:224:ILE:HG23	2.20	0.42
2:A:60:GLN:NE2	2:A:93:SER:OG	2.52	0.42
2:A:381:PHE:CZ	2:A:415:TYR:HD2	2.37	0.42
2:A:30:ARG:HH12	2:A:215:HIS:CE1	2.37	0.42
1:B:19:G:C5	1:B:57:G:N2	2.88	0.41
1:B:43:G:H2'	1:B:44:C:C5'	2.50	0.41
2:A:260:ARG:HB2	3:A:999:ATP:C6	2.55	0.41
1:B:36:G:C6	2:A:401:LYS:HG2	2.55	0.41
2:A:113:LEU:HD12	2:A:113:LEU:HA	1.69	0.41
2:A:146:ARG:HD3	4:A:707:HOH:O	2.19	0.41
1:B:46:U:O2'	1:B:47:U:C2	2.72	0.41
2:A:422:VAL:HG13	2:A:430:ILE:HG23	2.03	0.41
2:A:423:GLU:HB3	2:A:432:THR:HG23	2.02	0.41
2:A:545:ARG:HH11	2:A:545:ARG:HG3	1.86	0.41
1:B:39:U:O2	1:B:40:C:C6	2.74	0.41
2:A:60:GLN:HA	2:A:60:GLN:NE2	2.36	0.41
1:B:19:G:C4	1:B:57:G:N2	2.89	0.41
2:A:77:TYR:O	2:A:81:ILE:HG13	2.21	0.41
2:A:154:LEU:HD12	2:A:154:LEU:HA	1.96	0.41
2:A:252:HIS:C	2:A:252:HIS:CD2	2.98	0.41
2:A:381:PHE:CG	2:A:382:SER:N	2.89	0.41
2:A:432:THR:OG1	2:A:433:ILE:N	2.53	0.41
2:A:530:HIS:HB3	2:A:537:VAL:HG21	2.02	0.41
2:A:87:TRP:CZ2	2:A:297:ARG:HG3	2.56	0.41
2:A:310:CYS:O	2:A:311:LYS:C	2.64	0.40
2:A:106:LEU:HD12	2:A:106:LEU:HA	1.93	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:145:TYR:O	2:A:148:ARG:HG3	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	A	525/553 (95%)	478 (91%)	40 (8%)	7 (1%)	9	38

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	A	32	PRO
2	A	390	ALA
2	A	529	ARG
2	A	405	LEU
2	A	176	ILE
2	A	348	PRO
2	A	513	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	A	463/481 (96%)	411 (89%)	52 (11%)	6	24

All (52) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	A	8	THR
2	A	19	LEU
2	A	27	VAL
2	A	30	ARG
2	A	46	SER
2	A	49	LEU
2	A	78	VAL
2	A	83	ASN
2	A	106	LEU
2	A	113	LEU
2	A	124	LEU
2	A	126	PRO
2	A	138	GLN
2	A	154	LEU
2	A	156	LEU
2	A	173	ARG
2	A	186	ARG
2	A	190	LEU
2	A	192	ARG
2	A	231	LEU
2	A	232	GLU
2	A	249	ILE
2	A	263	LEU
2	A	266	THR
2	A	269	SER
2	A	311	LYS
2	A	327	LEU
2	A	335	LEU
2	A	341	ARG
2	A	357	GLN
2	A	362	MET
2	A	369	PRO
2	A	389	ARG
2	A	393	ARG
2	A	395	GLU
2	A	404	VAL
2	A	410	ARG
2	A	412	ARG
2	A	420	GLU
2	A	425	ASP
2	A	431	THR
2	A	432	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	A	435	CYS
2	A	437	TYR
2	A	467	VAL
2	A	474	ARG
2	A	475	LEU
2	A	497	VAL
2	A	511	VAL
2	A	514	LYS
2	A	529	ARG
2	A	544	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
2	A	13	GLN
2	A	24	HIS
2	A	55	GLN
2	A	60	GLN
2	A	95	ASN
2	A	142	ASN
2	A	153	ASN
2	A	215	HIS
2	A	281	HIS
2	A	318	GLN
2	A	378	GLN
2	A	413	ASN
2	A	429	ASN
2	A	457	HIS
2	A	539	ASN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	B	73/75 (97%)	29 (39%)	16 (21%)

All (29) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	B	7	A
1	B	8	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	9	C
1	B	10	G
1	B	12	C
1	B	16	C
1	B	18	G
1	B	19	G
1	B	20	U
1	B	21	A
1	B	29	G
1	B	30	G
1	B	35	U
1	B	36	G
1	B	37	A
1	B	44	C
1	B	45	A
1	B	46	U
1	B	48	C
1	B	49	C
1	B	58	A
1	B	59	A
1	B	60	U
1	B	61	C
1	B	62	C
1	B	64	C
1	B	73	G
1	B	74	C
1	B	75	C

All (16) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	B	7	A
1	B	9	C
1	B	15	G
1	B	16	C
1	B	18	G
1	B	19	G
1	B	20	U
1	B	34	C
1	B	35	U
1	B	36	G
1	B	45	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	48	C
1	B	58	A
1	B	60	U
1	B	73	G
1	B	74	C

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	ATP	A	999	-	32,33,33	0.87	1 (3%)	48,52,52	0.75	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ATP	A	999	-	-	3/22/38/38	0/3/3/3

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	999	ATP	PA-O3A	2.58	1.62	1.59

There are no bond angle outliers.

There are no chirality outliers.

All (3) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	999	ATP	PB-O3A-PA-O5'
3	A	999	ATP	C5'-O5'-PA-O2A
3	A	999	ATP	C5'-O5'-PA-O3A

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	999	ATP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	B	74/75 (98%)	0.75	12 (16%) 4 3	5, 41, 61, 66	0
2	A	529/553 (95%)	-0.28	7 (1%) 75 53	2, 11, 43, 57	0
All	All	603/628 (96%)	-0.15	19 (3%) 50 29	2, 14, 48, 66	0

All (19) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	A	534	GLU	3.8
2	A	425	ASP	3.3
1	B	30	G	3.3
1	B	42	G	3.2
1	B	47	U	3.0
2	A	440	ASP	3.0
2	A	427	GLU	2.8
1	B	31	A	2.8
1	B	18	G	2.5
1	B	46	U	2.4
1	B	16	C	2.4
1	B	32	U	2.3
1	B	29	G	2.2
1	B	44	C	2.1
2	A	426	ALA	2.1
2	A	356	TYR	2.0
2	A	533	ALA	2.0
1	B	36	G	2.0
1	B	20	U	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	ATP	A	999	31/31	0.95	0.08	2,8,52,55	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around ATP A 999:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.