



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 09:33 AM UTC

PDB ID : 1QSW / pdb_00001qsw
Title : CRYSTAL STRUCTURE ANALYSIS OF A HUMAN LYSOZYME MUTANT
W64C C65A
Authors : Inaka, K.; Kanaya, E.; Kikuchi, M.; Miki, K.
Deposited on : 1999-06-24
Resolution : 1.85 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	3579 (1.86-1.86)
Ramachandran outliers	187476	3553 (1.86-1.86)
Sidechain outliers	187428	3553 (1.86-1.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	130	 65% 29% . .
1	B	130	 71% 23% 5% .
1	C	130	 65% 26% 6% .
1	D	130	 67% 21% 10% .

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 4312 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HUMAN LYSOZYME MUTANT.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	130	Total	C	N	O	S	0	0	0
			1020	625	199	186	10			
1	B	130	Total	C	N	O	S	0	0	0
			1020	625	199	186	10			
1	C	130	Total	C	N	O	S	0	0	0
			1020	625	199	186	10			
1	D	130	Total	C	N	O	S	0	0	0
			1020	625	199	186	10			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	64	CYS	TRP	engineered mutation	UNP P61626
A	65	ALA	CYS	engineered mutation	UNP P61626
B	64	CYS	TRP	engineered mutation	UNP P61626
B	65	ALA	CYS	engineered mutation	UNP P61626
C	64	CYS	TRP	engineered mutation	UNP P61626
C	65	ALA	CYS	engineered mutation	UNP P61626
D	64	CYS	TRP	engineered mutation	UNP P61626
D	65	ALA	CYS	engineered mutation	UNP P61626

- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	50	Total	O	0	0
			50	50		
2	B	60	Total	O	0	0
			60	60		
2	C	48	Total	O	0	0
			48	48		
2	D	74	Total	O	0	0
			74	74		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


• Molecule 1: HUMAN LYSOZYME MUTANT

Chain A: 




• Molecule 1: HUMAN LYSOZYME MUTANT

Chain B: 




• Molecule 1: HUMAN LYSOZYME MUTANT

Chain C: 



• Molecule 1: HUMAN LYSOZYME MUTANT

Chain D: 



R114		D120		V130
R115		V121		
C116		R122		
Q117		Q123		
		Q126		

4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	45.92Å 107.24Å 32.08Å 98.59° 110.45° 78.04°	Depositor
Resolution (Å)	10.00 – 1.85	Depositor
% Data completeness (in resolution range)	(Not available) (10.00-1.85)	Depositor
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	PROLSQ	Depositor
R, R_{free}	0.181 , 0.261	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	4312	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.05	0/1038	1.98	24/1400 (1.7%)
1	B	1.11	0/1038	1.99	36/1400 (2.6%)
1	C	1.01	1/1038 (0.1%)	1.98	31/1400 (2.2%)
1	D	1.24	2/1038 (0.2%)	2.61	30/1400 (2.1%)
All	All	1.11	3/4152 (0.1%)	2.16	121/5600 (2.2%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	71	PRO	N-CD	16.52	1.70	1.47
1	D	71	PRO	N-CA	-5.66	1.40	1.47
1	C	70	THR	CA-CB	5.53	1.59	1.53

All (121) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	70	THR	CA-C-N	34.78	163.31	119.84
1	D	70	THR	C-N-CA	34.78	163.31	119.84
1	D	70	THR	O-C-N	28.53	154.13	121.32
1	D	71	PRO	CA-N-CD	-22.76	80.14	112.00
1	D	70	THR	CA-C-O	-13.41	101.79	120.16
1	D	71	PRO	N-CA-CB	11.01	114.81	103.25
1	B	119	ARG	NE-CZ-NH2	10.54	128.69	119.20
1	D	70	THR	C-N-CD	-9.43	86.35	125.00
1	C	66	ASN	CA-CB-CG	8.86	121.46	112.60
1	A	89	ILE	CA-CB-CG2	8.45	124.86	110.50
1	A	102	ASP	CA-CB-CG	8.21	120.81	112.60
1	C	66	ASN	N-CA-C	-8.05	98.36	109.71
1	A	65	ALA	N-CA-C	-7.95	102.11	112.68
1	A	4	GLU	N-CA-C	-7.79	98.94	110.48
1	D	102	ASP	CA-CB-CG	7.73	120.33	112.60
1	D	120	ASP	CA-C-O	-7.60	111.58	120.62
1	B	79	LEU	CA-C-O	-7.40	113.36	121.28

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	66	ASN	CA-CB-CG	7.28	119.88	112.60
1	A	71	PRO	N-CA-C	7.15	127.20	112.47
1	B	63	TYR	CA-C-O	-7.14	110.45	119.31
1	A	87	ASP	CA-C-O	-7.05	113.08	120.55
1	A	118	ASN	OD1-CG-ND2	-6.99	115.61	122.60
1	C	56	ILE	CA-C-O	-6.90	113.78	120.95
1	B	52	THR	CA-CB-OG1	-6.85	99.32	109.60
1	B	120	ASP	CA-C-O	-6.83	112.49	120.62
1	C	111	ALA	O-C-N	6.81	129.08	122.07
1	C	27	ASN	CA-CB-CG	-6.80	105.80	112.60
1	C	68	GLY	N-CA-C	6.74	120.35	111.52
1	B	115	ARG	CD-NE-CZ	6.71	133.79	124.40
1	D	27	ASN	CA-CB-CG	-6.66	105.94	112.60
1	B	113	ARG	CA-C-O	-6.64	113.85	120.82
1	B	98	ARG	NE-CZ-NH2	6.41	124.97	119.20
1	B	98	ARG	CD-NE-CZ	6.36	133.30	124.40
1	A	75	ASN	CA-CB-CG	6.28	118.88	112.60
1	B	79	LEU	O-C-N	6.23	129.52	123.29
1	B	39	ASN	OD1-CG-ND2	-6.22	116.38	122.60
1	A	55	GLY	N-CA-C	6.21	123.11	111.80
1	C	101	ARG	CD-NE-CZ	-6.21	115.71	124.40
1	B	126	GLN	CB-CG-CD	6.15	123.06	112.60
1	B	113	ARG	N-CA-CB	6.14	118.92	110.01
1	B	87	ASP	CA-CB-CG	6.14	118.74	112.60
1	A	27	ASN	CA-CB-CG	-6.08	106.52	112.60
1	A	39	ASN	OD1-CG-ND2	-6.08	116.52	122.60
1	B	116	CYS	O-C-N	6.04	129.53	122.09
1	D	103	PRO	N-CA-C	6.02	121.67	113.84
1	D	66	ASN	CA-CB-CG	6.00	118.61	112.60
1	A	53	ASP	CA-CB-CG	-6.00	106.60	112.60
1	D	47	ALA	CA-C-N	6.00	126.60	119.94
1	D	47	ALA	C-N-CA	6.00	126.60	119.94
1	D	79	LEU	N-CA-C	5.99	116.32	107.88
1	B	86	GLN	OE1-CD-NE2	-5.97	116.63	122.60
1	B	21	ARG	CA-CB-CG	5.90	125.91	114.10
1	A	89	ILE	N-CA-C	5.88	120.33	112.98
1	B	89	ILE	CA-C-O	-5.87	113.44	120.78
1	C	54	TYR	CA-C-O	5.87	127.04	120.70
1	C	93	VAL	CA-C-N	5.87	128.07	120.44
1	C	93	VAL	C-N-CA	5.87	128.07	120.44
1	C	114	ASN	OD1-CG-ND2	5.85	128.45	122.60
1	D	21	ARG	CD-NE-CZ	-5.85	116.22	124.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	66	ASN	CA-C-N	5.84	132.69	121.54
1	D	66	ASN	C-N-CA	5.84	132.69	121.54
1	C	4	GLU	O-C-N	-5.80	116.43	123.16
1	B	118	ASN	O-C-N	5.80	127.96	121.87
1	D	52	THR	CA-CB-OG1	-5.78	100.93	109.60
1	D	93	VAL	O-C-N	5.78	127.78	121.83
1	D	116	CYS	O-C-N	5.75	129.17	122.09
1	D	87	ASP	CA-CB-CG	5.75	118.35	112.60
1	A	7	GLU	CG-CD-OE2	-5.72	105.25	118.40
1	C	102	ASP	CA-C-N	5.69	126.95	119.84
1	C	102	ASP	C-N-CA	5.69	126.95	119.84
1	B	54	TYR	N-CA-C	5.66	118.63	109.40
1	B	33	LYS	N-CA-CB	5.65	118.16	109.91
1	A	58	GLN	OE1-CD-NE2	-5.62	116.98	122.60
1	B	49	ASP	CA-CB-CG	5.56	118.16	112.60
1	B	89	ILE	N-CA-C	5.56	120.90	109.34
1	B	62	ARG	CA-C-O	5.54	126.61	120.63
1	D	104	GLN	CB-CG-CD	-5.49	103.28	112.60
1	A	118	ASN	CB-CG-ND2	5.48	124.62	116.40
1	C	60	ASN	CA-CB-CG	-5.46	107.14	112.60
1	C	103	PRO	N-CA-C	5.46	123.72	112.47
1	B	58	GLN	OE1-CD-NE2	5.42	128.02	122.60
1	B	109	TRP	CA-CB-CG	5.41	123.88	113.60
1	A	109	TRP	CA-CB-CG	5.41	123.88	113.60
1	B	101	ARG	N-CA-C	-5.39	106.21	112.89
1	C	11	THR	CA-CB-OG1	-5.38	101.52	109.60
1	C	111	ALA	CA-C-O	-5.38	115.17	120.82
1	A	99	VAL	CA-C-N	5.38	128.96	120.47
1	A	99	VAL	C-N-CA	5.38	128.96	120.47
1	B	119	ARG	NE-CZ-NH1	-5.36	116.14	121.50
1	C	126	GLN	CB-CG-CD	5.35	121.70	112.60
1	B	59	ILE	O-C-N	5.33	129.01	122.72
1	C	88	ASN	CA-C-O	-5.33	114.46	120.43
1	C	8	LEU	CA-C-O	-5.33	114.33	120.24
1	C	62	ARG	NE-CZ-NH1	5.31	126.81	121.50
1	C	54	TYR	N-CA-C	5.29	118.02	109.40
1	D	123	GLN	OE1-CD-NE2	-5.28	117.32	122.60
1	B	14	ARG	NE-CZ-NH2	5.25	123.92	119.20
1	C	8	LEU	O-C-N	5.24	129.04	122.23
1	C	66	ASN	OD1-CG-ND2	-5.23	117.37	122.60
1	B	102	ASP	CA-CB-CG	5.16	117.76	112.60
1	B	70	THR	N-CA-C	5.15	118.50	108.21

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	86	GLN	CA-C-N	5.15	127.18	120.28
1	B	86	GLN	C-N-CA	5.15	127.18	120.28
1	C	43	THR	CA-CB-CG2	5.14	119.23	110.50
1	D	104	GLN	OE1-CD-NE2	5.12	127.72	122.60
1	C	67	ASP	N-CA-C	5.12	121.70	110.80
1	D	54	TYR	N-CA-C	5.12	117.78	109.24
1	B	91	ASP	CA-C-O	-5.11	115.46	120.82
1	A	19	GLY	CA-C-O	-5.09	113.37	119.02
1	D	2	VAL	N-CA-CB	5.09	117.87	111.46
1	D	117	GLN	OE1-CD-NE2	5.08	127.68	122.60
1	C	56	ILE	O-C-N	5.08	126.80	121.87
1	A	100	VAL	CA-CB-CG1	5.07	119.02	110.40
1	C	50	ARG	N-CA-CB	-5.05	103.67	111.65
1	A	85	LEU	O-C-N	5.04	128.15	122.20
1	D	33	LYS	CB-CG-CD	5.03	122.87	111.30
1	B	101	ARG	NE-CZ-NH2	-5.02	114.68	119.20
1	D	14	ARG	NE-CZ-NH1	-5.02	116.48	121.50
1	C	64	CYS	N-CA-C	5.01	120.92	114.56
1	A	43	THR	N-CA-C	-5.01	101.47	109.23
1	C	81	CYS	CA-C-O	-5.01	115.22	120.63

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1020	0	987	30	1
1	B	1020	0	987	9	0
1	C	1020	0	987	14	0
1	D	1020	0	987	27	0
2	A	50	0	0	4	0
2	B	60	0	0	2	0
2	C	48	0	0	2	0
2	D	74	0	0	2	1
All	All	4312	0	3948	79	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (79) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:71:PRO:N	1:D:71:PRO:CD	1.70	1.32
1:D:70:THR:C	1:D:71:PRO:CD	2.09	1.25
1:A:122:ARG:HH11	1:C:119:ARG:HG2	1.40	0.86
1:D:70:THR:C	1:D:71:PRO:HD3	2.04	0.82
1:A:70:THR:N	1:A:71:PRO:HD3	2.03	0.74
1:A:50:ARG:NH1	1:A:50:ARG:HB3	2.05	0.71
1:C:10:ARG:HD3	2:C:135:HOH:O	1.94	0.68
1:A:60:ASN:ND2	1:A:62:ARG:HG2	2.10	0.67
1:C:110:VAL:HG22	1:C:113:ARG:HH21	1.59	0.66
1:A:40:THR:HG22	1:A:89:ILE:HD11	1.77	0.65
1:B:60:ASN:ND2	1:B:62:ARG:H	1.97	0.63
1:A:60:ASN:ND2	1:A:62:ARG:H	1.98	0.62
1:A:60:ASN:HD22	1:A:62:ARG:H	1.45	0.62
1:D:102:ASP:HB3	1:D:103:PRO:HD2	1.82	0.62
1:A:50:ARG:HB3	1:A:50:ARG:HH11	1.63	0.62
1:A:40:THR:HG22	1:A:89:ILE:CD1	2.33	0.59
1:C:8:LEU:HD22	1:C:12:LEU:HG	1.86	0.58
1:D:71:PRO:HD2	1:D:71:PRO:C	2.28	0.57
1:A:66:ASN:HB3	2:A:173:HOH:O	2.04	0.57
1:D:34:TRP:CD2	1:D:115:ARG:HG2	2.40	0.56
1:C:75:ASN:HB2	1:C:102:ASP:OD1	2.07	0.55
1:C:69:LYS:C	1:C:71:PRO:HD3	2.31	0.55
1:A:107:ARG:HE	1:A:113:ARG:HE	1.54	0.55
1:B:17:MET:HE3	1:B:97:LYS:HE3	1.88	0.55
1:C:34:TRP:CD2	1:C:115:ARG:HG2	2.41	0.55
1:D:67:ASP:OD1	1:D:69:LYS:HG2	2.07	0.54
1:D:47:ALA:O	1:D:50:ARG:NE	2.41	0.54
1:A:31:LEU:HD23	1:A:57:PHE:HD2	1.73	0.54
1:D:122:ARG:O	1:D:126:GLN:HG3	2.09	0.53
1:D:70:THR:O	1:D:71:PRO:HD3	2.07	0.53
1:A:21:ARG:CZ	1:A:101:ARG:HG2	2.39	0.53
1:D:112:TRP:CZ3	1:D:117:GLN:HB2	2.45	0.52
1:B:14:ARG:NH1	2:B:162:HOH:O	2.43	0.52
1:C:70:THR:N	1:C:71:PRO:HD3	2.25	0.51
1:D:45:TYR:OH	1:D:50:ARG:NH2	2.44	0.50
1:A:107:ARG:NE	1:A:113:ARG:HE	2.09	0.50
1:D:31:LEU:HD22	1:D:35:GLU:HG2	1.94	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:31:LEU:HD11	1:A:109:TRP:CG	2.48	0.49
1:B:67:ASP:O	1:B:70:THR:N	2.46	0.48
1:A:62:ARG:NH1	2:A:163:HOH:O	2.45	0.48
1:A:72:GLY:O	1:A:73:ALA:HB2	2.14	0.48
1:D:65:ALA:O	1:D:66:ASN:ND2	2.38	0.47
1:A:117:GLN:O	1:A:119:ARG:HG2	2.13	0.47
1:B:60:ASN:HD22	1:B:62:ARG:H	1.62	0.47
1:C:66:ASN:N	2:C:176:HOH:O	2.42	0.47
1:D:126:GLN:HB2	2:D:153:HOH:O	2.15	0.47
1:A:100:VAL:O	1:A:105:GLY:HA2	2.15	0.46
1:A:31:LEU:HD23	1:A:57:PHE:CD2	2.50	0.46
1:D:67:ASP:HB3	1:D:70:THR:OG1	2.16	0.45
1:D:104:GLN:O	1:D:107:ARG:HB2	2.16	0.45
1:A:104:GLN:HE21	1:A:113:ARG:NH2	2.14	0.45
1:A:122:ARG:NH1	2:A:161:HOH:O	2.50	0.45
1:D:66:ASN:CG	1:D:67:ASP:N	2.75	0.45
1:D:21:ARG:HH21	1:D:21:ARG:HD3	1.53	0.45
1:D:66:ASN:CG	1:D:67:ASP:H	2.25	0.45
1:B:1:LYS:NZ	2:B:182:HOH:O	2.49	0.44
1:C:102:ASP:O	1:C:104:GLN:N	2.50	0.44
1:A:130:VAL:HG22	2:A:146:HOH:O	2.17	0.44
1:B:65:ALA:O	1:B:66:ASN:HB3	2.18	0.44
1:C:35:GLU:OE2	1:C:111:ALA:HB3	2.18	0.44
1:B:49:ASP:OD1	1:B:51:SER:OG	2.36	0.43
1:D:23:ILE:HG21	1:D:106:ILE:HD12	2.00	0.43
1:D:110:VAL:HG23	1:D:113:ARG:CZ	2.48	0.43
1:A:45:TYR:CE1	1:A:47:ALA:HA	2.53	0.43
1:D:13:LYS:NZ	1:D:18:ASP:OD2	2.50	0.43
1:A:107:ARG:HH21	1:A:113:ARG:NE	2.16	0.43
1:C:34:TRP:CE3	1:C:115:ARG:HG2	2.54	0.43
1:C:17:MET:SD	1:C:97:LYS:HE3	2.59	0.43
1:A:70:THR:N	1:A:71:PRO:CD	2.78	0.43
1:C:28:TRP:CH2	1:C:100:VAL:HG11	2.54	0.42
1:A:62:ARG:HA	1:A:62:ARG:HD3	1.83	0.42
1:B:60:ASN:HD22	1:B:62:ARG:HB2	1.85	0.42
1:A:23:ILE:HD13	1:A:106:ILE:HD12	2.01	0.41
1:A:57:PHE:O	1:A:109:TRP:NE1	2.53	0.41
1:D:110:VAL:HG23	1:D:113:ARG:NH2	2.35	0.41
1:D:71:PRO:HD2	1:D:71:PRO:O	2.21	0.41
1:A:62:ARG:O	1:A:66:ASN:HA	2.21	0.41
1:D:47:ALA:HA	1:D:50:ARG:HH21	1.85	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:50:ARG:NH2	2:D:140:HOH:O	2.51	0.41

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:66:ASN:O	2:D:200:HOH:O[1_444]	2.04	0.16

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	128/130 (98%)	119 (93%)	5 (4%)	4 (3%)	3	0
1	B	128/130 (98%)	122 (95%)	5 (4%)	1 (1%)	16	6
1	C	128/130 (98%)	118 (92%)	7 (6%)	3 (2%)	5	1
1	D	128/130 (98%)	119 (93%)	4 (3%)	5 (4%)	2	0
All	All	512/520 (98%)	478 (93%)	21 (4%)	13 (2%)	4	1

All (13) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	73	ALA
1	C	103	PRO
1	D	66	ASN
1	D	67	ASP
1	D	71	PRO
1	C	67	ASP
1	D	72	GLY
1	C	69	LYS
1	D	70	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	103	PRO
1	B	73	ALA
1	A	68	GLY
1	A	71	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	104/104 (100%)	99 (95%)	5 (5%)	23	8
1	B	104/104 (100%)	98 (94%)	6 (6%)	18	6
1	C	104/104 (100%)	90 (86%)	14 (14%)	4	0
1	D	104/104 (100%)	95 (91%)	9 (9%)	9	2
All	All	416/416 (100%)	382 (92%)	34 (8%)	10	2

All (34) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	50	ARG
1	A	66	ASN
1	A	85	LEU
1	A	89	ILE
1	A	100	VAL
1	B	17	MET
1	B	25	LEU
1	B	33	LYS
1	B	66	ASN
1	B	70	THR
1	B	126	GLN
1	C	4	GLU
1	C	8	LEU
1	C	13	LYS
1	C	21	ARG
1	C	62	ARG
1	C	66	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	67	ASP
1	C	74	VAL
1	C	75	ASN
1	C	79	LEU
1	C	85	LEU
1	C	98	ARG
1	C	103	PRO
1	C	126	GLN
1	D	4	GLU
1	D	31	LEU
1	D	33	LYS
1	D	50	ARG
1	D	66	ASN
1	D	69	LYS
1	D	79	LEU
1	D	85	LEU
1	D	107	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	44	ASN
1	A	60	ASN
1	A	66	ASN
1	A	104	GLN
1	A	126	GLN
1	B	44	ASN
1	B	60	ASN
1	B	66	ASN
1	B	86	GLN
1	B	114	ASN
1	C	44	ASN
1	C	58	GLN
1	C	104	GLN
1	C	118	ASN
1	C	126	GLN
1	D	44	ASN
1	D	86	GLN
1	D	117	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.