



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 06:03 AM UTC

PDB ID : 3QSY / pdb_00003qsy
Title : Recognition of the methionylated initiator tRNA by the translation initiation factor 2 in Archaea
Authors : Nikonov, O.S.; Stolboushkina, E.A.; Zelinskaya, N.V.; Nikulin, A.D.; Garber, M.B.; Nikonov, S.V.
Deposited on : 2011-02-22
Resolution : 3.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1466 (3.20-3.20)
Clashscore	190562	1573 (3.20-3.20)
Ramachandran outliers	187476	1548 (3.20-3.20)
Sidechain outliers	187428	1547 (3.20-3.20)
RSRZ outliers	180081	1466 (3.20-3.20)
RNA backbone	3983	1222 (3.50-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	415	 37% 51% 12%
2	B	89	 45% 43% 12%
3	D	77	 9% 40% 51%

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 5593 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Translation initiation factor 2 subunit gamma.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	415	Total	C	N	O	S	0	0	0
			3220	2063	549	595	13			


- Molecule 2 is a protein called Translation initiation factor 2 subunit alpha.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	89	Total	C	N	O	S	0	0	0
			694	439	116	138	1			

- Molecule 3 is a RNA chain called tRNA.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	D	77	Total	C	N	O	P	0	0	0
			1639	732	297	534	76			

- Molecule 4 is PHOSPHOAMINOPHOSPHONIC ACID-GUANYLATE ESTER (CCD ID: GNP) (formula: $C_{10}H_{17}N_6O_{13}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			32	10	6	13	3		

- Molecule 5 is METHIONINE (CCD ID: MET) (formula: $C_5H_{11}NO_2S$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	D	1	Total	C	N	O	S	0	0
			8	5	1	1	1		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Translation initiation factor 2 subunit gamma



- Molecule 2: Translation initiation factor 2 subunit alpha



- Molecule 3: tRNA



U60	C1
C61	C2
C62	C3
G63	G4
G64	G5
C65	G6
C66	G7
C67	G8
C68	G9
C69	G10
G70	A11
C71	G12
A72	C13
A73	A14
C74	G15
C75	C16
A76	C17
	U17A
	G18
	G19
	U20
	A21
	G22
	C23
	U24
	C25
	U27
	C28
	G29
	G30
	G31
	C32
	U33
	C34
	A35
	U36
	A37
	A38
	C39
	C40
	C41
	G42
	A43
	A44
	G45
	A46
	U47
	C48
	G49
	U50
	C51
	G52
	G53
	U54
	U55
	C56
	A57
	A58
	A59

4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	93.68Å 93.68Å 220.03Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	14.95 – 3.20 14.95 – 3.20	Depositor EDS
% Data completeness (in resolution range)	93.3 (14.95-3.20) 100.0 (14.95-3.20)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.97 (at 3.19Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.7.3_928)	Depositor
R, R_{free}	0.278 , 0.302 0.288 , 0.311	Depositor DCC
R_{free} test set	974 reflections (5.14%)	wwPDB-VP
Wilson B-factor (Å ²)	74.2	Xtriage
Anisotropy	1.113	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.05 , 251.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	0.470 for -h,-k,l	Xtriage
Reported twinning fraction	0.500 for -h,-k,l	Depositor
Outliers	0 of 18940 reflections	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	5593	wwPDB-VP
Average B, all atoms (Å ²)	129.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.02% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GNP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.50	0/3279	1.15	32/4440 (0.7%)
2	B	0.42	0/699	1.05	4/942 (0.4%)
3	D	0.32	0/1831	0.50	0/2853
All	All	0.44	0/5809	0.96	36/8235 (0.4%)

There are no bond length outliers.

All (36) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	223	GLY	N-CA-C	-8.51	103.43	115.43
1	A	270	GLU	CA-C-N	8.10	128.05	120.03
1	A	270	GLU	C-N-CA	8.10	128.05	120.03
1	A	203	LYS	N-CA-C	7.48	120.53	111.40
1	A	124	PHE	CA-C-N	-7.37	112.16	119.90
1	A	124	PHE	C-N-CA	-7.37	112.16	119.90
1	A	370	VAL	N-CA-C	-6.99	100.57	109.30
2	B	188	ASN	N-CA-C	6.69	119.91	111.69
1	A	349	ASP	CA-C-N	6.38	127.82	119.84
1	A	349	ASP	C-N-CA	6.38	127.82	119.84
1	A	252	GLU	CA-C-N	6.17	130.39	120.82
1	A	252	GLU	C-N-CA	6.17	130.39	120.82
1	A	367	LEU	CA-C-N	-6.07	115.69	121.46
1	A	367	LEU	C-N-CA	-6.07	115.69	121.46
1	A	67	ALA	N-CA-C	5.72	118.20	108.02
1	A	276	ILE	N-CA-C	5.72	116.98	108.23
1	A	277	SER	N-CA-C	5.69	120.38	113.38
1	A	82	GLU	CA-C-N	5.66	126.12	120.52
1	A	82	GLU	C-N-CA	5.66	126.12	120.52
1	A	323	VAL	N-CA-C	5.53	114.04	107.73
2	B	224	ALA	CA-C-N	5.45	125.16	119.82

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	224	ALA	C-N-CA	5.45	125.16	119.82
1	A	155	SER	N-CA-C	-5.38	102.08	110.10
1	A	323	VAL	CA-C-N	5.28	125.60	119.47
1	A	323	VAL	C-N-CA	5.28	125.60	119.47
1	A	295	VAL	CA-C-N	-5.24	115.42	122.86
1	A	295	VAL	C-N-CA	-5.24	115.42	122.86
1	A	190	ASN	N-CA-C	5.23	119.04	111.56
1	A	172	GLY	N-CA-C	-5.21	106.96	115.46
1	A	239	GLY	N-CA-C	5.20	120.76	111.03
1	A	310	ASN	N-CA-C	-5.19	105.30	111.69
1	A	349	ASP	N-CA-C	5.17	115.54	109.60
1	A	380	VAL	N-CA-C	5.13	115.86	107.24
1	A	409	GLY	N-CA-C	5.04	116.84	110.38
1	A	234	LYS	N-CA-C	-5.03	106.84	113.17
1	A	126	GLN	N-CA-C	-5.02	102.43	108.25

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3220	0	3344	232	0
2	B	694	0	734	35	0
3	D	1639	0	836	61	0
4	A	32	0	13	6	0
5	D	8	0	8	5	0
All	All	5593	0	4935	312	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 30.

All (312) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:281:PHE:HB2	1:A:286:PHE:HB2	1.56	0.88
1:A:128:GLN:HA	1:A:131:GLU:HB3	1.56	0.85
1:A:130:ARG:HH22	1:A:340:VAL:HB	1.40	0.85
1:A:146:ILE:O	1:A:180:ILE:HA	1.75	0.85
1:A:99:VAL:HG11	3:D:71:C:H5'	1.59	0.84
1:A:215:MET:HB2	1:A:242:ILE:HG13	1.61	0.83
1:A:183:VAL:HG11	1:A:194:LEU:HB3	1.60	0.81
2:B:254:GLY:HA2	2:B:259:VAL:H	1.47	0.79
1:A:249:VAL:HG22	1:A:287:LYS:HB3	1.64	0.79
1:A:237:VAL:HG12	1:A:298:GLY:HA2	1.65	0.78
1:A:370:VAL:HG13	1:A:378:ILE:HG21	1.66	0.78
1:A:307:LYS:HG3	1:A:310:ASN:HB3	1.67	0.77
2:B:207:ILE:HD12	2:B:249:ASN:HD21	1.49	0.77
1:A:226:PRO:HB2	2:B:220:TYR:HA	1.67	0.76
1:A:55:ASN:HB3	1:A:70:THR:HG23	1.68	0.74
1:A:219:ARG:HH21	1:A:220:SER:HA	1.54	0.73
1:A:181:ILE:HG21	1:A:194:LEU:HA	1.71	0.73
1:A:352:ARG:HD3	1:A:353:ALA:H	1.54	0.72
1:A:224:ASN:HD21	3:D:2:G:H4'	1.55	0.72
2:B:184:THR:HB	2:B:263:VAL:HA	1.71	0.72
1:A:281:PHE:H	1:A:285:GLU:HA	1.52	0.72
1:A:194:LEU:HD12	1:A:194:LEU:C	2.16	0.71
1:A:230:PHE:HB3	2:B:219:ILE:HB	1.73	0.71
1:A:365:THR:HG22	3:D:73:A:H61	1.58	0.69
1:A:217:VAL:HA	1:A:240:GLY:HA3	1.73	0.69
3:D:19:G:H22	3:D:56:C:H2'	1.58	0.69
2:B:226:ARG:NH1	3:D:17:C:OP2	2.26	0.68
1:A:147:VAL:HG22	1:A:181:ILE:HD12	1.75	0.68
3:D:22:G:O2'	3:D:23:C:H5'	1.94	0.68
1:A:357:LEU:CD2	1:A:408:ILE:HD11	2.23	0.68
1:A:352:ARG:HH11	1:A:353:ALA:H	1.41	0.68
1:A:26:VAL:HG11	1:A:93:ASP:HB2	1.74	0.67
1:A:25:LEU:HD21	1:A:115:ILE:HD13	1.77	0.67
3:D:23:C:H2'	3:D:24:U:C6	2.30	0.67
1:A:108:ALA:HA	1:A:111:MET:HB3	1.77	0.66
1:A:94:ALA:HB2	1:A:107:GLY:HA3	1.76	0.66
1:A:229:GLN:HG2	2:B:218:LYS:HB3	1.76	0.66
2:B:187:THR:HG22	2:B:259:VAL:HG22	1.78	0.66
2:B:192:GLY:HA2	2:B:195:LYS:HB2	1.76	0.66
3:D:69:C:H2'	3:D:70:G:H4'	1.77	0.65
1:A:97:HIS:N	1:A:128:GLN:HE22	1.95	0.65
3:D:40:C:C6	3:D:40:C:H5''	2.31	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:276:ILE:HG21	1:A:279:ILE:HD11	1.78	0.65
1:A:14:VAL:HG22	1:A:22:LYS:HG3	1.79	0.64
1:A:113:GLY:HA3	1:A:143:ASN:HD22	1.62	0.64
3:D:27:U:H3	3:D:43:A:N6	1.95	0.64
1:A:130:ARG:HH12	1:A:340:VAL:HG21	1.60	0.64
2:B:250:LEU:HB2	2:B:261:ILE:HD12	1.80	0.64
3:D:27:U:H3	3:D:43:A:H61	1.47	0.63
1:A:269:TYR:H	1:A:385:PRO:HG2	1.63	0.63
1:A:195:ILE:HA	1:A:198:ILE:CG1	2.28	0.63
1:A:191:ILE:HG23	1:A:194:LEU:CD2	2.29	0.63
2:B:263:VAL:HG22	2:B:264:VAL:HG22	1.81	0.62
1:A:191:ILE:HG23	1:A:194:LEU:HD23	1.81	0.62
1:A:280:ARG:HB3	1:A:296:ALA:H	1.64	0.62
1:A:17:HIS:HB3	1:A:20:HIS:CE1	2.34	0.62
1:A:12:ILE:HG23	1:A:114:ALA:HA	1.80	0.62
1:A:220:SER:HB2	1:A:238:ILE:HG23	1.81	0.62
1:A:218:ILE:HD12	1:A:219:ARG:HG3	1.82	0.62
2:B:207:ILE:HD11	2:B:246:ILE:HG22	1.82	0.61
3:D:63:G:H2'	3:D:64:G:C8	2.34	0.61
1:A:237:VAL:HG23	1:A:296:ALA:HB1	1.83	0.60
1:A:269:TYR:CE2	1:A:384:ARG:HD3	2.36	0.60
1:A:145:ILE:HG12	1:A:179:PRO:HD2	1.83	0.60
1:A:135:ALA:HA	3:D:74:C:C4	2.36	0.60
3:D:16:C:O2'	3:D:61:C:H5'	2.01	0.60
1:A:352:ARG:HH11	1:A:353:ALA:N	1.99	0.60
2:B:253:ILE:O	2:B:257:GLU:N	2.29	0.60
1:A:269:TYR:OH	1:A:384:ARG:NH1	2.34	0.60
1:A:307:LYS:HG2	1:A:311:LEU:HG	1.84	0.59
1:A:360:SER:OG	1:A:396:VAL:HB	2.03	0.59
1:A:260:ARG:HH21	1:A:267:VAL:HG11	1.65	0.59
1:A:145:ILE:HG23	1:A:179:PRO:HB2	1.85	0.58
3:D:40:C:H5''	3:D:40:C:H6	1.68	0.58
2:B:250:LEU:O	2:B:254:GLY:N	2.33	0.58
3:D:10:G:N2	3:D:26:G:H1'	2.18	0.58
1:A:22:LYS:HZ1	1:A:117:VAL:HB	1.68	0.58
1:A:218:ILE:H	1:A:240:GLY:HA2	1.69	0.58
1:A:368:GLY:HA2	1:A:381:GLU:O	2.04	0.57
1:A:403:GLY:HA3	3:D:11:A:H2	1.68	0.57
1:A:342:ALA:N	1:A:406:ARG:HE	2.02	0.57
1:A:10:VAL:HG13	1:A:112:ASP:HB2	1.87	0.57
3:D:5:G:H2'	3:D:6:G:H4'	1.86	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:194:LEU:O	1:A:198:ILE:HG23	2.05	0.57
1:A:45:MET:HE1	3:D:71:C:C5	2.39	0.56
1:A:187:HIS:C	1:A:189:ILE:H	2.13	0.56
1:A:113:GLY:HA2	1:A:143:ASN:HB3	1.86	0.56
2:B:197:LYS:HA	2:B:200:ILE:HB	1.86	0.56
1:A:11:ASN:HD22	1:A:89:ILE:HG23	1.71	0.56
3:D:15:G:N2	3:D:16:C:H1'	2.20	0.56
1:A:323:VAL:H	1:A:326:LEU:HD11	1.71	0.56
1:A:95:PRO:O	1:A:103:THR:OG1	2.24	0.56
1:A:214:VAL:HG22	1:A:318:LEU:HD23	1.86	0.56
2:B:263:VAL:HG13	2:B:264:VAL:H	1.70	0.56
3:D:30:G:H2'	3:D:31:G:H4'	1.87	0.56
3:D:23:C:OP1	3:D:42:G:N1	2.38	0.55
1:A:117:VAL:HG22	1:A:147:VAL:HB	1.87	0.55
1:A:219:ARG:CZ	1:A:294:LEU:HB2	2.36	0.55
1:A:193:SER:HA	1:A:196:GLU:HG2	1.88	0.55
1:A:132:HIS:CE1	1:A:136:LEU:HD22	2.42	0.55
1:A:369:ILE:O	1:A:380:VAL:HA	2.07	0.55
1:A:147:VAL:HG13	1:A:181:ILE:HB	1.88	0.55
2:B:247:ILE:HG23	2:B:261:ILE:HD13	1.89	0.55
1:A:130:ARG:HG3	5:D:77:MET:CG	2.37	0.55
1:A:352:ARG:HD3	1:A:353:ALA:N	2.20	0.55
1:A:15:VAL:HG12	1:A:16:GLY:H	1.72	0.55
1:A:27:GLN:HG2	1:A:39:GLU:HB2	1.89	0.55
1:A:210:SER:HA	1:A:247:PHE:CZ	2.41	0.54
1:A:359:LEU:HD23	1:A:380:VAL:HG11	1.89	0.54
1:A:221:PHE:HE1	3:D:4:G:H5'	1.72	0.54
1:A:354:LYS:HB2	1:A:354:LYS:NZ	2.23	0.54
3:D:49:G:H2'	3:D:50:U:H5''	1.89	0.54
3:D:51:C:H2'	3:D:52:G:C8	2.43	0.54
1:A:214:VAL:HG11	1:A:317:THR:HA	1.89	0.54
1:A:302:ASP:O	1:A:304:SER:N	2.37	0.54
2:B:249:ASN:O	2:B:253:ILE:HG12	2.08	0.54
1:A:146:ILE:HG22	1:A:180:ILE:HG23	1.88	0.53
1:A:404:ARG:HG3	1:A:405:TRP:H	1.73	0.53
2:B:220:TYR:CE2	2:B:228:ARG:HB3	2.43	0.53
3:D:6:G:H1	3:D:67:C:H42	1.56	0.53
3:D:58:A:H2'	3:D:59:A:H5'	1.90	0.53
1:A:153:VAL:HG13	1:A:156:LYS:HE3	1.89	0.53
1:A:252:GLU:HB2	1:A:276:ILE:HD11	1.89	0.53
1:A:339:VAL:HG21	1:A:348:VAL:HG23	1.90	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:218:LYS:CG	2:B:230:ASP:HB3	2.39	0.53
1:A:116:LEU:HD22	1:A:144:LEU:HD12	1.90	0.53
1:A:280:ARG:HA	1:A:285:GLU:HB2	1.90	0.53
2:B:219:ILE:HG12	2:B:229:VAL:HG12	1.91	0.53
1:A:101:MET:HB2	1:A:128:GLN:NE2	2.24	0.52
1:A:71:GLU:CD	1:A:71:GLU:H	2.17	0.52
1:A:195:ILE:HA	1:A:198:ILE:HG12	1.91	0.52
1:A:52:ALA:O	1:A:90:SER:HA	2.10	0.52
1:A:163:TYR:OH	1:A:182:PRO:HD3	2.09	0.52
3:D:10:G:N3	3:D:10:G:H2'	2.24	0.52
1:A:294:LEU:HD22	1:A:295:VAL:N	2.25	0.52
1:A:56:ILE:HG22	1:A:68:TYR:HE2	1.75	0.52
1:A:226:PRO:HD3	1:A:303:PRO:HB2	1.91	0.52
1:A:21:GLY:HA3	1:A:149:ASN:HD22	1.75	0.52
1:A:130:ARG:NH1	1:A:340:VAL:HG21	2.25	0.52
1:A:358:MET:HB3	1:A:398:SER:HB3	1.92	0.52
1:A:253:ILE:HA	1:A:274:THR:O	2.10	0.52
1:A:402:ALA:HB1	3:D:25:C:H4'	1.92	0.51
1:A:359:LEU:HB3	1:A:382:LEU:HD11	1.91	0.51
3:D:8:U:C2	3:D:15:G:H8	2.28	0.51
1:A:133:PHE:HE1	1:A:174:TRP:HE1	1.58	0.51
3:D:28:C:N4	3:D:29:G:O6	2.43	0.51
1:A:301:LEU:HD22	1:A:305:LEU:HB2	1.92	0.51
1:A:335:LEU:HA	1:A:410:TRP:H	1.76	0.51
1:A:358:MET:O	1:A:397:ILE:HA	2.11	0.51
2:B:185:VAL:HG22	2:B:261:ILE:HG13	1.93	0.51
1:A:22:LYS:HD2	4:A:501:GNP:HNB3	1.76	0.51
2:B:186:ARG:HD3	2:B:187:THR:N	2.26	0.50
1:A:149:ASN:HD21	1:A:185:ALA:HB3	1.76	0.50
1:A:14:VAL:HG11	1:A:25:LEU:HB3	1.93	0.50
3:D:4:G:H2'	3:D:4:G:N3	2.26	0.50
2:B:243:LEU:O	2:B:246:ILE:HG12	2.12	0.50
1:A:23:THR:HG21	1:A:40:GLU:HB3	1.93	0.50
1:A:56:ILE:HG22	1:A:68:TYR:CE2	2.46	0.50
1:A:216:LEU:HD11	1:A:314:SER:O	2.12	0.50
1:A:313:GLY:C	1:A:363:SER:HB3	2.37	0.50
1:A:102:ALA:HA	3:D:74:C:OP1	2.12	0.50
1:A:26:VAL:HG12	1:A:91:PHE:CD1	2.47	0.49
1:A:255:VAL:O	1:A:271:PRO:HB3	2.12	0.49
3:D:36:U:N3	3:D:38:A:N1	2.60	0.49
1:A:130:ARG:HG3	5:D:77:MET:HG3	1.94	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:218:LYS:HG3	2:B:230:ASP:HB3	1.93	0.49
1:A:132:HIS:O	1:A:136:LEU:HB3	2.12	0.49
1:A:195:ILE:HA	1:A:198:ILE:HG13	1.94	0.49
1:A:258:GLY:O	1:A:269:TYR:HB3	2.12	0.49
1:A:13:GLY:HA3	1:A:111:MET:HE2	1.94	0.49
1:A:142:LYS:HB2	1:A:202:ILE:HG12	1.93	0.49
1:A:58:VAL:HG22	1:A:59:CYS:H	1.78	0.49
1:A:239:GLY:CA	1:A:297:ILE:HG12	2.43	0.49
1:A:113:GLY:HA2	1:A:141:VAL:HG13	1.94	0.48
1:A:130:ARG:CZ	5:D:77:MET:HG2	2.43	0.48
1:A:235:GLY:O	1:A:301:LEU:N	2.45	0.48
1:A:129:THR:O	1:A:132:HIS:HB3	2.13	0.48
1:A:115:ILE:HD12	1:A:198:ILE:HG21	1.96	0.48
1:A:92:ILE:HG22	1:A:93:ASP:H	1.79	0.48
1:A:19:ASP:HA	4:A:501:GNP:PB	2.54	0.47
2:B:220:TYR:OH	2:B:230:ASP:HB2	2.14	0.47
1:A:333:TYR:C	1:A:333:TYR:CD1	2.91	0.47
1:A:334:ASN:HB2	1:A:410:TRP:CE2	2.48	0.47
1:A:22:LYS:H	4:A:501:GNP:PB	2.36	0.47
1:A:24:THR:HA	1:A:27:GLN:HE21	1.79	0.47
1:A:150:LYS:HD2	4:A:501:GNP:C6	2.44	0.47
1:A:365:THR:HG22	3:D:73:A:N6	2.27	0.47
1:A:187:HIS:HB2	1:A:189:ILE:HG22	1.96	0.47
1:A:301:LEU:HD13	1:A:306:THR:HG22	1.96	0.47
1:A:325:VAL:HG23	1:A:327:TRP:CD1	2.49	0.47
1:A:154:VAL:HG21	1:A:158:GLU:HG3	1.97	0.47
2:B:215:LEU:HB2	2:B:232:VAL:HG23	1.96	0.47
1:A:99:VAL:HG22	3:D:72:A:H1'	1.97	0.47
1:A:101:MET:HG2	1:A:131:GLU:OE2	2.15	0.47
1:A:260:ARG:HE	1:A:267:VAL:HG21	1.78	0.47
1:A:323:VAL:H	1:A:326:LEU:CD1	2.28	0.47
1:A:333:TYR:C	1:A:333:TYR:HD1	2.23	0.47
3:D:62:C:H2'	3:D:63:G:C8	2.50	0.47
1:A:216:LEU:HD12	1:A:217:VAL:H	1.80	0.47
2:B:182:LEU:HB2	2:B:222:ILE:HD11	1.95	0.47
1:A:280:ARG:HB3	1:A:296:ALA:N	2.29	0.47
3:D:6:G:O6	3:D:66:C:N4	2.48	0.47
3:D:44:A:H4'	3:D:45:G:OP1	2.15	0.46
1:A:115:ILE:HD11	1:A:147:VAL:HG21	1.97	0.46
3:D:3:C:H2'	3:D:4:G:C8	2.49	0.46
1:A:219:ARG:C	1:A:219:ARG:HE	2.23	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:167:LYS:HA	1:A:167:LYS:HD3	1.54	0.46
1:A:315:ILE:HD11	1:A:364:SER:HB3	1.97	0.46
3:D:8:U:H5'	3:D:13:C:H41	1.80	0.46
1:A:341:GLY:HA2	1:A:406:ARG:HD2	1.98	0.46
1:A:113:GLY:CA	1:A:143:ASN:HB3	2.46	0.46
1:A:126:GLN:HB2	1:A:129:THR:OG1	2.16	0.45
1:A:86:LEU:HG	1:A:87:ARG:HG2	1.98	0.45
1:A:148:GLN:NE2	1:A:162:GLN:HE21	2.15	0.45
2:B:176:LYS:N	2:B:234:THR:O	2.49	0.45
1:A:260:ARG:NH2	1:A:267:VAL:HG11	2.31	0.45
1:A:321:ALA:HB3	1:A:326:LEU:HD13	1.98	0.45
1:A:406:ARG:HA	1:A:406:ARG:HD3	1.75	0.45
1:A:17:HIS:NE2	1:A:122:GLU:OE2	2.48	0.45
1:A:49:LEU:HD12	1:A:49:LEU:H	1.82	0.45
1:A:398:SER:OG	1:A:399:ARG:N	2.50	0.45
1:A:26:VAL:HG12	1:A:91:PHE:CE1	2.52	0.45
1:A:218:ILE:N	1:A:240:GLY:HA2	2.31	0.45
1:A:331:ILE:HG12	1:A:413:VAL:HG22	1.97	0.45
1:A:407:MET:H	1:A:407:MET:HG3	1.61	0.45
3:D:57:A:H2'	3:D:58:A:H4'	1.98	0.45
1:A:12:ILE:HG13	1:A:112:ASP:O	2.17	0.44
1:A:351:ILE:HG21	1:A:373:VAL:HG13	1.98	0.44
1:A:146:ILE:HG13	1:A:178:VAL:HG11	2.00	0.44
1:A:202:ILE:HD12	1:A:202:ILE:HA	1.81	0.44
1:A:370:VAL:HA	1:A:380:VAL:HG22	1.99	0.44
1:A:3:TRP:HE1	1:A:5:LYS:HE2	1.83	0.44
1:A:128:GLN:O	1:A:132:HIS:HB2	2.16	0.44
1:A:287:LYS:HD3	1:A:287:LYS:HA	1.78	0.44
3:D:52:G:H2'	3:D:53:G:O4'	2.17	0.44
1:A:97:HIS:CD2	1:A:98:GLU:H	2.35	0.44
3:D:20:U:H2'	3:D:21:A:O5'	2.18	0.44
1:A:130:ARG:O	1:A:134:VAL:HG22	2.17	0.44
1:A:374:LYS:HD3	1:A:374:LYS:HA	1.81	0.44
2:B:250:LEU:HD22	2:B:259:VAL:HG11	2.00	0.44
3:D:4:G:N2	3:D:5:G:C5	2.86	0.44
1:A:130:ARG:NH1	5:D:77:MET:HG2	2.32	0.44
2:B:242:ALA:O	2:B:246:ILE:HG23	2.17	0.44
1:A:55:ASN:HA	1:A:85:PHE:CZ	2.53	0.44
1:A:268:SER:HA	1:A:385:PRO:HG2	2.00	0.44
2:B:209:GLN:HE21	2:B:209:GLN:HB2	1.61	0.44
1:A:320:ASP:CG	1:A:322:GLU:H	2.26	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:75:LYS:HD2	1:A:75:LYS:HA	1.68	0.44
1:A:305:LEU:HD12	1:A:305:LEU:H	1.83	0.44
1:A:217:VAL:HG22	1:A:316:ILE:HG13	2.00	0.43
1:A:158:GLU:O	1:A:161:SER:HB2	2.18	0.43
5:D:77:MET:N	5:D:77:MET:SD	2.90	0.43
1:A:260:ARG:HG2	1:A:269:TYR:CE1	2.53	0.43
1:A:358:MET:HB3	1:A:398:SER:H	1.83	0.43
1:A:26:VAL:HA	1:A:91:PHE:CD2	2.53	0.43
1:A:98:GLU:OE2	1:A:99:VAL:N	2.47	0.43
1:A:242:ILE:HG22	1:A:291:PRO:HG3	2.00	0.43
1:A:270:GLU:HA	1:A:271:PRO:HD3	1.71	0.43
1:A:280:ARG:HA	1:A:285:GLU:CB	2.48	0.43
1:A:239:GLY:HA2	1:A:297:ILE:HG12	2.01	0.43
3:D:63:G:N1	3:D:64:G:C6	2.87	0.43
1:A:39:GLU:C	1:A:40:GLU:HG2	2.44	0.42
1:A:120:ALA:HA	1:A:162:GLN:HG3	2.00	0.42
3:D:53:G:C6	3:D:54:U:C4	3.07	0.42
1:A:150:LYS:HD2	4:A:501:GNP:C5	2.48	0.42
1:A:218:ILE:HD11	1:A:293:GLY:O	2.19	0.42
1:A:121:ASN:HD22	4:A:501:GNP:HN1	1.65	0.42
1:A:352:ARG:NH1	1:A:353:ALA:H	2.13	0.42
1:A:403:GLY:HA3	3:D:11:A:C2	2.50	0.42
3:D:44:A:H3'	3:D:45:G:C5	2.54	0.42
3:D:50:U:C4	3:D:65:C:N3	2.88	0.42
1:A:15:VAL:O	1:A:22:LYS:NZ	2.53	0.42
3:D:21:A:H2'	3:D:21:A:N3	2.34	0.42
1:A:307:LYS:CG	1:A:311:LEU:HG	2.48	0.42
2:B:179:MET:HE2	2:B:240:SER:HB2	2.00	0.42
1:A:20:HIS:NE2	1:A:119:ALA:HB2	2.34	0.42
1:A:63:LYS:HD2	1:A:63:LYS:N	2.34	0.42
1:A:239:GLY:HA3	1:A:297:ILE:HG12	2.02	0.42
1:A:249:VAL:HG13	1:A:287:LYS:O	2.19	0.42
1:A:325:VAL:HG23	1:A:327:TRP:NE1	2.34	0.42
1:A:15:VAL:HG12	1:A:16:GLY:N	2.35	0.41
1:A:45:MET:HE2	1:A:45:MET:HB2	1.72	0.41
3:D:58:A:C2'	3:D:59:A:H5'	2.49	0.41
3:D:65:C:H2'	3:D:66:C:O4'	2.19	0.41
1:A:242:ILE:H	1:A:291:PRO:HG3	1.84	0.41
1:A:323:VAL:HB	1:A:326:LEU:HG	2.01	0.41
1:A:64:LYS:N	1:A:65:PRO:HD2	2.35	0.41
1:A:253:ILE:HG22	1:A:254:LYS:HG3	2.01	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:D:30:G:H2'	3:D:31:G:C4'	2.50	0.41
1:A:97:HIS:O	1:A:128:GLN:NE2	2.53	0.41
1:A:194:LEU:C	1:A:194:LEU:CD1	2.87	0.41
1:A:187:HIS:C	1:A:189:ILE:N	2.78	0.41
3:D:5:G:H2'	3:D:6:G:C4'	2.51	0.41
1:A:128:GLN:HG3	1:A:131:GLU:CD	2.46	0.41
1:A:132:HIS:CE1	1:A:136:LEU:HD13	2.56	0.41
1:A:156:LYS:HD2	1:A:156:LYS:HA	1.91	0.41
1:A:281:PHE:CE1	1:A:290:LYS:HG2	2.56	0.41
1:A:105:LEU:H	1:A:105:LEU:HD22	1.86	0.41
1:A:195:ILE:O	1:A:198:ILE:HG13	2.21	0.41
3:D:62:C:H2'	3:D:63:G:O4'	2.20	0.41
1:A:14:VAL:HG11	1:A:25:LEU:HD23	2.03	0.40
1:A:211:GLN:C	1:A:213:PRO:HD3	2.47	0.40
1:A:135:ALA:HA	3:D:74:C:C5	2.56	0.40
1:A:217:VAL:HG23	1:A:314:SER:HB2	2.02	0.40
2:B:237:LYS:HD3	2:B:237:LYS:HA	1.86	0.40
3:D:22:G:O2'	3:D:23:C:C5'	2.65	0.40
1:A:281:PHE:HB2	1:A:286:PHE:CB	2.40	0.40
2:B:189:GLU:CD	2:B:190:PRO:HD2	2.47	0.40
3:D:1:C:O5'	3:D:2:G:H5''	2.22	0.40
3:D:50:U:H3	3:D:64:G:N2	2.20	0.40
1:A:252:GLU:O	1:A:274:THR:O	2.40	0.40
3:D:43:A:C6	3:D:44:A:C5	3.10	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	413/415 (100%)	331 (80%)	77 (19%)	5 (1%)	10 42

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	B	87/89 (98%)	75 (86%)	12 (14%)	0	100	100
All	All	500/504 (99%)	406 (81%)	89 (18%)	5 (1%)	12	45

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	47	ILE
1	A	393	ILE
1	A	154	VAL
1	A	10	VAL
1	A	279	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	357/357 (100%)	297 (83%)	60 (17%)	2	11
2	B	80/80 (100%)	64 (80%)	16 (20%)	1	7
All	All	437/437 (100%)	361 (83%)	76 (17%)	2	10

All (76) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	18	VAL
1	A	22	LYS
1	A	29	ILE
1	A	32	ILE
1	A	40	GLU
1	A	41	LEU
1	A	46	THR
1	A	48	LYS
1	A	53	GLU
1	A	62	CYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	68	TYR
1	A	69	VAL
1	A	74	CYS
1	A	75	LYS
1	A	77	CYS
1	A	92	ILE
1	A	98	GLU
1	A	112	ASP
1	A	115	ILE
1	A	136	LEU
1	A	148	GLN
1	A	151	VAL
1	A	154	VAL
1	A	158	GLU
1	A	162	GLN
1	A	177	ASN
1	A	189	ILE
1	A	194	LEU
1	A	195	ILE
1	A	202	ILE
1	A	203	LYS
1	A	206	TYR
1	A	207	ARG
1	A	217	VAL
1	A	219	ARG
1	A	242	ILE
1	A	243	ILE
1	A	253	ILE
1	A	266	LYS
1	A	267	VAL
1	A	286	PHE
1	A	290	LYS
1	A	294	LEU
1	A	306	THR
1	A	307	LYS
1	A	333	TYR
1	A	340	VAL
1	A	349	ASP
1	A	352	ARG
1	A	354	LYS
1	A	359	LEU
1	A	367	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	375	LYS
1	A	377	GLU
1	A	378	ILE
1	A	384	ARG
1	A	386	VAL
1	A	405	TRP
1	A	410	TRP
2	B	180	SER
2	B	182	LEU
2	B	183	ILE
2	B	186	ARG
2	B	189	GLU
2	B	194	GLU
2	B	200	ILE
2	B	207	ILE
2	B	209	GLN
2	B	214	LEU
2	B	221	THR
2	B	226	ARG
2	B	232	VAL
2	B	237	LYS
2	B	246	ILE
2	B	264	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	7	GLN
1	A	97	HIS
1	A	128	GLN
1	A	148	GLN
1	A	162	GLN
1	A	168	GLN
1	A	224	ASN
1	A	229	GLN
1	A	251	GLN
1	A	392	ASN
1	A	400	GLN
2	B	209	GLN
2	B	216	ASN
2	B	249	ASN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
3	D	76/77 (98%)	52 (68%)	4 (5%)

All (52) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
3	D	2	G
3	D	3	C
3	D	6	G
3	D	8	U
3	D	9	G
3	D	10	G
3	D	11	A
3	D	14	A
3	D	15	G
3	D	16	C
3	D	17	C
3	D	18	G
3	D	19	G
3	D	20	U
3	D	21	A
3	D	22	G
3	D	23	C
3	D	24	U
3	D	27	U
3	D	28	C
3	D	30	G
3	D	32	C
3	D	33	U
3	D	34	C
3	D	37	A
3	D	38	A
3	D	39	C
3	D	40	C
3	D	41	C
3	D	42	G
3	D	43	A
3	D	45	G
3	D	46	A
3	D	47	U
3	D	48	C
3	D	49	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	D	50	U
3	D	52	G
3	D	53	G
3	D	57	A
3	D	58	A
3	D	59	A
3	D	61	C
3	D	62	C
3	D	66	C
3	D	70	G
3	D	71	C
3	D	72	A
3	D	73	A
3	D	74	C
3	D	75	C
3	D	76	A

All (4) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
3	D	23	C
3	D	40	C
3	D	44	A
3	D	74	C

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
5	MET	D	77	3	6,7,8	0.33	0	2,7,9	0.14	0
4	GNP	A	501	-	34,34,34	1.91	4 (11%)	47,54,54	1.17	4 (8%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	MET	D	77	3	-	4/5/6/8	-
4	GNP	A	501	-	-	7/18/38/38	0/3/3/3

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	501	GNP	PA-O3A	-6.67	1.52	1.59
4	A	501	GNP	PB-O3A	-5.80	1.51	1.59
4	A	501	GNP	PG-O1G	3.78	1.51	1.46
4	A	501	GNP	PB-O2B	-3.39	1.47	1.56

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	501	GNP	O3G-PG-O1G	-3.97	103.48	113.45
4	A	501	GNP	O2B-PB-O1B	3.67	117.75	109.87
4	A	501	GNP	O2G-PG-O3G	2.96	115.54	107.59
4	A	501	GNP	C4'-O4'-C1'	-2.43	104.09	109.47

There are no chirality outliers.

All (11) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	501	GNP	PB-N3B-PG-O1G
4	A	501	GNP	PG-N3B-PB-O1B
4	A	501	GNP	C5'-O5'-PA-O3A
4	A	501	GNP	C5'-O5'-PA-O1A
4	A	501	GNP	C5'-O5'-PA-O2A

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
5	D	77	MET	O-C-CA-CB
4	A	501	GNP	C3'-C4'-C5'-O5'
5	D	77	MET	CA-CB-CG-SD
5	D	77	MET	CB-CG-SD-CE
4	A	501	GNP	PB-O3A-PA-O2A
5	D	77	MET	C-CA-CB-CG

There are no ring outliers.

2 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	D	77	MET	5	0
4	A	501	GNP	6	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	415/415 (100%)	-1.17	1 (0%) 91 85	42, 109, 331, 545	0
2	B	89/89 (100%)	-1.18	0 100 100	41, 111, 284, 545	0
3	D	77/77 (100%)	-1.56	0 100 100	64, 113, 208, 345	0
All	All	581/581 (100%)	-1.23	1 (0%) 91 85	41, 110, 284, 545	0

All (1) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	409	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	GNP	A	501	32/32	0.99	0.04	28,70,108,121	0
5	MET	D	77	8/9	1.00	0.04	30,37,111,127	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers ⓘ

There are no such residues in this entry.