



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 06:48 AM UTC

PDB ID : 5QSV / pdb_00005qsv
Title : PanDDA analysis group deposition – Crystal Structure of human STAG1 in complex with Z2856434783
Authors : Newman, J.A.; Katis, V.L.; Gavard, A.E.; von Delft, F.; Arrowsmith, C.H.; Edwards, A.; Bountra, C.; Gileadi, O.
Deposited on : 2019-05-25
Resolution : 2.76 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.76 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1009 (2.76-2.76)
Clashscore	190562	1044 (2.76-2.76)
Ramachandran outliers	187476	1024 (2.76-2.76)
Sidechain outliers	187428	1024 (2.76-2.76)
RSRZ outliers	180081	1009 (2.76-2.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	339	4% 60% 23% • • 12%
1	B	339	4% 61% 23% • • 12%
1	C	339	0% 63% 26% • 7%
1	D	339	4% 62% 23% 6% • 8%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 10211 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Cohesin subunit SA-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	C	315	Total	C	N	O	S	0	0	0
			2591	1647	448	475	21			
1	A	297	Total	C	N	O	S	0	0	0
			2433	1550	417	446	20			
1	B	298	Total	C	N	O	S	0	0	0
			2452	1566	418	448	20			
1	D	311	Total	C	N	O	S	0	0	0
			2561	1627	439	475	20			

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	82	SER	-	expression tag	UNP Q8WVM7
C	83	MET	-	expression tag	UNP Q8WVM7
C	84	GLY	-	expression tag	UNP Q8WVM7
C	85	GLY	-	expression tag	UNP Q8WVM7
A	82	SER	-	expression tag	UNP Q8WVM7
A	83	MET	-	expression tag	UNP Q8WVM7
A	84	GLY	-	expression tag	UNP Q8WVM7
A	85	GLY	-	expression tag	UNP Q8WVM7
B	82	SER	-	expression tag	UNP Q8WVM7
B	83	MET	-	expression tag	UNP Q8WVM7
B	84	GLY	-	expression tag	UNP Q8WVM7
B	85	GLY	-	expression tag	UNP Q8WVM7
D	82	SER	-	expression tag	UNP Q8WVM7
D	83	MET	-	expression tag	UNP Q8WVM7
D	84	GLY	-	expression tag	UNP Q8WVM7
D	85	GLY	-	expression tag	UNP Q8WVM7

- Molecule 2 is N-benzyl-1-(4-fluorophenyl)methanamine (CCD ID: O3G) (formula: C₁₄H₁₄FN) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	D	1	Total	C	F	N	0	0
			16	14	1	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	C	42	Total	O	0	0
			42	42		
3	A	37	Total	O	0	0
			37	37		
3	B	26	Total	O	0	0
			26	26		
3	D	53	Total	O	0	0
			53	53		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Cohesin subunit SA-1




• Molecule 1: Cohesin subunit SA-1




• Molecule 1: Cohesin subunit SA-1





● Molecule 1: Cohesin subunit SA-1



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	66.44Å 71.75Å 118.78Å 95.13° 99.21° 115.27°	Depositor
Resolution (Å)	58.68 – 2.76 58.68 – 2.76	Depositor EDS
% Data completeness (in resolution range)	97.3 (58.68-2.76) 97.3 (58.68-2.76)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.45 (at 2.77Å)	Xtriage
Refinement program	REFMAC 5.8.0238	Depositor
R, R_{free}	0.198 , 0.264 0.208 , 0.263	Depositor DCC
R_{free} test set	2452 reflections (4.95%)	wwPDB-VP
Wilson B-factor (Å ²)	88.5	Xtriage
Anisotropy	0.028	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 66.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	10211	wwPDB-VP
Average B, all atoms (Å ²)	102.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.80% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: O3G

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.05	0/2470	1.57	2/3319 (0.1%)
1	B	1.05	0/2493	1.56	3/3353 (0.1%)
1	C	1.02	0/2633	1.55	3/3539 (0.1%)
1	D	1.00	0/2603	1.53	6/3501 (0.2%)
All	All	1.03	0/10199	1.55	14/13712 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	D	0	1
All	All	0	2

There are no bond length outliers.

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	196	ASP	CA-CB-CG	6.39	118.99	112.60
1	D	196	ASP	CA-CB-CG	6.21	118.81	112.60
1	A	196	ASP	CA-CB-CG	6.13	118.73	112.60
1	D	192	SER	CA-C-N	6.08	128.22	120.56
1	D	192	SER	C-N-CA	6.08	128.22	120.56
1	A	389	VAL	N-CA-C	-5.77	104.88	110.42
1	C	196	ASP	CB-CA-C	5.73	123.20	110.02
1	B	196	ASP	CB-CA-C	5.62	118.74	109.70
1	D	158	ASP	N-CA-C	-5.35	106.53	113.16
1	C	196	ASP	N-CA-C	-5.25	103.56	110.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	282	ASP	CA-CB-CG	5.21	117.81	112.60
1	B	133	THR	CA-C-N	5.16	127.41	120.50
1	B	133	THR	C-N-CA	5.16	127.41	120.50
1	D	389	VAL	N-CA-C	-5.03	105.08	110.36

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	359	THR	Peptide
1	D	168	GLY	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2433	0	2457	59	0
1	B	2452	0	2471	63	1
1	C	2591	0	2613	56	0
1	D	2561	0	2568	62	1
2	D	16	0	0	0	0
3	A	37	0	0	6	0
3	B	26	0	0	5	0
3	C	42	0	0	4	0
3	D	53	0	0	4	0
All	All	10211	0	10109	228	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (228) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:95:LYS:HE3	1:C:103:ASP:OD2	1.45	1.17
1:A:361:ARG:O	3:A:501:HOH:O	1.82	0.95

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:394:ILE:O	1:B:398:THR:HG22	1.66	0.94
1:D:98:MET:SD	3:D:638:HOH:O	2.24	0.93
1:D:216:ARG:HD3	3:D:639:HOH:O	1.70	0.91
1:C:95:LYS:CE	1:C:103:ASP:OD2	2.20	0.90
1:D:114:ASP:OD2	1:D:140:ARG:NH2	2.15	0.79
1:A:98:MET:HE3	1:A:98:MET:HA	1.66	0.78
1:B:230:MET:HG2	1:B:318:TRP:CZ2	2.21	0.76
1:A:135:ARG:NH1	1:A:137:GLU:OE2	2.18	0.76
1:B:86:THR:HG22	1:B:89:GLU:H	1.53	0.74
1:D:153:GLU:O	1:D:155:PHE:N	2.21	0.74
1:A:153:GLU:O	1:A:154:GLU:HG3	1.88	0.72
1:C:289:ASN:ND2	3:C:501:HOH:O	2.15	0.71
1:C:91:VAL:HG22	1:A:98:MET:HE1	1.73	0.71
1:C:284:ILE:HG22	1:C:288:MET:HE2	1.73	0.70
1:B:246:ASN:O	1:B:250:GLN:HG3	1.92	0.69
1:C:226:ALA:HB2	1:C:295:ILE:HD13	1.77	0.67
1:B:91:VAL:HG22	1:D:98:MET:CE	2.25	0.66
1:C:226:ALA:CB	1:C:295:ILE:HD13	2.24	0.66
1:A:388:ASP:O	1:A:392:GLU:HG2	1.96	0.64
1:D:98:MET:HE2	1:D:181:PHE:HB2	1.79	0.64
1:C:98:MET:HE1	1:C:177:ASN:HB3	1.80	0.64
1:B:117:LEU:O	1:B:121:ILE:HG12	1.98	0.62
1:D:333:LYS:HD2	1:D:337:TRP:CH2	2.34	0.61
1:B:394:ILE:O	1:B:398:THR:CG2	2.46	0.61
1:D:164:LEU:HD22	1:D:175:ARG:HG3	1.82	0.60
1:D:315:ILE:HA	1:D:318:TRP:CE3	2.36	0.60
1:B:200:MET:HG3	1:B:287:MET:SD	2.42	0.60
1:C:96:SER:HB3	1:C:99:GLN:HG3	1.84	0.60
1:C:384:ASP:O	1:C:385:LYS:HB2	2.02	0.60
1:A:226:ALA:HB2	1:A:295:ILE:HD13	1.83	0.59
1:B:340:HIS:CE1	1:B:377:ARG:HG3	2.37	0.59
1:D:164:LEU:CD2	1:D:175:ARG:HG3	2.32	0.59
1:A:394:ILE:HD12	1:B:401:LEU:HD12	1.85	0.59
1:A:296:PHE:CZ	1:A:315:ILE:HD12	2.39	0.58
1:B:279:GLU:HB3	3:B:526:HOH:O	2.02	0.58
1:B:112:ASP:HB3	1:B:115:ILE:HG12	1.85	0.58
1:A:388:ASP:HB3	3:A:533:HOH:O	2.02	0.58
1:A:237:ALA:HB1	1:A:281:GLN:HE22	1.69	0.58
1:D:109:TYR:CZ	1:D:113:ARG:HG2	2.38	0.58
1:B:384:ASP:O	1:B:385:LYS:HB2	2.04	0.57
1:D:145:ALA:O	1:D:148:ILE:N	2.35	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:392:GLU:OE1	1:A:395:ARG:NH1	2.37	0.57
1:D:384:ASP:O	1:D:385:LYS:HB3	2.04	0.57
1:C:101:VAL:HG23	3:C:518:HOH:O	2.05	0.57
1:D:248:GLN:OE1	1:D:248:GLN:HA	2.06	0.56
1:C:230:MET:HE2	1:C:291:ILE:HG22	1.87	0.55
1:D:298:HIS:HD2	3:D:651:HOH:O	1.88	0.55
1:C:394:ILE:O	1:C:398:THR:HG22	2.07	0.55
1:A:112:ASP:HB3	1:A:115:ILE:CD1	2.36	0.55
1:C:341:ASP:OD1	3:C:502:HOH:O	2.18	0.55
1:D:230:MET:HG2	1:D:318:TRP:CE2	2.41	0.55
1:D:312:ILE:O	1:D:315:ILE:HG22	2.06	0.55
1:D:373:ARG:HG2	1:D:374:PHE:CE2	2.41	0.55
1:D:384:ASP:O	1:D:385:LYS:CB	2.54	0.55
1:C:162:TYR:CE2	1:C:165:THR:HG23	2.42	0.54
1:C:244:GLN:OE1	1:C:281:GLN:OE1	2.24	0.54
1:A:200:MET:HE1	1:A:229:LEU:HD11	1.89	0.54
1:B:144:ASN:O	1:B:148:ILE:HD12	2.07	0.54
1:D:388:ASP:OD2	1:D:389:VAL:N	2.41	0.54
1:B:284:ILE:HA	1:B:287:MET:CE	2.38	0.54
1:C:315:ILE:HA	1:C:318:TRP:CE3	2.43	0.54
1:C:98:MET:HE3	1:C:177:ASN:O	2.08	0.54
1:C:360:ASN:ND2	1:C:363:LEU:HG	2.23	0.53
1:A:359:THR:O	1:A:360:ASN:HB2	2.09	0.53
1:C:230:MET:HG2	1:C:318:TRP:CE2	2.44	0.53
1:B:132:GLY:HA2	3:B:525:HOH:O	2.09	0.53
1:A:106:ILE:HD11	1:A:188:GLN:HB2	1.90	0.52
1:A:226:ALA:CB	1:A:295:ILE:HD13	2.39	0.52
1:B:377:ARG:O	1:B:377:ARG:HD3	2.09	0.52
1:D:371:THR:O	1:D:375:LYS:HB2	2.09	0.52
1:D:388:ASP:O	1:D:392:GLU:HG2	2.10	0.52
1:B:226:ALA:HB2	1:B:295:ILE:HD13	1.92	0.52
1:D:360:ASN:C	1:D:360:ASN:HD22	2.16	0.52
1:B:124:PHE:O	1:B:128:SER:OG	2.27	0.52
1:D:200:MET:HE1	1:D:229:LEU:HD11	1.90	0.52
1:A:396:LEU:HD22	1:A:400:ILE:HD11	1.91	0.52
1:A:396:LEU:HD22	1:A:400:ILE:CD1	2.40	0.52
1:D:98:MET:HB2	3:D:604:HOH:O	2.10	0.52
1:D:234:VAL:HA	1:D:288:MET:HE1	1.92	0.51
1:A:299:ARG:NH1	1:A:302:ASP:OD2	2.42	0.51
1:D:162:TYR:CD1	1:D:217:ALA:HB2	2.46	0.51
1:C:162:TYR:CD1	1:C:217:ALA:HB2	2.45	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:352:LYS:HE2	1:C:352:LYS:HA	1.92	0.51
1:B:135:ARG:NH1	3:B:501:HOH:O	2.44	0.51
1:A:286:ASN:O	1:A:290:SER:OG	2.29	0.51
1:D:195:TYR:C	1:D:196:ASP:O	2.53	0.51
1:D:276:GLU:O	1:D:279:GLU:HB2	2.11	0.50
1:A:295:ILE:O	1:A:299:ARG:HG2	2.12	0.50
1:A:106:ILE:CD1	1:A:188:GLN:HB2	2.41	0.50
1:D:123:PHE:CE1	1:D:127:CYS:SG	3.05	0.50
1:A:196:ASP:OD1	1:A:196:ASP:C	2.54	0.50
1:B:234:VAL:O	1:B:238:LEU:HB2	2.13	0.49
1:A:109:TYR:CE2	1:A:193:ILE:HG23	2.48	0.49
1:A:121:ILE:HD12	1:A:206:LEU:HD22	1.94	0.49
1:B:125:ILE:HG21	1:B:132:GLY:HA3	1.94	0.49
1:A:153:GLU:O	1:A:154:GLU:CG	2.58	0.49
1:D:388:ASP:OD2	1:D:388:ASP:C	2.55	0.49
1:D:234:VAL:HA	1:D:288:MET:CE	2.43	0.49
1:A:97:ALA:O	1:A:101:VAL:CG1	2.61	0.48
1:B:215:VAL:HB	1:B:218:PHE:HD2	1.78	0.48
1:A:210:LEU:HD22	1:A:218:PHE:CD1	2.47	0.48
1:C:324:ASP:OD2	1:C:324:ASP:N	2.45	0.48
1:C:378:ILE:HG23	1:C:396:LEU:HD13	1.95	0.48
1:B:210:LEU:HD22	1:B:218:PHE:CD1	2.48	0.48
1:D:234:VAL:N	1:D:288:MET:HE2	2.28	0.48
1:C:162:TYR:CD1	1:C:217:ALA:HA	2.48	0.48
1:B:292:PHE:CE1	1:B:296:PHE:CD1	3.01	0.48
1:B:132:GLY:O	1:B:133:THR:HG23	2.13	0.47
1:B:344:GLY:N	3:B:503:HOH:O	2.47	0.47
1:C:142:MET:HE3	1:C:146:GLU:HG2	1.97	0.47
1:D:182:ILE:CD1	1:D:225:ALA:HA	2.45	0.47
1:A:149:ARG:O	1:A:152:THR:HB	2.14	0.47
1:D:153:GLU:C	1:D:155:PHE:H	2.19	0.47
1:B:359:THR:HA	1:B:399:LEU:HD22	1.97	0.47
1:C:371:THR:O	1:C:375:LYS:HB3	2.15	0.47
1:B:250:GLN:HB3	1:B:270:LEU:HD11	1.96	0.47
1:B:246:ASN:O	1:B:250:GLN:CG	2.61	0.47
1:B:147:ILE:HG22	1:B:151:MET:HE2	1.97	0.46
1:D:265:GLU:O	1:D:268:GLU:HG2	2.16	0.46
1:C:174:PHE:HB2	3:A:512:HOH:O	2.15	0.46
1:A:384:ASP:O	1:A:385:LYS:CB	2.63	0.46
1:B:91:VAL:HG22	1:D:98:MET:HE1	1.97	0.46
1:D:145:ALA:O	1:D:147:ILE:N	2.49	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:112:ASP:HB3	1:D:115:ILE:HD12	1.96	0.46
1:C:319:MET:HE1	1:C:332:LEU:HA	1.97	0.46
1:B:196:ASP:C	1:B:196:ASP:OD1	2.59	0.46
1:B:125:ILE:HG23	1:B:151:MET:SD	2.56	0.46
1:D:95:LYS:HD2	1:D:99:GLN:HG2	1.97	0.46
1:A:277:LEU:O	1:A:280:ASN:HB2	2.16	0.46
1:B:91:VAL:HA	1:D:98:MET:HE1	1.97	0.46
1:B:284:ILE:HA	1:B:287:MET:HE3	1.98	0.46
1:C:230:MET:HE2	1:C:291:ILE:CG2	2.46	0.45
1:A:360:ASN:C	3:A:501:HOH:O	2.59	0.45
1:C:326:PHE:HA	1:C:331:TYR:CD2	2.51	0.45
1:C:326:PHE:HA	1:C:331:TYR:HD2	1.82	0.45
1:B:355:GLN:O	1:B:359:THR:HG23	2.17	0.45
1:D:360:ASN:C	1:D:360:ASN:ND2	2.75	0.45
1:C:93:LEU:O	1:C:93:LEU:HG	2.17	0.45
1:C:121:ILE:HG12	1:C:206:LEU:HD22	1.98	0.45
1:C:143:GLN:HE21	1:C:143:GLN:HA	1.82	0.45
1:C:163:PRO:HB3	1:C:171:TRP:CZ3	2.51	0.45
1:C:92:LYS:HE3	1:A:171:TRP:CH2	2.52	0.45
1:A:190:GLN:HE22	1:A:239:ASN:HD22	1.65	0.45
1:D:98:MET:HG3	1:D:181:PHE:HA	1.99	0.45
1:A:327:LEU:HD23	1:A:363:LEU:HG	1.99	0.44
1:A:383:LEU:HD12	1:B:379:VAL:CG1	2.47	0.44
1:C:327:LEU:CD1	1:C:332:LEU:HD11	2.48	0.44
1:D:230:MET:HG2	1:D:318:TRP:CZ2	2.53	0.44
1:A:381:MET:O	1:A:384:ASP:HB2	2.18	0.44
1:B:151:MET:O	1:B:152:THR:C	2.61	0.44
1:B:230:MET:HG2	1:B:318:TRP:CH2	2.52	0.44
1:B:284:ILE:HD13	1:B:287:MET:CE	2.48	0.44
1:A:315:ILE:HA	1:A:318:TRP:CE3	2.53	0.44
1:B:277:LEU:O	1:B:280:ASN:HB2	2.18	0.44
1:B:319:MET:HE1	1:B:335:VAL:HG21	2.00	0.44
1:A:98:MET:HA	1:A:101:VAL:HG13	2.00	0.44
1:A:388:ASP:CB	3:A:533:HOH:O	2.62	0.44
1:D:137:GLU:HA	1:D:140:ARG:HB2	1.99	0.44
1:C:227:MET:HB3	1:C:314:GLU:HG2	1.99	0.43
1:D:363:LEU:O	1:D:367:LEU:HD22	2.17	0.43
1:B:235:ASN:O	1:B:236:VAL:C	2.61	0.43
1:D:238:LEU:HD12	1:D:238:LEU:HA	1.81	0.43
1:C:98:MET:CE	1:C:177:ASN:O	2.66	0.43
1:A:213:SER:O	1:A:219:ARG:HD3	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:92:LYS:HD2	1:D:171:TRP:CH2	2.53	0.43
1:B:315:ILE:HG12	1:B:319:MET:HE2	2.00	0.43
1:D:201:ASP:O	1:D:205:SER:HB2	2.18	0.43
1:A:312:ILE:O	1:A:315:ILE:HG22	2.19	0.43
1:A:358:TYR:C	1:A:360:ASN:N	2.76	0.43
1:A:358:TYR:O	1:A:360:ASN:N	2.51	0.43
1:A:364:PHE:CE1	1:A:403:GLY:HA3	2.53	0.43
1:A:395:ARG:O	1:A:398:THR:OG1	2.35	0.43
1:C:186:ILE:O	1:C:187:ARG:C	2.59	0.43
1:C:109:TYR:CZ	1:C:113:ARG:HG2	2.54	0.43
1:D:364:PHE:N	1:D:365:PRO:CD	2.81	0.43
1:D:401:LEU:HD23	1:D:401:LEU:HA	1.86	0.43
1:C:384:ASP:O	1:C:385:LYS:CB	2.67	0.42
1:B:86:THR:O	1:B:90:VAL:HG23	2.19	0.42
1:B:343:GLN:NE2	1:B:343:GLN:HA	2.34	0.42
1:C:87:LEU:O	1:C:91:VAL:HG23	2.20	0.42
1:A:292:PHE:O	1:A:296:PHE:HB3	2.19	0.42
1:A:97:ALA:HB3	3:A:510:HOH:O	2.19	0.42
1:D:226:ALA:CB	1:D:295:ILE:HD13	2.50	0.42
1:C:92:LYS:O	1:C:93:LEU:HB2	2.20	0.42
1:B:361:ARG:O	1:B:362:GLU:CB	2.67	0.42
1:C:210:LEU:HB2	1:C:222:SER:HB3	2.02	0.42
1:A:200:MET:HB2	1:A:287:MET:HE2	2.02	0.42
1:D:228:LYS:HD3	1:D:228:LYS:HA	1.89	0.42
1:D:364:PHE:CE2	1:D:403:GLY:HA3	2.55	0.42
1:C:90:VAL:HG11	1:A:101:VAL:HB	2.02	0.42
1:A:299:ARG:O	1:A:302:ASP:HB2	2.20	0.42
1:C:162:TYR:CD1	1:C:217:ALA:CB	3.03	0.41
1:C:274:ARG:HG3	3:C:512:HOH:O	2.20	0.41
1:A:360:ASN:HD22	1:A:360:ASN:HA	1.73	0.41
1:B:86:THR:CG2	1:B:88:PHE:HB3	2.49	0.41
1:C:195:TYR:C	1:C:196:ASP:O	2.60	0.41
1:C:256:ASN:ND2	1:C:256:ASN:C	2.78	0.41
1:A:175:ARG:HG3	1:A:175:ARG:HH11	1.85	0.41
1:B:342:ARG:C	1:B:343:GLN:HE21	2.28	0.41
1:B:396:LEU:HD22	1:B:400:ILE:CD1	2.50	0.41
1:D:330:SER:O	1:D:333:LYS:HE3	2.20	0.41
1:B:381:MET:O	1:B:384:ASP:HB2	2.20	0.41
1:C:91:VAL:HG22	1:A:98:MET:CE	2.44	0.41
1:B:210:LEU:HD22	1:B:218:PHE:HD1	1.86	0.41
1:A:284:ILE:HG22	1:A:288:MET:HE2	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:97:ALA:O	1:A:101:VAL:HG12	2.20	0.41
1:B:343:GLN:NE2	1:B:343:GLN:CA	2.83	0.41
1:D:230:MET:O	1:D:233:LEU:N	2.53	0.41
1:D:248:GLN:O	1:D:249:ARG:C	2.63	0.41
1:B:86:THR:HG22	1:B:89:GLU:N	2.28	0.41
1:B:121:ILE:HG22	1:B:125:ILE:HD11	2.02	0.41
1:B:347:ARG:HD2	1:B:381:MET:HE3	2.03	0.41
1:D:126:GLN:O	1:D:129:GLY:N	2.44	0.41
1:D:145:ALA:O	1:D:146:GLU:C	2.63	0.41
1:D:223:THR:OG1	1:D:299:ARG:HG3	2.20	0.41
1:C:93:LEU:O	1:C:95:LYS:N	2.41	0.41
1:A:382:THR:HB	1:B:397:VAL:HG11	2.02	0.41
1:B:87:LEU:O	1:B:91:VAL:HG23	2.21	0.41
1:B:363:LEU:O	1:B:367:LEU:HD22	2.20	0.41
1:C:370:PHE:CE1	1:C:374:PHE:CD2	3.08	0.40
1:C:248:GLN:OE1	1:C:274:ARG:HD2	2.21	0.40
1:C:364:PHE:HB3	1:C:365:PRO:HD3	2.03	0.40
1:A:170:GLN:CG	1:A:171:TRP:CD1	3.05	0.40
1:B:91:VAL:HG13	1:D:98:MET:HE1	2.02	0.40
1:B:343:GLN:HB3	3:B:503:HOH:O	2.21	0.40
1:D:226:ALA:HB2	1:D:295:ILE:HD13	2.03	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:286:ASN:OD1	1:D:373:ARG:NH2[1_665]	2.10	0.10

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	289/339 (85%)	249 (86%)	34 (12%)	6 (2%)	5	11
1	B	292/339 (86%)	254 (87%)	32 (11%)	6 (2%)	5	11
1	C	311/339 (92%)	285 (92%)	20 (6%)	6 (2%)	6	12
1	D	307/339 (91%)	274 (89%)	26 (8%)	7 (2%)	5	9
All	All	1199/1356 (88%)	1062 (89%)	112 (9%)	25 (2%)	5	11

All (25) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	93	LEU
1	A	360	ASN
1	B	385	LYS
1	D	146	GLU
1	D	154	GLU
1	C	94	GLY
1	C	259	ILE
1	C	385	LYS
1	A	359	THR
1	A	385	LYS
1	A	388	ASP
1	B	345	GLU
1	B	362	GLU
1	B	368	GLU
1	D	145	ALA
1	D	153	GLU
1	D	385	LYS
1	D	388	ASP
1	A	341	ASP
1	C	362	GLU
1	B	402	HIS
1	C	361	ARG
1	A	368	GLU
1	B	111	GLN
1	D	112	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	269/306 (88%)	235 (87%)	34 (13%)	4	8
1	B	271/306 (89%)	246 (91%)	25 (9%)	8	17
1	C	285/306 (93%)	242 (85%)	43 (15%)	3	4
1	D	283/306 (92%)	247 (87%)	36 (13%)	4	8
All	All	1108/1224 (90%)	970 (88%)	138 (12%)	4	8

All (138) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	86	THR
1	C	95	LYS
1	C	96	SER
1	C	98	MET
1	C	99	GLN
1	C	111	GLN
1	C	136	ILE
1	C	137	GLU
1	C	155	PHE
1	C	161	ASP
1	C	166	MET
1	C	173	LYS
1	C	186	ILE
1	C	196	ASP
1	C	219	ARG
1	C	229	LEU
1	C	238	LEU
1	C	247	THR
1	C	252	GLU
1	C	256	ASN
1	C	261	LYS
1	C	262	ARG
1	C	264	ASN
1	C	266	ARG
1	C	281	GLN
1	C	283	GLU
1	C	290	SER
1	C	293	LYS
1	C	323	SER
1	C	324	ASP
1	C	327	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	330	SER
1	C	342	ARG
1	C	348	LEU
1	C	359	THR
1	C	363	LEU
1	C	368	GLU
1	C	377	ARG
1	C	379	VAL
1	C	388	ASP
1	C	396	LEU
1	C	398	THR
1	C	401	LEU
1	A	95	LYS
1	A	100	SER
1	A	101	VAL
1	A	111	GLN
1	A	114	ASP
1	A	115	ILE
1	A	136	ILE
1	A	137	GLU
1	A	175	ARG
1	A	196	ASP
1	A	211	SER
1	A	219	ARG
1	A	235	ASN
1	A	244	GLN
1	A	268	GLU
1	A	271	LEU
1	A	274	ARG
1	A	275	LYS
1	A	286	ASN
1	A	290	SER
1	A	293	LYS
1	A	330	SER
1	A	333	LYS
1	A	342	ARG
1	A	343	GLN
1	A	348	LEU
1	A	360	ASN
1	A	362	GLU
1	A	367	LEU
1	A	368	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	371	THR
1	A	379	VAL
1	A	396	LEU
1	A	401	LEU
1	B	86	THR
1	B	131	ARG
1	B	136	ILE
1	B	137	GLU
1	B	138	MET
1	B	148	ILE
1	B	172	LYS
1	B	192	SER
1	B	196	ASP
1	B	211	SER
1	B	250	GLN
1	B	252	GLU
1	B	268	GLU
1	B	278	GLN
1	B	320	LYS
1	B	343	GLN
1	B	348	LEU
1	B	362	GLU
1	B	364	PHE
1	B	366	LYS
1	B	367	LEU
1	B	377	ARG
1	B	396	LEU
1	B	398	THR
1	B	401	LEU
1	D	95	LYS
1	D	98	MET
1	D	101	VAL
1	D	115	ILE
1	D	133	THR
1	D	137	GLU
1	D	140	ARG
1	D	142	MET
1	D	172	LYS
1	D	173	LYS
1	D	175	ARG
1	D	194	ILE
1	D	196	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	199	MET
1	D	205	SER
1	D	218	PHE
1	D	238	LEU
1	D	254	GLU
1	D	257	LYS
1	D	268	GLU
1	D	269	LEU
1	D	289	ASN
1	D	290	SER
1	D	320	LYS
1	D	342	ARG
1	D	348	LEU
1	D	349	LYS
1	D	359	THR
1	D	360	ASN
1	D	367	LEU
1	D	373	ARG
1	D	379	VAL
1	D	380	SER
1	D	388	ASP
1	D	396	LEU
1	D	401	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (25) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	143	GLN
1	C	235	ASN
1	C	256	ASN
1	C	264	ASN
1	C	289	ASN
1	C	402	HIS
1	A	126	GLN
1	A	190	GLN
1	A	214	GLN
1	A	248	GLN
1	A	281	GLN
1	A	286	ASN
1	A	340	HIS
1	A	343	GLN
1	A	360	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	111	GLN
1	B	144	ASN
1	B	278	GLN
1	B	280	ASN
1	B	289	ASN
1	B	343	GLN
1	D	99	GLN
1	D	126	GLN
1	D	278	GLN
1	D	360	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	O3G	D	501	-	17,17,17	0.23	0	21,21,21	0.28	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	O3G	D	501	-	-	1/6/6/6	0/2/2/2

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.


All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	D	501	O3G	C4-C5-N1-C6

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	297/339 (87%)	0.08	5 (1%) 69 67	65, 106, 156, 194	0
1	B	298/339 (87%)	0.10	12 (4%) 42 40	60, 103, 154, 191	0
1	C	315/339 (92%)	-0.12	3 (0%) 79 79	52, 93, 135, 168	0
1	D	311/339 (91%)	0.30	12 (3%) 43 40	44, 85, 136, 172	9 (2%)
All	All	1221/1356 (90%)	0.09	32 (2%) 57 55	44, 97, 147, 194	9 (0%)

All (32) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	138	MET	17.9
1	D	139	PHE	15.8
1	D	142	MET	15.0
1	D	144	ASN	14.4
1	D	145	ALA	13.6
1	D	143	GLN	13.4
1	D	140	ARG	12.3
1	D	198	TYR	11.4
1	D	141	ASN	11.3
1	B	155	PHE	4.2
1	B	269	LEU	3.4
1	B	206	LEU	3.4
1	B	268	GLU	3.0
1	A	370	PHE	2.9
1	B	210	LEU	2.7
1	D	109	TYR	2.5
1	B	218	PHE	2.5
1	C	345	GLU	2.5
1	B	209	GLY	2.5
1	A	367	LEU	2.4
1	A	138	MET	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	330	SER	2.3
1	A	339	LEU	2.3
1	A	216	ARG	2.2
1	B	290	SER	2.2
1	C	364	PHE	2.2
1	D	117	LEU	2.1
1	B	295	ILE	2.1
1	D	124	PHE	2.1
1	B	202	THR	2.1
1	B	287	MET	2.1
1	B	115	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	O3G	D	501	16/16	0.93	0.27	51,57,63,64	16

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers ⓘ

There are no such residues in this entry.