



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 14, 2026 – 11:14 AM UTC

PDB ID : 4QTH / pdb_00004qth
Title : Crystal structure of anti-uPAR Fab 8B12
Authors : Zhao, B.; Yuan, C.; Luo, Z.; Huang, M.
Deposited on : 2014-07-08
Resolution : 2.17 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.17 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	8975 (2.20-2.16)
Clashscore	190562	9786 (2.20-2.16)
Ramachandran outliers	187476	9664 (2.20-2.16)
Sidechain outliers	187428	9664 (2.20-2.16)
RSRZ outliers	180081	8979 (2.20-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	224	27% 80% 14% . .
1	H	224	13% 71% 26% .
2	B	214	29% 79% 18% . .
2	L	214	12% 81% 18% .

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 6833 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called anti-uPAR antibody, heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	H	224	Total	C	N	O	S	0	0	0
			1686	1062	276	338	10			
1	A	215	Total	C	N	O	S	0	0	0
			1621	1027	262	323	9			

- Molecule 2 is a protein called anti-uPAR antibody, light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	L	214	Total	C	N	O	S	0	0	0
			1658	1024	280	347	7			
2	B	211	Total	C	N	O	S	0	0	0
			1635	1012	276	341	6			


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	H	64	Total	O	0	0
			64	64		
3	L	63	Total	O	0	0
			63	63		
3	A	38	Total	O	0	0
			38	38		
3	B	68	Total	O	0	0
			68	68		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: anti-uPAR antibody, heavy chain




- Molecule 1: anti-uPAR antibody, heavy chain







- Molecule 2: anti-uPAR antibody, light chain





● Molecule 2: anti-uPAR antibody, light chain



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	80.08Å 72.92Å 85.55Å 90.00° 105.37° 90.00°	Depositor
Resolution (Å)	41.31 – 2.17 41.31 – 2.17	Depositor EDS
% Data completeness (in resolution range)	99.5 (41.31-2.17) 99.5 (41.31-2.17)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.71 (at 2.18Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.229 , 0.273 0.227 , 0.270	Depositor DCC
R_{free} test set	2547 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	43.4	Xtriage
Anisotropy	0.074	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 44.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	6833	wwPDB-VP
Average B, all atoms (Å ²)	52.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.64% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.74	0/1664	0.89	4/2275 (0.2%)
1	H	0.84	0/1730	1.01	4/2366 (0.2%)
2	B	0.78	0/1668	0.93	0/2261
2	L	0.74	0/1691	0.89	0/2292
All	All	0.78	0/6753	0.93	8/9194 (0.1%)

There are no bond length outliers.

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	29	PHE	N-CA-C	6.30	118.14	111.28
1	A	55	SER	N-CA-C	-6.26	99.63	108.96
1	H	93	ILE	CB-CA-C	-6.09	102.86	111.21
1	A	208	HIS	CA-C-N	5.83	125.97	119.32
1	A	208	HIS	C-N-CA	5.83	125.97	119.32
1	H	220	VAL	N-CA-C	5.30	113.70	107.77
1	H	172	VAL	N-CA-C	5.20	116.07	108.53
1	H	150	LEU	N-CA-C	-5.02	100.99	109.07

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1621	0	1572	13	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	H	1686	0	1630	35	0
2	B	1635	0	1569	21	0
2	L	1658	0	1585	24	0
3	A	38	0	0	0	0
3	B	68	0	0	2	0
3	H	64	0	0	0	0
3	L	63	0	0	1	0
All	All	6833	0	6356	89	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (89) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:218:LYS:HD3	1:H:218:LYS:H	1.29	0.96
2:B:85:ASP:OD1	2:B:103:LYS:HD3	1.69	0.93
2:L:145:ASN:HB2	2:L:197:THR:HG22	1.55	0.89
2:L:190:ASN:ND2	2:L:210:ASN:OD1	2.10	0.85
2:L:195:GLU:HG2	2:L:206:VAL:HG22	1.61	0.83
2:L:85:ASP:OD1	2:L:103:LYS:HD3	1.79	0.82
2:B:66:ARG:HD2	2:B:68:GLY:O	1.82	0.80
1:H:198:PRO:HB3	1:H:221:PRO:HG3	1.73	0.70
1:H:224:CYS:HA	2:L:214:CYS:HB3	1.74	0.67
2:B:145:ASN:HB2	2:B:197:THR:HG22	1.78	0.66
1:H:152:LYS:HE2	1:H:180:GLN:NE2	2.13	0.64
2:B:69:SER:HB2	3:B:337:HOH:O	1.97	0.63
1:H:224:CYS:HA	2:L:214:CYS:CB	2.29	0.63
1:H:224:CYS:CA	2:L:214:CYS:HB3	2.27	0.63
2:L:145:ASN:CB	2:L:197:THR:HG22	2.28	0.63
2:L:143:ASP:HB2	3:L:355:HOH:O	1.98	0.63
1:H:32:TYR:OH	1:H:107:LEU:HG	2.00	0.61
1:H:163:TRP:CZ3	1:H:204:CYS:HB3	2.34	0.61
2:L:149:LYS:HB2	2:L:193:THR:HB	1.83	0.60
1:H:147:LEU:HD22	1:H:219:ILE:HG21	1.84	0.59
1:H:218:LYS:H	1:H:218:LYS:CD	2.10	0.59
1:H:106:ASN:H	1:H:106:ASN:HD22	1.50	0.59
2:L:78:LEU:HD13	2:L:83:PHE:CZ	2.39	0.58
1:H:198:PRO:HB3	1:H:221:PRO:CG	2.33	0.58
1:H:152:LYS:HE2	1:H:180:GLN:HE22	1.70	0.57
1:A:106:ASN:H	1:A:106:ASN:HD22	1.52	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:187:GLU:O	2:B:211:ARG:NH1	2.37	0.56
1:H:36:TRP:C	1:H:37:ILE:HD12	2.31	0.55
1:A:62:GLU:HA	1:A:65:LYS:HD3	1.89	0.55
1:A:38:ARG:HB2	1:A:48:ILE:HD11	1.88	0.54
1:H:162:THR:OG1	1:H:205:ASN:HB2	2.09	0.53
1:H:186:LEU:C	1:H:186:LEU:HD12	2.34	0.53
2:L:151:ASP:OD2	2:L:189:HIS:HD2	1.91	0.53
1:H:135:PRO:HD3	1:H:147:LEU:HD23	1.89	0.53
2:B:149:LYS:HB2	2:B:193:THR:HB	1.90	0.53
2:B:49:TYR:O	2:B:50:ALA:C	2.52	0.52
2:B:94:SER:HA	2:B:95:PRO:C	2.36	0.50
2:B:105:GLU:HB3	3:B:317:HOH:O	2.11	0.50
1:A:196:THR:O	1:A:200:GLU:HG2	2.12	0.49
2:L:61:ARG:CZ	2:L:79:GLU:HG3	2.42	0.49
2:B:193:THR:HG23	2:B:206:VAL:HG13	1.93	0.49
2:B:61:ARG:CZ	2:B:79:GLU:HG3	2.43	0.49
1:H:100:PHE:HB2	1:H:107:LEU:HB3	1.94	0.49
2:L:151:ASP:OD2	2:L:189:HIS:CD2	2.66	0.48
1:A:53:PRO:HB3	1:A:72:ALA:CB	2.42	0.48
2:L:186:TYR:CZ	2:L:211:ARG:HD2	2.48	0.48
1:H:199:SER:HB3	1:H:200:GLU:HG2	1.96	0.48
2:B:89:LEU:HG	2:B:98:PHE:CE2	2.50	0.47
1:H:33:TRP:HB2	1:H:99:ASP:HB3	1.97	0.47
1:H:75:SER:OG	2:B:199:LYS:HD2	2.15	0.47
1:H:144:MET:HE2	1:H:193:PRO:HA	1.96	0.47
1:A:24:ALA:HB1	1:A:27:TYR:CE1	2.50	0.47
1:H:208:HIS:HB3	1:H:213:THR:HB	1.97	0.47
1:A:73:ASP:OD1	1:A:76:SER:OG	2.33	0.46
1:A:100:PHE:HB2	1:A:107:LEU:HB3	1.97	0.46
1:H:11:LEU:HD21	1:H:155:PHE:HZ	1.81	0.46
2:B:150:ILE:HD11	2:B:179:LEU:HD21	1.97	0.46
1:A:30:THR:HA	1:A:53:PRO:O	2.16	0.46
2:B:115:VAL:HA	2:B:135:PHE:O	2.15	0.45
2:L:91:TYR:HA	2:L:96:TYR:CD1	2.51	0.45
1:H:58:THR:O	1:H:59:ASN:OD1	2.34	0.44
2:L:150:ILE:O	2:L:151:ASP:C	2.60	0.44
2:B:150:ILE:CG2	2:B:189:HIS:HB3	2.47	0.44
1:H:223:ASP:O	1:H:224:CYS:HB2	2.17	0.44
1:A:53:PRO:HA	1:A:54:GLY:HA2	1.79	0.44
1:H:38:ARG:HB2	1:H:48:ILE:HD11	2.00	0.44
2:L:115:VAL:HG12	2:L:207:LYS:HG3	1.99	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:L:33:LEU:HD22	2:L:71:TYR:HB3	2.00	0.43
2:B:122:SER:HA	2:B:125:LEU:HD12	2.00	0.43
2:B:91:TYR:HA	2:B:96:TYR:CD1	2.53	0.43
1:H:131:TYR:HA	1:H:132:PRO:HD3	1.79	0.43
2:B:138:ASN:ND2	2:B:170:ASP:OD2	2.51	0.43
2:B:113:PRO:HG3	2:B:144:ILE:HD11	2.01	0.42
1:A:68:ALA:HA	1:A:82:GLN:O	2.20	0.42
1:H:223:ASP:O	1:H:224:CYS:CB	2.67	0.42
1:A:32:TYR:OH	1:A:107:LEU:HG	2.20	0.41
1:H:193:PRO:O	1:H:196:THR:HB	2.21	0.41
1:H:218:LYS:HD3	1:H:218:LYS:N	2.12	0.41
2:B:31:SER:O	2:B:50:ALA:HA	2.21	0.41
2:L:192:TYR:O	2:L:208:SER:HA	2.20	0.41
1:H:11:LEU:HD21	1:H:155:PHE:CZ	2.55	0.41
1:H:53:PRO:HB3	1:H:72:ALA:HB1	2.02	0.41
2:L:94:SER:HA	2:L:95:PRO:C	2.46	0.41
1:H:20:LEU:HD22	1:H:116:THR:HG21	2.02	0.40
1:A:180:GLN:HB3	1:A:181:SER:H	1.66	0.40
1:H:136:GLY:HA2	1:H:222:ARG:HD3	2.04	0.40
2:L:1:ASP:HB3	2:L:95:PRO:HG2	2.04	0.40
2:L:49:TYR:O	2:L:50:ALA:C	2.64	0.40
2:L:193:THR:HA	2:L:207:LYS:O	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	211/224 (94%)	198 (94%)	13 (6%)	0	100	100
1	H	222/224 (99%)	210 (95%)	12 (5%)	0	100	100
2	B	209/214 (98%)	201 (96%)	8 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	L	212/214 (99%)	207 (98%)	5 (2%)	0	100	100
All	All	854/876 (98%)	816 (96%)	38 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	185/192 (96%)	170 (92%)	15 (8%)	11	11
1	H	192/192 (100%)	171 (89%)	21 (11%)	6	5
2	B	189/192 (98%)	178 (94%)	11 (6%)	18	20
2	L	192/192 (100%)	182 (95%)	10 (5%)	21	24
All	All	758/768 (99%)	701 (92%)	57 (8%)	12	12

All (57) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	H	1	GLN
1	H	12	MET
1	H	28	THR
1	H	40	ARG
1	H	57	SER
1	H	65	LYS
1	H	77	ASN
1	H	88	THR
1	H	93	ILE
1	H	106	ASN
1	H	107	LEU
1	H	111	VAL
1	H	140	GLN
1	H	143	SER
1	H	167	SER
1	H	179	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	H	180	GLN
1	H	195	SER
1	H	199	SER
1	H	217	LYS
1	H	218	LYS
2	L	1	ASP
2	L	33	LEU
2	L	53	SER
2	L	55	ASP
2	L	66	ARG
2	L	89	LEU
2	L	104	LEU
2	L	126	THR
2	L	142	LYS
2	L	197	THR
1	A	1	GLN
1	A	3	GLN
1	A	13	LYS
1	A	37	ILE
1	A	57	SER
1	A	74	THR
1	A	76	SER
1	A	93	ILE
1	A	106	ASN
1	A	107	LEU
1	A	162	THR
1	A	168	LEU
1	A	180	GLN
1	A	187	SER
1	A	212	SER
2	B	12	SER
2	B	66	ARG
2	B	89	LEU
2	B	93	THR
2	B	104	LEU
2	B	132	VAL
2	B	136	LEU
2	B	153	SER
2	B	197	THR
2	B	199	LYS
2	B	202	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12)

such sidechains are listed below:

Mol	Chain	Res	Type
1	H	3	GLN
1	H	5	GLN
1	H	106	ASN
1	H	180	GLN
2	L	3	GLN
2	L	156	GLN
2	L	189	HIS
1	A	1	GLN
1	A	5	GLN
1	A	106	ASN
2	B	3	GLN
2	B	156	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	215/224 (95%)	1.49	61 (28%)	1 1	12, 58, 99, 124	16 (7%)
1	H	224/224 (100%)	0.86	30 (13%)	7 6	9, 41, 74, 119	16 (7%)
2	B	211/214 (98%)	1.27	62 (29%)	1 1	10, 43, 108, 119	14 (6%)
2	L	214/214 (100%)	0.80	25 (11%)	9 8	10, 44, 66, 98	14 (6%)
All	All	864/876 (98%)	1.10	178 (20%)	2 2	9, 45, 97, 124	60 (6%)

All (178) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	H	149	CYS	10.7
1	H	196	THR	10.4
2	B	208	SER	9.6
2	L	208	SER	8.3
1	A	149	CYS	8.2
2	B	127	SER	8.2
1	A	145	VAL	7.6
1	A	204	CYS	7.1
1	A	196	THR	7.1
2	L	127	SER	7.1
2	B	175	MET	6.9
1	H	44	GLY	6.8
1	H	145	VAL	6.6
2	B	104	LEU	6.3
2	B	163	TRP	6.2
2	L	194	CYS	5.8
1	A	75	SER	5.7
2	L	104	LEU	5.7
2	L	134	CYS	5.6
2	B	203	SER	5.3
1	A	17	SER	5.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	10	SER	5.1
1	H	17	SER	5.1
2	L	20	SER	5.0
1	H	42	GLY	4.9
2	L	31	SER	4.9
2	L	163	TRP	4.9
2	L	17	GLU	4.8
2	B	129	GLY	4.7
1	H	204	CYS	4.7
2	L	175	MET	4.7
2	B	134	CYS	4.6
1	A	88	THR	4.5
1	A	44	GLY	4.5
2	B	128	GLY	4.5
1	H	73	ASP	4.4
2	L	10	SER	4.3
1	A	187	SER	4.2
2	B	152	GLY	4.1
2	B	143	ASP	4.1
2	B	194	CYS	4.1
2	B	118	PHE	4.1
2	B	148	TRP	4.0
2	B	31	SER	3.9
2	L	94	SER	3.9
2	B	210	ASN	3.8
2	B	130	ALA	3.8
1	A	190	VAL	3.8
1	H	141	THR	3.7
1	H	137	SER	3.7
1	A	9	ALA	3.7
1	H	28	THR	3.5
1	A	192	VAL	3.5
1	H	187	SER	3.5
1	A	42	GLY	3.5
2	B	17	GLU	3.5
2	B	150	ILE	3.4
2	B	111	ALA	3.4
2	B	117	ILE	3.3
1	A	43	HIS	3.3
2	B	202	THR	3.3
1	H	139	ALA	3.3
1	A	181	SER	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	211	SER	3.2
2	B	159	VAL	3.2
2	B	201	SER	3.1
1	H	224	CYS	3.1
2	B	205	ILE	3.1
2	B	20	SER	3.1
1	A	28	THR	3.1
1	H	193	PRO	3.0
1	A	221	PRO	3.0
2	B	147	LYS	3.0
1	A	207	ALA	3.0
2	B	206	VAL	3.0
2	B	190	ASN	3.0
1	H	201	THR	3.0
1	A	87	THR	2.9
1	H	75	SER	2.9
2	L	203	SER	2.9
1	H	59	ASN	2.9
1	H	43	HIS	2.9
2	B	192	TYR	2.9
1	A	73	ASP	2.9
1	A	16	ALA	2.9
2	B	153	SER	2.8
2	L	213	GLU	2.8
1	H	74	THR	2.8
2	L	143	ASP	2.8
1	A	166	GLY	2.8
2	B	186	TYR	2.8
1	H	88	THR	2.8
1	A	74	THR	2.8
1	H	167	SER	2.7
1	A	144	MET	2.7
2	B	112	ALA	2.7
2	B	146	VAL	2.7
1	A	143	SER	2.7
2	L	214	CYS	2.7
1	A	67	LYS	2.7
2	B	197	THR	2.6
1	H	199	SER	2.6
2	B	167	ASP	2.6
1	A	197	TRP	2.6
1	H	136	GLY	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	189	HIS	2.6
2	B	209	PHE	2.6
2	L	210	ASN	2.6
1	A	201	THR	2.6
1	A	127	PRO	2.6
2	B	191	SER	2.6
2	B	200	THR	2.5
1	A	41	PRO	2.5
1	A	198	PRO	2.5
1	A	193	PRO	2.5
2	B	181	LEU	2.5
1	A	76	SER	2.5
1	A	183	LEU	2.5
1	A	163	TRP	2.5
1	A	202	VAL	2.4
2	B	158	GLY	2.4
1	A	220	VAL	2.4
2	B	182	THR	2.4
2	B	125	LEU	2.4
2	B	105	GLU	2.4
1	A	180	GLN	2.4
2	L	128	GLY	2.3
1	A	65	LYS	2.3
1	A	215	VAL	2.3
1	A	203	THR	2.3
1	H	168	LEU	2.3
1	A	200	GLU	2.3
2	L	202	THR	2.3
1	A	59	ASN	2.3
1	H	166	GLY	2.3
1	A	171	GLY	2.3
2	L	30	GLY	2.3
2	L	195	GLU	2.2
2	B	116	SER	2.2
1	A	185	THR	2.2
2	B	138	ASN	2.2
2	B	151	ASP	2.2
1	A	184	TYR	2.2
1	A	199	SER	2.2
1	A	124	LYS	2.2
1	A	125	THR	2.2
1	A	219	ILE	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	204	PRO	2.2
2	L	92	ALA	2.2
1	A	14	PRO	2.1
1	A	116	THR	2.2
1	A	191	THR	2.2
2	B	114	THR	2.2
1	H	78	SER	2.1
2	L	157	ASN	2.1
2	B	184	ASP	2.1
1	A	53	PRO	2.1
1	H	140	GLN	2.1
1	H	171	GLY	2.1
1	A	208	HIS	2.1
2	B	109	ALA	2.1
2	B	131	SER	2.1
1	A	63	MET	2.1
2	L	105	GLU	2.1
1	H	60	CYS	2.1
2	L	126	THR	2.1
2	B	198	HIS	2.1
2	B	139	PHE	2.1
1	A	189	SER	2.1
2	B	94	SER	2.1
2	B	188	ARG	2.0
2	B	149	LYS	2.0
1	A	26	GLY	2.0
1	A	68	ALA	2.0
2	B	196	ALA	2.0
2	B	157	ASN	2.0
2	B	179	LEU	2.0
1	A	182	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.