



Full wwPDB EM Validation Report ⓘ

Mar 20, 2026 – 07:37 AM UTC

PDB ID : 8QTN / pdb_00008qtn
EMDB ID : EMD-18652
Title : Cryo-EM structure of the apo yeast Ceramide Synthase
Authors : Schaefer, J.; Clausmeyer, L.; Koerner, C.; Moeller, A.; Froehlich, F.
Deposited on : 2023-10-12
Resolution : 3.00 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY



The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	14081 (2.50 - 3.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	309	
2	B	305	
3	C	133	
3	D	133	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	PIJ	C	201	X	-	-	-
6	PIJ	D	402	X	-	-	-

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 7739 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ceramide synthase LAG1.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	309	Total	C	N	O	S	0	0
			2636	1790	410	422	14		


- Molecule 2 is a protein called Ceramide synthase LAC1.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	305	Total	C	N	O	S	0	0
			2571	1738	406	414	13		

- Molecule 3 is a protein called Ceramide synthase subunit LIP1.


Mol	Chain	Residues	Atoms					AltConf	Trace
3	C	133	Total	C	N	O	S	0	0
			1089	703	178	202	6		
3	D	131	Total	C	N	O	S	0	0
			1073	692	175	200	6		

- Molecule 4 is 1,2-Distearoyl-sn-glycerophosphoethanolamine (CCD ID: 3PE) (formula: C₄₁H₈₂NO₈P).




Mol	Chain	Residues	Atoms					AltConf
4	A	1	Total	C	N	O	P	0
			51	41	1	8	1	
4	B	1	Total	C	N	O	P	0
			51	41	1	8	1	
4	B	1	Total	C	N	O	P	0
			51	41	1	8	1	
4	D	1	Total	C	N	O	P	0
			51	41	1	8	1	

- Molecule 5 is hexacosanoic acid (CCD ID: 7PO) (formula: C₂₆H₅₂O₂) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			AltConf
5	A	1	Total	C	O	0
			27	26	1	
5	B	1	Total	C	O	0
			27	26	1	

- Molecule 6 is [(2S)-1-hexadecanoyloxy-3-[hydroxy-[(2S,3R,5S,6R)-2,3,4,5,6-pentahydroxycyclohexyl]oxy-phosphoryl]oxy-propan-2-yl] heptadecanoate (CCD ID: PIJ) (formula: $C_{42}H_{81}O_{13}P$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf
6	C	1	Total	C	O	P	0
			55	41	13	1	
6	D	1	Total	C	O	P	0
			55	41	13	1	

- Molecule 7 is AMMONIUM ION (CCD ID: NH4) (formula: H_4N).




Mol	Chain	Residues	Atoms		AltConf
7	C	1	Total	N	0
			1	1	
7	D	1	Total	N	0
			1	1	


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Ceramide synthase LAG1




• Molecule 2: Ceramide synthase LAC1





• Molecule 3: Ceramide synthase subunit LIP1





• Molecule 3: Ceramide synthase subunit LIP1



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	159440	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS GLACIOS	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	TFS FALCON 4i (4k x 4k)	Depositor
Maximum map value	0.959	Depositor
Minimum map value	-0.572	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.019	Depositor
Recommended contour level	0.16	Depositor
Map size (Å)	306.0, 306.0, 306.0	wwPDB
Map dimensions	450, 450, 450	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.68, 0.68, 0.68	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NH4, 3PE, 7PO, PIJ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.18	0/2728	0.40	1/3710 (0.0%)
2	B	0.42	0/2659	0.60	6/3616 (0.2%)
3	C	0.37	0/1122	0.49	0/1523
3	D	0.21	0/1105	0.48	3/1501 (0.2%)
All	All	0.32	0/7614	0.50	10/10350 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
3	C	0	1

There are no bond length outliers.

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	88	ILE	N-CA-C	-7.41	103.31	110.42
3	D	108	ASN	N-CA-C	6.60	121.18	113.20
2	B	199	LEU	N-CA-C	-6.26	105.28	113.17
2	B	134	CYS	N-CA-C	-5.99	105.05	112.90
3	D	88	ILE	N-CA-CB	5.92	117.47	110.55
2	B	214	PHE	CA-CB-CG	5.38	119.18	113.80
2	B	185	VAL	N-CA-C	-5.38	108.26	113.53
2	B	346	GLN	CB-CA-C	5.18	119.24	111.89
2	B	136	VAL	CA-C-O	-5.11	116.09	121.41
1	A	335	HIS	N-CA-C	5.06	119.52	112.90

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
3	C	45	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2636	0	2642	100	0
2	B	2571	0	2569	66	0
3	C	1089	0	1045	20	0
3	D	1073	0	1026	21	0
4	A	51	0	82	19	0
4	B	102	0	164	19	0
4	D	51	0	82	10	0
5	A	27	0	0	9	0
5	B	27	0	0	0	0
6	C	55	0	0	0	0
6	D	55	0	0	0	0
7	C	1	0	0	0	0
7	D	1	0	0	0	0
All	All	7739	0	7610	209	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (209) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:260:LEU:HD11	4:B:401:3PE:H2B1	1.23	1.13
2:B:179:ALA:O	2:B:183:THR:HG22	1.71	0.90
2:B:224:TYR:OH	2:B:276:LEU:HB2	1.73	0.87
2:B:241:GLN:HE22	2:B:244:LYS:NZ	1.77	0.81
1:A:346:GLN:OE1	1:A:348:TYR:OH	2.00	0.79
1:A:112:MET:HE2	1:A:131:LYS:HE3	1.67	0.76
1:A:288:PHE:O	1:A:292:SER:OG	2.02	0.76
1:A:132:ASP:OD2	1:A:267:TYR:OH	2.04	0.75

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:221:LYS:NZ	1:A:267:TYR:OH	2.19	0.74
2:B:286:ASP:OD1	2:B:318:ARG:NH2	2.21	0.74
1:A:193:ILE:HG22	1:A:220:PHE:CE1	2.22	0.73
2:B:241:GLN:HE22	2:B:244:LYS:HZ3	1.34	0.73
1:A:147:ARG:NH1	1:A:151:MET:SD	2.63	0.72
2:B:207:MET:HE2	2:B:277:PRO:HG3	1.70	0.72
1:A:217:PRO:HG2	1:A:220:PHE:CE2	2.25	0.71
3:D:97:GLU:OE2	3:D:133:THR:HG23	1.89	0.71
2:B:334:ARG:HG2	2:B:339:TYR:CZ	2.26	0.70
1:A:217:PRO:HG2	1:A:220:PHE:CD2	2.25	0.70
1:A:133:LEU:HD21	4:D:401:3PE:H361	1.73	0.70
1:A:116:ILE:HD11	1:A:218:PHE:CD1	2.26	0.70
1:A:255:HIS:CE1	5:A:402:7PO:C24	2.76	0.69
3:C:34:ILE:O	3:C:38:GLU:HG2	1.93	0.69
1:A:295:LEU:HD12	1:A:300:SER:OG	1.94	0.68
1:A:371:TRP:O	1:A:375:ILE:HD12	1.94	0.68
2:B:260:LEU:HD11	4:B:401:3PE:C2B	2.13	0.67
1:A:259:THR:HG23	5:A:402:7PO:C20	2.23	0.67
2:B:183:THR:HG21	2:B:287:PHE:HA	1.76	0.67
2:B:227:GLN:OE1	2:B:279:TYR:OH	2.13	0.67
1:A:182:TYR:CE1	4:A:401:3PE:H2I2	2.30	0.66
1:A:185:VAL:HG11	4:A:401:3PE:H3H2	1.76	0.66
4:B:401:3PE:H331	3:C:38:GLU:HG3	1.77	0.66
2:B:220:PHE:O	2:B:224:TYR:HD2	1.79	0.65
1:A:151:MET:HE1	1:A:155:ILE:HD11	1.79	0.65
2:B:181:PHE:HZ	4:B:402:3PE:H2I2	1.62	0.65
3:D:61:SER:HB3	3:D:137:LEU:CD2	2.27	0.64
1:A:238:LEU:HD21	1:A:253:VAL:HG22	1.80	0.63
1:A:182:TYR:CD1	4:A:401:3PE:H2I2	2.34	0.63
4:A:401:3PE:H361	4:A:401:3PE:H3A1	1.79	0.63
3:C:64:VAL:HG21	3:C:137:LEU:HD22	1.81	0.63
2:B:183:THR:HG23	2:B:287:PHE:HB2	1.82	0.61
2:B:142:PHE:CZ	4:B:402:3PE:H2C2	2.35	0.61
1:A:286:ASP:OD2	5:A:402:7PO:C25	2.48	0.61
2:B:149:PHE:CE1	2:B:153:VAL:HG21	2.36	0.61
2:B:90:ILE:HD12	2:B:90:ILE:H	1.65	0.60
2:B:282:MET:HE3	2:B:364:LEU:HD11	1.83	0.60
2:B:241:GLN:NE2	2:B:244:LYS:NZ	2.48	0.60
1:A:130:ILE:HD11	4:D:401:3PE:H2B1	1.83	0.60
2:B:142:PHE:HZ	4:B:402:3PE:H2C2	1.67	0.60
1:A:151:MET:CE	1:A:155:ILE:HD11	2.32	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:133:LEU:CD2	4:D:401:3PE:H361	2.33	0.59
2:B:143:PHE:CE1	4:B:402:3PE:H3H1	2.36	0.59
1:A:115:ALA:HA	4:A:401:3PE:H221	1.83	0.59
1:A:282:MET:HB3	5:A:402:7PO:C23	2.32	0.58
3:D:99:LEU:C	3:D:99:LEU:HD12	2.28	0.58
4:A:401:3PE:H3I1	4:A:401:3PE:H2E1	1.86	0.57
3:D:92:TYR:CB	3:D:99:LEU:HD22	2.33	0.57
1:A:347:GLN:NE2	1:A:349:LYS:O	2.37	0.57
1:A:217:PRO:CG	1:A:220:PHE:CD2	2.87	0.57
2:B:338:ASN:HB3	2:B:347:GLN:NE2	2.20	0.57
1:A:194:MET:HE1	1:A:202:PHE:CD1	2.40	0.57
1:A:220:PHE:CE1	1:A:276:LEU:HD22	2.40	0.57
4:B:402:3PE:H381	4:B:402:3PE:H2D1	1.86	0.57
2:B:183:THR:CG2	2:B:287:PHE:HA	2.35	0.56
2:B:264:TRP:CZ2	3:C:37:VAL:HG21	2.40	0.56
1:A:282:MET:SD	1:A:364:LEU:HD21	2.44	0.56
1:A:169:ARG:NH2	1:A:297:TYR:O	2.38	0.56
1:A:230:PHE:CG	4:A:401:3PE:H2F1	2.41	0.56
2:B:220:PHE:CZ	2:B:276:LEU:HD22	2.41	0.56
1:A:197:SER:HB2	1:A:220:PHE:HZ	1.70	0.56
2:B:207:MET:HE1	2:B:325:ILE:HG12	1.88	0.55
1:A:227:GLN:CD	1:A:279:TYR:HH	2.11	0.55
3:C:99:LEU:HD21	3:C:129:VAL:CG2	2.36	0.55
1:A:185:VAL:CG1	4:A:401:3PE:H3H2	2.36	0.55
1:A:139:TYR:OH	4:A:401:3PE:H232	2.06	0.54
4:D:401:3PE:O14	4:D:401:3PE:H121	2.06	0.54
4:A:401:3PE:H2C2	4:A:401:3PE:H3E2	1.88	0.54
3:D:92:TYR:HB2	3:D:99:LEU:HD22	1.90	0.54
2:B:147:ARG:NH2	2:B:175:GLU:OE1	2.41	0.53
2:B:341:LEU:O	3:C:74:SER:OG	2.26	0.53
1:A:217:PRO:HB2	1:A:220:PHE:HD2	1.73	0.53
1:A:208:TYR:O	1:A:349:LYS:NZ	2.41	0.53
2:B:139:TYR:CE2	4:B:402:3PE:H361	2.43	0.53
3:C:63:SER:O	3:C:92:TYR:OH	2.24	0.53
3:C:137:LEU:HD23	3:C:137:LEU:O	2.08	0.53
2:B:278:ILE:HD13	2:B:361:ILE:HD12	1.91	0.52
1:A:260:LEU:CD1	4:D:401:3PE:H3I3	2.39	0.52
4:A:401:3PE:H2C2	4:A:401:3PE:H3H1	1.91	0.52
4:B:402:3PE:H3B2	4:B:402:3PE:H3F1	1.91	0.52
1:A:249:TYR:O	1:A:253:VAL:HG23	2.08	0.52
1:A:85:LEU:O	1:A:85:LEU:HD12	2.08	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:116:ILE:HD13	1:A:222:ILE:HG12	1.91	0.52
1:A:217:PRO:CG	1:A:220:PHE:HD2	2.23	0.52
1:A:193:ILE:CG2	1:A:220:PHE:CE1	2.92	0.52
2:B:346:GLN:HG2	2:B:348:TYR:OH	2.09	0.52
3:D:35:ALA:HB2	4:D:401:3PE:H271	1.91	0.52
1:A:198:ASP:OD2	1:A:209:ARG:NH2	2.43	0.52
4:B:401:3PE:H361	3:C:35:ALA:HB2	1.92	0.52
1:A:227:GLN:OE1	1:A:279:TYR:OH	2.08	0.51
1:A:285:SER:OG	1:A:318:ARG:NH1	2.42	0.51
3:D:92:TYR:CB	3:D:99:LEU:CD2	2.89	0.51
2:B:274:MET:HE1	2:B:357:VAL:HG13	1.93	0.51
2:B:151:MET:HA	2:B:155:ILE:HB	1.92	0.51
1:A:227:GLN:OE1	4:A:401:3PE:H2H1	2.11	0.51
3:C:136:GLU:CD	3:C:136:GLU:H	2.19	0.51
1:A:103:ASN:OD1	1:A:104:ARG:N	2.43	0.50
1:A:264:TRP:CH2	3:D:37:VAL:HG21	2.47	0.50
3:C:46:ILE:O	3:C:82:LYS:NZ	2.45	0.50
3:C:103:ILE:O	3:D:148:TYR:OH	2.29	0.50
2:B:241:GLN:HE22	2:B:244:LYS:HZ2	1.56	0.50
2:B:220:PHE:O	2:B:224:TYR:CD2	2.63	0.49
1:A:143:PHE:HZ	4:A:401:3PE:H2D1	1.77	0.49
2:B:334:ARG:HG2	2:B:339:TYR:CE1	2.47	0.49
1:A:220:PHE:HE1	1:A:276:LEU:CD2	2.25	0.49
1:A:230:PHE:CB	4:A:401:3PE:H2F1	2.42	0.49
3:D:61:SER:HB3	3:D:137:LEU:HD21	1.94	0.49
1:A:266:SER:HB3	5:A:402:7PO:C14	2.42	0.49
4:B:402:3PE:H3E2	4:B:402:3PE:H3I3	1.93	0.49
1:A:216:ASN:HD21	1:A:272:THR:HG21	1.78	0.49
3:C:99:LEU:HD21	3:C:129:VAL:HG22	1.95	0.49
2:B:325:ILE:O	2:B:329:VAL:HG23	2.12	0.48
2:B:224:TYR:OH	2:B:272:THR:O	2.24	0.48
3:D:55:PRO:HG3	3:D:87:ARG:NH2	2.28	0.48
3:D:92:TYR:HB3	3:D:99:LEU:CD2	2.43	0.48
1:A:353:SER:HA	1:A:356:ILE:HD12	1.96	0.48
2:B:214:PHE:HZ	2:B:345:THR:O	1.96	0.48
2:B:241:GLN:NE2	2:B:244:LYS:HZ2	2.10	0.48
1:A:179:ALA:HA	1:A:182:TYR:CE2	2.49	0.47
2:B:143:PHE:HE1	4:B:402:3PE:H3H1	1.76	0.47
2:B:228:ALA:HB2	2:B:263:ILE:HG21	1.96	0.47
2:B:143:PHE:HZ	4:B:402:3PE:H391	1.78	0.47
3:C:101:PHE:HB3	3:C:129:VAL:HG23	1.97	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:143:PHE:CZ	4:B:402:3PE:H391	2.49	0.47
3:C:137:LEU:HD23	3:C:137:LEU:C	2.40	0.47
3:D:56:ILE:HG21	3:D:68:TRP:CZ2	2.50	0.47
2:B:130:ILE:HD11	4:B:401:3PE:H3A1	1.97	0.47
2:B:345:THR:O	2:B:346:GLN:C	2.58	0.46
1:A:115:ALA:HB1	4:A:401:3PE:H11	1.96	0.46
2:B:227:GLN:CD	2:B:279:TYR:HH	2.22	0.46
1:A:129:GLY:HA2	4:D:401:3PE:H2	1.98	0.46
1:A:199:LEU:HD23	1:A:206:PRO:HB2	1.97	0.46
3:D:92:TYR:HB3	3:D:99:LEU:HD23	1.98	0.46
1:A:91:LEU:HD11	1:A:142:PHE:HA	1.98	0.46
1:A:220:PHE:HE1	1:A:276:LEU:HD22	1.81	0.46
1:A:235:ALA:O	1:A:239:VAL:HG23	2.16	0.46
1:A:217:PRO:CB	1:A:220:PHE:HD2	2.29	0.46
3:C:61:SER:OG	3:C:137:LEU:HD11	2.15	0.46
1:A:228:ALA:HB1	4:D:401:3PE:H3A2	1.98	0.45
1:A:278:ILE:HD13	1:A:361:ILE:HD12	1.99	0.45
1:A:199:LEU:HD21	1:A:273:LYS:HB3	1.98	0.45
1:A:354:LEU:HB3	1:A:355:PRO:HD3	1.99	0.45
1:A:120:VAL:HG12	1:A:120:VAL:O	2.17	0.45
1:A:223:PHE:O	1:A:227:GLN:HG2	2.17	0.45
1:A:286:ASP:OD2	5:A:402:7PO:C24	2.65	0.45
3:D:65:ILE:HD11	3:D:67:LEU:HD13	1.98	0.45
3:D:67:LEU:N	3:D:127:ALA:O	2.48	0.45
1:A:279:TYR:CD2	5:A:402:7PO:C21	2.99	0.45
2:B:88:LEU:HD13	2:B:145:PHE:CE1	2.52	0.45
2:B:114:VAL:O	4:B:402:3PE:H241	2.17	0.45
1:A:194:MET:HE1	1:A:202:PHE:HD1	1.78	0.45
1:A:274:MET:HE1	1:A:357:VAL:HG11	1.99	0.44
2:B:264:TRP:CH2	3:C:37:VAL:HG21	2.52	0.44
1:A:198:ASP:OD1	1:A:273:LYS:NZ	2.50	0.44
3:D:92:TYR:HB2	3:D:99:LEU:CD2	2.47	0.44
1:A:207:MET:HE1	1:A:325:ILE:HG12	1.99	0.44
2:B:355:PRO:O	2:B:359:VAL:HG13	2.17	0.44
4:D:401:3PE:H322	4:D:401:3PE:H351	1.62	0.44
3:D:136:GLU:H	3:D:136:GLU:CD	2.26	0.44
3:C:107:ASP:N	3:C:107:ASP:OD1	2.50	0.43
1:A:193:ILE:HD13	1:A:223:PHE:HB2	1.98	0.43
1:A:286:ASP:OD2	5:A:402:7PO:C26	2.66	0.43
1:A:325:ILE:O	1:A:329:VAL:HG23	2.17	0.43
1:A:193:ILE:CG2	1:A:220:PHE:CD1	3.02	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:222:ILE:HD11	4:A:401:3PE:C21	2.48	0.43
2:B:179:ALA:HA	2:B:182:TYR:CE2	2.53	0.43
2:B:254:PHE:CE2	2:B:258:VAL:HG21	2.54	0.43
2:B:276:LEU:N	2:B:277:PRO:HD2	2.35	0.42
1:A:85:LEU:HD12	1:A:85:LEU:C	2.44	0.42
1:A:307:PHE:O	1:A:311:VAL:HG13	2.18	0.42
1:A:143:PHE:CZ	4:A:401:3PE:H2D1	2.55	0.42
2:B:329:VAL:HA	2:B:333:PHE:HB2	2.01	0.42
1:A:220:PHE:CD1	1:A:276:LEU:HD22	2.54	0.42
1:A:264:TRP:CZ2	3:D:37:VAL:HG21	2.55	0.42
2:B:241:GLN:CD	2:B:244:LYS:HD3	2.45	0.42
1:A:139:TYR:CE2	4:A:401:3PE:H252	2.55	0.42
1:A:330:LEU:HD11	1:A:358:PHE:CE1	2.55	0.42
1:A:255:HIS:HE1	5:A:402:7PO:C24	2.29	0.41
2:B:147:ARG:NH1	2:B:237:ILE:HG21	2.36	0.41
1:A:374:LEU:O	1:A:378:ILE:HG13	2.20	0.41
1:A:282:MET:HA	1:A:318:ARG:NH1	2.34	0.41
1:A:112:MET:HE3	1:A:112:MET:HB2	1.88	0.41
2:B:241:GLN:OE1	2:B:244:LYS:HD3	2.20	0.41
3:C:49:GLU:OE1	3:C:82:LYS:NZ	2.49	0.41
1:A:268:VAL:O	3:D:41:LYS:NZ	2.38	0.41
1:A:227:GLN:OE1	4:A:401:3PE:H2F2	2.20	0.41
1:A:303:THR:HB	1:A:304:PRO:HD3	2.02	0.41
2:B:138:TYR:O	2:B:141:ILE:HB	2.20	0.41
2:B:220:PHE:CE2	2:B:276:LEU:HD22	2.56	0.41
2:B:221:LYS:O	2:B:225:LEU:HB2	2.21	0.41
1:A:261:LEU:HD23	1:A:261:LEU:HA	1.97	0.41
2:B:226:GLY:HA3	4:B:402:3PE:H3A1	2.03	0.40
1:A:116:ILE:HB	1:A:221:LYS:HD3	2.04	0.40
2:B:170:ILE:O	2:B:174:MET:HG2	2.22	0.40
2:B:285:SER:OG	2:B:318:ARG:NE	2.53	0.40
3:D:31:LEU:HD23	4:D:401:3PE:H2A2	2.04	0.40
1:A:158:PHE:CD2	1:A:177:MET:HE1	2.57	0.40
1:A:198:ASP:O	1:A:206:PRO:HG3	2.22	0.40
2:B:137:PHE:HB2	4:B:401:3PE:H3F1	2.03	0.40
2:B:328:SER:O	2:B:332:GLN:N	2.55	0.40
3:C:84:ILE:HG21	3:C:127:ALA:HB2	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	307/309 (99%)	301 (98%)	6 (2%)	0	100	100
2	B	303/305 (99%)	290 (96%)	13 (4%)	0	100	100
3	C	131/133 (98%)	129 (98%)	2 (2%)	0	100	100
3	D	129/133 (97%)	126 (98%)	3 (2%)	0	100	100
All	All	870/880 (99%)	846 (97%)	24 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	287/287 (100%)	287 (100%)	0	100	100
2	B	275/275 (100%)	275 (100%)	0	100	100
3	C	120/120 (100%)	119 (99%)	1 (1%)	73	86
3	D	118/120 (98%)	118 (100%)	0	100	100
All	All	800/802 (100%)	799 (100%)	1 (0%)	87	93

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
3	C	140	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such

sidechains are listed below:

Mol	Chain	Res	Type
1	A	296	ASN
2	B	196	HIS
2	B	234	GLN
2	B	241	GLN
2	B	346	GLN
2	B	347	GLN
3	C	139	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 10 ligands modelled in this entry, 2 are modelled with single atom - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	PIJ	D	402	-	55,55,56	0.96	2 (3%)	64,67,68	1.24	5 (7%)
5	7PO	B	403	2	26,26,27	0.92	1 (3%)	25,25,27	0.57	0
4	3PE	A	401	-	50,50,50	0.52	0	53,55,55	0.53	1 (1%)
4	3PE	B	401	-	50,50,50	0.33	0	53,55,55	0.37	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	3PE	B	402	-	50,50,50	0.52	0	53,55,55	0.52	1 (1%)
4	3PE	D	401	-	50,50,50	0.52	0	53,55,55	0.54	1 (1%)
5	7PO	A	402	1	26,26,27	0.96	1 (3%)	25,25,27	0.79	2 (8%)
6	PIJ	C	201	-	55,55,56	1.03	3 (5%)	64,67,68	1.30	9 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	PIJ	D	402	-	2/2/10/10	25/50/74/75	0/1/1/1
5	7PO	B	403	2	-	19/24/24/25	-
4	3PE	A	401	-	-	21/54/54/54	-
4	3PE	B	401	-	-	14/54/54/54	-
4	3PE	B	402	-	-	20/54/54/54	-
4	3PE	D	401	-	-	23/54/54/54	-
5	7PO	A	402	1	-	11/24/24/25	-
6	PIJ	C	201	-	1/1/10/10	27/50/74/75	0/1/1/1

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	403	7PO	O27-C26	-4.58	1.18	1.42
5	A	402	7PO	O27-C26	-4.52	1.19	1.42
6	D	402	PIJ	O26-CO6	2.80	1.41	1.33
6	C	201	PIJ	O26-CO6	2.57	1.40	1.33
6	D	402	PIJ	O29-CO9	2.53	1.41	1.34
6	C	201	PIJ	O29-CO9	2.25	1.40	1.34
6	C	201	PIJ	O26-C25	-2.06	1.40	1.45

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	D	402	PIJ	CI6-CI1-CI2	6.15	119.39	110.86
6	C	201	PIJ	O29-CO9-CR1	5.59	123.57	111.48
6	D	402	PIJ	O29-CO9-CR1	4.05	120.23	111.48
6	D	402	PIJ	CI3-CI2-CI1	2.93	116.32	109.68
6	C	201	PIJ	C24-O29-CO9	-2.57	111.65	117.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	D	402	PIJ	O26-CO6-CL1	2.56	119.63	111.83
6	C	201	PIJ	CI5-CI6-CI1	2.51	115.38	109.68
6	C	201	PIJ	O29-CO9-OC9	-2.51	117.84	123.70
6	D	402	PIJ	CI5-CI6-CI1	2.47	115.28	109.68
4	B	402	3PE	O12-P-O14	2.46	123.89	112.44
6	C	201	PIJ	O26-CO6-CL1	2.46	119.33	111.83
6	C	201	PIJ	OI3-CI3-CI4	-2.45	104.60	110.38
4	A	401	3PE	O12-P-O14	2.44	123.80	112.44
4	D	401	3PE	O12-P-O14	2.32	123.25	112.44
6	C	201	PIJ	OI4-CI4-CI3	-2.30	104.95	110.38
5	A	402	7PO	C25-C24-C23	2.25	125.74	114.37
6	C	201	PIJ	OI1-CI1-CI6	2.16	113.31	108.73
5	A	402	7PO	O27-C26-C25	2.06	124.51	111.44
6	C	201	PIJ	OI1-CI1-CI2	2.05	113.08	108.73

All (3) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
6	C	201	PIJ	CI6
6	D	402	PIJ	CI5
6	D	402	PIJ	CI2

All (160) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	401	3PE	C22-C21-O21-C2
4	B	401	3PE	C1-O11-P-O14
4	B	401	3PE	C11-O13-P-O11
4	B	401	3PE	C11-O13-P-O12
4	B	401	3PE	C11-O13-P-O14
4	B	402	3PE	C1-O11-P-O12
4	B	402	3PE	C1-O11-P-O13
4	B	402	3PE	C11-O13-P-O11
4	B	402	3PE	C11-O13-P-O12
4	B	402	3PE	C11-O13-P-O14
4	B	402	3PE	C22-C21-O21-C2
4	D	401	3PE	C11-O13-P-O14
4	D	401	3PE	C12-C11-O13-P
4	D	401	3PE	O13-C11-C12-N
6	C	201	PIJ	C21-O12-P1-O11
6	C	201	PIJ	C21-O12-P1-OI1
6	D	402	PIJ	C21-O12-P1-O11

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	D	402	PIJ	C21-O12-P1-OI1
4	A	401	3PE	O32-C31-O31-C3
4	A	401	3PE	C32-C31-O31-C3
4	A	401	3PE	O22-C21-O21-C2
4	B	402	3PE	O22-C21-O21-C2
6	C	201	PIJ	CL1-CO6-O26-C25
5	A	402	7PO	C09-C10-C11-C12
5	A	402	7PO	C07-C08-C09-C10
6	C	201	PIJ	CL4-CL5-CL6-CL7
6	C	201	PIJ	OC6-CO6-O26-C25
6	C	201	PIJ	CLB-CLC-CLD-CLE
6	D	402	PIJ	CR9-CRA-CRB-CRC
6	D	402	PIJ	CL6-CL7-CL8-CL9
6	C	201	PIJ	CR9-CRA-CRB-CRC
6	C	201	PIJ	CL6-CL7-CL8-CL9
4	B	402	3PE	C32-C31-O31-C3
5	B	403	7PO	C18-C19-C20-C21
4	B	402	3PE	C21-C22-C23-C24
6	C	201	PIJ	CO9-CR1-CR2-CR3
5	B	403	7PO	C03-C04-C05-C06
4	D	401	3PE	C32-C33-C34-C35
4	B	402	3PE	C28-C29-C2A-C2B
4	B	402	3PE	C2-C1-O11-P
5	B	403	7PO	C08-C09-C10-C11
4	B	402	3PE	C34-C35-C36-C37
4	B	402	3PE	O32-C31-O31-C3
4	A	401	3PE	C32-C33-C34-C35
4	A	401	3PE	C2-C3-O31-C31
6	D	402	PIJ	CR1-CO9-O29-C24
5	B	403	7PO	C07-C08-C09-C10
5	B	403	7PO	C09-C10-C11-C12
5	B	403	7PO	C22-C23-C24-C25
5	B	403	7PO	C24-C25-C26-O27
6	C	201	PIJ	CO6-CL1-CL2-CL3
5	B	403	7PO	C05-C06-C07-C08
4	D	401	3PE	C22-C21-O21-C2
6	C	201	PIJ	CL3-CL4-CL5-CL6
5	B	403	7PO	C23-C24-C25-C26
6	D	402	PIJ	CLA-CLB-CLC-CLD
5	A	402	7PO	C21-C22-C23-C24
5	B	403	7PO	C14-C15-C16-C17
5	B	403	7PO	C02-C03-C04-C05

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	B	401	3PE	C31-C32-C33-C34
5	B	403	7PO	C10-C11-C12-C13
4	D	401	3PE	C3B-C3C-C3D-C3E
6	D	402	PIJ	CR6-CR7-CR8-CR9
4	B	402	3PE	C2D-C2E-C2F-C2G
6	D	402	PIJ	CL5-CL6-CL7-CL8
4	B	401	3PE	C22-C21-O21-C2
6	D	402	PIJ	OC9-CO9-O29-C24
6	C	201	PIJ	CR3-CR4-CR5-CR6
5	B	403	7PO	C13-C14-C15-C16
6	D	402	PIJ	CRA-CRB-CRC-CRD
4	D	401	3PE	O22-C21-O21-C2
4	B	402	3PE	O11-C1-C2-O21
6	C	201	PIJ	CL8-CL9-CLA-CLB
4	A	401	3PE	C2E-C2F-C2G-C2H
5	A	402	7PO	C22-C23-C24-C25
4	A	401	3PE	C27-C28-C29-C2A
4	D	401	3PE	C2B-C2C-C2D-C2E
5	B	403	7PO	C16-C17-C18-C19
6	D	402	PIJ	CR3-CR4-CR5-CR6
5	A	402	7PO	C18-C19-C20-C21
6	D	402	PIJ	CR8-CR9-CRA-CRB
4	B	401	3PE	O22-C21-O21-C2
6	D	402	PIJ	CR4-CR5-CR6-CR7
6	D	402	PIJ	CRB-CRC-CRD-CRE
4	D	401	3PE	C24-C25-C26-C27
4	D	401	3PE	C33-C34-C35-C36
4	A	401	3PE	C2C-C2D-C2E-C2F
5	B	403	7PO	C11-C12-C13-C14
4	A	401	3PE	C36-C37-C38-C39
6	C	201	PIJ	CR2-CR3-CR4-CR5
6	C	201	PIJ	CL2-CL3-CL4-CL5
6	D	402	PIJ	CR7-CR8-CR9-CRA
4	A	401	3PE	C2F-C2G-C2H-C2I
5	A	402	7PO	C24-C25-C26-O27
4	B	402	3PE	C3C-C3D-C3E-C3F
4	B	402	3PE	O11-C1-C2-C3
6	C	201	PIJ	O12-C21-C24-C25
4	B	401	3PE	C3C-C3D-C3E-C3F
4	D	401	3PE	C36-C37-C38-C39
4	B	401	3PE	C32-C33-C34-C35
6	C	201	PIJ	CR7-CR8-CR9-CRA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	D	402	PIJ	CL9-CLA-CLB-CLC
5	A	402	7PO	C03-C04-C05-C06
5	B	403	7PO	C17-C18-C19-C20
4	D	401	3PE	C22-C23-C24-C25
4	B	401	3PE	C25-C26-C27-C28
5	B	403	7PO	C19-C20-C21-C22
4	D	401	3PE	C3D-C3E-C3F-C3G
4	B	402	3PE	C3E-C3F-C3G-C3H
6	D	402	PIJ	CLC-CLD-CLE-CLF
5	A	402	7PO	C15-C16-C17-C18
4	A	401	3PE	C3-C2-O21-C21
6	D	402	PIJ	CL8-CL9-CLA-CLB
6	C	201	PIJ	O12-C21-C24-O29
4	A	401	3PE	C12-C11-O13-P
4	B	402	3PE	C12-C11-O13-P
4	B	402	3PE	C33-C34-C35-C36
5	B	403	7PO	C06-C07-C08-C09
6	D	402	PIJ	CI1-OI1-P1-O11
6	C	201	PIJ	CLA-CLB-CLC-CLD
5	A	402	7PO	C11-C12-C13-C14
4	A	401	3PE	O11-C1-C2-O21
4	D	401	3PE	C37-C38-C39-C3A
4	A	401	3PE	C34-C35-C36-C37
5	A	402	7PO	C16-C17-C18-C19
4	D	401	3PE	C11-O13-P-O11
4	D	401	3PE	C11-O13-P-O12
6	C	201	PIJ	C21-O12-P1-O13
6	D	402	PIJ	CI1-OI1-P1-O12
4	A	401	3PE	O11-C1-C2-C3
4	B	401	3PE	C23-C24-C25-C26
5	A	402	7PO	C20-C21-C22-C23
4	D	401	3PE	C21-C22-C23-C24
4	D	401	3PE	C3A-C3B-C3C-C3D
4	A	401	3PE	C39-C3A-C3B-C3C
4	B	401	3PE	C29-C2A-C2B-C2C
6	C	201	PIJ	CL5-CL6-CL7-CL8
4	B	401	3PE	C33-C34-C35-C36
4	A	401	3PE	C2A-C2B-C2C-C2D
6	D	402	PIJ	CL1-CO6-O26-C25
6	D	402	PIJ	CL3-CL4-CL5-CL6
4	A	401	3PE	C2D-C2E-C2F-C2G
4	D	401	3PE	C3C-C3D-C3E-C3F

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
6	D	402	PIJ	OC6-CO6-O26-C25
5	B	403	7PO	C12-C13-C14-C15
6	C	201	PIJ	CR1-CR2-CR3-CR4
4	D	401	3PE	C31-C32-C33-C34
4	B	401	3PE	C28-C29-C2A-C2B
6	C	201	PIJ	CR5-CR6-CR7-CR8
6	D	402	PIJ	O29-CO9-CR1-CR2
6	C	201	PIJ	CRB-CRC-CRD-CRE
4	A	401	3PE	C3E-C3F-C3G-C3H
6	C	201	PIJ	CI1-OI1-P1-O13
6	C	201	PIJ	OC9-CO9-O29-C24
6	C	201	PIJ	CR1-CO9-O29-C24
4	A	401	3PE	C26-C27-C28-C29
4	D	401	3PE	O31-C31-C32-C33
4	D	401	3PE	C3F-C3G-C3H-C3I
6	D	402	PIJ	OC9-CO9-CR1-CR2
4	D	401	3PE	O32-C31-C32-C33


There are no ring outliers.


5 monomers are involved in 57 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	401	3PE	19	0
4	B	401	3PE	6	0
4	B	402	3PE	13	0
4	D	401	3PE	10	0
5	A	402	7PO	9	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-18652. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 225




Y Index: 225




Z Index: 225


6.2.2 Raw map



X Index: 225



Y Index: 225




Z Index: 225


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 206




Y Index: 239




Z Index: 258


6.3.2 Raw map



X Index: 0



Y Index: 0




Z Index: 0


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.16. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_18652_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 34 nm³; this corresponds to an approximate mass of 30 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.333 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.333 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.00	-	-
Author-provided FSC curve	3.04	3.42	3.08
Unmasked-calculated*	17.15	23.70	17.61

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 17.15 differs from the reported value 3.0 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-18652 and PDB model 8QTN. Per-residue inclusion information can be found in section [3](#) on page [8](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.16 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.16).

9.4 Atom inclusion [i](#)



At the recommended contour level, 75% of all backbone atoms, 70% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.16) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.7030	0.5130
A	0.6920	0.5050
B	0.6640	0.4910
C	0.7700	0.5530
D	0.7500	0.5450

