



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 07:48 PM UTC

PDB ID : 6QUZ / pdb_00006quz
Title : Structure of ATPgS-bound outward-facing TM287/288 in complex with sy-body Sb_TM35
Authors : Hutter, C.A.J.; Huerlimann, L.M.; Zimmermann, I.; Egloff, P.; Seeger, M.A.
Deposited on : 2019-03-01
Resolution : 3.21 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 3.21 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1768 (3.24-3.20)
Clashscore	190562	1879 (3.24-3.20)
Ramachandran outliers	187476	1844 (3.24-3.20)
Sidechain outliers	187428	1843 (3.24-3.20)
RSRZ outliers	180081	1768 (3.24-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	587	11% 84%13%
1	C	587	15% 85%12%
2	B	599	11% 85%9%5%
2	D	599	13% 85%10%
3	E	128	47% 85%10%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	F	128	38% 91% 6%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 20098 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ABC transporter, ATP-binding protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	568	Total	C	N	O	S	0	0	0
			4467	2880	768	800	19			
1	C	569	Total	C	N	O	S	0	0	0
			4473	2883	769	802	19			

There are 22 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-9	GLY	-	expression tag	UNP Q9WYC3
A	-8	PRO	-	expression tag	UNP Q9WYC3
A	-7	SER	-	expression tag	UNP Q9WYC3
A	-6	GLY	-	expression tag	UNP Q9WYC3
A	-5	SER	-	expression tag	UNP Q9WYC3
A	-4	GLY	-	expression tag	UNP Q9WYC3
A	-3	GLY	-	expression tag	UNP Q9WYC3
A	-2	GLY	-	expression tag	UNP Q9WYC3
A	-1	GLY	-	expression tag	UNP Q9WYC3
A	0	GLY	-	expression tag	UNP Q9WYC3
A	1	SER	-	expression tag	UNP Q9WYC3
C	-9	GLY	-	expression tag	UNP Q9WYC3
C	-8	PRO	-	expression tag	UNP Q9WYC3
C	-7	SER	-	expression tag	UNP Q9WYC3
C	-6	GLY	-	expression tag	UNP Q9WYC3
C	-5	SER	-	expression tag	UNP Q9WYC3
C	-4	GLY	-	expression tag	UNP Q9WYC3
C	-3	GLY	-	expression tag	UNP Q9WYC3
C	-2	GLY	-	expression tag	UNP Q9WYC3
C	-1	GLY	-	expression tag	UNP Q9WYC3
C	0	GLY	-	expression tag	UNP Q9WYC3
C	1	SER	-	expression tag	UNP Q9WYC3

- Molecule 2 is a protein called Uncharacterized ABC transporter ATP-binding protein TM_0288.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	570	Total	C	N	O	S	0	0	0
			4544	2937	766	827	14			
2	D	574	Total	C	N	O	S	0	0	0
			4576	2958	772	832	14			


There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	517	ALA	GLU	engineered mutation	UNP Q9WYC4
B	599	ALA	-	expression tag	UNP Q9WYC4
D	517	ALA	GLU	engineered mutation	UNP Q9WYC4
D	599	ALA	-	expression tag	UNP Q9WYC4

- Molecule 3 is a protein called Sb_TM35.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	E	124	Total	C	N	O	S	0	0	0
			955	603	163	186	3			
3	F	124	Total	C	N	O	S	0	0	0
			955	603	163	186	3			

- Molecule 4 is PHOSPHOTHIOPHOSPHORIC ACID-ADENYLATE ESTER (CCD ID: AGS) (formula: C₁₀H₁₆N₅O₁₂P₃S).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	S	0	0
			31	10	5	12	3	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
4	B	1	Total	C	N	O	P	S	0	0
			31	10	5	12	3	1		
4	C	1	Total	C	N	O	P	S	0	0
			31	10	5	12	3	1		
4	D	1	Total	C	N	O	P	S	0	0
			31	10	5	12	3	1		


- Molecule 5 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Mg	0	0
			1	1		
5	B	1	Total	Mg	0	0
			1	1		
5	C	1	Total	Mg	0	0
			1	1		
5	D	1	Total	Mg	0	0
			1	1		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: ABC transporter, ATP-binding protein




- Molecule 1: ABC transporter, ATP-binding protein




• Molecule 2: Uncharacterized ABC transporter ATP-binding protein TM_0288




• Molecule 2: Uncharacterized ABC transporter ATP-binding protein TM_0288



• Molecule 3: Sb_TM35



● Molecule 3: Sb_TM35



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	165.34Å 77.11Å 207.01Å 90.00° 112.49° 90.00°	Depositor
Resolution (Å)	48.84 – 3.21 48.84 – 3.21	Depositor EDS
% Data completeness (in resolution range)	79.8 (48.84-3.21) 80.1 (48.84-3.21)	Depositor EDS
R_{merge}	0.25	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.62 (at 3.19Å)	Xtriage
Refinement program	BUSTER 2.10.3	Depositor
R, R_{free}	0.243 , 0.263 0.261 , 0.283	Depositor DCC
R_{free} test set	3232 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	50.5	Xtriage
Anisotropy	0.043	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.24 , 31.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.28$	Xtriage
Estimated twinning fraction	0.028 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.83	EDS
Total number of atoms	20098	wwPDB-VP
Average B, all atoms (Å ²)	72.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.58% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, AGS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.75	0/4542	1.37	6/6143 (0.1%)
1	C	0.76	0/4548	1.36	6/6151 (0.1%)
2	B	0.76	0/4622	1.39	6/6249 (0.1%)
2	D	0.75	0/4655	1.40	10/6294 (0.2%)
3	E	0.71	0/981	1.04	1/1337 (0.1%)
3	F	0.69	0/981	1.03	0/1337
All	All	0.75	0/20329	1.35	29/27511 (0.1%)

There are no bond length outliers.

All (29) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	150	VAL	N-CA-C	-7.07	106.33	113.47
1	A	378	LEU	CA-C-N	7.04	125.96	120.33
1	A	378	LEU	C-N-CA	7.04	125.96	120.33
1	C	378	LEU	CA-C-N	6.97	125.91	120.33
1	C	378	LEU	C-N-CA	6.97	125.91	120.33
2	B	186	ILE	CA-C-N	6.66	125.66	120.33
2	B	186	ILE	C-N-CA	6.66	125.66	120.33
2	D	186	ILE	CA-C-N	6.52	125.55	120.33
2	D	186	ILE	C-N-CA	6.52	125.55	120.33
2	D	471	ASP	CA-C-N	6.25	128.98	120.54
2	D	471	ASP	C-N-CA	6.25	128.98	120.54
1	A	170	PHE	CA-CB-CG	6.13	119.93	113.80
1	C	162	LEU	CA-C-N	6.10	125.21	120.33
1	C	162	LEU	C-N-CA	6.10	125.21	120.33
2	B	159	PHE	CA-CB-CG	5.73	119.53	113.80
2	D	159	PHE	CA-CB-CG	5.70	119.50	113.80
3	E	68	PHE	CA-CB-CG	5.54	119.34	113.80
2	D	289	ASP	CA-CB-CG	5.45	118.05	112.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	84	PHE	CA-C-N	5.41	125.94	119.94
1	C	84	PHE	C-N-CA	5.41	125.94	119.94
1	A	84	PHE	CA-C-N	5.38	125.91	119.94
1	A	84	PHE	C-N-CA	5.38	125.91	119.94
1	A	48	ASP	CA-CB-CG	5.28	117.88	112.60
2	D	406	ASP	CA-C-N	5.22	127.50	120.50
2	D	406	ASP	C-N-CA	5.22	127.50	120.50
2	B	406	ASP	CA-C-N	5.07	127.30	120.50
2	B	406	ASP	C-N-CA	5.07	127.30	120.50
2	D	397	ILE	CA-C-N	5.06	126.93	120.56
2	D	397	ILE	C-N-CA	5.06	126.93	120.56

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4467	0	4665	30	0
1	C	4473	0	4673	28	0
2	B	4544	0	4724	30	0
2	D	4576	0	4761	32	0
3	E	955	0	895	8	0
3	F	955	0	895	5	0
4	A	31	0	12	0	0
4	B	31	0	12	0	0
4	C	31	0	12	0	0
4	D	31	0	12	0	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
5	C	1	0	0	0	0
5	D	1	0	0	0	0
All	All	20098	0	20661	119	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (119) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:284:TRP:HH2	3:F:110:TRP:HA	1.49	0.76
2:B:46:VAL:HG11	2:B:159:PHE:HB3	1.72	0.71
2:D:46:VAL:HG11	2:D:159:PHE:HB3	1.72	0.71
3:E:102:GLY:H	3:E:111:VAL:HG11	1.55	0.71
1:A:562:ARG:O	1:A:566:GLU:HG2	1.90	0.70
2:B:359:ASN:H	2:B:375:THR:HB	1.63	0.62
2:D:359:ASN:H	2:D:375:THR:HB	1.63	0.61
1:A:208:PHE:HB3	2:B:452:GLY:HA2	1.84	0.59
1:A:555:LEU:HD22	1:A:562:ARG:HD2	1.83	0.59
2:B:112:LEU:HD23	2:B:330:ILE:HG21	1.84	0.59
2:B:384:VAL:HG22	2:B:558:LEU:HB3	1.84	0.59
2:D:384:VAL:HG22	2:D:558:LEU:HB3	1.85	0.58
3:F:91:THR:HG23	3:F:122:THR:HA	1.87	0.57
1:A:83:ASN:HD21	2:B:250:ARG:HH21	1.52	0.55
3:E:91:THR:HG23	3:E:122:THR:HA	1.88	0.55
1:C:130:LEU:O	1:C:134:VAL:HB	2.06	0.55
1:A:97:LEU:HA	2:B:226:LEU:HD11	1.88	0.54
2:D:284:TRP:CH2	3:F:110:TRP:HA	2.37	0.54
1:A:234:SER:HA	1:A:237:VAL:HG22	1.90	0.53
1:C:133:ILE:HG22	1:C:136:ARG:HD3	1.90	0.53
1:C:234:SER:HA	1:C:237:VAL:HG22	1.91	0.53
2:D:445:VAL:HG13	2:D:500:LEU:HD21	1.90	0.53
1:C:97:LEU:HA	2:D:226:LEU:HD11	1.90	0.52
2:D:293:VAL:HA	2:D:296:ILE:HD12	1.91	0.51
2:B:293:VAL:HA	2:B:296:ILE:HD12	1.92	0.51
3:E:37:PHE:HD1	3:E:47:GLY:HA2	1.75	0.51
2:B:284:TRP:HE1	3:E:110:TRP:HB3	1.75	0.51
1:C:176:LYS:HB3	1:C:235:LEU:HD21	1.93	0.51
1:A:174:THR:HA	1:A:297:VAL:HG11	1.93	0.50
3:E:101:THR:HA	3:E:111:VAL:HG21	1.93	0.50
1:C:174:THR:HA	1:C:297:VAL:HG11	1.94	0.50
1:C:83:ASN:HD21	2:D:250:ARG:HH21	1.58	0.50
2:D:355:ILE:HG13	2:D:378:ILE:HB	1.93	0.50
1:C:477:ARG:HA	1:C:480:ILE:HD12	1.94	0.49
2:D:516:ASP:HA	2:D:546:ILE:HB	1.93	0.49
1:A:477:ARG:HA	1:A:480:ILE:HD12	1.95	0.49
2:B:516:ASP:HA	2:B:546:ILE:HB	1.93	0.49
1:C:94:ARG:HE	2:D:239:MET:HE2	1.78	0.49
1:A:493:LEU:HB3	1:A:496:CYS:HB2	1.95	0.48
1:C:233:PHE:HA	1:C:236:ILE:HD12	1.96	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:180:LEU:HB3	1:C:232:ALA:HB2	1.96	0.48
2:D:202:ARG:HB2	2:D:321:GLN:HE21	1.79	0.48
1:A:133:ILE:HG22	1:A:136:ARG:HD3	1.96	0.48
2:B:486:THR:HG22	2:B:487:ASP:H	1.80	0.47
3:E:105:THR:HG21	3:E:111:VAL:HG22	1.94	0.47
2:B:470:SER:HA	2:B:473:PHE:CE2	2.50	0.47
3:F:40:ALA:HB3	3:F:43:LYS:HB2	1.97	0.47
1:A:180:LEU:HB3	1:A:232:ALA:HB2	1.96	0.47
1:A:338:GLU:HB3	1:A:387:ARG:HB2	1.97	0.47
1:C:110:SER:HA	1:C:113:ILE:HD12	1.97	0.47
1:C:423:ILE:HD12	1:C:461:SER:HB2	1.97	0.47
1:A:423:ILE:HD12	1:A:461:SER:HB2	1.98	0.46
1:A:429:TRP:CE3	2:B:234:ARG:HG3	2.50	0.46
2:D:467:LEU:HD22	2:D:537:LEU:HD12	1.97	0.46
1:C:540:LEU:HD23	1:C:545:VAL:HA	1.98	0.46
1:A:540:LEU:HD23	1:A:545:VAL:HA	1.98	0.46
1:C:157:SER:HA	1:C:160:ILE:HD12	1.98	0.46
1:A:110:SER:HA	1:A:113:ILE:HD12	1.97	0.46
1:A:325:LEU:HD22	1:A:400:VAL:HG11	1.97	0.46
2:B:24:THR:HG21	2:B:328:GLU:HG2	1.98	0.46
2:D:354:GLU:HB3	2:D:415:ASP:HA	1.98	0.45
1:C:529:PRO:HA	1:C:532:LEU:HD12	1.99	0.45
2:D:348:LEU:HD11	2:D:415:ASP:HB2	1.99	0.45
1:C:82:GLN:NE2	2:D:253:GLY:HA3	2.32	0.44
2:D:398:VAL:HG13	2:D:514:ILE:HD13	2.00	0.44
2:B:363:SER:HB2	2:B:369:PRO:HA	2.00	0.44
1:A:529:PRO:HA	1:A:532:LEU:HD12	1.99	0.44
1:C:216:GLU:HA	1:C:219:ARG:HG2	1.99	0.44
2:B:398:VAL:HG13	2:B:514:ILE:HD13	2.00	0.44
1:A:233:PHE:HA	1:A:236:ILE:HD12	2.00	0.43
2:B:172:MET:HE3	2:B:303:SER:HA	1.99	0.43
1:A:448:ILE:HB	1:A:477:ARG:HB3	2.00	0.43
2:D:172:MET:HE3	2:D:303:SER:HA	1.99	0.43
2:B:270:VAL:HA	2:B:273:LEU:HD12	2.00	0.43
1:C:448:ILE:HB	1:C:477:ARG:HB3	2.00	0.43
2:B:52:LEU:HD11	2:B:89:LEU:HD23	2.00	0.43
2:B:383:LYS:HG2	2:B:538:MET:HE3	2.01	0.43
1:C:26:VAL:HG21	1:C:136:ARG:HG3	2.00	0.43
1:A:474:GLN:NE2	2:B:391:GLY:HA3	2.33	0.43
1:C:21:PHE:HD2	1:C:69:GLY:HA2	1.83	0.43
2:D:52:LEU:HD11	2:D:89:LEU:HD23	2.00	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:208:PHE:HB3	2:D:452:GLY:HA2	2.00	0.42
2:D:202:ARG:HH22	2:D:324:LEU:HD22	1.84	0.42
2:B:378:ILE:HG12	2:B:384:VAL:HG21	2.01	0.42
2:D:270:VAL:HA	2:D:273:LEU:HD12	2.00	0.42
2:D:378:ILE:HG12	2:D:384:VAL:HG21	2.01	0.42
2:D:470:SER:HA	2:D:473:PHE:CE2	2.55	0.42
1:A:162:LEU:O	1:A:166:ILE:HG12	2.20	0.42
1:A:376:MET:HG3	1:A:524:ILE:HD11	2.02	0.42
1:C:160:ILE:HA	1:C:163:ILE:HD12	2.00	0.42
2:B:389:PRO:HG3	2:B:582:PHE:HZ	1.85	0.42
1:A:476:GLN:HE22	1:A:498:SER:H	1.66	0.42
3:E:111:VAL:HB	3:E:112:TYR:H	1.63	0.42
1:A:378:LEU:HB3	1:A:390:VAL:HG21	2.02	0.42
3:F:34:LEU:HD22	3:F:72:LEU:HB2	2.02	0.41
1:C:528:ILE:N	1:C:529:PRO:HD2	2.35	0.41
2:D:364:TYR:HD2	2:D:370:VAL:HG21	1.85	0.41
2:B:109:VAL:HG13	2:B:144:VAL:HG12	2.02	0.41
2:B:401:LEU:HD23	2:B:514:ILE:HD11	2.02	0.41
1:A:214:GLU:HA	1:A:217:ASN:HB2	2.02	0.41
1:C:376:MET:HG3	1:C:524:ILE:HD11	2.02	0.41
2:D:67:VAL:HG11	2:D:76:LEU:HB2	2.03	0.41
2:D:389:PRO:HG3	2:D:582:PHE:HZ	1.85	0.41
2:B:59:LEU:HB3	2:B:83:LEU:HD13	2.02	0.41
2:B:25:LEU:HB2	2:B:324:LEU:HD21	2.02	0.41
2:B:439:ILE:HG23	2:B:488:ASN:HD21	1.85	0.41
1:C:188:THR:HA	1:C:191:VAL:HG22	2.02	0.41
2:D:351:VAL:HG11	2:D:430:SER:HB3	2.03	0.41
1:A:188:THR:HA	1:A:191:VAL:HG22	2.03	0.41
2:B:202:ARG:HH22	2:B:324:LEU:HD22	1.85	0.41
1:A:184:ILE:HD11	1:A:232:ALA:HB3	2.03	0.41
1:C:426:ASN:O	1:C:429:TRP:HB2	2.20	0.41
3:E:64:VAL:HG11	3:E:68:PHE:HB2	2.03	0.40
1:A:528:ILE:N	1:A:529:PRO:HD2	2.35	0.40
2:B:147:ILE:O	2:B:150:VAL:HG12	2.21	0.40
2:D:401:LEU:HD23	2:D:514:ILE:HD11	2.04	0.40
1:C:75:VAL:HA	2:D:258:ILE:HG12	2.03	0.40
2:D:59:LEU:HB3	2:D:83:LEU:HD13	2.02	0.40
1:A:26:VAL:HG21	1:A:136:ARG:HG3	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	566/587 (96%)	550 (97%)	16 (3%)	0	100	100
1	C	567/587 (97%)	551 (97%)	16 (3%)	0	100	100
2	B	568/599 (95%)	551 (97%)	17 (3%)	0	100	100
2	D	572/599 (96%)	557 (97%)	15 (3%)	0	100	100
3	E	122/128 (95%)	108 (88%)	12 (10%)	2 (2%)	7	35
3	F	122/128 (95%)	113 (93%)	9 (7%)	0	100	100
All	All	2517/2628 (96%)	2430 (96%)	85 (3%)	2 (0%)	48	78

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	E	111	VAL
3	E	44	GLU

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	495/504 (98%)	470 (95%)	25 (5%)	21	52
1	C	496/504 (98%)	471 (95%)	25 (5%)	22	53
2	B	507/532 (95%)	492 (97%)	15 (3%)	36	64
2	D	511/532 (96%)	495 (97%)	16 (3%)	35	63
3	E	97/99 (98%)	94 (97%)	3 (3%)	35	63

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	F	97/99 (98%)	96 (99%)	1 (1%)	68	78
All	All	2203/2270 (97%)	2118 (96%)	85 (4%)	28	60

All (85) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	13	ILE
1	A	20	LEU
1	A	35	LEU
1	A	64	LEU
1	A	95	LYS
1	A	139	LEU
1	A	140	LEU
1	A	154	LYS
1	A	168	LEU
1	A	173	LEU
1	A	235	LEU
1	A	240	LEU
1	A	242	LEU
1	A	247	VAL
1	A	272	ILE
1	A	288	MET
1	A	293	LEU
1	A	307	LEU
1	A	316	ILE
1	A	323	LEU
1	A	325	LEU
1	A	405	LEU
1	A	435	THR
1	A	499	SER
1	A	538	LEU
2	B	59	LEU
2	B	89	LEU
2	B	92	LEU
2	B	112	LEU
2	B	123	VAL
2	B	146	ASN
2	B	148	ASN
2	B	192	LEU
2	B	224	SER
2	B	257	GLN
2	B	266	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	324	LEU
2	B	383	LYS
2	B	415	ASP
2	B	500	LEU
1	C	20	LEU
1	C	64	LEU
1	C	130	LEU
1	C	139	LEU
1	C	140	LEU
1	C	154	LYS
1	C	162	LEU
1	C	168	LEU
1	C	173	LEU
1	C	200	LEU
1	C	240	LEU
1	C	242	LEU
1	C	244	ILE
1	C	247	VAL
1	C	288	MET
1	C	293	LEU
1	C	307	LEU
1	C	316	ILE
1	C	320	ASP
1	C	405	LEU
1	C	435	THR
1	C	474	GLN
1	C	499	SER
1	C	509	LEU
1	C	562	ARG
2	D	59	LEU
2	D	75	LEU
2	D	89	LEU
2	D	92	LEU
2	D	123	VAL
2	D	147	ILE
2	D	192	LEU
2	D	224	SER
2	D	257	GLN
2	D	266	LEU
2	D	324	LEU
2	D	363	SER
2	D	383	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	467	LEU
2	D	486	THR
2	D	500	LEU
3	E	34	LEU
3	E	93	LEU
3	E	111	VAL
3	F	111	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (46) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	83	ASN
1	A	185	GLN
1	A	192	ASN
1	A	215	ASN
1	A	217	ASN
1	A	264	ASN
1	A	277	ASN
1	A	294	ASN
1	A	344	ASN
1	A	353	ASN
1	A	447	GLN
1	A	474	GLN
2	B	133	HIS
2	B	142	ASN
2	B	146	ASN
2	B	149	ASN
2	B	195	GLN
2	B	200	GLN
2	B	208	ASN
2	B	209	GLN
2	B	271	ASN
2	B	315	ASN
2	B	521	ASN
1	C	83	ASN
1	C	264	ASN
1	C	266	GLN
1	C	277	ASN
1	C	294	ASN
1	C	353	ASN
2	D	20	ASN
2	D	121	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	133	HIS
2	D	142	ASN
2	D	146	ASN
2	D	149	ASN
2	D	208	ASN
2	D	271	ASN
2	D	315	ASN
2	D	316	GLN
2	D	321	GLN
2	D	521	ASN
2	D	531	GLN
3	E	77	ASN
3	E	84	ASN
3	F	27	ASN
3	F	84	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 4 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	AGS	A	600	5	32,33,33	0.31	0	45,52,52	0.36	0
4	AGS	C	600	5	32,33,33	0.30	0	45,52,52	0.33	0
4	AGS	D	600	5	32,33,33	0.32	0	45,52,52	0.34	0
4	AGS	B	600	5	32,33,33	0.30	0	45,52,52	0.32	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	AGS	A	600	5	-	5/21/38/38	0/3/3/3
4	AGS	C	600	5	-	3/21/38/38	0/3/3/3
4	AGS	D	600	5	-	3/21/38/38	0/3/3/3
4	AGS	B	600	5	-	3/21/38/38	0/3/3/3

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.


All (14) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	A	600	AGS	C5'-O5'-PA-O1A
4	C	600	AGS	PB-O3B-PG-O3G
4	D	600	AGS	PA-O3A-PB-O1B
4	B	600	AGS	PA-O3A-PB-O1B
4	C	600	AGS	C5'-O5'-PA-O1A
4	D	600	AGS	C5'-O5'-PA-O1A
4	C	600	AGS	PG-O3B-PB-O2B
4	B	600	AGS	PA-O3A-PB-O2B
4	D	600	AGS	PA-O3A-PB-O2B
4	A	600	AGS	PG-O3B-PB-O2B
4	A	600	AGS	PB-O3B-PG-O3G
4	B	600	AGS	PG-O3B-PB-O1B
4	A	600	AGS	PA-O3A-PB-O1B
4	A	600	AGS	PA-O3A-PB-O2B


There are no ring outliers.


No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	568/587 (96%)	0.83	64 (11%) 10 7	19, 52, 106, 123	0
1	C	569/587 (96%)	1.01	89 (15%) 5 4	35, 71, 121, 136	0
2	B	570/599 (95%)	0.82	65 (11%) 10 7	22, 61, 98, 118	0
2	D	574/599 (95%)	0.95	75 (13%) 7 6	35, 65, 95, 115	0
3	E	124/128 (96%)	2.32	60 (48%) 0 1	100, 136, 173, 188	0
3	F	124/128 (96%)	2.03	48 (38%) 1 1	92, 123, 141, 160	0
All	All	2529/2628 (96%)	1.03	401 (15%) 5 4	19, 66, 130, 188	0

All (401) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	E	33	TYR	8.8
3	F	60	TYR	7.1
3	E	11	SER	6.6
2	D	153	ASN	6.3
3	E	65	LYS	6.1
2	D	475	LYS	5.9
2	D	18	LEU	5.8
3	E	37	PHE	5.8
3	E	107	LEU	5.8
1	C	343	GLU	5.7
1	C	294	ASN	5.7
1	A	105	ASN	5.6
1	A	468	ARG	5.6
2	B	305	GLN	5.5
3	F	111	VAL	5.5
1	C	468	ARG	5.5
1	A	288	MET	5.5
3	F	75	ALA	5.5
1	C	291	ASN	5.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	47	GLY	5.1
3	E	43	LYS	5.1
3	E	50	ALA	5.0
3	E	113	TRP	5.0
2	B	399	ASN	5.0
2	D	149	ASN	5.0
1	A	48	ASP	4.9
2	B	308	ARG	4.8
3	F	48	VAL	4.8
1	A	2	LYS	4.7
3	E	34	LEU	4.6
1	A	467	GLY	4.6
1	A	291	ASN	4.6
1	C	295	PHE	4.5
3	E	41	PRO	4.5
3	E	36	TRP	4.4
1	A	134	VAL	4.4
2	D	312	GLU	4.4
1	A	475	LYS	4.4
2	B	442	SER	4.4
1	A	129	MET	4.4
1	C	283	MET	4.4
3	F	74	ASN	4.3
1	A	357	LYS	4.3
1	C	79	TYR	4.3
3	F	109	ASP	4.3
3	F	50	ALA	4.2
3	E	42	GLY	4.2
2	B	339	GLU	4.2
3	F	76	LYS	4.2
3	E	10	GLY	4.2
1	C	273	MET	4.1
1	A	470	PHE	4.1
1	C	2	LYS	4.1
1	C	552	LYS	4.1
2	B	149	ASN	4.1
1	C	293	LEU	4.1
3	E	46	GLU	4.0
3	F	45	ARG	4.0
1	C	269	ILE	4.0
3	F	110	TRP	4.0
1	C	129	MET	4.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	E	40	ALA	4.0
1	A	161	PHE	4.0
2	B	153	ASN	4.0
3	F	68	PHE	4.0
1	C	411	ALA	3.9
1	A	469	ASN	3.9
3	E	47	GLY	3.9
3	F	124	SER	3.9
2	D	294	GLY	3.9
3	F	49	ALA	3.9
3	E	115	TRP	3.9
2	D	351	VAL	3.8
2	B	123	VAL	3.8
1	C	412	VAL	3.8
2	B	257	GLN	3.8
3	F	39	GLN	3.8
1	C	287	MET	3.8
2	B	582	PHE	3.8
1	A	294	ASN	3.7
1	A	292	ILE	3.7
2	D	532	ALA	3.7
3	F	107	LEU	3.7
1	C	284	PHE	3.7
1	C	139	LEU	3.6
3	E	76	LYS	3.6
3	E	110	TRP	3.6
1	C	377	ASN	3.6
3	E	64	VAL	3.6
2	B	126	GLY	3.6
1	C	45	ALA	3.6
1	A	102	SER	3.6
2	B	378	ILE	3.6
2	D	591	TYR	3.6
1	A	160	ILE	3.6
1	A	276	THR	3.6
2	B	129	ASP	3.6
3	E	22	CYS	3.6
3	E	108	TRP	3.5
1	A	132	ARG	3.5
1	A	45	ALA	3.5
3	E	44	GLU	3.5
3	F	87	LYS	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	E	14	ALA	3.5
1	A	106	ARG	3.5
1	A	329	GLU	3.4
1	C	542	GLU	3.4
2	B	469	HIS	3.4
1	C	270	GLY	3.4
2	D	322	MET	3.4
3	F	108	TRP	3.4
1	A	331	SER	3.4
1	C	297	VAL	3.4
2	B	406	ASP	3.4
3	E	45	ARG	3.4
2	D	316	GLN	3.4
3	F	105	THR	3.4
2	D	308	ARG	3.3
3	F	36	TRP	3.3
1	C	200	LEU	3.3
2	D	150	VAL	3.3
3	F	44	GLU	3.3
3	E	80	TYR	3.3
1	C	105	ASN	3.3
1	C	136	ARG	3.2
3	E	122	THR	3.2
2	D	94	PHE	3.2
1	A	394	GLU	3.2
2	B	537	LEU	3.2
3	F	34	LEU	3.2
1	C	271	SER	3.2
3	F	103	SER	3.2
3	E	99	ALA	3.2
2	D	152	GLY	3.2
3	F	112	TYR	3.2
1	A	293	LEU	3.2
2	D	231	LEU	3.2
2	D	19	LYS	3.1
2	B	312	GLU	3.1
1	C	154	LYS	3.1
3	F	43	LYS	3.1
1	C	321	ASN	3.1
2	B	355	ILE	3.1
2	B	553	ILE	3.1
1	A	425	GLU	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	127	PHE	3.1
2	D	533	ALA	3.1
1	C	181	PHE	3.1
1	C	135	VAL	3.1
1	C	329	GLU	3.1
1	C	323	LEU	3.0
2	D	529	SER	3.0
1	C	3	THR	3.0
2	B	251	LYS	3.0
2	D	535	TRP	3.0
2	D	341	ASP	3.0
1	A	269	ILE	3.0
2	B	534	MET	3.0
3	F	33	TYR	3.0
1	A	421	GLY	3.0
1	A	423	ILE	3.0
2	D	472	HIS	3.0
1	A	552	LYS	2.9
3	E	124	SER	2.9
1	C	170	PHE	2.9
1	C	470	PHE	2.9
1	C	289	ILE	2.9
3	E	101	THR	2.9
2	B	405	TYR	2.9
2	D	376	PHE	2.9
1	A	200	LEU	2.9
1	A	203	ARG	2.9
2	B	75	LEU	2.9
3	F	65	LYS	2.9
1	A	107	PHE	2.9
1	A	163	ILE	2.9
2	D	567	ILE	2.9
3	E	32	SER	2.9
2	D	157	GLN	2.9
1	C	216	GLU	2.9
2	D	536	LYS	2.9
3	E	120	GLN	2.8
1	A	295	PHE	2.8
1	C	236	ILE	2.8
2	B	300	ILE	2.8
2	D	561	VAL	2.8
1	C	513	LYS	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	404	PHE	2.8
2	B	319	MET	2.8
3	F	83	MET	2.8
3	E	117	GLN	2.8
1	C	240	LEU	2.8
1	C	292	ILE	2.8
3	F	42	GLY	2.8
3	F	117	GLN	2.8
3	F	106	PRO	2.8
1	C	479	SER	2.8
1	A	133	ILE	2.8
1	C	233	PHE	2.7
2	D	37	PHE	2.7
3	E	49	ALA	2.7
3	E	97	ALA	2.7
3	F	61	ALA	2.7
1	A	448	ILE	2.7
1	C	527	LYS	2.7
2	B	58	TYR	2.7
3	E	121	VAL	2.7
2	D	580	ARG	2.7
2	B	437	ASP	2.7
2	D	573	HIS	2.7
3	E	51	LEU	2.7
1	C	394	GLU	2.7
2	D	350	GLU	2.7
2	D	375	THR	2.7
3	E	52	TRP	2.7
2	B	287	LEU	2.7
2	B	303	SER	2.7
1	A	356	VAL	2.7
1	A	103	ASN	2.7
1	C	268	GLU	2.6
1	C	563	GLU	2.6
2	D	126	GLY	2.6
1	A	300	SER	2.6
3	E	70	VAL	2.6
2	B	322	MET	2.6
2	D	528	LYS	2.6
2	B	452	GLY	2.6
2	D	348	LEU	2.6
3	F	113	TRP	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	213	TYR	2.6
2	D	469	HIS	2.6
3	E	1	GLN	2.6
1	C	290	GLY	2.6
3	E	106	PRO	2.6
1	C	320	ASP	2.6
1	C	541	HIS	2.6
2	D	365	ASP	2.6
2	B	72	ARG	2.6
2	D	224	SER	2.5
2	D	428	ARG	2.5
1	A	280	MET	2.5
2	D	476	HIS	2.5
2	B	379	LYS	2.5
2	D	154	SER	2.5
2	D	531	GLN	2.5
2	D	20	ASN	2.5
2	D	319	MET	2.5
2	B	340	LYS	2.5
3	F	81	LEU	2.5
2	D	411	GLN	2.5
3	E	48	VAL	2.5
1	C	482	ARG	2.5
2	B	28	LEU	2.5
3	E	38	ARG	2.5
3	E	39	GLN	2.5
3	F	82	GLN	2.5
2	B	158	PHE	2.4
2	D	582	PHE	2.4
1	A	136	ARG	2.4
1	C	565	TYR	2.4
1	A	158	VAL	2.4
1	A	272	ILE	2.4
3	E	28	ILE	2.4
2	B	337	GLU	2.4
1	C	559	LYS	2.4
2	B	453	ASN	2.4
2	D	551	ASN	2.4
3	F	77	ASN	2.4
1	C	526	GLN	2.4
1	C	418	LEU	2.4
1	A	377	ASN	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	298	THR	2.4
1	C	417	VAL	2.4
3	E	102	GLY	2.4
1	C	506	LYS	2.4
2	D	305	GLN	2.4
1	C	382	LEU	2.4
2	D	467	LEU	2.4
2	D	24	THR	2.4
2	D	54	VAL	2.4
1	C	322	ALA	2.4
1	C	544	LYS	2.4
1	A	283	MET	2.4
2	B	316	GLN	2.4
2	B	454	PRO	2.4
3	E	5	VAL	2.4
3	F	69	THR	2.3
1	C	315	ALA	2.3
1	C	494	ASP	2.3
2	D	206	TYR	2.3
2	D	130	ARG	2.3
3	E	35	GLY	2.3
1	A	316	ILE	2.3
2	D	193	ILE	2.3
2	D	437	ASP	2.3
1	C	257	PHE	2.3
2	D	127	PHE	2.3
1	C	212	GLU	2.3
1	C	413	PRO	2.3
1	C	547	GLY	2.3
3	F	101	THR	2.3
2	B	59	LEU	2.3
2	B	368	LYS	2.3
1	A	66	GLY	2.3
1	C	492	ILE	2.3
1	C	319	ALA	2.3
3	F	98	ALA	2.3
3	F	22	CYS	2.3
2	B	99	LYS	2.3
2	D	340	LYS	2.3
1	A	135	VAL	2.3
2	D	479	GLU	2.3
3	F	5	VAL	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	304	ARG	2.3
2	D	210	ARG	2.3
1	C	134	VAL	2.3
1	A	273	MET	2.2
1	A	427	LEU	2.2
2	D	63	THR	2.2
2	D	254	THR	2.2
2	B	260	SER	2.2
3	E	96	CYS	2.2
3	E	31	ILE	2.2
2	D	41	MET	2.2
3	E	61	ALA	2.2
2	D	279	SER	2.2
2	B	125	VAL	2.2
1	A	290	GLY	2.2
3	F	4	LEU	2.2
1	A	154	LYS	2.2
1	C	9	LYS	2.2
2	B	130	ARG	2.2
2	B	563	ARG	2.2
3	E	19	ARG	2.2
3	F	29	HIS	2.2
3	E	111	VAL	2.2
1	C	50	SER	2.2
1	C	157	SER	2.2
1	A	265	ASN	2.2
1	C	169	LEU	2.2
2	B	463	GLU	2.2
1	C	288	MET	2.2
2	D	301	GLY	2.2
2	B	541	LYS	2.2
2	D	99	LYS	2.2
2	B	24	THR	2.2
2	B	154	SER	2.2
2	B	543	SER	2.2
2	B	181	LEU	2.2
1	A	176	LYS	2.2
3	E	74	ASN	2.2
1	C	203	ARG	2.2
3	F	90	ASP	2.2
2	B	535	TRP	2.2
1	A	452	ILE	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	382	GLN	2.1
3	E	72	LEU	2.1
3	F	3	GLN	2.1
3	E	17	SER	2.1
2	D	471	ASP	2.1
2	B	157	GLN	2.1
1	A	330	GLY	2.1
1	A	542	GLU	2.1
2	D	56	SER	2.1
1	A	289	ILE	2.1
1	A	416	THR	2.1
2	B	307	THR	2.1
1	C	342	PHE	2.1
2	B	520	SER	2.1
1	C	277	ASN	2.1
3	E	84	ASN	2.1
1	C	495	ASP	2.1
1	C	132	ARG	2.1
2	B	22	THR	2.1
2	D	424	ARG	2.1
3	E	105	THR	2.1
1	C	266	GLN	2.1
2	D	482	GLU	2.1
1	C	81	SER	2.1
3	F	70	VAL	2.1
2	D	349	ARG	2.1
1	C	278	TYR	2.1
3	E	119	THR	2.1
1	C	483	ALA	2.1
3	F	40	ALA	2.1
1	C	76	PHE	2.1
2	D	70	PRO	2.1
1	C	194	VAL	2.0
2	B	536	LYS	2.0
2	D	62	LYS	2.0
2	D	429	SER	2.0
3	F	84	ASN	2.0
3	E	13	GLN	2.0
3	F	88	PRO	2.0
2	D	579	LYS	2.0
1	A	166	ILE	2.0
1	C	383	ILE	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	162	ILE	2.0
1	C	569	PHE	2.0
2	B	455	GLY	2.0
1	A	27	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	MG	C	601	1/1	0.86	0.20	35,35,35,35	0
5	MG	A	601	1/1	0.93	0.26	16,16,16,16	0
4	AGS	D	600	31/31	0.93	0.13	41,47,51,51	0
4	AGS	B	600	31/31	0.94	0.11	41,46,52,54	0
4	AGS	C	600	31/31	0.95	0.11	62,65,66,66	0
5	MG	B	601	1/1	0.96	0.16	27,27,27,27	0
4	AGS	A	600	31/31	0.96	0.09	24,28,34,35	0
5	MG	D	601	1/1	0.99	0.13	16,16,16,16	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around AGS D 600:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around AGS B 600:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AGS C 600:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around AGS A 600:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.