



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 26, 2026 – 07:19 AM EDT

PDB ID : 7QU9 / pdb_00007qu9
Title : Structure of aminodeoxychorismate synthase component 1 (PabB) from *Bacillus subtilis spizizenii*.
Authors : Rooms, L.D.; Race, P.R.; Back, C.B.; Burton, N.B.; Willis, C.L.; Stach, J.E.M.; Duke, P.W.; Hawkins, C.
Deposited on : 2022-01-17
Resolution : 2.14 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.14 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3689 (2.16-2.12)
Clashscore	190562	3812 (2.16-2.12)
Ramachandran outliers	187476	3773 (2.16-2.12)
Sidechain outliers	187428	3772 (2.16-2.12)
RSRZ outliers	180081	3691 (2.16-2.12)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	469	0% 84% 12% ..
1	B	469	2% 83% 11% ..
1	C	469	5% 75% 18% ..

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 11257 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Anthranilate synthase component I family protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	454	Total	C	N	O	S	0	0	0
			3621	2300	614	696	11			
1	B	449	Total	C	N	O	S	0	0	0
			3591	2285	607	688	11			
1	C	454	Total	C	N	O	S	0	0	0
			3641	2313	620	696	12			

There are 3 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	463	GLU	LYS	variant	UNP A0A5F2KFW0
B	463	GLU	LYS	variant	UNP A0A5F2KFW0
C	463	GLU	LYS	variant	UNP A0A5F2KFW0

- Molecule 2 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			6	3	3		
2	A	1	Total	C	O	0	0
			6	3	3		

- Molecule 3 is TRYPTOPHAN (CCD ID: TRP) (formula: $C_{11}H_{12}N_2O_2$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			15	11	2	2		
3	B	1	Total	C	N	O	0	0
			15	11	2	2		
3	C	1	Total	C	N	O	0	0
			15	11	2	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	119	Total	O	0	0
			119	119		
4	B	144	Total	O	0	0
			144	144		
4	C	84	Total	O	0	0
			84	84		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Anthranilate synthase component I family protein




- Molecule 1: Anthranilate synthase component I family protein



- Molecule 1: Anthranilate synthase component I family protein





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	58.20Å 91.47Å 147.06Å 90.00° 90.95° 90.00°	Depositor
Resolution (Å)	77.79 – 2.14 77.79 – 2.14	Depositor EDS
% Data completeness (in resolution range)	99.9 (77.79-2.14) 100.0 (77.79-2.14)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.55 (at 2.14Å)	Xtriage
Refinement program	REFMAC 5.8.0258	Depositor
R, R_{free}	0.192 , 0.225 0.207 , 0.234	Depositor DCC
R_{free} test set	4281 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	47.5	Xtriage
Anisotropy	0.328	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 53.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.021 for h,-k,-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	11257	wwPDB-VP
Average B, all atoms (Å ²)	69.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.01% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	1.00	0/3701	1.35	4/5000 (0.1%)
1	B	1.01	0/3670	1.37	5/4956 (0.1%)
1	C	1.03	2/3719 (0.1%)	1.37	8/5017 (0.2%)
All	All	1.01	2/11090 (0.0%)	1.36	17/14973 (0.1%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	53	THR	C-O	7.11	1.32	1.24
1	C	143	HIS	CE1-NE2	5.44	1.38	1.32

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	453	PHE	CA-CB-CG	8.54	122.34	113.80
1	C	41	GLY	CA-C-O	-6.66	117.64	122.23
1	C	29	ARG	CA-C-N	6.36	129.10	120.38
1	C	29	ARG	C-N-CA	6.36	129.10	120.38
1	B	399	THR	CB-CA-C	6.32	122.62	111.06
1	B	41	GLY	CA-C-O	-5.95	117.47	122.29
1	A	294	ASP	CA-CB-CG	5.91	118.51	112.60
1	B	341	LYS	CB-CA-C	5.66	119.67	110.22
1	C	342	TYR	CA-C-O	-5.52	114.92	121.66
1	C	159	ASN	CA-C-N	5.32	127.66	120.38
1	C	159	ASN	C-N-CA	5.32	127.66	120.38
1	A	127	THR	CA-CB-OG1	-5.22	101.77	109.60
1	C	210	GLN	N-CA-C	-5.16	107.54	113.88
1	A	7	ALA	CA-C-N	-5.14	117.65	121.61
1	A	7	ALA	C-N-CA	-5.14	117.65	121.61
1	B	127	THR	CA-CB-OG1	-5.11	101.94	109.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	159	ASN	N-CA-C	-5.07	106.60	112.89

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3621	0	3542	30	0
1	B	3591	0	3518	33	0
1	C	3641	0	3570	73	0
2	A	12	0	16	1	0
3	A	15	0	9	0	0
3	B	15	0	9	0	0
3	C	15	0	9	0	0
4	A	119	0	0	1	0
4	B	144	0	0	2	0
4	C	84	0	0	1	0
All	All	11257	0	10673	135	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (135) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:30:LYS:H	1:C:30:LYS:CD	1.68	1.03
1:C:30:LYS:H	1:C:30:LYS:HD2	1.27	0.98
1:C:209:LYS:HE3	1:C:437:ILE:O	1.66	0.95
1:B:375:ILE:HD13	1:B:399:THR:HG23	1.48	0.94
1:C:429:MET:HE1	1:C:456:GLN:HB3	1.55	0.89
1:C:279:ARG:HH11	1:C:351:ASN:HD22	1.22	0.87
1:B:395:ARG:HH11	1:B:399:THR:HG21	1.39	0.86
1:C:197:THR:HG23	1:C:200:GLY:H	1.45	0.82
1:B:282:ALA:HB2	1:B:314:LEU:HD12	1.64	0.79

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:452:ALA:HA	1:B:455:MET:HE3	1.70	0.74
1:A:209:LYS:HD2	1:A:437:ILE:O	1.89	0.73
1:B:44:SER:OG	1:B:143:HIS:HE1	1.72	0.71
1:C:292:GLU:O	1:C:295:GLU:HG2	1.91	0.71
1:C:284:THR:HG23	1:C:345:VAL:CG1	2.21	0.70
1:C:268:LEU:HD13	1:C:269:VAL:HG12	1.75	0.69
1:B:290:THR:HG23	1:B:293:GLU:H	1.57	0.69
1:B:395:ARG:NH1	1:B:399:THR:HG21	2.07	0.69
1:C:268:LEU:HD11	1:C:369:VAL:HG23	1.74	0.68
1:B:432:GLY:O	1:B:451:LYS:HE2	1.94	0.67
1:B:108:TYR:CD2	1:B:399:THR:HG22	2.29	0.66
1:C:201:PHE:CE2	1:C:222:LEU:HD13	2.30	0.66
1:B:155:ASN:HA	4:B:649:HOH:O	1.97	0.65
1:C:212:ILE:HG12	1:C:217:VAL:HG23	1.79	0.65
1:C:39:ARG:CG	1:C:39:ARG:HH11	2.09	0.65
1:C:219:GLN:HG2	1:C:313:MET:HE1	1.79	0.64
1:B:27:GLN:NE2	1:B:179:VAL:HG13	2.14	0.63
1:C:30:LYS:HD2	1:C:30:LYS:N	2.08	0.63
1:C:212:ILE:CD1	1:C:218:PHE:O	2.47	0.63
1:C:135:PHE:CB	1:C:138:ILE:HD11	2.30	0.61
1:C:311:HIS:CD2	1:C:337:MET:HE3	2.36	0.61
1:C:39:ARG:HG2	1:C:39:ARG:NH1	2.16	0.60
1:C:281:ILE:HG23	1:C:347:HIS:HB3	1.84	0.60
1:C:30:LYS:CD	1:C:30:LYS:N	2.52	0.59
1:C:453:PHE:HA	1:C:456:GLN:OE1	2.02	0.59
1:C:39:ARG:HH11	1:C:39:ARG:HG2	1.67	0.59
1:A:375:ILE:HD13	1:A:399:THR:HB	1.84	0.59
1:C:136:ASP:O	1:C:153:HIS:HD2	1.86	0.59
1:C:279:ARG:HH11	1:C:351:ASN:ND2	1.99	0.58
1:B:228:GLN:HG3	1:B:429:MET:HE1	1.85	0.58
1:C:212:ILE:HD13	1:C:218:PHE:O	2.04	0.58
1:A:155:ASN:O	1:A:157:THR:N	2.34	0.57
1:A:136:ASP:O	1:A:153:HIS:HD2	1.87	0.57
1:C:36:GLU:OE2	1:C:242:ARG:HD2	2.04	0.57
1:C:375:ILE:HD13	1:C:399:THR:HB	1.89	0.55
1:C:231:SER:OG	1:C:463:GLU:OE2	2.23	0.55
1:B:282:ALA:CB	1:B:314:LEU:HD12	2.36	0.55
1:C:135:PHE:HB2	1:C:138:ILE:HD11	1.89	0.55
1:C:431:SER:HB2	1:C:451:LYS:HB3	1.89	0.54
1:B:375:ILE:HD13	1:B:399:THR:CG2	2.32	0.53
1:A:64:LYS:HG3	1:A:69:MET:HG3	1.89	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:398:TYR:HB2	2:A:501:GOL:H2	1.91	0.53
1:C:13:PHE:HE1	1:C:173:LEU:HD23	1.74	0.53
1:A:308:ARG:HG2	1:A:337:MET:HE1	1.89	0.52
1:C:135:PHE:HB3	1:C:138:ILE:HD11	1.91	0.52
1:C:418:ARG:HA	1:C:455:MET:SD	2.49	0.52
1:A:245:ASN:OD1	1:A:418:ARG:NH1	2.43	0.51
1:B:55:LYS:NZ	4:B:603:HOH:O	2.43	0.51
1:C:199:ASP:C	1:C:203:GLN:HE21	2.18	0.51
1:C:209:LYS:CE	1:C:437:ILE:O	2.49	0.50
1:C:245:ASN:OD1	1:C:418:ARG:NH1	2.44	0.50
1:B:281:ILE:HG23	1:B:347:HIS:HB3	1.93	0.50
1:A:61:THR:O	1:A:71:PHE:HA	2.11	0.50
1:A:418:ARG:HA	1:A:455:MET:SD	2.52	0.49
1:C:245:ASN:ND2	1:C:343:SER:O	2.45	0.49
1:B:203:GLN:NE2	1:B:203:GLN:HA	2.27	0.49
1:A:167:GLU:HG2	1:A:170:ARG:HH12	1.78	0.49
1:C:209:LYS:HG3	1:C:437:ILE:O	2.13	0.48
1:C:38:ALA:O	1:C:246:PRO:HB2	2.13	0.48
1:A:308:ARG:HA	1:A:337:MET:HE1	1.95	0.48
1:A:281:ILE:HG23	1:A:347:HIS:HB3	1.93	0.48
1:C:212:ILE:HD13	1:C:218:PHE:C	2.39	0.48
1:C:464:GLU:HA	1:C:464:GLU:OE2	2.13	0.48
1:C:118:LYS:HB3	1:C:120:LEU:CD2	2.43	0.48
1:A:442:LYS:HG2	1:B:122:LEU:HD22	1.96	0.48
1:C:302:ILE:HD13	1:C:302:ILE:O	2.14	0.48
1:C:268:LEU:HD13	1:C:269:VAL:CG1	2.44	0.47
1:A:302:ILE:O	1:A:308:ARG:HD2	2.15	0.47
1:C:185:LYS:HB3	1:C:185:LYS:HE3	1.50	0.47
1:C:268:LEU:CD1	1:C:269:VAL:HG12	2.44	0.47
1:C:175:GLU:C	1:C:176:LEU:HD12	2.39	0.47
1:C:109:ASP:CG	1:C:394:ARG:HE	2.23	0.46
1:C:219:GLN:NE2	1:C:314:LEU:HD11	2.31	0.46
1:B:108:TYR:CD2	1:B:399:THR:CG2	2.99	0.46
1:A:446:ARG:HB2	4:A:632:HOH:O	2.15	0.45
1:C:357:GLN:NE2	4:C:607:HOH:O	2.48	0.45
1:A:376:THR:C	1:A:383:THR:HG21	2.41	0.45
1:C:186:ARG:O	1:C:186:ARG:HD3	2.16	0.45
1:C:208:ILE:C	1:C:210:GLN:H	2.24	0.45
1:C:212:ILE:CD1	1:C:218:PHE:C	2.89	0.45
1:C:376:THR:C	1:C:383:THR:HG21	2.42	0.45
1:C:27:GLN:HE21	1:C:27:GLN:HB3	1.48	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:36:GLU:OE2	1:A:242:ARG:HD2	2.17	0.45
1:C:29:ARG:HG2	1:C:48:LEU:O	2.17	0.45
1:A:112:ARG:HD3	1:A:119:MET:HE1	1.99	0.45
1:C:185:LYS:HE3	1:C:186:ARG:H	1.82	0.44
1:A:426:GLN:HB2	1:A:428:PHE:CE1	2.53	0.44
1:C:233:HIS:CD2	1:C:235:TYR:H	2.34	0.44
1:B:175:GLU:OE1	1:B:175:GLU:C	2.60	0.44
1:C:284:THR:HG23	1:C:345:VAL:HG11	1.97	0.44
1:B:290:THR:OG1	1:B:291:ASP:N	2.51	0.44
1:C:62:THR:HG22	1:C:71:PHE:CD2	2.52	0.44
1:A:159:ASN:O	1:A:163:VAL:HG23	2.17	0.44
1:A:287:ARG:HD2	1:A:342:TYR:O	2.18	0.44
1:B:24:LYS:HB3	1:B:176:LEU:HD13	1.99	0.44
1:B:24:LYS:HB3	1:B:176:LEU:CD1	2.47	0.44
1:A:232:VAL:HG11	1:A:462:SER:HB3	2.00	0.43
1:C:317:LEU:HD23	1:C:317:LEU:C	2.43	0.43
1:B:176:LEU:HB2	1:B:177:PRO:CD	2.49	0.43
1:C:207:LYS:O	1:C:211:TYR:HD2	2.01	0.43
1:C:118:LYS:CB	1:C:120:LEU:CD2	2.97	0.43
1:B:464:GLU:N	1:B:464:GLU:OE1	2.52	0.42
1:C:202:SER:HA	1:C:205:VAL:HG13	2.01	0.42
1:B:317:LEU:C	1:B:317:LEU:HD23	2.44	0.42
1:A:78:ARG:NH2	1:A:361:ASP:OD2	2.52	0.42
1:C:30:LYS:H	1:C:30:LYS:HD3	1.70	0.42
1:C:453:PHE:O	1:C:456:GLN:OE1	2.38	0.42
1:B:102:ALA:O	1:B:404:TRP:HA	2.20	0.42
1:C:179:VAL:HG13	1:C:180:PRO:HD2	2.00	0.42
1:A:179:VAL:HG13	1:A:180:PRO:HD2	2.02	0.42
1:B:36:GLU:OE2	1:B:242:ARG:HD2	2.20	0.42
1:B:376:THR:C	1:B:383:THR:HG21	2.45	0.42
1:A:217:VAL:HA	1:A:379:PRO:HD2	2.01	0.41
1:A:397:LEU:HG	1:A:416:VAL:HG11	2.01	0.41
1:C:135:PHE:HB3	1:C:138:ILE:CD1	2.50	0.41
1:A:155:ASN:O	1:A:157:THR:HG22	2.21	0.41
1:C:39:ARG:HB2	1:C:246:PRO:HB2	2.03	0.41
1:C:209:LYS:HG2	1:C:209:LYS:O	2.21	0.41
1:C:217:VAL:HA	1:C:379:PRO:HD2	2.03	0.41
1:A:5:ARG:HH12	1:A:156:GLY:N	2.19	0.41
1:B:463:GLU:HA	1:B:463:GLU:OE1	2.19	0.41
1:A:285:ARG:HH12	1:A:300:GLU:HB3	1.86	0.40
1:B:232:VAL:HG11	1:B:462:SER:HB3	2.02	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:217:VAL:HA	1:B:379:PRO:HD2	2.03	0.40
1:C:268:LEU:O	1:C:268:LEU:HD22	2.21	0.40
1:B:176:LEU:CB	1:B:177:PRO:CD	3.00	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	450/469 (96%)	439 (98%)	10 (2%)	1 (0%)	43	42
1	B	443/469 (94%)	431 (97%)	12 (3%)	0	100	100
1	C	446/469 (95%)	433 (97%)	12 (3%)	1 (0%)	43	42
All	All	1339/1407 (95%)	1303 (97%)	34 (2%)	2 (0%)	48	49

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	156	GLY
1	C	185	LYS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	392/406 (97%)	381 (97%)	11 (3%)	38	39
1	B	389/406 (96%)	369 (95%)	20 (5%)	21	17
1	C	395/406 (97%)	360 (91%)	35 (9%)	9	4
All	All	1176/1218 (97%)	1110 (94%)	66 (6%)	19	14

All (66) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	11	VAL
1	A	72	LYS
1	A	78	ARG
1	A	99	GLN
1	A	176	LEU
1	A	181	SER
1	A	196	PHE
1	A	214	SER
1	A	294	ASP
1	A	295	GLU
1	A	446	ARG
1	B	11	VAL
1	B	67	ASP
1	B	68	GLU
1	B	99	GLN
1	B	146	GLU
1	B	150	LEU
1	B	155	ASN
1	B	175	GLU
1	B	176	LEU
1	B	196	PHE
1	B	203	GLN
1	B	214	SER
1	B	231	SER
1	B	244	VAL
1	B	291	ASP
1	B	292	GLU
1	B	335	GLU
1	B	374	THR
1	B	399	THR
1	B	451	LYS
1	C	11	VAL
1	C	27	GLN
1	C	30	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	39	ARG
1	C	85	LYS
1	C	99	GLN
1	C	146	GLU
1	C	159	ASN
1	C	170	ARG
1	C	182	ARG
1	C	184	MET
1	C	185	LYS
1	C	186	ARG
1	C	191	SER
1	C	196	PHE
1	C	202	SER
1	C	205	VAL
1	C	207	LYS
1	C	212	ILE
1	C	219	GLN
1	C	222	LEU
1	C	268	LEU
1	C	291	ASP
1	C	292	GLU
1	C	302	ILE
1	C	307	GLU
1	C	312	VAL
1	C	417	ILE
1	C	447	GLU
1	C	450	LYS
1	C	451	LYS
1	C	456	GLN
1	C	459	LEU
1	C	461	LEU
1	C	464	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	14	GLN
1	A	81	HIS
1	A	153	HIS
1	A	155	ASN
1	A	226	GLN
1	A	299	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	27	GLN
1	B	143	HIS
1	B	144	GLN
1	B	203	GLN
1	B	303	HIS
1	B	426	GLN
1	C	27	GLN
1	C	31	GLN
1	C	144	GLN
1	C	153	HIS
1	C	159	ASN
1	C	351	ASN
1	C	426	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	TRP	B	501	-	15,16,16	0.47	0	18,22,22	0.56	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	TRP	A	503	-	15,16,16	0.75	1 (6%)	18,22,22	0.54	0
2	GOL	A	501	-	5,5,5	0.25	0	5,5,5	0.52	0
2	GOL	A	502	-	5,5,5	0.14	0	5,5,5	0.37	0
3	TRP	C	501	-	15,16,16	0.54	0	18,22,22	0.52	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	TRP	B	501	-	-	0/8/8/8	0/2/2/2
3	TRP	A	503	-	-	0/8/8/8	0/2/2/2
2	GOL	A	501	-	-	0/4/4/4	-
2	GOL	A	502	-	-	4/4/4/4	-
3	TRP	C	501	-	-	0/8/8/8	0/2/2/2

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	503	TRP	OXT-C	-2.45	1.22	1.30

There are no bond angle outliers.

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	502	GOL	C1-C2-C3-O3
2	A	502	GOL	O1-C1-C2-C3
2	A	502	GOL	O2-C2-C3-O3
2	A	502	GOL	O1-C1-C2-O2


There are no ring outliers.


1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	501	GOL	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In

addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	454/469 (96%)	0.28	4 (0%) 81 84	38, 64, 98, 134	0
1	B	449/469 (95%)	0.30	10 (2%) 62 66	34, 61, 102, 139	0
1	C	454/469 (96%)	0.62	25 (5%) 30 35	43, 74, 122, 147	0
All	All	1357/1407 (96%)	0.40	39 (2%) 53 57	34, 66, 111, 147	0

All (39) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	209	LYS	3.7
1	B	454	ALA	3.5
1	B	453	PHE	3.4
1	C	441	PRO	3.3
1	C	453	PHE	3.2
1	A	157	THR	3.2
1	C	432	GLY	3.1
1	A	192	PHE	3.1
1	C	449	PHE	3.1
1	B	455	MET	3.0
1	C	27	GLN	2.9
1	C	301	LEU	2.8
1	A	178	ALA	2.8
1	C	196	PHE	2.7
1	C	227	SER	2.7
1	C	192	PHE	2.7
1	C	193	ALA	2.6
1	C	212	ILE	2.5
1	C	429	MET	2.5
1	C	437	ILE	2.5
1	A	453	PHE	2.3
1	B	449	PHE	2.3
1	C	450	LYS	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	452	ALA	2.3
1	B	173	LEU	2.3
1	C	455	MET	2.3
1	B	452	ALA	2.2
1	C	194	ALA	2.2
1	B	450	LYS	2.2
1	C	448	SER	2.2
1	B	176	LEU	2.1
1	C	184	MET	2.1
1	B	163	VAL	2.1
1	C	435	VAL	2.1
1	C	433	ALA	2.1
1	C	222	LEU	2.0
1	C	344	HIS	2.0
1	B	181	SER	2.0
1	C	342	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	GOL	A	502	6/6	0.64	0.12	101,106,110,114	0
2	GOL	A	501	6/6	0.77	0.33	85,100,104,116	0
3	TRP	C	501	15/15	0.96	0.07	44,46,51,53	0
3	TRP	B	501	15/15	0.97	0.05	36,41,45,46	0
3	TRP	A	503	15/15	0.97	0.05	37,39,47,47	0




The following is a graphical depiction of the model fit to experimental electron density of all

instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around TRP B 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around TRP A 503:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.