



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 08:27 PM UTC

PDB ID : 3QVC / pdb_00003qvc
Title : Crystal structure of histo-aspartic protease (HAP) zymogen from Plasmodium falciparum
Authors : Bhaumik, P.; Gustchina, A.; Wlodawer, A.
Deposited on : 2011-02-25
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	451	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	EDO	A	330	-	-	X	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	EDO	A	331	-	-	X	-

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 3225 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Histo-aspartic protease.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	368	Total	C	N	O	S	0	5	0
			2963	1921	464	569	9			

- Molecule 2 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	242	Total 242	O 242	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Histo-aspartic protease



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	121.49Å 68.43Å 72.77Å 90.00° 125.84° 90.00°	Depositor
Resolution (Å)	36.37 – 2.10 36.37 – 2.10	Depositor EDS
% Data completeness (in resolution range)	100.0 (36.37-2.10) 99.3 (36.37-2.10)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.67 (at 2.10Å)	Xtriage
Refinement program	REFMAC 5.5.0104	Depositor
R, R_{free}	0.184 , 0.239 0.196 , 0.249	Depositor DCC
R_{free} test set	1410 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	34.5	Xtriage
Anisotropy	0.081	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 40.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.025 for -h-2*1,-k,l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	3225	wwPDB-VP
Average B, all atoms (Å ²)	40.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.38% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.30	9/3047 (0.3%)	1.37	25/4123 (0.6%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	5

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	156	PRO	CA-C	6.64	1.58	1.52
1	A	211	ASN	CB-CG	-6.27	1.36	1.52
1	A	266	VAL	CA-CB	5.87	1.61	1.54
1	A	211	ASN	CA-CB	-5.75	1.45	1.53
1	A	105(P)	ILE	CA-CB	5.71	1.61	1.54
1	A	34	ALA	CA-C	5.61	1.60	1.52
1	A	257	THR	CA-CB	-5.50	1.44	1.53
1	A	221	ILE	N-CA	-5.17	1.39	1.46
1	A	215	ASP	CA-C	-5.14	1.48	1.53

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	223	VAL	N-CA-CB	-10.74	100.15	111.64
1	A	109(B)	GLU	CA-C-N	-9.54	107.91	119.84
1	A	109(B)	GLU	C-N-CA	-9.54	107.91	119.84
1	A	155	LEU	CA-C-N	-8.45	111.67	120.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	155	LEU	C-N-CA	-8.45	111.67	120.38
1	A	104	MET	CG-SD-CE	-8.45	82.32	100.90
1	A	91	ILE	CB-CA-C	-7.48	99.02	111.29
1	A	223	VAL	CB-CA-C	7.38	116.56	109.33
1	A	212	VAL	CB-CA-C	6.96	119.81	110.42
1	A	109(B)	GLU	N-CA-C	6.76	124.75	109.81
1	A	279(A)	ILE	CB-CA-C	-6.75	105.03	111.44
1	A	114(P)	LYS	N-CA-C	6.58	121.32	113.16
1	A	71	VAL	CB-CA-C	-6.45	100.36	110.69
1	A	3	ASN	N-CA-C	6.33	119.21	108.90
1	A	192	VAL	N-CA-CB	-6.29	100.16	111.92
1	A	320	VAL	CA-C-N	-5.90	116.50	121.58
1	A	320	VAL	C-N-CA	-5.90	116.50	121.58
1	A	104	MET	N-CA-C	5.38	117.51	108.96
1	A	116(P)	LEU	N-CA-C	-5.21	106.23	112.59
1	A	114(P)	LYS	CA-C-N	5.21	131.07	121.70
1	A	114(P)	LYS	C-N-CA	5.21	131.07	121.70
1	A	299	PHE	CA-C-N	-5.15	114.02	122.67
1	A	299	PHE	C-N-CA	-5.15	114.02	122.67
1	A	115(P)	GLY	N-CA-C	-5.12	98.44	113.30
1	A	310	PHE	N-CA-C	-5.05	102.90	110.23

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	109(A)	PHE	Peptide
1	A	109(B)	GLU	Peptide
1	A	114(P)	LYS	Peptide
1	A	2	ASP	Peptide
1	A	91	ILE	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2963	0	2955	111	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	20	0	30	13	0
3	A	242	0	0	38	0
All	All	3225	0	2985	115	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 19.

All (115) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:330:EDO:H22	3:A:365:HOH:O	1.36	1.24
1:A:322:PHE:HA	3:A:429:HOH:O	1.38	1.23
1:A:260:TYR:HA	3:A:530:HOH:O	1.44	1.17
1:A:191:GLN:NE2	1:A:211:ASN:OD1	1.77	1.15
1:A:104:MET:HG3	1:A:107:ILE:HD11	1.40	1.00
1:A:190:TRP:NE1	3:A:340:HOH:O	1.99	0.96
1:A:260:TYR:CA	3:A:530:HOH:O	2.05	0.95
1:A:311:THR:HA	3:A:429:HOH:O	1.70	0.92
1:A:270:GLU:H	1:A:273:GLN:HE21	1.09	0.91
1:A:249:CYS:HB2	3:A:362:HOH:O	1.72	0.90
1:A:126:LYS:HA	2:A:333:EDO:H21	1.55	0.89
1:A:85(P):ILE:HG12	1:A:13:LEU:HD22	1.56	0.88
1:A:273:GLN:NE2	3:A:396:HOH:O	2.07	0.87
1:A:13:LEU:CD2	3:A:447:HOH:O	2.25	0.85
1:A:93(P):MET:HE2	1:A:279:ASN:HD21	1.46	0.81
1:A:17:GLU:HB3	3:A:472:HOH:O	1.81	0.80
2:A:330:EDO:C1	3:A:468:HOH:O	2.33	0.76
1:A:158:GLU:HG3	1:A:327:ASN:HD21	1.50	0.76
1:A:195:ASP:O	3:A:530:HOH:O	2.04	0.76
1:A:151:TYR:OH	3:A:340:HOH:O	1.70	0.75
1:A:191:GLN:HE21	1:A:211:ASN:CG	1.94	0.74
1:A:310:PHE:O	3:A:429:HOH:O	2.05	0.74
1:A:44:LYS:NZ	3:A:426:HOH:O	2.20	0.74
1:A:114(P):LYS:HD3	3:A:474:HOH:O	1.89	0.73
1:A:93(P):MET:CE	1:A:279:ASN:HD21	2.02	0.72
1:A:91:ILE:HD11	1:A:121:PHE:CZ	2.24	0.72
1:A:127:ASP:H	2:A:333:EDO:C2	2.03	0.71
1:A:39:TRP:HE3	1:A:104:MET:HE1	1.56	0.70
2:A:330:EDO:H12	3:A:468:HOH:O	1.90	0.69
1:A:269:LEU:HD12	1:A:273:GLN:HG3	1.72	0.69
1:A:292:GLU:H	1:A:292:GLU:CD	2.02	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:13:LEU:HG	3:A:447:HOH:O	1.94	0.66
1:A:11:ASN:OD1	1:A:219:SER:HB3	1.95	0.65
1:A:85(P):ILE:HG12	1:A:13:LEU:CD2	2.26	0.62
1:A:261:ARG:N	3:A:530:HOH:O	2.33	0.61
1:A:93(P):MET:CE	1:A:279:ASN:ND2	2.63	0.61
1:A:127:ASP:H	2:A:333:EDO:H22	1.64	0.61
1:A:71:VAL:HG21	1:A:102:ILE:HG12	1.81	0.61
1:A:36[A]:SER:OG	1:A:135:PRO:HG3	2.02	0.60
1:A:321:GLY:O	3:A:429:HOH:O	2.16	0.60
1:A:13:LEU:CG	3:A:447:HOH:O	2.47	0.60
1:A:173:ARG:NH2	3:A:420:HOH:O	2.33	0.60
1:A:25:GLN:HA	3:A:525:HOH:O	2.02	0.58
1:A:191:GLN:CD	3:A:369:HOH:O	2.46	0.58
1:A:90:THR:HG22	1:A:92:GLY:HA2	1.85	0.58
1:A:258:LEU:HD13	1:A:274:TYR:CE2	2.39	0.58
2:A:330:EDO:H11	3:A:468:HOH:O	2.02	0.57
1:A:270:GLU:HG2	3:A:396:HOH:O	2.04	0.57
1:A:185:ASN:OD1	1:A:191:GLN:HG2	2.05	0.56
1:A:191:GLN:HG2	3:A:369:HOH:O	2.07	0.55
1:A:325:ALA:CB	3:A:519:HOH:O	2.53	0.55
1:A:93(P):MET:O	1:A:97(P):LYS:HG3	2.06	0.54
1:A:281:LEU:HD23	2:A:331:EDO:H22	1.89	0.54
1:A:147:GLU:C	1:A:148:GLN:HG3	2.33	0.54
1:A:278(A):GLU:CD	1:A:280:ALA:H	2.16	0.54
1:A:158:GLU:CG	1:A:327:ASN:HD21	2.19	0.54
1:A:48:GLU:O	1:A:51:GLU:HG3	2.08	0.54
1:A:113(P):ASN:OD1	2:A:331:EDO:H12	2.09	0.52
1:A:259:GLU:C	3:A:530:HOH:O	2.52	0.52
1:A:141:LYS:HE3	1:A:148:GLN:HA	1.92	0.52
1:A:270:GLU:O	1:A:273:GLN:HG2	2.10	0.52
1:A:272:LYS:HG2	3:A:399:HOH:O	2.09	0.51
1:A:94:LEU:HD13	1:A:140:LEU:HD13	1.91	0.51
1:A:129:SER:OG	1:A:131:GLY:N	2.32	0.51
1:A:223:VAL:HG12	1:A:228:PHE:HB2	1.94	0.50
1:A:246:VAL:HG13	1:A:281:LEU:HD21	1.94	0.50
1:A:160:LYS:NZ	3:A:200:HOH:O	2.45	0.50
1:A:259:GLU:O	3:A:530:HOH:O	2.20	0.49
1:A:11:ASN:OD1	1:A:219:SER:CB	2.61	0.49
1:A:222:THR:HB	1:A:289:ILE:HG22	1.95	0.48
1:A:112(P):PHE:O	1:A:115(P):GLY:HA2	2.13	0.48
1:A:3:ASN:N	3:A:434:HOH:O	2.47	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:260:TYR:CE1	1:A:301:LEU:HD21	2.48	0.47
1:A:13:LEU:HD23	3:A:447:HOH:O	2.03	0.47
1:A:278(A):GLU:OE2	1:A:280:ALA:HA	2.14	0.47
1:A:50:CYS:SG	1:A:107:ILE:HD12	2.54	0.47
1:A:109(B):GLU:OE1	1:A:109(B):GLU:CA	2.62	0.47
1:A:92:GLY:HA3	3:A:352:HOH:O	2.15	0.47
1:A:109(B):GLU:OE1	1:A:109(B):GLU:HA	2.15	0.46
1:A:93(P):MET:HE1	1:A:279:ASN:ND2	2.30	0.46
1:A:93(P):MET:HE2	1:A:279:ASN:ND2	2.22	0.46
1:A:129:SER:OG	1:A:130:ILE:N	2.48	0.46
1:A:13:LEU:O	1:A:30:LEU:HA	2.15	0.45
1:A:170:ILE:CD1	1:A:170:ILE:N	2.80	0.45
1:A:80(P):THR:HA	1:A:165:LEU:O	2.17	0.45
1:A:87(P):ASN:HA	1:A:11:ASN:OD1	2.17	0.45
1:A:185:ASN:OD1	1:A:185:ASN:C	2.60	0.45
1:A:281:LEU:HD23	2:A:331:EDO:C2	2.47	0.45
1:A:156:PRO:HD2	1:A:162:LYS:O	2.17	0.44
1:A:194:LEU:HD13	1:A:260:TYR:HB3	1.99	0.44
1:A:129:SER:O	1:A:130:ILE:HD12	2.18	0.44
1:A:7:LYS:HD3	1:A:7:LYS:HA	1.78	0.44
1:A:81(P):VAL:HG11	1:A:91:ILE:HG22	2.00	0.43
1:A:145:LYS:N	1:A:145:LYS:HD2	2.32	0.43
1:A:39:TRP:CE3	1:A:104:MET:HE1	2.45	0.43
1:A:229:ASN:HD21	2:A:332:EDO:C2	2.32	0.43
1:A:15:PHE:CE2	1:A:31:PHE:CZ	3.06	0.43
1:A:322:PHE:CA	3:A:429:HOH:O	2.23	0.43
1:A:239:LYS:HB2	1:A:245:TYR:CE2	2.53	0.43
1:A:65:GLU:HB2	1:A:86:LYS:HB3	2.00	0.43
1:A:22:ASP:OD2	1:A:62:LYS:HE3	2.18	0.43
1:A:39:TRP:HB3	1:A:104:MET:HE1	2.00	0.42
1:A:198:HIS:HE1	3:A:394:HOH:O	2.02	0.42
1:A:109(B):GLU:OE1	1:A:109(B):GLU:C	2.63	0.42
1:A:191:GLN:CG	3:A:369:HOH:O	2.64	0.41
1:A:36[B]:SER:HB2	1:A:135:PRO:HG3	2.01	0.41
1:A:85(P):ILE:HA	1:A:12:VAL:O	2.21	0.41
1:A:270:GLU:HG2	1:A:273:GLN:NE2	2.36	0.41
1:A:109(P):VAL:CG1	2:A:331:EDO:H21	2.51	0.41
1:A:147:GLU:HB2	1:A:148:GLN:HE21	1.86	0.41
1:A:278:LEU:HG	1:A:279(A):ILE:HD12	2.02	0.41
1:A:129:SER:HB2	2:A:329:EDO:H11	2.02	0.41
1:A:5:GLU:O	1:A:8:ASP:N	2.53	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:4:VAL:HG12	1:A:5:GLU:H	1.85	0.40
1:A:38:VAL:HG13	1:A:99:TYR:CE2	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	369/451 (82%)	351 (95%)	15 (4%)	3 (1%)	16 12

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	118(P)	LYS
1	A	110	PRO
1	A	109(B)	GLU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	341/414 (82%)	298 (87%)	43 (13%)	4 2

All (43) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	92(P)	LEU
1	A	116(P)	LEU
1	A	118(P)	LYS
1	A	4	VAL
1	A	6	LEU
1	A	7	LYS
1	A	38	VAL
1	A	40	VAL
1	A	46	THR
1	A	71	VAL
1	A	72	LYS
1	A	73	LEU
1	A	116	ASP
1	A	118	ASP
1	A	128	LEU
1	A	129	SER
1	A	130	ILE
1	A	145	LYS
1	A	148	GLN
1	A	158	GLU
1	A	170	ILE
1	A	173	ARG
1	A	192	VAL
1	A	197	VAL
1	A	211	ASN
1	A	212	VAL
1	A	223	VAL
1	A	233	GLU
1	A	236	SER
1	A	246	VAL
1	A	258	LEU
1	A	266	VAL
1	A	269	LEU
1	A	271	PRO
1	A	273	GLN
1	A	278	LEU
1	A	278(A)	GLU
1	A	281	LEU
1	A	292	GLU
1	A	296	LYS
1	A	300	VAL
1	A	320	VAL
1	A	328	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	198	HIS
1	A	229	ASN
1	A	273	GLN
1	A	279	ASN
1	A	327	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	EDO	A	329	-	3,3,3	0.51	0	2,2,2	0.61	0
2	EDO	A	333	-	3,3,3	0.66	0	2,2,2	0.44	0
2	EDO	A	330	-	3,3,3	0.19	0	2,2,2	0.78	0
2	EDO	A	332	-	3,3,3	0.55	0	2,2,2	0.61	0
2	EDO	A	331	-	3,3,3	0.49	0	2,2,2	0.13	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EDO	A	329	-	-	1/1/1/1	-
2	EDO	A	333	-	-	1/1/1/1	-
2	EDO	A	330	-	-	1/1/1/1	-
2	EDO	A	332	-	-	1/1/1/1	-
2	EDO	A	331	-	-	0/1/1/1	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	330	EDO	O1-C1-C2-O2
2	A	333	EDO	O1-C1-C2-O2
2	A	329	EDO	O1-C1-C2-O2
2	A	332	EDO	O1-C1-C2-O2

There are no ring outliers.

5 monomers are involved in 13 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	329	EDO	1	0
2	A	333	EDO	3	0
2	A	330	EDO	4	0
2	A	332	EDO	1	0
2	A	331	EDO	4	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	368/451 (81%)	-0.16	4 (1%) 78 80	21, 39, 61, 88	5 (1%)

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	6	LEU	2.4
1	A	7	LYS	2.3
1	A	110	PRO	2.1
1	A	4	VAL	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	EDO	A	332	4/4	0.90	0.11	53,54,57,57	0
2	EDO	A	330	4/4	0.91	0.09	43,46,50,56	0
2	EDO	A	329	4/4	0.92	0.09	34,35,41,43	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	EDO	A	333	4/4	0.92	0.12	38,39,40,45	0
2	EDO	A	331	4/4	0.95	0.08	45,47,48,51	0

6.5 Other polymers [i](#)

There are no such residues in this entry.