



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 04:58 AM UTC

PDB ID : 4QWG / pdb_00004qwg
Title : yCP beta5-A49V mutant in complex with carfilzomib
Authors : Huber, E.M.; Heinemeyer, W.; Groll, M.
Deposited on : 2014-07-16
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4008 (2.60-2.60)
Clashscore	190562	4347 (2.60-2.60)
Ramachandran outliers	187476	4277 (2.60-2.60)
Sidechain outliers	187428	4277 (2.60-2.60)
RSRZ outliers	180081	4008 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	250	6% 98% .
1	O	250	2% 97% .
2	B	258	7% 90% 5%
2	P	258	4% 90% 5%
3	C	254	7% 90% 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	Q	254	
4	D	260	
4	R	260	
5	E	234	
5	S	234	
6	F	288	
6	T	288	
7	G	252	
7	U	252	
8	H	232	
8	V	232	
9	I	205	
9	W	205	
10	J	198	
10	X	198	
11	K	212	
11	Y	212	
12	L	222	
12	Z	222	
13	M	246	
13	a	246	
14	N	196	
14	b	196	

2 Entry composition

There are 19 unique types of molecules in this entry. The entry contains 50350 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proteasome subunit alpha type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	250	Total	C	N	O	S	0	0	0
			1915	1219	315	377	4			
1	O	250	Total	C	N	O	S	0	0	0
			1915	1219	315	377	4			

- Molecule 2 is a protein called Proteasome subunit alpha type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	244	Total	C	N	O	S	0	0	0
			1904	1201	321	379	3			
2	P	244	Total	C	N	O	S	0	0	0
			1904	1201	321	379	3			

- Molecule 3 is a protein called Proteasome subunit alpha type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	240	Total	C	N	O	S	0	0	0
			1881	1176	329	372	4			
3	Q	240	Total	C	N	O	S	0	0	0
			1881	1176	329	372	4			

- Molecule 4 is a protein called Proteasome subunit alpha type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	235	Total	C	N	O	S	0	0	0
			1813	1136	304	366	7			
4	R	235	Total	C	N	O	S	0	0	0
			1813	1136	304	366	7			

- Molecule 5 is a protein called Proteasome subunit alpha type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	E	231	Total	C	N	O	S	0	0	0
			1773	1114	307	348	4			
5	S	231	Total	C	N	O	S	0	0	0
			1773	1114	307	348	4			

- Molecule 6 is a protein called Probable proteasome subunit alpha type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	F	243	Total	C	N	O	S	0	0	0
			1892	1203	329	356	4			
6	T	243	Total	C	N	O	S	0	0	0
			1892	1203	329	356	4			

- Molecule 7 is a protein called Proteasome subunit alpha type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	G	241	Total	C	N	O	S	0	0	0
			1907	1214	320	365	8			
7	U	241	Total	C	N	O	S	0	0	0
			1907	1214	320	365	8			

- Molecule 8 is a protein called Proteasome subunit beta type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	H	222	Total	C	N	O	S	0	0	0
			1684	1061	293	323	7			
8	V	222	Total	C	N	O	S	0	0	0
			1684	1061	293	323	7			

- Molecule 9 is a protein called Proteasome subunit beta type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	I	204	Total	C	N	O	S	0	0	0
			1581	1010	258	305	8			
9	W	204	Total	C	N	O	S	0	0	0
			1581	1010	258	305	8			

- Molecule 10 is a protein called Proteasome subunit beta type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	J	195	Total	C	N	O	S	0	0	0
			1561	992	264	299	6			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	X	195	Total	C	N	O	S	0	0	0
			1561	992	264	299	6			

- Molecule 11 is a protein called Proteasome subunit beta type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	K	212	Total	C	N	O	S	0	0	0
			1646	1047	280	312	7			
11	Y	212	Total	C	N	O	S	0	0	0
			1646	1047	280	312	7			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
K	49	VAL	ALA	engineered mutation	UNP P30656
Y	49	VAL	ALA	engineered mutation	UNP P30656

- Molecule 12 is a protein called Proteasome subunit beta type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	L	222	Total	C	N	O	S	0	0	0
			1757	1115	303	335	4			
12	Z	222	Total	C	N	O	S	0	0	0
			1757	1115	303	335	4			

- Molecule 13 is a protein called Proteasome subunit beta type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	M	233	Total	C	N	O	S	0	0	0
			1824	1154	312	351	7			
13	a	233	Total	C	N	O	S	0	0	0
			1824	1154	312	351	7			

- Molecule 14 is a protein called Proteasome subunit beta type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	N	196	Total	C	N	O	S	0	0	0
			1512	955	250	300	7			
14	b	196	Total	C	N	O	S	0	0	0
			1512	955	250	300	7			


- Molecule 15 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
15	G	1	Total Mg 1 1	0	0
15	I	1	Total Mg 1 1	0	0
15	K	1	Total Mg 1 1	0	0
15	N	1	Total Mg 1 1	0	0
15	V	1	Total Mg 1 1	0	0
15	Y	1	Total Mg 1 1	0	0

- Molecule 16 is CHLORIDE ION (CCD ID: CL) (formula: Cl).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
16	G	1	Total Cl 1 1	0	0
16	N	1	Total Cl 1 1	0	0
16	U	1	Total Cl 1 1	0	0
16	b	1	Total Cl 1 1	0	0

- Molecule 17 is N-{(2S)-2-[(morpholin-4-ylacetyl)amino]-4-phenylbutanoyl}-L-leucyl-N-[(2R,3S,4S)-1,3-dihydroxy-2,6-dimethylheptan-4-yl]-L-phenylalaninamide (CCD ID: 3BV) (formula: C₄₀H₆₁N₅O₇).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
17	H	1	Total	C	N	O	0	0
			52	40	5	7		
17	K	1	Total	C	N	O	0	0
			52	40	5	7		
17	N	1	Total	C	N	O	0	0
			52	40	5	7		
17	V	1	Total	C	N	O	0	0
			52	40	5	7		
17	Y	1	Total	C	N	O	0	0
			52	40	5	7		
17	b	1	Total	C	N	O	0	0
			52	40	5	7		

- Molecule 18 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (CCD ID: MES) (formula: C₆H₁₃NO₄S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
18	K	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
18	Y	1	Total	C	N	O	S	0	0
			12	6	1	4	1		

- Molecule 19 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
19	A	28	Total	O	0	0
			28	28		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
19	B	30	Total O 30 30	0	0
19	C	26	Total O 26 26	0	0
19	D	15	Total O 15 15	0	0
19	E	9	Total O 9 9	0	0
19	F	16	Total O 16 16	0	0
19	G	28	Total O 28 28	0	0
19	H	27	Total O 27 27	0	0
19	I	27	Total O 27 27	0	0
19	J	29	Total O 29 29	0	0
19	K	30	Total O 30 30	0	0
19	L	30	Total O 30 30	0	0
19	M	35	Total O 35 35	0	0
19	N	25	Total O 25 25	0	0
19	O	24	Total O 24 24	0	0
19	P	19	Total O 19 19	0	0
19	Q	16	Total O 16 16	0	0
19	R	19	Total O 19 19	0	0
19	S	11	Total O 11 11	0	0
19	T	17	Total O 17 17	0	0
19	U	27	Total O 27 27	0	0
19	V	42	Total O 42 42	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
19	W	24	Total 24	O 24	0	0
19	X	28	Total 28	O 28	0	0
19	Y	37	Total 37	O 37	0	0
19	Z	31	Total 31	O 31	0	0
19	a	32	Total 32	O 32	0	0
19	b	22	Total 22	O 22	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Proteasome subunit alpha type-2




- Molecule 1: Proteasome subunit alpha type-2




- Molecule 2: Proteasome subunit alpha type-3





- Molecule 2: Proteasome subunit alpha type-3





- Molecule 3: Proteasome subunit alpha type-4




- Molecule 3: Proteasome subunit alpha type-4



- Molecule 4: Proteasome subunit alpha type-5




- Molecule 4: Proteasome subunit alpha type-5





- Molecule 5: Proteasome subunit alpha type-6




- Molecule 5: Proteasome subunit alpha type-6




- Molecule 6: Probable proteasome subunit alpha type-7





- Molecule 6: Probable proteasome subunit alpha type-7






- Molecule 7: Proteasome subunit alpha type-1





- Molecule 7: Proteasome subunit alpha type-1



- Molecule 8: Proteasome subunit beta type-2




- Molecule 8: Proteasome subunit beta type-2



- Molecule 9: Proteasome subunit beta type-3



- Molecule 9: Proteasome subunit beta type-3

Chain W:  96% .



- Molecule 10: Proteasome subunit beta type-4

Chain J:  93% . . .




- Molecule 10: Proteasome subunit beta type-4

Chain X:  93% . . .





- Molecule 11: Proteasome subunit beta type-5

Chain K:  95% . .





- Molecule 11: Proteasome subunit beta type-5

Chain Y:  96% .




- Molecule 12: Proteasome subunit beta type-6

Chain L:  96% . .




- Molecule 12: Proteasome subunit beta type-6



Chain Z:  96% . .




- Molecule 13: Proteasome subunit beta type-7




- Molecule 13: Proteasome subunit beta type-7



- Molecule 14: Proteasome subunit beta type-1



- Molecule 14: Proteasome subunit beta type-1



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	136.98Å 301.07Å 145.94Å 90.00° 112.89° 90.00°	Depositor
Resolution (Å)	15.00 – 2.60 15.00 – 2.60	Depositor EDS
% Data completeness (in resolution range)	98.6 (15.00-2.60) 98.1 (15.00-2.60)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.76 (at 2.61Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.216 , 0.243 (Not available) , 0.240	Depositor DCC
R_{free} test set	16312 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	50.2	Xtriage
Anisotropy	0.200	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 48.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	50350	wwPDB-VP
Average B, all atoms (Å ²)	56.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.48% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 3BV, MES, MG, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.43	0/1952	0.69	0/2642
1	O	0.43	0/1952	0.69	0/2642
2	B	0.42	0/1934	0.68	0/2618
2	P	0.42	0/1934	0.67	0/2618
3	C	0.43	0/1910	0.69	0/2586
3	Q	0.43	0/1910	0.69	0/2586
4	D	0.43	0/1837	0.66	0/2475
4	R	0.42	0/1837	0.66	0/2475
5	E	0.43	0/1800	0.67	0/2433
5	S	0.43	0/1800	0.67	0/2433
6	F	0.44	0/1932	0.71	0/2609
6	T	0.44	0/1932	0.71	0/2609
7	G	0.44	0/1945	0.68	0/2634
7	U	0.44	0/1945	0.68	0/2634
8	H	0.42	0/1715	0.65	0/2326
8	V	0.42	0/1715	0.66	0/2326
9	I	0.41	0/1611	0.69	0/2174
9	W	0.42	0/1611	0.69	0/2174
10	J	0.41	0/1589	0.67	0/2142
10	X	0.41	0/1589	0.68	0/2142
11	K	0.48	0/1683	0.67	0/2277
11	Y	0.48	0/1683	0.67	0/2277
12	L	0.41	0/1795	0.67	0/2420
12	Z	0.42	0/1795	0.67	0/2420
13	M	0.44	0/1855	0.68	1/2514 (0.0%)
13	a	0.44	0/1855	0.69	1/2514 (0.0%)
14	N	0.43	0/1541	0.69	0/2087
14	b	0.43	0/1541	0.69	0/2087
All	All	0.43	0/50198	0.68	2/67874 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
13	a	10	SER	N-CA-C	5.16	116.95	110.24
13	M	10	SER	N-CA-C	5.13	116.91	110.24

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1915	0	1929	0	0
1	O	1915	0	1929	1	0
2	B	1904	0	1904	4	0
2	P	1904	0	1904	4	0
3	C	1881	0	1895	5	0
3	Q	1881	0	1895	5	0
4	D	1813	0	1797	1	0
4	R	1813	0	1797	0	0
5	E	1773	0	1775	1	0
5	S	1773	0	1775	2	0
6	F	1892	0	1883	1	0
6	T	1892	0	1883	1	0
7	G	1907	0	1901	3	0
7	U	1907	0	1901	3	0
8	H	1684	0	1685	2	0
8	V	1684	0	1685	2	0
9	I	1581	0	1574	2	0
9	W	1581	0	1574	3	0
10	J	1561	0	1569	5	0
10	X	1561	0	1569	5	0
11	K	1646	0	1597	6	0
11	Y	1646	0	1597	3	0
12	L	1757	0	1711	2	0
12	Z	1757	0	1711	2	0
13	M	1824	0	1832	1	0
13	a	1824	0	1832	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
14	N	1512	0	1478	1	0
14	b	1512	0	1478	2	0
15	G	1	0	0	0	0
15	I	1	0	0	0	0
15	K	1	0	0	0	0
15	N	1	0	0	0	0
15	V	1	0	0	0	0
15	Y	1	0	0	0	0
16	G	1	0	0	0	0
16	N	1	0	0	0	0
16	U	1	0	0	0	0
16	b	1	0	0	1	0
17	H	52	0	59	1	0
17	K	52	0	59	4	0
17	N	52	0	59	1	0
17	V	52	0	59	1	0
17	Y	52	0	59	1	0
17	b	52	0	59	1	0
18	K	12	0	13	0	0
18	Y	12	0	13	0	0
19	A	28	0	0	0	0
19	B	30	0	0	0	0
19	C	26	0	0	0	0
19	D	15	0	0	1	0
19	E	9	0	0	0	0
19	F	16	0	0	0	0
19	G	28	0	0	0	0
19	H	27	0	0	0	0
19	I	27	0	0	0	0
19	J	29	0	0	0	0
19	K	30	0	0	0	0
19	L	30	0	0	0	0
19	M	35	0	0	0	0
19	N	25	0	0	0	0
19	O	24	0	0	0	0
19	P	19	0	0	0	0
19	Q	16	0	0	0	0
19	R	19	0	0	0	0
19	S	11	0	0	0	0
19	T	17	0	0	0	0
19	U	27	0	0	0	0
19	V	42	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
19	W	24	0	0	0	0
19	X	28	0	0	0	0
19	Y	37	0	0	0	0
19	Z	31	0	0	0	0
19	a	32	0	0	0	0
19	b	22	0	0	0	0
All	All	50350	0	49440	68	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (68) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
11:K:53:GLN:O	11:K:57:THR:HG22	1.61	1.01
11:K:53:GLN:O	11:K:57:THR:CG2	2.19	0.91
11:K:49:VAL:HG22	17:K:301:3BV:H52	1.69	0.74
11:Y:49:VAL:HG22	17:Y:301:3BV:H52	1.70	0.73
11:K:100:MET:HE3	11:K:127:PHE:HB2	1.76	0.67
11:Y:100:MET:HE3	11:Y:127:PHE:HB2	1.76	0.66
17:K:301:3BV:O60	17:K:301:3BV:O48	2.12	0.65
12:L:13:LEU:HD13	12:L:150:LEU:HD21	1.84	0.59
12:Z:13:LEU:HD13	12:Z:150:LEU:HD21	1.84	0.59
14:b:53:GLN:NE2	16:b:202:CL:CL	2.76	0.55
10:J:67:TYR:CE1	10:J:75:LEU:HD13	2.45	0.52
10:X:67:TYR:CE1	10:X:75:LEU:HD13	2.45	0.52
10:X:1:MET:O	10:X:2:ASP:HB2	2.12	0.50
17:b:201:3BV:O60	17:b:201:3BV:O48	2.23	0.50
7:G:23:PHE:O	7:G:26:THR:HB	2.13	0.49
10:J:1:MET:O	10:J:2:ASP:HB2	2.11	0.49
3:C:201:VAL:O	3:C:202:GLN:CB	2.61	0.49
7:U:23:PHE:O	7:U:26:THR:HB	2.13	0.48
3:Q:201:VAL:O	3:Q:202:GLN:CB	2.61	0.47
17:N:201:3BV:O60	17:N:201:3BV:O48	2.21	0.46
3:Q:201:VAL:HG13	3:Q:202:GLN:N	2.30	0.46
14:b:152:VAL:HA	14:b:175:MET:HE1	1.98	0.46
3:C:201:VAL:HG13	3:C:202:GLN:N	2.30	0.46
3:C:160:GLN:HE21	3:C:160:GLN:HA	1.81	0.46
8:V:104:ASP:HB2	8:V:105:PRO:HD2	1.97	0.46
2:P:50:LYS:O	2:P:51:VAL:C	2.59	0.45
14:N:152:VAL:HA	14:N:175:MET:HE1	1.98	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:H:104:ASP:HB2	8:H:105:PRO:HD2	1.98	0.45
10:J:22:THR:O	10:J:23:ARG:HD3	2.17	0.45
3:Q:160:GLN:HE21	3:Q:160:GLN:HA	1.81	0.45
2:B:50:LYS:O	2:B:51:VAL:C	2.59	0.45
17:K:301:3BV:H55	17:K:301:3BV:H62	1.54	0.45
10:J:174:MET:HA	10:X:174:MET:HA	1.99	0.44
9:W:20:VAL:HG13	9:W:118:PRO:HB3	2.00	0.44
9:I:9:GLY:HA3	9:I:41:LYS:HE2	2.00	0.43
5:S:87:LEU:HD21	5:S:107:ALA:HB1	2.00	0.43
5:E:87:LEU:HD21	5:E:107:ALA:HB1	2.00	0.43
8:H:49:ALA:HA	17:H:301:3BV:H50	2.01	0.43
9:I:20:VAL:HG13	9:I:118:PRO:HB3	2.00	0.43
9:W:9:GLY:HA3	9:W:41:LYS:HE2	2.01	0.42
10:X:22:THR:O	10:X:23:ARG:HD3	2.18	0.42
7:G:78:ILE:N	7:G:79:PRO:CD	2.83	0.42
10:J:16:ALA:HB2	10:J:161:LEU:HD21	2.02	0.42
3:Q:201:VAL:O	3:Q:202:GLN:HB2	2.20	0.42
8:V:49:ALA:HA	17:V:301:3BV:H50	2.01	0.42
10:X:16:ALA:HB2	10:X:161:LEU:HD21	2.02	0.42
2:B:124:HIS:HB3	3:C:124:VAL:HG12	2.02	0.42
6:T:172:LEU:CD1	6:T:195:ILE:HD13	2.50	0.42
4:D:64:ARG:HG3	19:D:303:HOH:O	2.20	0.42
1:O:119:GLN:O	1:O:122:THR:HB	2.20	0.42
7:U:78:ILE:N	7:U:79:PRO:CD	2.83	0.41
6:F:172:LEU:CD1	6:F:195:ILE:HD13	2.50	0.41
2:P:151:ASN:HB2	2:P:152:PRO:CD	2.51	0.41
11:Y:49:VAL:O	11:Y:53:GLN:HB2	2.21	0.41
2:P:151:ASN:HB2	2:P:152:PRO:HD2	2.03	0.41
3:C:201:VAL:O	3:C:202:GLN:HB2	2.19	0.41
2:P:124:HIS:HB3	3:Q:124:VAL:HG12	2.03	0.41
5:S:77:ALA:N	5:S:78:PRO:CD	2.84	0.41
12:Z:147:MET:N	12:Z:148:PRO:HD2	2.36	0.40
2:B:151:ASN:HB2	2:B:152:PRO:CD	2.50	0.40
7:G:149:ASP:HB2	7:G:150:PRO:CD	2.52	0.40
11:K:4:LEU:C	11:K:4:LEU:HD22	2.46	0.40
11:K:170:TYR:O	17:K:301:3BV:H57	2.21	0.40
7:U:149:ASP:HB2	7:U:150:PRO:CD	2.52	0.40
12:L:8:ASN:HA	12:L:30:ILE:O	2.22	0.40
2:B:151:ASN:HB2	2:B:152:PRO:HD2	2.03	0.40
13:M:127:LEU:HG	13:M:142:LEU:HD12	2.04	0.40
9:W:10:ILE:HG21	9:W:141:ALA:HB3	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	248/250 (99%)	242 (98%)	6 (2%)	0	100	100
1	O	248/250 (99%)	242 (98%)	6 (2%)	0	100	100
2	B	242/258 (94%)	233 (96%)	7 (3%)	2 (1%)	16	34
2	P	242/258 (94%)	232 (96%)	8 (3%)	2 (1%)	16	34
3	C	238/254 (94%)	230 (97%)	6 (2%)	2 (1%)	16	34
3	Q	238/254 (94%)	230 (97%)	6 (2%)	2 (1%)	16	34
4	D	231/260 (89%)	226 (98%)	5 (2%)	0	100	100
4	R	231/260 (89%)	226 (98%)	5 (2%)	0	100	100
5	E	229/234 (98%)	223 (97%)	6 (3%)	0	100	100
5	S	229/234 (98%)	224 (98%)	5 (2%)	0	100	100
6	F	241/288 (84%)	232 (96%)	9 (4%)	0	100	100
6	T	241/288 (84%)	232 (96%)	9 (4%)	0	100	100
7	G	239/252 (95%)	235 (98%)	4 (2%)	0	100	100
7	U	239/252 (95%)	235 (98%)	4 (2%)	0	100	100
8	H	220/232 (95%)	214 (97%)	5 (2%)	1 (0%)	24	46
8	V	220/232 (95%)	213 (97%)	6 (3%)	1 (0%)	24	46
9	I	202/205 (98%)	195 (96%)	7 (4%)	0	100	100
9	W	202/205 (98%)	195 (96%)	7 (4%)	0	100	100
10	J	193/198 (98%)	190 (98%)	2 (1%)	1 (0%)	24	46
10	X	193/198 (98%)	190 (98%)	2 (1%)	1 (0%)	24	46
11	K	210/212 (99%)	206 (98%)	4 (2%)	0	100	100
11	Y	210/212 (99%)	206 (98%)	4 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
12	L	220/222 (99%)	216 (98%)	4 (2%)	0	100	100
12	Z	220/222 (99%)	216 (98%)	4 (2%)	0	100	100
13	M	231/246 (94%)	222 (96%)	8 (4%)	1 (0%)	30	51
13	a	231/246 (94%)	221 (96%)	9 (4%)	1 (0%)	30	51
14	N	194/196 (99%)	189 (97%)	5 (3%)	0	100	100
14	b	194/196 (99%)	189 (97%)	5 (3%)	0	100	100
All	All	6276/6614 (95%)	6104 (97%)	158 (2%)	14 (0%)	43	66

All (14) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	51	VAL
3	C	202	GLN
2	P	51	VAL
3	Q	202	GLN
10	J	2	ASP
10	X	2	ASP
3	C	205	ALA
3	Q	205	ALA
2	B	221	ASP
8	H	9	ASN
2	P	221	ASP
13	M	229	GLY
8	V	9	ASN
13	a	229	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	209/209 (100%)	203 (97%)	6 (3%)	37	65
1	O	209/209 (100%)	203 (97%)	6 (3%)	37	65
2	B	203/216 (94%)	195 (96%)	8 (4%)	28	55

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	P	203/216 (94%)	195 (96%)	8 (4%)	28	55
3	C	212/226 (94%)	205 (97%)	7 (3%)	33	61
3	Q	212/226 (94%)	205 (97%)	7 (3%)	33	61
4	D	194/215 (90%)	183 (94%)	11 (6%)	18	40
4	R	194/215 (90%)	183 (94%)	11 (6%)	18	40
5	E	190/193 (98%)	183 (96%)	7 (4%)	30	57
5	S	190/193 (98%)	183 (96%)	7 (4%)	30	57
6	F	201/239 (84%)	194 (96%)	7 (4%)	32	59
6	T	201/239 (84%)	194 (96%)	7 (4%)	32	59
7	G	206/210 (98%)	198 (96%)	8 (4%)	28	55
7	U	206/210 (98%)	198 (96%)	8 (4%)	28	55
8	H	181/190 (95%)	175 (97%)	6 (3%)	33	61
8	V	181/190 (95%)	175 (97%)	6 (3%)	33	61
9	I	172/173 (99%)	170 (99%)	2 (1%)	63	83
9	W	172/173 (99%)	170 (99%)	2 (1%)	63	83
10	J	173/175 (99%)	170 (98%)	3 (2%)	53	78
10	X	173/175 (99%)	170 (98%)	3 (2%)	53	78
11	K	170/170 (100%)	165 (97%)	5 (3%)	37	65
11	Y	170/170 (100%)	166 (98%)	4 (2%)	43	70
12	L	185/185 (100%)	179 (97%)	6 (3%)	34	62
12	Z	185/185 (100%)	179 (97%)	6 (3%)	34	62
13	M	199/208 (96%)	194 (98%)	5 (2%)	42	69
13	a	199/208 (96%)	194 (98%)	5 (2%)	42	69
14	N	162/162 (100%)	159 (98%)	3 (2%)	50	75
14	b	162/162 (100%)	159 (98%)	3 (2%)	50	75
All	All	5314/5542 (96%)	5147 (97%)	167 (3%)	35	63

All (167) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	17	LYS
1	A	29	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	61	LEU
1	A	157	PHE
1	A	184	GLU
2	B	50	LYS
2	B	52	THR
2	B	55	LEU
2	B	58	GLN
2	B	79	LEU
2	B	114	LEU
2	B	184	LYS
2	B	191	LEU
3	C	4	ARG
3	C	38	ASN
3	C	147	GLN
3	C	160	GLN
3	C	169	VAL
3	C	180	LYS
3	C	203	THR
4	D	20	LEU
4	D	40	LEU
4	D	51	LEU
4	D	99	ILE
4	D	125	LEU
4	D	176	LEU
4	D	193	LEU
4	D	197	LYS
4	D	214	ILE
4	D	236	LYS
4	D	242	GLU
5	E	9	THR
5	E	25	LEU
5	E	29	LYS
5	E	54	GLU
5	E	71	LEU
5	E	174	THR
5	E	188	LEU
6	F	68	ARG
6	F	123	ASN
6	F	172	LEU
6	F	181	GLU
6	F	203	ASN
6	F	206	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
6	F	221	ASN
7	G	83	ASN
7	G	115	LEU
7	G	125	MET
7	G	166	GLN
7	G	171	THR
7	G	181	LYS
7	G	235	ARG
7	G	236	LEU
8	H	22	GLN
8	H	34	LEU
8	H	56	THR
8	H	68	LEU
8	H	127	LEU
8	H	196	ARG
9	I	37	ASN
9	I	171	LEU
10	J	75	LEU
10	J	144	LEU
10	J	174	MET
11	K	4	LEU
11	K	35	ILE
11	K	57	THR
11	K	106	ARG
11	K	118	ASP
12	L	1	GLN
12	L	13	LEU
12	L	23	LEU
12	L	49	ASN
12	L	150	LEU
12	L	167	LYS
13	M	43	ILE
13	M	48	ASN
13	M	70	LEU
13	M	104	ARG
13	M	187	ARG
14	N	9	LYS
14	N	22	THR
14	N	119	VAL
1	O	1	MET
1	O	17	LYS
1	O	29	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	O	61	LEU
1	O	157	PHE
1	O	184	GLU
2	P	50	LYS
2	P	52	THR
2	P	55	LEU
2	P	58	GLN
2	P	79	LEU
2	P	114	LEU
2	P	184	LYS
2	P	191	LEU
3	Q	4	ARG
3	Q	38	ASN
3	Q	147	GLN
3	Q	160	GLN
3	Q	169	VAL
3	Q	180	LYS
3	Q	203	THR
4	R	20	LEU
4	R	40	LEU
4	R	51	LEU
4	R	99	ILE
4	R	125	LEU
4	R	176	LEU
4	R	193	LEU
4	R	197	LYS
4	R	214	ILE
4	R	236	LYS
4	R	242	GLU
5	S	9	THR
5	S	25	LEU
5	S	29	LYS
5	S	54	GLU
5	S	71	LEU
5	S	174	THR
5	S	188	LEU
6	T	68	ARG
6	T	123	ASN
6	T	172	LEU
6	T	181	GLU
6	T	203	ASN
6	T	206	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
6	T	221	ASN
7	U	83	ASN
7	U	115	LEU
7	U	125	MET
7	U	166	GLN
7	U	171	THR
7	U	181	LYS
7	U	235	ARG
7	U	236	LEU
8	V	22	GLN
8	V	34	LEU
8	V	56	THR
8	V	68	LEU
8	V	127	LEU
8	V	196	ARG
9	W	37	ASN
9	W	171	LEU
10	X	75	LEU
10	X	144	LEU
10	X	174	MET
11	Y	4	LEU
11	Y	35	ILE
11	Y	106	ARG
11	Y	118	ASP
12	Z	1	GLN
12	Z	13	LEU
12	Z	23	LEU
12	Z	49	ASN
12	Z	150	LEU
12	Z	167	LYS
13	a	43	ILE
13	a	48	ASN
13	a	70	LEU
13	a	104	ARG
13	a	187	ARG
14	b	9	LYS
14	b	22	THR
14	b	119	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (105) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	143	ASN
2	B	119	GLN
2	B	123	GLN
2	B	176	GLN
2	B	232	GLN
3	C	38	ASN
3	C	53	GLN
3	C	115	GLN
3	C	116	GLN
3	C	120	GLN
3	C	147	GLN
3	C	160	GLN
3	C	233	GLN
4	D	15	GLN
4	D	91	HIS
4	D	100	ASN
4	D	106	GLN
4	D	146	GLN
4	D	225	ASN
5	E	68	HIS
5	E	92	ASN
5	E	99	ASN
5	E	118	ASN
5	E	120	GLN
5	E	147	GLN
5	E	184	ASN
6	F	19	GLN
6	F	86	ASN
6	F	117	GLN
7	G	28	GLN
7	G	117	GLN
7	G	121	GLN
7	G	166	GLN
8	H	30	ASN
8	H	189	ASN
8	H	194	ASN
9	I	37	ASN
9	I	88	GLN
10	J	55	GLN
10	J	63	ASN
10	J	146	HIS
11	K	9	GLN
11	K	85	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
11	K	143	ASN
11	K	176	ASN
11	K	208	ASN
12	L	70	ASN
12	L	79	HIS
12	L	158	ASN
12	L	197	GLN
13	M	102	GLN
13	M	149	HIS
14	N	141	ASN
2	P	93	HIS
2	P	119	GLN
2	P	123	GLN
2	P	176	GLN
2	P	232	GLN
3	Q	38	ASN
3	Q	53	GLN
3	Q	115	GLN
3	Q	116	GLN
3	Q	120	GLN
3	Q	147	GLN
3	Q	160	GLN
3	Q	233	GLN
4	R	100	ASN
4	R	106	GLN
4	R	146	GLN
4	R	225	ASN
5	S	68	HIS
5	S	99	ASN
5	S	118	ASN
5	S	120	GLN
5	S	151	ASN
5	S	165	GLN
5	S	184	ASN
6	T	19	GLN
6	T	86	ASN
6	T	123	ASN
7	U	28	GLN
7	U	117	GLN
7	U	121	GLN
7	U	166	GLN
7	U	212	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
8	V	30	ASN
8	V	189	ASN
8	V	194	ASN
9	W	37	ASN
9	W	44	HIS
9	W	88	GLN
10	X	37	GLN
10	X	55	GLN
10	X	63	ASN
10	X	146	HIS
11	Y	9	GLN
11	Y	85	ASN
11	Y	143	ASN
11	Y	176	ASN
11	Y	208	ASN
12	Z	70	ASN
12	Z	79	HIS
12	Z	158	ASN
14	b	38	HIS
14	b	141	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 18 ligands modelled in this entry, 10 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
17	3BV	Y	301	11	54,54,54	1.26	3 (5%)	68,71,71	1.90	12 (17%)
17	3BV	b	201	14	54,54,54	1.35	4 (7%)	68,71,71	1.55	9 (13%)
17	3BV	K	301	11	54,54,54	1.27	3 (5%)	68,71,71	1.90	13 (19%)
17	3BV	H	301	8	54,54,54	1.26	3 (5%)	68,71,71	1.58	10 (14%)
17	3BV	V	301	8	54,54,54	1.23	3 (5%)	68,71,71	1.58	10 (14%)
17	3BV	N	201	14	54,54,54	1.34	3 (5%)	68,71,71	1.57	11 (16%)
18	MES	Y	303	-	12,12,12	2.19	1 (8%)	15,16,16	1.18	2 (13%)
18	MES	K	303	-	12,12,12	2.22	1 (8%)	15,16,16	1.21	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
17	3BV	Y	301	11	-	15/59/67/67	0/3/3/3
17	3BV	b	201	14	-	13/59/67/67	0/3/3/3
17	3BV	K	301	11	-	15/59/67/67	0/3/3/3
17	3BV	H	301	8	-	14/59/67/67	0/3/3/3
17	3BV	V	301	8	-	14/59/67/67	0/3/3/3
17	3BV	N	201	14	-	13/59/67/67	0/3/3/3
18	MES	Y	303	-	-	0/6/14/14	0/1/1/1
18	MES	K	303	-	-	0/6/14/14	0/1/1/1

All (21) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
18	K	303	MES	C8-S	-7.33	1.67	1.77
18	Y	303	MES	C8-S	-7.20	1.67	1.77
17	N	201	3BV	C51-C47	6.26	1.64	1.53
17	b	201	3BV	C51-C47	6.16	1.63	1.53
17	H	301	3BV	C51-C47	5.79	1.63	1.53
17	K	301	3BV	C51-C47	5.76	1.63	1.53
17	Y	301	3BV	C51-C47	5.65	1.63	1.53
17	V	301	3BV	C51-C47	5.57	1.62	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
17	N	201	3BV	C32-C33	-4.59	1.40	1.51
17	b	201	3BV	C32-C33	-4.56	1.40	1.51
17	K	301	3BV	C32-C33	-4.46	1.40	1.51
17	H	301	3BV	C32-C33	-4.40	1.40	1.51
17	Y	301	3BV	C32-C33	-4.36	1.41	1.51
17	V	301	3BV	C32-C33	-4.23	1.41	1.51
17	b	201	3BV	C13-C14	-3.81	1.40	1.51
17	N	201	3BV	C13-C14	-3.76	1.41	1.51
17	K	301	3BV	C13-C14	-3.66	1.41	1.51
17	Y	301	3BV	C13-C14	-3.57	1.41	1.51
17	H	301	3BV	C13-C14	-3.24	1.42	1.51
17	V	301	3BV	C13-C14	-3.19	1.42	1.51
17	b	201	3BV	C59-C51	2.39	1.55	1.52

All (69) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	Y	301	3BV	C43-C42-N41	-8.10	99.80	110.20
17	K	301	3BV	C43-C42-N41	-8.02	99.90	110.20
17	b	201	3BV	C43-C42-N41	-6.26	102.17	110.20
17	N	201	3BV	C43-C42-N41	-6.25	102.18	110.20
17	Y	301	3BV	C7-N4-C5	6.06	120.58	111.14
17	K	301	3BV	C7-N4-C5	6.05	120.55	111.14
17	V	301	3BV	C43-C42-N41	-5.80	102.75	110.20
17	H	301	3BV	C43-C42-N41	-5.75	102.82	110.20
17	H	301	3BV	C58-C51-C59	-5.06	103.32	109.76
17	N	201	3BV	C58-C51-C59	-5.04	103.35	109.76
17	V	301	3BV	C58-C51-C59	-5.03	103.36	109.76
17	K	301	3BV	C6-C5-N4	-4.86	102.73	110.12
17	b	201	3BV	C58-C51-C59	-4.85	103.59	109.76
17	Y	301	3BV	C6-C5-N4	-4.75	102.90	110.12
17	Y	301	3BV	C58-C51-C59	-4.40	104.17	109.76
17	K	301	3BV	C58-C51-C59	-4.28	104.31	109.76
17	V	301	3BV	O1-C6-C5	-3.97	103.22	111.77
17	H	301	3BV	O1-C6-C5	-3.95	103.27	111.77
17	Y	301	3BV	C33-C32-C31	-3.60	103.78	113.36
17	K	301	3BV	C33-C32-C31	-3.57	103.86	113.36
17	H	301	3BV	O60-C59-C51	-3.51	104.30	111.51
17	H	301	3BV	C13-C12-C11	-3.45	106.23	113.21
17	V	301	3BV	O60-C59-C51	-3.39	104.54	111.51
17	V	301	3BV	C13-C12-C11	-3.36	106.41	113.21
17	N	201	3BV	O1-C2-C3	-3.35	104.56	111.77

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	Y	301	3BV	O1-C6-C5	-3.27	104.72	111.77
17	b	201	3BV	C43-C42-C47	-3.26	106.97	112.18
17	b	201	3BV	O1-C2-C3	-3.25	104.77	111.77
17	K	301	3BV	O1-C6-C5	-3.23	104.82	111.77
17	N	201	3BV	C43-C42-C47	-3.13	107.18	112.18
17	H	301	3BV	C25-C24-C23	-3.11	107.05	115.40
17	H	301	3BV	C43-C42-C47	-3.09	107.25	112.18
17	V	301	3BV	C25-C24-C23	-3.08	107.12	115.40
17	V	301	3BV	C43-C42-C47	-3.06	107.29	112.18
17	b	201	3BV	C33-C32-C31	-2.97	105.46	113.36
17	b	201	3BV	C12-C13-C14	-2.92	103.61	113.22
17	N	201	3BV	C12-C13-C14	-2.91	103.64	113.22
17	N	201	3BV	C33-C32-C31	-2.89	105.67	113.36
17	H	301	3BV	C33-C32-C31	-2.80	105.91	113.36
17	V	301	3BV	C33-C32-C31	-2.76	106.01	113.36
17	N	201	3BV	O1-C6-C5	-2.72	105.91	111.77
17	b	201	3BV	O1-C6-C5	-2.72	105.92	111.77
17	K	301	3BV	O1-C2-C3	-2.61	106.15	111.77
17	b	201	3BV	C13-C12-C11	-2.58	107.99	113.21
17	N	201	3BV	C13-C12-C11	-2.56	108.04	113.21
17	V	301	3BV	C6-C5-N4	-2.53	106.28	110.12
17	H	301	3BV	C6-C5-N4	-2.50	106.32	110.12
17	Y	301	3BV	O1-C2-C3	-2.48	106.44	111.77
17	Y	301	3BV	C43-C42-C47	-2.41	108.33	112.18
17	K	301	3BV	C43-C42-C47	-2.40	108.34	112.18
17	K	301	3BV	C12-C11-C20	2.40	115.97	110.11
17	Y	301	3BV	C13-C12-C11	-2.36	108.44	113.21
17	Y	301	3BV	C24-C23-N22	-2.35	105.27	110.58
18	Y	303	MES	O1S-S-C8	2.35	110.28	106.73
17	K	301	3BV	C13-C12-C11	-2.34	108.47	113.21
17	K	301	3BV	C24-C23-N22	-2.33	105.33	110.58
17	K	301	3BV	C7-N4-C3	-2.29	107.59	111.14
17	Y	301	3BV	C7-N4-C3	-2.28	107.59	111.14
17	Y	301	3BV	C12-C11-C20	2.26	115.64	110.11
17	N	201	3BV	O60-C59-C51	-2.24	106.90	111.51
17	V	301	3BV	O1-C2-C3	-2.24	106.94	111.77
18	K	303	MES	O1S-S-C8	2.21	110.07	106.73
18	Y	303	MES	O2S-S-C8	2.18	110.02	106.73
17	H	301	3BV	O1-C2-C3	-2.17	107.10	111.77
17	K	301	3BV	O60-C59-C51	-2.15	107.08	111.51
18	K	303	MES	O2S-S-C8	2.12	109.93	106.73
17	N	201	3BV	C12-C11-C20	-2.09	105.00	110.11

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	b	201	3BV	C25-C24-C23	-2.09	109.79	115.40
17	N	201	3BV	C25-C24-C23	-2.07	109.83	115.40

There are no chirality outliers.

All (84) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
17	H	301	3BV	C47-C42-C43-C44
17	H	301	3BV	C42-C47-C51-C58
17	H	301	3BV	C42-C47-C51-C59
17	H	301	3BV	C47-C51-C59-O60
17	K	301	3BV	C8-C7-N4-C5
17	K	301	3BV	C47-C42-C43-C44
17	K	301	3BV	C47-C51-C59-O60
17	N	201	3BV	C47-C42-C43-C44
17	N	201	3BV	C42-C47-C51-C58
17	N	201	3BV	C42-C47-C51-C59
17	N	201	3BV	O48-C47-C51-C58
17	V	301	3BV	C47-C42-C43-C44
17	V	301	3BV	C42-C47-C51-C58
17	V	301	3BV	C42-C47-C51-C59
17	V	301	3BV	C47-C51-C59-O60
17	Y	301	3BV	C8-C7-N4-C5
17	Y	301	3BV	C47-C42-C43-C44
17	Y	301	3BV	C47-C51-C59-O60
17	b	201	3BV	C47-C42-C43-C44
17	b	201	3BV	C42-C47-C51-C58
17	b	201	3BV	C42-C47-C51-C59
17	b	201	3BV	O48-C47-C51-C58
17	V	301	3BV	O48-C47-C51-C59
17	K	301	3BV	C23-C24-C25-C26
17	Y	301	3BV	C23-C24-C25-C26
17	K	301	3BV	C42-C47-C51-C58
17	Y	301	3BV	C42-C47-C51-C58
17	K	301	3BV	C58-C51-C59-O60
17	Y	301	3BV	C58-C51-C59-O60
17	H	301	3BV	C42-C43-C44-C46
17	V	301	3BV	C42-C43-C44-C46
17	H	301	3BV	O48-C47-C51-C58
17	H	301	3BV	O48-C47-C51-C59
17	K	301	3BV	O48-C47-C51-C58
17	N	201	3BV	O48-C47-C51-C59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
17	V	301	3BV	O48-C47-C51-C58
17	Y	301	3BV	O48-C47-C51-C58
17	b	201	3BV	O48-C47-C51-C59
17	K	301	3BV	C42-C43-C44-C46
17	Y	301	3BV	C42-C43-C44-C46
17	H	301	3BV	C8-C7-N4-C3
17	N	201	3BV	C8-C7-N4-C5
17	V	301	3BV	C8-C7-N4-C3
17	b	201	3BV	C8-C7-N4-C5
17	H	301	3BV	N41-C42-C43-C44
17	K	301	3BV	N41-C42-C43-C44
17	N	201	3BV	N41-C42-C43-C44
17	V	301	3BV	N41-C42-C43-C44
17	Y	301	3BV	N41-C42-C43-C44
17	b	201	3BV	N41-C42-C43-C44
17	K	301	3BV	C8-C7-N4-C3
17	N	201	3BV	C8-C7-N4-C3
17	b	201	3BV	C8-C7-N4-C3
17	H	301	3BV	N10-C11-C12-C13
17	V	301	3BV	N10-C11-C12-C13
17	Y	301	3BV	C8-C7-N4-C3
17	K	301	3BV	C23-C24-C25-C27
17	Y	301	3BV	C23-C24-C25-C27
17	K	301	3BV	N30-C31-C39-O40
17	Y	301	3BV	N30-C31-C39-O40
17	H	301	3BV	C12-C13-C14-C15
17	V	301	3BV	C12-C13-C14-C15
17	N	201	3BV	N10-C11-C20-O21
17	b	201	3BV	N10-C11-C20-O21
17	N	201	3BV	N10-C11-C20-N22
17	b	201	3BV	N10-C11-C20-N22
17	N	201	3BV	N4-C7-C8-N10
17	b	201	3BV	N4-C7-C8-N10
17	H	301	3BV	C12-C13-C14-C19
17	V	301	3BV	C12-C13-C14-C19
17	Y	301	3BV	N4-C7-C8-O9
17	K	301	3BV	N4-C7-C8-O9
17	Y	301	3BV	N4-C7-C8-N10
17	H	301	3BV	N4-C7-C8-N10
17	V	301	3BV	N4-C7-C8-N10
17	b	201	3BV	N30-C31-C39-O40
17	K	301	3BV	N30-C31-C39-N41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
17	N	201	3BV	N4-C7-C8-O9
17	b	201	3BV	N4-C7-C8-O9
17	K	301	3BV	N4-C7-C8-N10
17	Y	301	3BV	N30-C31-C39-N41
17	H	301	3BV	N4-C7-C8-O9
17	V	301	3BV	N4-C7-C8-O9
17	N	201	3BV	N30-C31-C39-O40


There are no ring outliers.

6 monomers are involved in 9 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
17	Y	301	3BV	1	0
17	b	201	3BV	1	0
17	K	301	3BV	4	0
17	H	301	3BV	1	0
17	V	301	3BV	1	0
17	N	201	3BV	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand 3BV Y 301




Ligand 3BV b 201




Ligand 3BV K 301



Ligand 3BV H 301





5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å²)	Q<0.9
1	A	250/250 (100%)	0.50	15 (6%)	27	22	34, 50, 89, 137	0
1	O	250/250 (100%)	0.15	6 (2%)	59	54	34, 52, 95, 133	0
2	B	244/258 (94%)	0.23	17 (6%)	22	18	32, 49, 99, 154	0
2	P	244/258 (94%)	0.15	11 (4%)	38	32	32, 52, 96, 153	0
3	C	240/254 (94%)	0.16	17 (7%)	22	17	32, 52, 117, 160	0
3	Q	240/254 (94%)	0.32	13 (5%)	31	26	35, 62, 135, 177	0
4	D	235/260 (90%)	-0.00	5 (2%)	63	58	37, 54, 83, 126	0
4	R	235/260 (90%)	0.19	8 (3%)	48	42	40, 57, 92, 140	0
5	E	231/234 (98%)	0.49	6 (2%)	57	51	42, 62, 94, 136	0
5	S	231/234 (98%)	0.62	19 (8%)	17	14	38, 59, 99, 123	0
6	F	243/288 (84%)	0.86	28 (11%)	9	7	36, 58, 110, 147	0
6	T	243/288 (84%)	0.93	45 (18%)	3	3	30, 59, 113, 153	0
7	G	241/252 (95%)	0.94	36 (14%)	5	4	37, 55, 101, 158	0
7	U	241/252 (95%)	0.45	10 (4%)	41	36	34, 50, 84, 134	0
8	H	222/232 (95%)	0.58	14 (6%)	26	20	39, 50, 93, 134	0
8	V	222/232 (95%)	0.17	5 (2%)	61	55	33, 47, 84, 124	0
9	I	204/205 (99%)	-0.10	4 (1%)	65	60	28, 43, 77, 94	0
9	W	204/205 (99%)	-0.24	1 (0%)	87	85	29, 44, 74, 101	0
10	J	195/198 (98%)	-0.35	1 (0%)	87	85	27, 42, 68, 112	0
10	X	195/198 (98%)	-0.30	2 (1%)	79	76	28, 44, 70, 114	0
11	K	212/212 (100%)	-0.29	0	100	100	28, 43, 75, 96	0
11	Y	212/212 (100%)	-0.23	1 (0%)	87	85	29, 43, 76, 101	0
12	L	222/222 (100%)	-0.14	1 (0%)	87	85	28, 46, 76, 98	0
12	Z	222/222 (100%)	0.01	1 (0%)	87	85	29, 47, 78, 98	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
13	M	233/246 (94%)	0.28	4 (1%) 69 64	29, 49, 73, 82	0
13	a	233/246 (94%)	0.44	11 (4%) 36 30	31, 49, 77, 99	0
14	N	196/196 (100%)	0.54	6 (3%) 51 45	29, 47, 80, 103	0
14	b	196/196 (100%)	0.34	6 (3%) 51 45	33, 44, 75, 96	0
All	All	6336/6614 (95%)	0.25	293 (4%) 37 32	27, 50, 93, 177	0

All (293) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	1	MET	6.6
10	X	1	MET	6.2
10	J	1	MET	5.3
1	O	1	MET	5.3
2	B	219	ALA	5.2
6	T	205	GLU	5.1
6	T	178	HIS	5.0
4	R	241	ALA	4.5
3	Q	50	LEU	4.4
1	O	249	ALA	4.4
6	T	204	LYS	4.3
7	G	179	LYS	4.3
6	T	243	ILE	4.3
6	T	55	LEU	4.3
6	F	202	ASP	4.3
7	G	240	ALA	4.3
3	Q	203	THR	4.2
8	H	207	ARG	4.2
2	P	51	VAL	4.1
6	T	54	LEU	4.0
13	a	1	THR	4.0
7	U	203	ASP	3.9
3	C	205	ALA	3.9
6	F	178	HIS	3.9
2	B	218	GLY	3.9
1	A	51	SER	3.8
13	M	1	THR	3.8
3	Q	205	ALA	3.8
2	B	242	GLY	3.8
6	T	215	CYS	3.7
7	G	185	ILE	3.7
7	G	192	LYS	3.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
6	F	241	LYS	3.7
8	H	204	LYS	3.7
6	F	243	ILE	3.6
6	T	244	ASN	3.6
2	P	222	GLY	3.6
6	T	182	GLY	3.6
5	S	218	ASP	3.6
7	G	238	ALA	3.6
11	Y	212	GLY	3.5
6	T	52	SER	3.5
6	T	50	ILE	3.4
5	S	228	ALA	3.4
1	A	240	SER	3.4
7	G	237	VAL	3.4
2	P	219	ALA	3.4
6	T	234	GLU	3.3
3	C	236	GLN	3.3
3	C	204	GLY	3.3
7	G	219	ALA	3.3
6	F	203	ASN	3.3
1	A	55	LEU	3.2
6	T	53	LYS	3.2
7	G	177	PHE	3.2
8	H	220	ILE	3.2
1	A	52	SER	3.2
2	B	55	LEU	3.2
2	P	60	THR	3.2
9	I	1	SER	3.2
6	T	238	PHE	3.2
6	T	206	LYS	3.2
7	G	176	HIS	3.2
7	G	184	HIS	3.2
6	T	239	ALA	3.2
3	Q	234	ILE	3.2
6	T	59	LYS	3.1
2	P	93	HIS	3.1
3	C	239	GLN	3.1
2	B	51	VAL	3.1
5	S	205	LEU	3.1
6	F	136	GLY	3.1
5	S	181	ILE	3.1
1	A	166	LYS	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
6	T	164	GLY	3.1
6	T	241	LYS	3.1
7	G	60	VAL	3.1
13	a	170	VAL	3.1
8	H	212	VAL	3.0
6	T	183	LEU	3.0
14	b	103	ASP	3.0
3	C	203	THR	3.0
2	P	52	THR	3.0
4	R	240	ALA	3.0
6	T	208	PHE	3.0
6	F	242	GLU	2.9
8	H	9	ASN	2.9
7	G	183	ASP	2.9
7	U	2	GLY	2.9
3	C	238	LYS	2.9
6	F	215	CYS	2.9
5	E	122	TYR	2.9
4	D	240	ALA	2.9
3	C	231	VAL	2.9
2	B	93	HIS	2.9
5	S	179	ILE	2.9
6	T	236	ILE	2.9
2	B	60	THR	2.9
3	C	225	GLU	2.9
7	G	158	LYS	2.9
14	N	181	ALA	2.9
14	b	105	LYS	2.8
2	P	56	LEU	2.8
7	G	189	SER	2.8
5	S	231	LYS	2.8
6	F	55	LEU	2.8
6	T	210	LEU	2.8
7	U	24	LYS	2.8
14	N	148	LYS	2.8
7	U	214	LEU	2.8
4	R	239	GLU	2.8
6	F	206	LYS	2.8
3	C	224	SER	2.8
3	C	201	VAL	2.8
3	C	175	LYS	2.7
6	T	194	LYS	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
6	T	212	ILE	2.7
2	B	217	LYS	2.7
3	C	235	GLU	2.7
8	H	144	GLN	2.7
7	G	239	ILE	2.7
7	G	54	LEU	2.7
2	P	218	GLY	2.7
13	M	38	GLY	2.7
14	b	108	GLY	2.7
8	V	204	LYS	2.7
6	F	217	LEU	2.7
6	T	48	LYS	2.7
8	H	214	LYS	2.7
2	B	58	GLN	2.6
8	V	207	ARG	2.6
6	F	59	LYS	2.6
7	G	137	VAL	2.6
4	R	242	GLU	2.6
3	C	186	VAL	2.6
1	A	231	LYS	2.6
14	b	106	ASN	2.6
7	U	59	THR	2.5
1	O	4	ARG	2.5
2	B	220	ASN	2.5
5	S	171	LEU	2.5
6	T	198	LEU	2.5
4	D	241	ALA	2.5
7	G	178	LYS	2.5
6	T	175	LEU	2.5
7	G	236	LEU	2.5
4	D	242	GLU	2.5
6	F	174	LYS	2.4
6	T	174	LYS	2.4
9	I	191	LYS	2.4
5	S	173	ARG	2.4
6	F	244	ASN	2.4
13	a	80	LEU	2.4
14	N	187	ILE	2.4
6	T	207	ASP	2.4
8	H	218	VAL	2.4
7	G	209	PHE	2.4
1	O	2	THR	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	52	THR	2.4
3	Q	46	ARG	2.4
6	T	56	VAL	2.4
6	T	240	GLN	2.4
3	Q	232	THR	2.4
5	S	233	ILE	2.4
6	T	167	SER	2.4
3	Q	240	GLU	2.4
2	B	235	LYS	2.4
6	F	41	GLY	2.4
3	C	52	LEU	2.4
4	R	235	LEU	2.4
7	G	182	ILE	2.4
9	W	191	LYS	2.4
7	G	242	GLN	2.4
1	A	247	LEU	2.3
7	G	31	ILE	2.3
7	G	207	THR	2.3
6	T	39	ASN	2.3
5	S	203	GLU	2.3
6	F	204	LYS	2.3
7	U	242	GLN	2.3
6	F	208	PHE	2.3
8	H	205	PHE	2.3
7	G	55	LEU	2.3
5	S	189	ILE	2.3
1	A	201	GLU	2.3
3	C	206	LYS	2.3
3	Q	225	GLU	2.3
6	F	225	LYS	2.3
5	S	202	ASP	2.3
8	H	222	ASP	2.3
7	G	235	ARG	2.3
2	B	238	LEU	2.3
6	T	179	HIS	2.3
7	G	39	LYS	2.3
7	U	165	LYS	2.3
5	S	3	ASN	2.3
1	O	54	PRO	2.3
13	a	161	ARG	2.3
3	Q	204	GLY	2.3
8	V	218	VAL	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	Q	184	ALA	2.3
5	E	181	ILE	2.3
9	I	131	GLU	2.3
13	M	35	ARG	2.3
5	S	207	VAL	2.3
7	U	54	LEU	2.3
1	A	56	ALA	2.2
2	B	204	ALA	2.2
5	E	228	ALA	2.2
7	G	187	GLU	2.2
14	b	149	GLU	2.2
6	T	203	ASN	2.2
4	R	113	LEU	2.2
5	E	233	ILE	2.2
8	H	221	CYS	2.2
5	S	177	THR	2.2
13	a	18	ASN	2.2
1	A	226	GLY	2.2
2	P	1	GLY	2.2
5	E	202	ASP	2.2
13	a	69	ASP	2.2
3	Q	51	LYS	2.2
6	F	56	VAL	2.2
13	a	158	VAL	2.2
13	a	225	ILE	2.2
4	D	112	ALA	2.2
6	T	181	GLU	2.2
7	U	171	THR	2.2
14	N	192	GLU	2.2
3	C	46	ARG	2.2
7	G	40	ASP	2.2
7	U	53	LYS	2.2
14	N	68	SER	2.2
3	Q	231	VAL	2.2
13	a	159	VAL	2.2
1	A	174	PHE	2.2
4	R	99	ILE	2.2
7	G	186	ASN	2.2
4	R	170	GLY	2.2
5	S	143	LEU	2.2
6	F	175	LEU	2.2
9	I	192	ASP	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
7	G	193	VAL	2.2
8	H	56	THR	2.1
6	F	180	PRO	2.1
1	O	250	LEU	2.1
6	F	50	ILE	2.1
6	F	207	ASP	2.1
6	T	14	ASP	2.1
6	T	189	VAL	2.1
10	X	194	ASP	2.1
14	N	104	ASP	2.1
6	F	52	SER	2.1
7	G	190	TRP	2.1
7	G	241	GLU	2.1
2	P	235	LYS	2.1
3	C	51	LYS	2.1
12	Z	136	CYS	2.1
6	T	227	VAL	2.1
2	B	57	GLU	2.1
13	M	161	ARG	2.1
4	D	238	LYS	2.1
2	B	56	LEU	2.1
12	L	136	CYS	2.1
2	P	225	TYR	2.1
6	F	155	GLY	2.1
8	H	208	GLY	2.1
5	E	10	VAL	2.1
6	F	14	ASP	2.1
6	T	230	ASP	2.1
13	a	164	ASP	2.1
1	A	241	GLN	2.1
8	H	213	LEU	2.1
13	a	37	ASN	2.1
6	F	156	TYR	2.1
8	V	220	ILE	2.1
8	V	205	PHE	2.1
1	A	249	ALA	2.0
7	G	24	LYS	2.0
7	G	165	LYS	2.0
6	F	2	THR	2.0
1	A	54	PRO	2.0
6	T	60	ASN	2.0
14	b	116	GLY	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
5	S	194	GLU	2.0
3	Q	37	LYS	2.0
6	T	185	ALA	2.0
5	S	121	SER	2.0
2	B	241	THR	2.0
5	S	42	HIS	2.0
6	T	200	HIS	2.0
7	G	232	ILE	2.0
6	T	197	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
18	MES	K	303	12/12	0.68	0.22	74,79,93,103	0
18	MES	Y	303	12/12	0.79	0.18	65,72,81,95	0
17	3BV	b	201	52/52	0.87	0.13	33,46,122,126	0
17	3BV	H	301	52/52	0.87	0.13	42,59,108,111	0
17	3BV	V	301	52/52	0.87	0.13	43,54,97,100	0
17	3BV	N	201	52/52	0.88	0.13	33,48,123,126	0
15	MG	I	301	1/1	0.90	0.12	60,60,60,60	0
17	3BV	Y	301	52/52	0.92	0.10	29,37,86,89	0
17	3BV	K	301	52/52	0.93	0.10	30,40,91,94	0
15	MG	N	202	1/1	0.95	0.07	48,48,48,48	0
15	MG	V	302	1/1	0.96	0.12	45,45,45,45	0
16	CL	b	202	1/1	0.97	0.14	47,47,47,47	0
15	MG	Y	302	1/1	0.97	0.06	42,42,42,42	0
16	CL	G	302	1/1	0.97	0.07	39,39,39,39	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
15	MG	G	301	1/1	0.98	0.04	48,48,48,48	0
16	CL	N	203	1/1	0.98	0.08	43,43,43,43	0
16	CL	U	301	1/1	0.98	0.04	39,39,39,39	0
15	MG	K	302	1/1	0.99	0.06	48,48,48,48	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around 3BV b 201:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 3BV H 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 3BV V 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 3BV N 201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 3BV Y 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around 3BV K 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.