



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 25, 2026 – 01:35 AM EDT

PDB ID : 1QXO / pdb_00001qxo
Title : Crystal structure of Chorismate synthase complexed with oxidized FMN and EPSP
Authors : Maclean, J.; Ali, S.
Deposited on : 2003-09-08
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	388	77% 21% .
1	B	388	81% 17% .
1	C	388	74% 20% 5% .
1	D	388	72% 20% 6% .

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 14427 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Chorismate synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	388	Total	C	N	O	Se	0	8	0
			3037	1892	546	587	12			
1	B	388	Total	C	N	O	Se	0	8	0
			3043	1892	549	590	12			
1	C	388	Total	C	N	O	Se	0	8	0
			3035	1893	543	587	12			
1	D	388	Total	C	N	O	Se	0	4	0
			3022	1884	543	583	12			

There are 48 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MSE	MET	modified residue	UNP P0A2Y6
A	49	MSE	MET	modified residue	UNP P0A2Y6
A	74	MSE	MET	modified residue	UNP P0A2Y6
A	88	MSE	MET	modified residue	UNP P0A2Y6
A	138	MSE	MET	modified residue	UNP P0A2Y6
A	155	MSE	MET	modified residue	UNP P0A2Y6
A	273	MSE	MET	modified residue	UNP P0A2Y6
A	298	MSE	MET	modified residue	UNP P0A2Y6
A	310	MSE	MET	modified residue	UNP P0A2Y6
A	321	MSE	MET	modified residue	UNP P0A2Y6
A	348	MSE	MET	modified residue	UNP P0A2Y6
A	350	MSE	MET	modified residue	UNP P0A2Y6
B	1	MSE	MET	modified residue	UNP P0A2Y6
B	49	MSE	MET	modified residue	UNP P0A2Y6
B	74	MSE	MET	modified residue	UNP P0A2Y6
B	88	MSE	MET	modified residue	UNP P0A2Y6
B	138	MSE	MET	modified residue	UNP P0A2Y6
B	155	MSE	MET	modified residue	UNP P0A2Y6
B	273	MSE	MET	modified residue	UNP P0A2Y6
B	298	MSE	MET	modified residue	UNP P0A2Y6
B	310	MSE	MET	modified residue	UNP P0A2Y6

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	321	MSE	MET	modified residue	UNP P0A2Y6
B	348	MSE	MET	modified residue	UNP P0A2Y6
B	350	MSE	MET	modified residue	UNP P0A2Y6
C	1	MSE	MET	modified residue	UNP P0A2Y6
C	49	MSE	MET	modified residue	UNP P0A2Y6
C	74	MSE	MET	modified residue	UNP P0A2Y6
C	88	MSE	MET	modified residue	UNP P0A2Y6
C	138	MSE	MET	modified residue	UNP P0A2Y6
C	155	MSE	MET	modified residue	UNP P0A2Y6
C	273	MSE	MET	modified residue	UNP P0A2Y6
C	298	MSE	MET	modified residue	UNP P0A2Y6
C	310	MSE	MET	modified residue	UNP P0A2Y6
C	321	MSE	MET	modified residue	UNP P0A2Y6
C	348	MSE	MET	modified residue	UNP P0A2Y6
C	350	MSE	MET	modified residue	UNP P0A2Y6
D	1	MSE	MET	modified residue	UNP P0A2Y6
D	49	MSE	MET	modified residue	UNP P0A2Y6
D	74	MSE	MET	modified residue	UNP P0A2Y6
D	88	MSE	MET	modified residue	UNP P0A2Y6
D	138	MSE	MET	modified residue	UNP P0A2Y6
D	155	MSE	MET	modified residue	UNP P0A2Y6
D	273	MSE	MET	modified residue	UNP P0A2Y6
D	298	MSE	MET	modified residue	UNP P0A2Y6
D	310	MSE	MET	modified residue	UNP P0A2Y6
D	321	MSE	MET	modified residue	UNP P0A2Y6
D	348	MSE	MET	modified residue	UNP P0A2Y6
D	350	MSE	MET	modified residue	UNP P0A2Y6

- Molecule 2 is COBALT HEXAMMINE(III) (CCD ID: NCO) (formula: $\text{CoH}_{18}\text{N}_6$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	Co	N	0	0
			7	1	6		
2	A	1	Total	Co	N	0	0
			7	1	6		
2	A	1	Total	Co	N	0	0
			7	1	6		
2	B	1	Total	Co	N	0	0
			7	1	6		
2	B	1	Total	Co	N	0	0
			7	1	6		
2	C	1	Total	Co	N	0	0
			7	1	6		
2	C	1	Total	Co	N	0	0
			7	1	6		
2	D	1	Total	Co	N	0	0
			7	1	6		
2	D	1	Total	Co	N	0	0
			7	1	6		

- Molecule 3 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		
3	C	1	Total	C	O	0	0
			4	2	2		
3	D	1	Total	C	O	0	0
			4	2	2		
3	D	1	Total	C	O	0	0
			4	2	2		

- Molecule 4 is FLAVIN MONONUCLEOTIDE (CCD ID: FMN) (formula: $C_{17}H_{21}N_4O_9P$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			31	17	4	9	1		
4	B	1	Total	C	N	O	P	0	0
			31	17	4	9	1		
4	C	1	Total	C	N	O	P	0	0
			31	17	4	9	1		
4	C	1	Total	C	N	O	P	0	0
			31	17	4	9	1		
4	D	1	Total	C	N	O	P	0	0
			31	17	4	9	1		
4	D	1	Total	C	N	O	P	0	0
			31	17	4	9	1		

- Molecule 5 is 5-[(1-CARBOXYVINYL)OXY]-4-HYDROXY-3-(PHOSPHONOXY)CYCLOHEX-1-ENE-1-CARBOXYLIC ACID (CCD ID: EPS) (formula: C₁₀H₁₃O₁₀P).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	O	P	0	0
			21	10	10	1		
5	B	1	Total	C	O	P	0	0
			21	10	10	1		
5	C	1	Total	C	O	P	0	0
			21	10	10	1		
5	D	1	Total	C	O	P	0	0
			21	10	10	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	453	Total	O	0	0
			453	453		
6	B	528	Total	O	0	0
			528	528		
6	C	469	Total	O	0	0
			469	469		
6	D	479	Total	O	0	0
			479	479		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Chorismate synthase




• Molecule 1: Chorismate synthase





• Molecule 1: Chorismate synthase





● Molecule 1: Chorismate synthase

Chain D: 72% 20% 6% ●



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	81.06Å 124.58Å 85.16Å 90.00° 115.15° 90.00°	Depositor
Resolution (Å)	25.00 – 2.00 25.00 – 2.00	Depositor EDS
% Data completeness (in resolution range)	(Not available) (25.00-2.00) 97.4 (25.00-2.00)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	8.30 (at 1.99Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.157 , 0.222 0.145 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	7.9	Xtriage
Anisotropy	0.769	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 43.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.31$, $\langle L^2 \rangle = 0.15$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	14427	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.64% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NCO, EDO, EPS, FMN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.00	7/3115 (0.2%)	1.69	40/4185 (1.0%)
1	B	0.96	6/3119 (0.2%)	1.64	32/4188 (0.8%)
1	C	1.01	12/3111 (0.4%)	1.76	56/4180 (1.3%)
1	D	0.98	9/3078 (0.3%)	1.82	57/4134 (1.4%)
All	All	0.99	34/12423 (0.3%)	1.73	185/16687 (1.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	D	0	2

All (34) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	155	MSE	SE-CE	-17.74	1.42	1.95
1	B	321	MSE	CG-SE	15.09	2.40	1.95
1	D	273	MSE	CG-SE	14.89	2.40	1.95
1	C	273	MSE	CG-SE	13.83	2.37	1.95
1	C	321	MSE	SE-CE	12.53	2.33	1.95
1	A	348	MSE	SE-CE	11.50	2.29	1.95
1	D	49	MSE	CG-SE	11.10	2.28	1.95
1	B	88	MSE	CG-SE	10.85	2.28	1.95
1	C	88	MSE	SE-CE	10.54	2.27	1.95
1	A	273	MSE	CG-SE	9.55	2.24	1.95
1	D	155	MSE	SE-CE	-8.36	1.70	1.95
1	C	321	MSE	CG-SE	7.95	2.19	1.95
1	C	348	MSE	SE-CE	7.95	2.19	1.95
1	B	88	MSE	SE-CE	7.14	2.16	1.95

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	138	MSE	CG-SE	7.07	2.16	1.95
1	D	310	MSE	SE-CE	-6.90	1.74	1.95
1	C	138	MSE	CG-SE	6.52	2.15	1.95
1	D	273	MSE	SE-CE	6.49	2.15	1.95
1	D	348	MSE	SE-CE	6.40	2.14	1.95
1	C	88	MSE	CG-SE	6.11	2.13	1.95
1	A	49	MSE	CG-SE	6.08	2.13	1.95
1	B	298	MSE	SE-CE	5.95	2.13	1.95
1	C	350	MSE	CG-SE	5.92	2.13	1.95
1	B	348	MSE	SE-CE	5.79	2.12	1.95
1	C	348	MSE	CG-SE	5.62	2.12	1.95
1	C	155	MSE	SE-CE	-5.49	1.78	1.95
1	B	155	MSE	SE-CE	-5.45	1.79	1.95
1	A	88	MSE	CG-SE	5.44	2.11	1.95
1	C	376	GLU	CD-OE2	5.44	1.35	1.25
1	A	49	MSE	SE-CE	5.23	2.11	1.95
1	A	88	MSE	SE-CE	5.20	2.11	1.95
1	D	200	ILE	N-CA	5.17	1.52	1.46
1	C	273	MSE	SE-CE	5.12	2.10	1.95
1	D	376	GLU	CD-OE2	5.08	1.34	1.25

All (185) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	209	ARG	CD-NE-CZ	11.76	140.86	124.40
1	C	321	MSE	CG-SE-CE	11.71	124.69	98.92
1	D	59	THR	N-CA-CB	-11.50	94.39	110.95
1	D	48	ARG	CD-NE-CZ	10.61	139.25	124.40
1	D	48	ARG	NE-CZ-NH2	-10.30	109.92	119.20
1	D	107	ARG	CD-NE-CZ	9.73	138.02	124.40
1	C	272	VAL	CA-C-O	-9.72	111.50	120.34
1	C	59	THR	N-CA-CB	-9.60	96.04	111.01
1	D	273	MSE	CB-CG-SE	-9.16	85.22	112.70
1	B	380	LYS	CG-CD-CE	8.64	131.17	111.30
1	C	101	ARG	NE-CZ-NH2	8.61	126.95	119.20
1	D	196	ARG	NE-CZ-NH2	-8.52	111.53	119.20
1	A	184	ALA	CA-C-N	-8.47	107.99	122.56
1	A	184	ALA	C-N-CA	-8.47	107.99	122.56
1	D	134	ARG	NE-CZ-NH2	8.36	126.72	119.20
1	C	225	VAL	N-CA-CB	-8.17	102.48	110.08
1	D	2	ARG	NE-CZ-NH1	-8.08	113.42	121.50
1	C	59	THR	CB-CA-C	8.03	122.73	109.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	148	ARG	CD-NE-CZ	7.84	135.38	124.40
1	A	185	ALA	CB-CA-C	7.76	124.18	110.37
1	B	94	GLU	CB-CG-CD	7.73	125.74	112.60
1	D	194	GLN	N-CA-C	7.57	122.36	113.20
1	D	307	ARG	CA-C-N	-7.47	116.57	121.65
1	D	307	ARG	C-N-CA	-7.47	116.57	121.65
1	C	49	MSE	CG-SE-CE	7.38	115.17	98.92
1	C	174	ASN	N-CA-C	7.37	121.69	111.74
1	C	209	ARG	N-CA-CB	7.28	120.54	109.91
1	A	58	PHE	CA-C-O	-7.20	112.41	120.54
1	A	2	ARG	NE-CZ-NH1	-7.08	114.42	121.50
1	D	202	ASP	CA-C-O	7.02	128.41	120.90
1	C	230	GLY	CA-C-O	-6.90	117.07	122.52
1	D	75	ASP	CA-CB-CG	6.88	119.48	112.60
1	D	59	THR	CB-CA-C	6.83	121.49	109.75
1	C	127	SER	N-CA-CB	6.81	120.20	110.13
1	C	196	ARG	CG-CD-NE	6.80	126.96	112.00
1	D	9	SER	O-C-N	6.79	129.15	122.09
1	B	368	SER	N-CA-CB	-6.75	103.69	111.79
1	D	273	MSE	CG-SE-CE	-6.72	84.14	98.92
1	C	240	ASP	CA-CB-CG	6.72	119.32	112.60
1	B	101	ARG	CD-NE-CZ	6.63	133.69	124.40
1	C	193	ASN	CA-C-O	-6.63	113.44	120.40
1	C	209	ARG	CA-CB-CG	6.62	127.34	114.10
1	D	196	ARG	CD-NE-CZ	6.50	133.51	124.40
1	D	74	MSE	CB-CG-SE	-6.43	93.42	112.70
1	D	272	VAL	N-CA-C	6.43	117.09	111.56
1	D	174	ASN	N-CA-C	6.38	120.05	111.24
1	A	387	ASN	CA-CB-CG	-6.38	106.22	112.60
1	D	381	HIS	CA-CB-CG	-6.37	107.43	113.80
1	C	122	ASP	N-CA-C	-6.36	105.45	113.72
1	D	85	LEU	N-CA-C	6.36	118.21	111.28
1	B	122	ASP	N-CA-C	-6.35	105.69	113.50
1	C	339	ASP	CA-C-O	-6.34	114.13	120.66
1	B	122	ASP	CA-CB-CG	-6.33	106.27	112.60
1	D	130	ARG	NE-CZ-NH2	-6.33	113.50	119.20
1	C	2	ARG	NE-CZ-NH1	-6.33	115.17	121.50
1	C	282	ASP	CA-CB-CG	6.32	118.92	112.60
1	B	225	VAL	N-CA-C	6.26	114.85	109.02
1	D	283	GLY	CA-C-O	-6.25	113.95	121.83
1	C	367	SER	CA-C-O	-6.25	114.05	120.80
1	C	2	ARG	CA-C-O	-6.21	114.80	121.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	321	MSE	CB-CG-SE	-6.21	94.07	112.70
1	D	117	ILE	O-C-N	-6.21	115.83	121.91
1	C	231	SER	CA-C-O	-6.16	114.68	121.33
1	B	272	VAL	N-CA-CB	-6.14	106.60	111.64
1	B	209	ARG	NE-CZ-NH2	6.13	124.71	119.20
1	C	324	ASP	CA-CB-CG	6.05	118.65	112.60
1	A	209	ARG	NE-CZ-NH2	-6.04	113.77	119.20
1	D	174	ASN	CA-CB-CG	-6.04	106.56	112.60
1	D	154	ASP	CA-CB-CG	6.02	118.62	112.60
1	B	88	MSE	CB-CG-SE	-5.99	94.74	112.70
1	B	387	ASN	CA-CB-CG	-5.98	106.62	112.60
1	B	230	GLY	CA-C-O	-5.98	117.80	122.52
1	A	38	ARG	CD-NE-CZ	5.96	132.75	124.40
1	C	50	LYS	N-CA-C	-5.96	106.34	113.97
1	B	181	LYS	CA-C-O	5.95	127.07	120.82
1	A	331	TYR	CA-C-N	-5.92	114.83	123.00
1	A	331	TYR	C-N-CA	-5.92	114.83	123.00
1	D	49	MSE	CB-CG-SE	-5.92	94.94	112.70
1	C	273	MSE	CB-CG-SE	-5.91	94.98	112.70
1	D	196	ARG	NE-CZ-NH1	5.89	127.39	121.50
1	A	186	GLN	N-CA-C	-5.85	106.14	113.28
1	B	127	SER	N-CA-CB	5.82	118.75	110.13
1	C	230	GLY	N-CA-C	-5.80	105.31	112.33
1	C	209	ARG	N-CA-C	-5.80	104.65	110.97
1	D	1	MSE	CB-CG-SE	-5.79	95.33	112.70
1	D	339	ASP	N-CA-CB	-5.79	99.61	110.09
1	C	127	SER	CB-CA-C	-5.78	101.07	110.79
1	B	367	SER	CA-C-O	-5.78	114.56	120.80
1	B	58	PHE	CA-C-O	-5.78	114.01	120.54
1	A	225	VAL	N-CA-C	5.77	114.61	108.95
1	A	122	ASP	CA-CB-CG	-5.76	106.84	112.60
1	A	122	ASP	CA-C-O	5.76	125.48	119.14
1	C	210	ASP	CA-CB-CG	-5.72	106.88	112.60
1	A	86	ASP	CA-CB-CG	5.71	118.31	112.60
1	A	271	GLN	OE1-CD-NE2	-5.70	116.90	122.60
1	D	95	ASP	CA-C-N	5.70	128.70	120.38
1	D	95	ASP	C-N-CA	5.70	128.70	120.38
1	B	148	ARG	CD-NE-CZ	5.70	132.38	124.40
1	A	174	ASN	CA-CB-CG	-5.69	106.91	112.60
1	D	193	ASN	CA-CB-CG	5.68	118.28	112.60
1	D	93	ILE	CA-C-O	-5.66	115.73	121.67
1	D	203	TYR	O-C-N	5.65	127.89	122.07

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	22	PRO	CB-CA-C	-5.62	104.21	111.46
1	B	318	LYS	N-CA-CB	5.62	119.76	110.38
1	C	169	ILE	CA-C-O	5.59	127.03	120.71
1	A	57	VAL	CA-C-O	-5.58	114.53	120.39
1	D	107	ARG	CG-CD-NE	-5.57	99.75	112.00
1	A	317	TYR	N-CA-C	-5.57	105.61	112.90
1	C	248	VAL	CA-C-O	-5.55	112.97	119.85
1	C	54	ASP	CA-CB-CG	5.53	118.13	112.60
1	D	368	SER	N-CA-CB	-5.53	105.16	111.79
1	C	1	MSE	CB-CG-SE	-5.51	96.16	112.70
1	B	125	ARG	N-CA-C	-5.51	105.82	112.54
1	C	105	HIS	CA-CB-CG	-5.51	108.29	113.80
1	C	3	TYR	CA-C-O	-5.48	115.36	121.23
1	C	253	PHE	CA-C-O	5.47	126.93	120.69
1	C	38	ARG	CD-NE-CZ	5.47	132.06	124.40
1	A	126	ASN	CA-CB-CG	-5.43	107.17	112.60
1	C	63	ARG	NE-CZ-NH2	-5.40	114.34	119.20
1	D	203	TYR	CA-C-O	-5.40	115.15	120.82
1	A	237	ARG	NE-CZ-NH1	-5.40	116.10	121.50
1	A	107	ARG	NE-CZ-NH2	5.38	124.04	119.20
1	D	249	SER	CA-C-O	5.38	125.99	119.11
1	B	155	MSE	CA-CB-CG	-5.36	103.39	114.10
1	C	55	GLN	CA-CB-CG	5.35	124.80	114.10
1	D	320	LEU	CA-C-O	-5.34	112.87	120.51
1	C	318	LYS	CB-CG-CD	5.34	123.58	111.30
1	A	160	HIS	CA-CB-CG	5.33	119.13	113.80
1	C	171	VAL	N-CA-C	5.33	113.14	107.76
1	B	217	VAL	O-C-N	5.32	128.94	123.20
1	D	209	ARG	N-CA-C	-5.31	105.40	111.14
1	B	313	ILE	N-CA-CB	-5.31	104.28	110.17
1	C	16	ALA	O-C-N	-5.31	117.11	123.27
1	D	337	ARG	CA-C-O	-5.30	115.36	121.19
1	A	49	MSE	CB-CG-SE	-5.30	96.80	112.70
1	A	75	ASP	CA-CB-CG	5.30	117.90	112.60
1	A	286	ARG	NE-CZ-NH1	5.30	126.80	121.50
1	D	331	TYR	CA-CB-CG	5.30	123.44	113.90
1	D	117	ILE	CA-C-N	5.29	127.32	120.44
1	D	117	ILE	C-N-CA	5.29	127.32	120.44
1	A	9	SER	O-C-N	5.29	127.72	122.12
1	D	324	ASP	CA-CB-CG	5.28	117.88	112.60
1	B	160	HIS	CA-CB-CG	5.25	119.05	113.80
1	D	195	GLU	CA-C-O	5.25	125.72	119.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	125	ARG	N-CA-C	-5.24	105.68	111.71
1	C	75	ASP	CB-CA-C	-5.23	99.02	109.33
1	A	89	SER	N-CA-CB	-5.23	101.93	109.83
1	A	332	LYS	N-CA-CB	5.22	118.76	110.57
1	C	36	LEU	CA-C-O	5.20	126.06	120.55
1	D	225	VAL	CA-C-N	5.20	125.13	119.78
1	D	225	VAL	C-N-CA	5.20	125.13	119.78
1	C	208	LYS	CA-C-N	-5.20	113.79	120.65
1	C	208	LYS	C-N-CA	-5.20	113.79	120.65
1	C	331	TYR	CA-CB-CG	5.19	123.25	113.90
1	A	227	VAL	CA-C-N	-5.18	113.63	121.51
1	A	227	VAL	C-N-CA	-5.18	113.63	121.51
1	A	304	ILE	CA-C-O	-5.18	115.14	121.04
1	B	209	ARG	CB-CA-C	5.17	120.20	110.63
1	C	88	MSE	CG-SE-CE	-5.17	87.55	98.92
1	B	121	PHE	CA-CB-CG	5.17	118.97	113.80
1	A	71	PRO	CA-C-N	-5.15	116.44	122.93
1	A	71	PRO	C-N-CA	-5.15	116.44	122.93
1	B	375	LYS	CA-C-O	-5.15	115.09	120.55
1	C	356	THR	CA-C-O	5.15	126.22	120.82
1	B	127	SER	N-CA-C	-5.14	105.12	111.40
1	D	125	ARG	N-CA-C	-5.13	105.81	111.71
1	C	382	ARG	NE-CZ-NH1	-5.12	116.38	121.50
1	D	107	ARG	CB-CA-C	5.12	115.60	109.31
1	C	381	HIS	CA-C-O	5.11	125.84	120.42
1	D	147	LYS	CA-C-O	-5.11	115.13	120.55
1	B	290	ASN	OD1-CG-ND2	5.10	127.70	122.60
1	B	331	TYR	CA-CB-CG	5.09	123.06	113.90
1	A	257	GLU	CA-C-O	-5.08	115.84	121.33
1	C	206	GLN	CA-C-O	5.08	126.15	120.82
1	B	198	GLN	CA-C-O	5.07	125.79	120.42
1	A	343	LEU	CA-C-N	5.06	124.67	119.05
1	A	343	LEU	C-N-CA	5.06	124.67	119.05
1	D	317	TYR	N-CA-C	-5.04	106.39	112.54
1	D	94	GLU	N-CA-C	5.04	117.73	110.28
1	A	174	ASN	N-CA-C	5.03	118.33	111.39
1	C	13	ARG	N-CA-CB	-5.03	103.77	111.56
1	A	331	TYR	CA-C-O	-5.02	115.85	121.23
1	D	59	THR	CA-CB-CG2	5.02	119.03	110.50
1	A	114	VAL	O-C-N	5.01	126.73	121.87
1	D	95	ASP	CA-CB-CG	5.00	117.60	112.60

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	D	10	HIS	Mainchain
1	D	248	VAL	Mainchain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3037	0	3050	51	0
1	B	3043	0	3053	45	0
1	C	3035	0	3054	74	0
1	D	3022	0	3038	87	0
2	A	21	0	0	0	0
2	B	14	0	0	0	0
2	C	14	0	0	0	0
2	D	14	0	0	1	0
3	A	12	0	18	4	0
3	B	4	0	6	1	0
3	C	4	0	6	2	0
3	D	8	0	12	2	0
4	A	31	0	19	5	0
4	B	31	0	19	4	0
4	C	62	0	38	7	0
4	D	62	0	38	6	0
5	A	21	0	8	0	0
5	B	21	0	8	1	0
5	C	21	0	8	0	0
5	D	21	0	8	0	0
6	A	453	0	0	7	0
6	B	528	0	0	11	0
6	C	469	0	0	16	0
6	D	479	0	0	16	0
All	All	14427	0	12383	259	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (259) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:348:MSE:SE	1:D:348:MSE:CE	2.14	1.45
1:C:138:MSE:CG	1:C:138:MSE:SE	2.15	1.45
1:D:273:MSE:SE	1:D:273:MSE:CE	2.14	1.45
1:D:138:MSE:SE	1:D:138:MSE:CG	2.16	1.42
1:B:88:MSE:SE	1:B:88:MSE:CE	2.16	1.42
1:C:348:MSE:CE	1:C:348:MSE:SE	2.19	1.41
1:C:321:MSE:CG	1:C:321:MSE:SE	2.19	1.40
1:A:273:MSE:CG	1:A:273:MSE:SE	2.24	1.36
1:C:88:MSE:SE	1:C:88:MSE:CE	2.27	1.32
1:D:49:MSE:CG	1:D:49:MSE:SE	2.28	1.32
1:B:88:MSE:SE	1:B:88:MSE:CG	2.28	1.31
1:A:348:MSE:SE	1:A:348:MSE:CE	2.29	1.29
1:C:321:MSE:SE	1:C:321:MSE:CE	2.33	1.27
1:C:273:MSE:CG	1:C:273:MSE:SE	2.36	1.23
1:D:273:MSE:SE	1:D:273:MSE:CG	2.40	1.20
1:B:321:MSE:CG	1:B:321:MSE:SE	2.40	1.18
1:C:211:GLY:HA3	1:C:318:LYS:HD3	1.36	1.07
1:C:103[B]:ILE:HG12	1:C:124:LEU:HB2	1.41	1.00
1:A:99:SER:HB2	6:A:5452:HOH:O	1.60	1.00
1:C:284:TYR:HB2	3:C:3003:EDO:H12	1.44	0.97
1:D:202:ASP:HB2	6:D:5444:HOH:O	1.67	0.94
1:D:218[A]:VAL:HG11	1:D:347:GLY:HA2	1.51	0.91
1:A:5:THR:H	1:B:234:GLN:HE22	1.14	0.91
1:C:211:GLY:HA3	1:C:318:LYS:CD	2.05	0.87
1:D:273:MSE:SE	1:D:273:MSE:CB	2.73	0.87
1:C:218[A]:VAL:HG11	1:C:347:GLY:HA2	1.57	0.85
1:D:33:ASN:HD21	1:D:56:VAL:H	1.25	0.84
1:C:32[B]:ILE:HD12	1:C:56:VAL:HG11	1.57	0.84
1:D:284:TYR:HB2	3:D:3004:EDO:H22	1.60	0.82
1:D:32[B]:ILE:HD13	1:D:56:VAL:HG11	1.63	0.81
1:C:33:ASN:HD21	1:C:56:VAL:H	1.24	0.80
1:C:321:MSE:SE	1:C:321:MSE:CB	2.82	0.78
1:C:103[B]:ILE:HD12	1:C:334:THR:HG21	1.66	0.77
1:A:194:GLN:HG3	6:A:5173:HOH:O	1.84	0.77
1:C:321:MSE:SE	1:C:321:MSE:HA	2.36	0.75
1:B:88:MSE:SE	1:B:88:MSE:CB	2.84	0.74
1:D:49:MSE:SE	1:D:49:MSE:CB	2.85	0.74
1:D:122:ASP:HB2	6:D:5336:HOH:O	1.86	0.74
1:B:382[B]:ARG:NH2	6:B:5021:HOH:O	2.21	0.72
1:C:138:MSE:SE	1:C:138:MSE:CB	2.88	0.72
1:D:138:MSE:SE	1:D:138:MSE:CB	2.88	0.71
1:D:319:PRO:O	1:D:320:LEU:HG	1.93	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:32[B]:ILE:HD11	1:D:58:PHE:CZ	2.29	0.68
1:C:273:MSE:SE	1:C:273:MSE:CB	2.91	0.68
1:C:321:MSE:SE	1:C:321:MSE:CA	2.91	0.68
1:A:368:SER:O	3:A:3006:EDO:H11	1.94	0.67
1:B:321:MSE:SE	1:B:321:MSE:CB	2.92	0.67
1:C:103[B]:ILE:HG23	1:C:125:ARG:N	2.11	0.66
6:B:5105:HOH:O	1:D:59:THR:HG23	1.96	0.66
1:D:194:GLN:C	1:D:196:ARG:H	2.03	0.66
1:D:194:GLN:C	1:D:196:ARG:N	2.53	0.66
1:A:273:MSE:SE	1:A:273:MSE:CB	2.94	0.65
6:A:5067:HOH:O	1:C:59:THR:HG23	1.97	0.65
1:D:210:ASP:HA	6:D:5243:HOH:O	1.96	0.65
1:C:348:MSE:HB2	6:C:5104:HOH:O	1.97	0.65
1:A:185:ALA:HB2	6:A:5101:HOH:O	1.97	0.64
1:C:210:ASP:HA	6:C:5424:HOH:O	1.96	0.64
1:D:32[B]:ILE:HD11	1:D:58:PHE:HZ	1.61	0.64
1:B:339:ASP:HB3	1:B:340:PRO:HD2	1.80	0.62
1:C:59:THR:HG22	1:C:73:THR:HB	1.80	0.62
1:B:242:ARG:HD2	6:B:5452:HOH:O	1.98	0.62
1:D:83:LYS:NZ	1:D:337:ARG:HH12	1.98	0.62
1:D:218[A]:VAL:HG12	1:D:350:MSE:SE	2.49	0.61
1:D:284:TYR:CB	3:D:3004:EDO:H22	2.28	0.61
1:C:196:ARG:O	1:C:200:ILE:HG12	2.00	0.61
1:C:380:LYS:HE3	6:C:5111:HOH:O	1.99	0.60
1:A:32[B]:ILE:HD12	1:A:56:VAL:HG11	1.83	0.60
1:D:182:GLN:HG2	6:D:5364:HOH:O	2.02	0.59
1:A:313[A]:ILE:HD12	4:A:4001:FMN:C10	2.32	0.59
1:B:227:VAL:HG21	3:B:3002:EDO:H11	1.84	0.59
1:B:182:GLN:HG3	6:B:5102:HOH:O	2.03	0.58
1:D:238:LYS:HD3	6:D:5363:HOH:O	2.03	0.58
1:A:30:GLU:OE1	1:A:34[B]:GLU:HG3	2.04	0.58
1:C:280:LYS:HG2	6:C:5232:HOH:O	2.02	0.58
1:D:138:MSE:SE	1:D:138:MSE:HA	2.54	0.58
1:D:59:THR:HG22	1:D:73:THR:HB	1.86	0.57
1:B:196:ARG:O	1:B:200:ILE:HG12	2.04	0.57
4:D:4006:FMN:HM82	6:D:5379:HOH:O	2.02	0.57
1:B:285[B]:THR:HG22	6:B:5134:HOH:O	2.03	0.57
1:B:238:LYS:HD3	6:B:5286:HOH:O	2.05	0.57
1:A:44:GLY:O	1:A:340:PRO:HD2	2.03	0.57
1:B:246:ALA:HB1	1:B:353:VAL:CG1	2.35	0.56
1:C:218[B]:VAL:HG23	1:C:350:MSE:SE	2.56	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:105:HIS:HB3	1:A:331:TYR:CZ	2.41	0.56
1:C:318:LYS:NZ	1:C:318:LYS:HB3	2.21	0.56
1:C:155:MSE:HE3	1:C:225:VAL:HG22	1.87	0.56
1:D:48:ARG:HG3	1:D:49:MSE:HE2	1.87	0.56
1:D:196:ARG:HD2	1:D:199:GLU:OE2	2.06	0.56
1:C:332:LYS:HE3	6:C:5307:HOH:O	2.05	0.56
1:A:193:ASN:ND2	1:A:195:GLU:H	2.03	0.56
1:B:94:GLU:HG2	6:B:5303:HOH:O	2.05	0.56
1:C:138:MSE:SE	1:C:138:MSE:HA	2.56	0.55
1:D:106:PRO:HD2	1:D:323:VAL:O	2.06	0.55
1:B:314:PRO:O	1:B:316:LEU:HD12	2.05	0.55
1:A:32[B]:ILE:HD13	1:A:74:MSE:SE	2.57	0.55
1:C:138:MSE:SE	1:C:138:MSE:CA	3.05	0.55
1:D:273:MSE:SE	1:D:273:MSE:HB3	2.54	0.55
1:C:313:ILE:HG23	4:C:4003:FMN:C2	2.38	0.54
1:A:329[A]:GLU:OE1	1:A:330:PRO:HD2	2.07	0.54
1:D:33:ASN:ND2	1:D:56:VAL:H	2.00	0.54
1:A:80:ASP:O	1:A:83:LYS:HG2	2.08	0.54
1:A:322:SER:HB3	1:A:331:TYR:CZ	2.42	0.54
1:B:272:VAL:HB	1:B:273:MSE:HE2	1.89	0.54
1:D:313:ILE:HG23	4:D:4004:FMN:C2	2.37	0.53
1:C:32[B]:ILE:CD1	1:C:56:VAL:HG11	2.34	0.53
1:A:193:ASN:C	1:A:193:ASN:HD22	2.16	0.53
1:C:33:ASN:ND2	1:C:56:VAL:H	2.00	0.52
1:C:318:LYS:HB3	1:C:318:LYS:HZ3	1.74	0.52
1:A:49:MSE:HA	1:A:49:MSE:HE2	1.92	0.52
1:D:317:TYR:O	1:D:319:PRO:HD3	2.10	0.52
1:B:246:ALA:HB1	1:B:353:VAL:HG13	1.92	0.51
4:B:4002:FMN:H2'	4:B:4002:FMN:N1	2.25	0.51
4:C:4005:FMN:O2'	4:D:4006:FMN:O2'	2.28	0.51
1:C:282:ASP:HB2	6:C:5215:HOH:O	2.10	0.51
4:C:4005:FMN:H5'2	2:D:2006:NCO:N2	2.25	0.51
1:A:218[A]:VAL:HG11	1:A:347:GLY:HA2	1.91	0.51
1:C:128:LEU:C	1:C:128:LEU:HD23	2.36	0.51
1:C:209:ARG:O	1:C:211:GLY:N	2.43	0.51
1:D:218[B]:VAL:HG23	1:D:350:MSE:SE	2.60	0.51
1:A:322:SER:HB3	1:A:331:TYR:CE2	2.46	0.50
1:C:209:ARG:NH2	6:C:5318:HOH:O	2.44	0.50
1:D:48:ARG:HD2	1:D:52:GLU:HG2	1.93	0.50
1:D:273:MSE:SE	1:D:273:MSE:CA	3.09	0.50
1:B:128:LEU:C	1:B:128:LEU:HD23	2.37	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:211:GLY:HA3	1:C:318:LYS:HG3	1.94	0.50
1:D:101:ARG:HA	1:D:101:ARG:NE	2.26	0.50
4:C:4003:FMN:H2'	4:C:4003:FMN:N1	2.26	0.50
1:D:186:GLN:HG2	6:D:5355:HOH:O	2.10	0.50
1:D:138:MSE:SE	1:D:138:MSE:CA	3.10	0.50
1:B:105:HIS:HE1	1:B:324:ASP:OD2	1.95	0.49
1:B:321:MSE:CE	1:B:321:MSE:HB2	2.42	0.49
1:D:33:ASN:O	1:D:37:ARG:HG3	2.12	0.49
1:B:30:GLU:O	1:B:34[B]:GLU:HG3	2.12	0.49
1:B:44:GLY:O	1:B:340:PRO:HD2	2.12	0.49
1:D:194:GLN:HG2	1:D:197:GLU:OE1	2.13	0.49
1:B:252:ALA:HA	4:B:4002:FMN:O1P	2.13	0.49
1:D:49:MSE:SE	1:D:49:MSE:HA	2.62	0.49
1:C:211:GLY:HA3	1:C:318:LYS:CG	2.43	0.49
1:A:262:PHE:HA	1:B:309:VAL:HG11	1.95	0.48
1:B:313:ILE:HG23	4:B:4002:FMN:C2	2.43	0.48
1:C:43:TYR:CE1	1:C:201:LYS:HE3	2.49	0.48
1:A:384:TYR:CZ	1:B:120:ARG:HG2	2.48	0.48
1:B:376[A]:GLU:HG3	6:B:5300:HOH:O	2.12	0.48
1:D:9:SER:OG	1:D:48:ARG:NH2	2.46	0.48
1:D:218[A]:VAL:HG11	1:D:347:GLY:CA	2.34	0.48
4:D:4004:FMN:N1	4:D:4004:FMN:H2'	2.29	0.48
1:C:32[B]:ILE:HD11	1:C:58:PHE:CZ	2.49	0.48
1:B:219:GLU:HB2	1:B:307:ARG:HG2	1.95	0.48
1:D:319:PRO:HG3	1:D:335:VAL:HG22	1.96	0.48
1:A:284:TYR:CB	3:A:3001:EDO:H22	2.44	0.48
1:B:306:VAL:HG13	1:B:350:MSE:HE2	1.96	0.48
1:A:252:ALA:HA	4:A:4001:FMN:O1P	2.14	0.48
1:C:209:ARG:HA	6:C:5353:HOH:O	2.13	0.48
1:C:206:GLN:HG2	6:C:5204:HOH:O	2.14	0.47
1:D:59:THR:HB	6:D:5048:HOH:O	2.14	0.47
1:D:209:ARG:HG3	6:D:5295:HOH:O	2.14	0.47
1:D:53:ASN:C	1:D:53:ASN:HD22	2.22	0.47
1:C:245:GLN:HB2	1:D:245:GLN:HB2	1.96	0.47
1:D:191:ILE:HD12	1:D:193:ASN:O	2.14	0.47
1:A:315:THR:HG23	4:A:4001:FMN:O2	2.15	0.47
1:A:327:THR:O	1:A:328:HIS:HB2	2.15	0.47
1:A:91:GLU:CD	1:A:91:GLU:H	2.22	0.47
1:D:107:ARG:HA	1:D:108:PRO:HD3	1.73	0.47
1:D:343:LEU:HB3	1:D:344:PRO:HD3	1.96	0.47
1:D:318:LYS:HG2	1:D:318:LYS:O	2.14	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:313:ILE:HG12	4:C:4003:FMN:C10	2.46	0.46
1:D:101:ARG:HA	1:D:101:ARG:CZ	2.44	0.46
3:A:3006:EDO:H21	6:A:5230:HOH:O	2.14	0.46
1:B:167:LYS:HD2	1:B:200:ILE:HD13	1.97	0.46
1:C:238:LYS:HD3	6:C:5133:HOH:O	2.16	0.46
1:D:128:LEU:C	1:D:128:LEU:HD23	2.40	0.46
1:A:32[B]:ILE:CD1	1:A:74:MSE:SE	3.14	0.46
1:D:94:GLU:O	1:D:95:ASP:C	2.59	0.46
1:D:58:PHE:CD1	1:D:74:MSE:HG2	2.51	0.45
1:A:105:HIS:HB3	1:A:331:TYR:OH	2.15	0.45
1:C:32[B]:ILE:HD13	1:C:74:MSE:SE	2.66	0.45
1:C:44:GLY:O	1:C:339:ASP:HB3	2.16	0.45
1:C:212:ASP:OD1	1:D:268:LYS:HE3	2.16	0.45
1:C:384:TYR:CZ	1:D:120:ARG:HG2	2.52	0.45
1:D:307:ARG:NH2	6:D:5144:HOH:O	2.48	0.45
1:B:321:MSE:HE2	1:B:321:MSE:HA	1.98	0.45
1:C:218[A]:VAL:HG12	1:C:350:MSE:SE	2.66	0.45
1:D:28:THR:O	1:D:32[B]:ILE:HD12	2.16	0.45
1:D:259:GLY:O	1:D:307:ARG:NH2	2.46	0.45
1:B:134:ARG:HD3	5:B:5002:EPS:H82	1.99	0.45
1:B:380:LYS:HD2	1:B:380:LYS:HA	1.61	0.45
1:C:196:ARG:HG3	6:C:5227:HOH:O	2.15	0.45
1:B:13:ARG:NH2	1:D:59:THR:HG21	2.32	0.45
1:C:96:ARG:HG3	6:C:5426:HOH:O	2.17	0.44
1:C:227:VAL:HG11	3:C:3003:EDO:H22	1.99	0.44
1:C:376:GLU:HG3	6:C:5145:HOH:O	2.16	0.44
1:A:13:ARG:NH2	1:C:59:THR:HG21	2.33	0.44
1:C:39:ARG:HD3	1:C:140:VAL:HG21	1.99	0.44
1:D:97:LEU:O	1:D:100:LYS:HB2	2.17	0.44
1:A:193:ASN:HD22	1:A:195:GLU:H	1.66	0.44
1:D:49:MSE:SE	1:D:49:MSE:CA	3.16	0.44
1:D:194:GLN:HG3	6:D:5172:HOH:O	2.18	0.44
1:C:209:ARG:C	1:C:211:GLY:H	2.25	0.44
1:D:205:ASP:O	1:D:209:ARG:HG2	2.18	0.44
1:A:284:TYR:HB3	3:A:3001:EDO:H22	1.99	0.43
1:A:380:LYS:NZ	1:D:376:GLU:OE1	2.51	0.43
1:C:143:GLY:HA3	1:C:352:ALA:HB1	2.00	0.43
1:A:5:THR:N	1:B:234:GLN:HE22	1.98	0.43
1:B:8:GLU:HB3	1:B:129:GLU:HB3	2.01	0.43
1:B:135:GLU:HB3	6:B:5124:HOH:O	2.17	0.43
1:A:206:GLN:HG2	6:A:5419:HOH:O	2.17	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:83:LYS:HZ1	1:D:337:ARG:HH12	1.62	0.43
1:D:171:VAL:HG22	1:D:192:VAL:CG2	2.49	0.43
1:A:366:PHE:O	1:A:367:SER:C	2.61	0.43
4:C:4005:FMN:H5'1	6:C:5376:HOH:O	2.19	0.43
1:D:246:ALA:HB1	1:D:353:VAL:CG1	2.49	0.43
1:A:44:GLY:O	1:A:339:ASP:HB3	2.19	0.43
1:A:306:VAL:HG13	1:A:350:MSE:HE2	2.01	0.43
1:A:376:GLU:OE1	1:D:380:LYS:NZ	2.52	0.43
1:D:209:ARG:O	1:D:211:GLY:N	2.52	0.43
1:B:79:LYS:HB3	6:B:5323:HOH:O	2.18	0.42
1:C:53:ASN:HB3	1:C:79:LYS:NZ	2.34	0.42
1:C:192:VAL:HG22	6:C:5027:HOH:O	2.19	0.42
1:D:339:ASP:HA	6:D:5436:HOH:O	2.18	0.42
1:D:337:ARG:HG2	6:D:5208:HOH:O	2.18	0.42
4:D:4006:FMN:H2'	4:D:4006:FMN:H9	2.01	0.42
1:B:332:LYS:HE3	6:B:5390:HOH:O	2.19	0.42
1:D:83:LYS:HZ3	1:D:337:ARG:HH12	1.65	0.42
1:C:179:GLU:O	1:C:183:ARG:HG3	2.20	0.42
4:D:4006:FMN:H9	6:D:5217:HOH:O	2.19	0.42
1:A:37:ARG:HD3	6:A:5121:HOH:O	2.20	0.42
1:A:193:ASN:ND2	1:A:193:ASN:C	2.77	0.42
1:A:269:GLY:O	1:A:273:MSE:HG2	2.20	0.42
1:C:318:LYS:NZ	1:C:318:LYS:CB	2.81	0.42
1:D:327:THR:O	1:D:328:HIS:HB2	2.19	0.42
4:A:4001:FMN:H9	4:A:4001:FMN:H1'1	1.92	0.41
1:C:209:ARG:C	1:C:211:GLY:N	2.77	0.41
1:D:96:ARG:H	1:D:96:ARG:HG3	1.52	0.41
1:B:55:GLN:HE21	1:B:55:GLN:HB3	1.70	0.41
1:C:273:MSE:SE	1:C:273:MSE:CA	3.18	0.41
1:D:125:ARG:HD2	6:D:5046:HOH:O	2.19	0.41
1:B:88:MSE:SE	1:B:88:MSE:HB3	2.71	0.41
1:A:273:MSE:SE	1:A:273:MSE:CA	3.18	0.41
4:B:4002:FMN:H9	4:B:4002:FMN:H1'1	1.86	0.41
1:C:31:ASP:CG	1:C:148:ARG:HD3	2.45	0.41
1:D:195:GLU:HB2	6:D:5327:HOH:O	2.21	0.41
1:C:211:GLY:O	1:C:318:LYS:HG3	2.20	0.41
1:D:171:VAL:HG22	1:D:192:VAL:HG22	2.02	0.41
1:C:194:GLN:HG3	6:C:5065:HOH:O	2.20	0.41
4:C:4005:FMN:H1'1	4:C:4005:FMN:H4'	1.82	0.41
1:D:319:PRO:HG3	1:D:335:VAL:CG2	2.50	0.41
1:A:171:VAL:HA	1:A:172:PRO:HD3	2.01	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:242[B]:ARG:HD3	1:A:357:VAL:HG13	2.03	0.41
1:B:120:ARG:NH1	1:D:372:GLU:OE1	2.44	0.41
1:C:196:ARG:HD2	1:C:199:GLU:OE2	2.21	0.41
1:A:143:GLY:HA3	1:A:352:ALA:HB1	2.03	0.40
1:B:229:LEU:HD23	1:B:365:LYS:HD3	2.03	0.40
1:A:298:MSE:HE3	1:A:298:MSE:HB2	1.94	0.40
1:A:302:GLN:HB3	1:A:303:PRO:HD2	2.03	0.40
1:D:171:VAL:HA	1:D:172:PRO:HD3	1.95	0.40
1:D:313:ILE:HA	1:D:314:PRO:HD3	1.96	0.40
1:A:32[B]:ILE:HD11	1:A:58:PHE:CZ	2.56	0.40
1:C:246:ALA:HB1	1:C:353:VAL:HG13	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	394/388 (102%)	386 (98%)	7 (2%)	1 (0%)	36	35
1	B	394/388 (102%)	387 (98%)	6 (2%)	1 (0%)	36	35
1	C	394/388 (102%)	383 (97%)	10 (2%)	1 (0%)	36	35
1	D	390/388 (100%)	375 (96%)	10 (3%)	5 (1%)	9	5
All	All	1572/1552 (101%)	1531 (97%)	33 (2%)	8 (0%)	24	21

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	47	GLY
1	D	319	PRO
1	D	47	GLY
1	D	320	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	210	ASP
1	D	95	ASP
1	D	210	ASP
1	B	47	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	327/308 (106%)	321 (98%)	6 (2%)	51	58
1	B	327/308 (106%)	321 (98%)	6 (2%)	51	58
1	C	327/308 (106%)	317 (97%)	10 (3%)	35	37
1	D	323/308 (105%)	304 (94%)	19 (6%)	18	14
All	All	1304/1232 (106%)	1263 (97%)	41 (3%)	35	37

All (41) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	89	SER
1	A	91	GLU
1	A	193	ASN
1	A	309	VAL
1	A	338	SER
1	A	358	LEU
1	B	55	GLN
1	B	91	GLU
1	B	94	GLU
1	B	100	LYS
1	B	108	PRO
1	B	273	MSE
1	C	59	THR
1	C	128	LEU
1	C	196	ARG
1	C	218[A]	VAL
1	C	218[B]	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	313	ILE
1	C	316	LEU
1	C	318	LYS
1	C	358	LEU
1	C	386	LYS
1	D	48	ARG
1	D	53	ASN
1	D	59	THR
1	D	91	GLU
1	D	94	GLU
1	D	95	ASP
1	D	96	ARG
1	D	99	SER
1	D	101	ARG
1	D	107	ARG
1	D	175	LEU
1	D	196	ARG
1	D	206	GLN
1	D	218[A]	VAL
1	D	218[B]	VAL
1	D	273	MSE
1	D	280	LYS
1	D	318	LYS
1	D	358	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	159	ASN
1	A	186	GLN
1	A	193	ASN
1	A	198	GLN
1	A	302	GLN
1	B	55	GLN
1	B	105	HIS
1	B	186	GLN
1	B	194	GLN
1	B	234	GLN
1	C	33	ASN
1	C	182	GLN
1	C	245	GLN
1	D	33	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	53	ASN
1	D	55	GLN
1	D	174	ASN
1	D	182	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

26 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	EPS	C	5003	-	20,21,21	4.34	14 (70%)	26,31,31	4.37	17 (65%)
3	EDO	D	3007	-	3,3,3	0.51	0	2,2,2	0.61	0
3	EDO	A	3006	-	3,3,3	0.76	0	2,2,2	1.16	0
5	EPS	D	5004	-	20,21,21	4.22	14 (70%)	26,31,31	4.45	17 (65%)
2	NCO	A	2004	-	6,6,6	0.51	0	-	-	-
4	FMN	D	4006	-	33,33,33	1.30	4 (12%)	48,50,50	1.56	8 (16%)
2	NCO	B	2003	-	6,6,6	0.69	0	-	-	-
5	EPS	A	5001	-	20,21,21	4.34	14 (70%)	26,31,31	4.12	15 (57%)
2	NCO	B	2008	-	6,6,6	0.52	0	-	-	-

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NCO	C	2001	-	6,6,6	0.75	0	-		
4	FMN	D	4004	-	33,33,33	1.24	2 (6%)	48,50,50	1.70	15 (31%)
3	EDO	C	3003	-	3,3,3	0.44	0	2,2,2	0.60	0
2	NCO	A	2007	-	6,6,6	0.57	0	-		
3	EDO	D	3004	-	3,3,3	0.51	0	2,2,2	0.11	0
2	NCO	A	2002	-	6,6,6	0.55	0	-		
4	FMN	A	4001	-	33,33,33	1.45	5 (15%)	48,50,50	1.48	8 (16%)
3	EDO	A	3001	-	3,3,3	0.49	0	2,2,2	0.47	0
3	EDO	A	3005	-	3,3,3	0.65	0	2,2,2	0.52	0
3	EDO	B	3002	-	3,3,3	0.52	0	2,2,2	0.70	0
5	EPS	B	5002	-	20,21,21	4.31	15 (75%)	26,31,31	5.00	18 (69%)
4	FMN	C	4005	-	33,33,33	1.20	5 (15%)	48,50,50	1.55	10 (20%)
4	FMN	C	4003	-	33,33,33	1.43	4 (12%)	48,50,50	1.72	11 (22%)
4	FMN	B	4002	-	33,33,33	1.36	4 (12%)	48,50,50	1.76	13 (27%)
2	NCO	D	2009	-	6,6,6	0.65	0	-		
2	NCO	D	2006	-	6,6,6	0.54	0	-		
2	NCO	C	2005	-	6,6,6	0.63	0	-		

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EDO	D	3004	-	-	0/1/1/1	-
5	EPS	C	5003	-	-	0/15/33/33	0/1/1/1
4	FMN	C	4005	-	-	11/18/18/18	0/3/3/3
3	EDO	D	3007	-	-	1/1/1/1	-
3	EDO	A	3001	-	-	0/1/1/1	-
4	FMN	A	4001	-	-	1/18/18/18	0/3/3/3
3	EDO	A	3005	-	-	1/1/1/1	-
4	FMN	D	4004	-	-	1/18/18/18	0/3/3/3
3	EDO	A	3006	-	-	1/1/1/1	-
4	FMN	C	4003	-	-	0/18/18/18	0/3/3/3
5	EPS	D	5004	-	-	0/15/33/33	0/1/1/1
4	FMN	D	4006	-	-	1/18/18/18	0/3/3/3
3	EDO	C	3003	-	-	1/1/1/1	-
3	EDO	B	3002	-	-	1/1/1/1	-
4	FMN	B	4002	-	-	1/18/18/18	0/3/3/3
5	EPS	B	5002	-	-	0/15/33/33	0/1/1/1
5	EPS	A	5001	-	-	0/15/33/33	0/1/1/1

All (81) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	C	5003	EPS	C7-C9	-10.49	1.39	1.49
5	A	5001	EPS	C7-C9	-10.40	1.39	1.49
5	B	5002	EPS	C7-C9	-10.07	1.39	1.49
5	D	5004	EPS	C7-C9	-9.81	1.39	1.49
5	B	5002	EPS	O11-C10	6.18	1.37	1.22
5	D	5004	EPS	C3-C2	-5.88	1.41	1.50
5	C	5003	EPS	C3-C2	-5.78	1.41	1.50
5	A	5001	EPS	C3-C2	-5.71	1.41	1.50
5	B	5002	EPS	O4-C4	-5.52	1.29	1.43
5	D	5004	EPS	C4-C5	-5.50	1.41	1.53
5	B	5002	EPS	C2-C1	5.43	1.45	1.33
5	D	5004	EPS	C2-C1	5.41	1.45	1.33
5	A	5001	EPS	C4-C3	-5.30	1.43	1.52
5	B	5002	EPS	C3-C2	-5.16	1.42	1.50
5	B	5002	EPS	C4-C5	-5.09	1.42	1.53
5	A	5001	EPS	O4-C4	-5.09	1.30	1.43
5	D	5004	EPS	O11-C10	4.96	1.34	1.22
5	C	5003	EPS	O11-C10	4.93	1.34	1.22
5	C	5003	EPS	C2-C1	4.87	1.44	1.33
5	A	5001	EPS	C8-C7	4.85	1.44	1.31
5	C	5003	EPS	O4-C4	-4.84	1.31	1.43
5	C	5003	EPS	C6-C5	-4.73	1.42	1.53
5	D	5004	EPS	O4-C4	-4.71	1.31	1.43
5	C	5003	EPS	C4-C5	-4.64	1.43	1.53
5	C	5003	EPS	C4-C3	-4.57	1.44	1.52
5	A	5001	EPS	C6-C5	-4.54	1.43	1.53
5	C	5003	EPS	O5-C5	-4.52	1.38	1.46
5	C	5003	EPS	C8-C7	4.51	1.43	1.31
5	B	5002	EPS	C8-C7	4.46	1.43	1.31
5	A	5001	EPS	O5-C5	-4.44	1.38	1.46
4	A	4001	FMN	C4-N3	-4.38	1.30	1.38
5	A	5001	EPS	C2-C1	4.37	1.43	1.33
5	A	5001	EPS	C4-C5	-4.37	1.43	1.53
5	B	5002	EPS	C6-C5	-4.35	1.43	1.53
5	A	5001	EPS	C6-C1	-4.35	1.44	1.51
4	D	4004	FMN	C4-N3	-4.35	1.30	1.38
5	A	5001	EPS	O11-C10	4.31	1.33	1.22
5	D	5004	EPS	C6-C5	-4.26	1.43	1.53
5	C	5003	EPS	C6-C1	-4.20	1.44	1.51
5	D	5004	EPS	C8-C7	4.17	1.42	1.31
5	D	5004	EPS	C6-C1	-4.17	1.44	1.51
5	D	5004	EPS	O5-C5	-4.00	1.39	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	5002	EPS	C4-C3	-3.87	1.46	1.52
4	D	4006	FMN	C4-N3	-3.87	1.31	1.38
5	C	5003	EPS	O92-C9	3.82	1.32	1.22
5	B	5002	EPS	O5-C5	-3.79	1.39	1.46
5	D	5004	EPS	O92-C9	3.75	1.31	1.22
5	B	5002	EPS	C6-C1	-3.69	1.45	1.51
5	A	5001	EPS	O92-C9	3.66	1.31	1.22
5	D	5004	EPS	C4-C3	-3.57	1.46	1.52
4	C	4003	FMN	C4-N3	-3.53	1.32	1.38
4	C	4005	FMN	C4-N3	-3.50	1.32	1.38
5	A	5001	EPS	P-O3P	3.42	1.67	1.54
5	A	5001	EPS	C10-C1	-3.37	1.41	1.49
5	D	5004	EPS	C10-C1	-3.26	1.41	1.49
5	B	5002	EPS	O92-C9	3.25	1.30	1.22
5	C	5003	EPS	P-O3P	3.01	1.66	1.54
5	B	5002	EPS	P-O3P	3.00	1.65	1.54
5	C	5003	EPS	C10-C1	-2.99	1.42	1.49
5	B	5002	EPS	C10-C1	-2.96	1.42	1.49
4	B	4002	FMN	C4-N3	-2.84	1.33	1.38
4	C	4003	FMN	C7M-C7	2.79	1.56	1.51
4	A	4001	FMN	C7M-C7	2.76	1.56	1.51
4	B	4002	FMN	C6-C7	-2.75	1.35	1.39
5	D	5004	EPS	P-O3P	2.53	1.64	1.54
4	D	4006	FMN	C6-C5A	2.52	1.43	1.40
5	B	5002	EPS	P-O1P	2.44	1.58	1.50
4	A	4001	FMN	C2'-C3'	2.41	1.57	1.53
4	C	4003	FMN	C2'-C3'	2.40	1.57	1.53
4	B	4002	FMN	C6-C5A	2.33	1.43	1.40
4	D	4006	FMN	C7M-C7	2.29	1.55	1.51
4	C	4003	FMN	C6-C5A	2.28	1.43	1.40
4	A	4001	FMN	O3'-C3'	2.22	1.48	1.43
4	C	4005	FMN	O2-C2	-2.20	1.20	1.24
4	D	4004	FMN	C2'-C3'	2.19	1.57	1.53
4	B	4002	FMN	O2-C2	-2.18	1.20	1.24
4	A	4001	FMN	C1'-C2'	-2.15	1.49	1.52
4	C	4005	FMN	C7M-C7	2.14	1.55	1.51
4	D	4006	FMN	C6-C7	-2.13	1.36	1.39
4	C	4005	FMN	C6-C7	-2.05	1.36	1.39
4	C	4005	FMN	C6-C5A	2.01	1.43	1.40

All (132) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	5002	EPS	C2-C1-C10	13.19	138.02	119.99
5	B	5002	EPS	O12-C10-O11	-10.83	98.13	123.90
5	D	5004	EPS	O12-C10-O11	-10.62	98.61	123.90
5	D	5004	EPS	C2-C1-C10	10.20	133.93	119.99
5	B	5002	EPS	O12-C10-C1	10.00	136.55	115.43
5	C	5003	EPS	C2-C1-C10	9.78	133.35	119.99
5	C	5003	EPS	O12-C10-O11	-9.74	100.72	123.90
5	A	5001	EPS	O12-C10-O11	-9.11	102.20	123.90
5	A	5001	EPS	C2-C1-C10	8.75	131.95	119.99
5	A	5001	EPS	P-O3-C3	-8.56	99.96	122.25
5	C	5003	EPS	P-O3-C3	-7.66	102.29	122.25
5	D	5004	EPS	P-O3-C3	-7.40	102.98	122.25
5	B	5002	EPS	P-O3-C3	-7.33	103.15	122.25
5	A	5001	EPS	O12-C10-C1	7.27	130.78	115.43
5	C	5003	EPS	O12-C10-C1	7.00	130.21	115.43
5	D	5004	EPS	O11-C10-C1	6.41	132.88	121.64
5	D	5004	EPS	O12-C10-C1	6.19	128.51	115.43
5	B	5002	EPS	C6-C1-C2	-5.74	115.17	122.25
5	B	5002	EPS	C6-C1-C10	-5.57	106.77	116.99
5	C	5003	EPS	C6-C1-C2	-5.48	115.49	122.25
5	D	5004	EPS	C6-C1-C2	-5.46	115.51	122.25
4	C	4003	FMN	C4-C4A-N5	4.95	125.04	118.21
5	C	5003	EPS	O91-C9-C7	4.88	122.23	113.91
4	C	4003	FMN	C5A-C9A-N10	-4.80	113.62	117.97
5	C	5003	EPS	O91-C9-O92	-4.56	113.05	123.90
5	A	5001	EPS	C8-C7-C9	-4.49	114.44	122.73
4	B	4002	FMN	C4-C4A-N5	4.41	124.30	118.21
5	C	5003	EPS	O5-C7-C9	4.30	126.30	115.59
5	C	5003	EPS	C6-C1-C10	-4.29	109.11	116.99
5	B	5002	EPS	O3-C3-C2	4.25	118.36	108.09
5	C	5003	EPS	O11-C10-C1	4.24	129.06	121.64
5	A	5001	EPS	C6-C1-C2	-4.21	117.05	122.25
5	B	5002	EPS	C3-C2-C1	4.13	129.09	122.66
5	B	5002	EPS	O91-C9-C7	4.11	120.93	113.91
5	D	5004	EPS	C8-C7-C9	-4.11	115.14	122.73
4	C	4005	FMN	O3'-C3'-C2'	4.05	118.14	108.93
4	D	4006	FMN	C5'-C4'-C3'	3.98	119.73	112.22
5	B	5002	EPS	O4-C4-C5	3.96	119.09	109.32
4	D	4006	FMN	O4-C4-C4A	-3.94	116.14	126.53
5	D	5004	EPS	C3-C2-C1	3.86	128.66	122.66
5	A	5001	EPS	O91-C9-C7	3.85	120.48	113.91
5	D	5004	EPS	O91-C9-O92	-3.82	114.80	123.90
5	A	5001	EPS	C6-C1-C10	-3.78	110.06	116.99

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	5001	EPS	O2P-P-O1P	3.75	125.44	110.83
5	D	5004	EPS	C6-C1-C10	-3.71	110.17	116.99
5	A	5001	EPS	O5-C7-C9	3.69	124.77	115.59
5	D	5004	EPS	O4-C4-C3	-3.68	102.28	110.36
5	B	5002	EPS	C8-C7-C9	-3.65	115.98	122.73
5	A	5001	EPS	O91-C9-O92	-3.49	115.59	123.90
5	A	5001	EPS	O4-C4-C5	3.48	117.90	109.32
5	C	5003	EPS	C3-C2-C1	3.34	127.85	122.66
4	D	4004	FMN	C4'-C3'-C2'	3.33	119.10	113.57
4	B	4002	FMN	C8M-C8-C9	3.29	125.37	119.57
5	D	5004	EPS	O91-C9-C7	3.28	119.51	113.91
4	B	4002	FMN	C5A-C9A-N10	-3.28	115.01	117.97
4	D	4006	FMN	O4-C4-N3	3.27	126.26	120.11
5	D	5004	EPS	O5-C7-C9	3.25	123.67	115.59
5	D	5004	EPS	O4-C4-C5	3.25	117.32	109.32
5	C	5003	EPS	C8-C7-C9	-3.22	116.77	122.73
4	A	4001	FMN	C4-C4A-N5	3.19	122.61	118.21
4	D	4004	FMN	C8M-C8-C9	3.14	125.10	119.57
4	D	4004	FMN	C5'-C4'-C3'	3.13	118.12	112.22
4	A	4001	FMN	C1'-C2'-C3'	3.13	118.14	109.66
5	B	5002	EPS	O91-C9-O92	-3.11	116.50	123.90
5	A	5001	EPS	O11-C10-C1	3.07	127.02	121.64
4	B	4002	FMN	C10-N1-C2	3.01	123.36	116.85
5	C	5003	EPS	O3-C3-C4	-2.97	100.89	106.80
4	A	4001	FMN	O4-C4-N3	2.91	125.59	120.11
4	B	4002	FMN	C9A-N10-C10	2.89	125.15	120.75
4	D	4004	FMN	C9A-C9-C8	2.83	124.92	119.22
4	C	4003	FMN	C9A-C5A-N5	2.83	125.45	122.45
4	A	4001	FMN	C5'-C4'-C3'	2.82	117.53	112.22
5	B	5002	EPS	O3-C3-C4	-2.81	101.20	106.80
4	B	4002	FMN	O2'-C2'-C3'	-2.81	102.67	109.25
4	D	4004	FMN	O2'-C2'-C3'	-2.80	102.71	109.25
4	C	4003	FMN	C4A-C4-N3	2.77	120.30	113.25
5	A	5001	EPS	O3P-P-O2P	-2.76	97.44	107.80
4	B	4002	FMN	O4-C4-C4A	-2.73	119.31	126.53
4	D	4004	FMN	C9-C9A-N10	2.72	125.52	121.85
4	C	4003	FMN	C10-N1-C2	2.69	122.67	116.85
5	C	5003	EPS	O4-C4-C5	2.65	115.86	109.32
4	C	4003	FMN	O2P-P-O5'	2.65	113.58	106.67
4	D	4004	FMN	O4-C4-N3	2.64	125.09	120.11
4	C	4005	FMN	C1'-C2'-C3'	2.63	116.80	109.66
4	C	4003	FMN	O2'-C2'-C3'	-2.63	103.10	109.25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	4005	FMN	C5A-C9A-N10	-2.59	115.62	117.97
4	D	4004	FMN	C5A-C9A-N10	-2.59	115.63	117.97
5	D	5004	EPS	O92-C9-C7	2.59	125.69	121.79
4	A	4001	FMN	O3'-C3'-C4'	-2.58	103.06	108.93
4	B	4002	FMN	C5'-C4'-C3'	2.58	117.08	112.22
4	C	4005	FMN	O5'-C5'-C4'	2.54	116.13	109.36
5	C	5003	EPS	O4-C4-C3	-2.52	104.83	110.36
5	B	5002	EPS	O5-C7-C9	2.51	121.83	115.59
5	C	5003	EPS	O2P-P-O1P	2.49	120.53	110.83
5	A	5001	EPS	O4-C4-C3	-2.43	105.03	110.36
5	B	5002	EPS	O3P-P-O2P	-2.43	98.69	107.80
4	D	4004	FMN	C9A-C5A-N5	2.42	125.02	122.45
5	B	5002	EPS	O2P-P-O1P	2.40	120.19	110.83
4	D	4004	FMN	C9-C8-C7	-2.39	116.18	119.69
5	B	5002	EPS	O3P-P-O1P	-2.39	101.52	110.83
4	C	4005	FMN	O4'-C4'-C5'	2.37	115.22	109.99
4	A	4001	FMN	O4-C4-C4A	-2.37	120.28	126.53
4	C	4003	FMN	C4'-C3'-C2'	2.37	117.51	113.57
4	C	4005	FMN	C4-C4A-N5	2.34	121.44	118.21
5	C	5003	EPS	O3P-P-O2P	-2.32	99.12	107.80
4	D	4004	FMN	C4-N3-C2	2.31	129.74	125.64
4	B	4002	FMN	O3P-P-O2P	2.29	116.40	107.80
4	B	4002	FMN	C4A-C4-N3	2.25	118.97	113.25
4	D	4006	FMN	C9A-C9-C8	2.24	123.72	119.22
4	C	4003	FMN	C9-C9A-N10	2.23	124.86	121.85
4	D	4004	FMN	C1'-N10-C9A	2.23	124.96	120.63
4	C	4005	FMN	O4-C4-C4A	-2.23	120.66	126.53
4	C	4005	FMN	C4'-C3'-C2'	-2.23	109.87	113.57
4	C	4005	FMN	C10-N1-C2	2.22	121.65	116.85
5	D	5004	EPS	O2P-P-O1P	2.22	119.48	110.83
4	A	4001	FMN	O3P-P-O5'	-2.21	100.90	106.67
5	D	5004	EPS	O3-C3-C4	-2.20	102.42	106.80
4	D	4006	FMN	O4'-C4'-C5'	-2.16	105.22	109.99
4	D	4006	FMN	C10-N1-C2	2.16	121.52	116.85
4	D	4004	FMN	O3P-P-O2P	2.14	115.83	107.80
4	A	4001	FMN	O3'-C3'-C2'	2.13	113.78	108.93
4	C	4003	FMN	C5'-C4'-C3'	2.13	116.23	112.22
4	C	4005	FMN	O2'-C2'-C3'	-2.11	104.30	109.25
4	C	4003	FMN	C10-C4A-N5	-2.10	120.51	124.81
5	B	5002	EPS	O11-C10-C1	2.10	125.32	121.64
4	D	4004	FMN	C4-C4A-N5	2.10	121.11	118.21
4	D	4006	FMN	C5A-C9A-N10	-2.09	116.08	117.97

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	4002	FMN	O2P-P-O5'	2.08	112.09	106.67
4	D	4006	FMN	O3P-P-O2P	2.07	115.57	107.80
4	D	4004	FMN	C1'-C2'-C3'	2.02	115.15	109.66
4	B	4002	FMN	O3'-C3'-C4'	-2.00	104.38	108.93
4	B	4002	FMN	C10-C4A-N5	-2.00	120.72	124.81

There are no chirality outliers.

All (20) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	C	4005	FMN	C1'-C2'-C3'-O3'
4	C	4005	FMN	C1'-C2'-C3'-C4'
4	C	4005	FMN	O2'-C2'-C3'-O3'
4	C	4005	FMN	O2'-C2'-C3'-C4'
4	C	4005	FMN	C2'-C3'-C4'-O4'
4	C	4005	FMN	O3'-C3'-C4'-O4'
4	C	4005	FMN	O3'-C3'-C4'-C5'
4	C	4005	FMN	C5'-O5'-P-O2P
4	C	4005	FMN	C5'-O5'-P-O3P
4	C	4005	FMN	C2'-C3'-C4'-C5'
3	C	3003	EDO	O1-C1-C2-O2
4	D	4006	FMN	C2'-C1'-N10-C9A
4	C	4005	FMN	C5'-O5'-P-O1P
4	B	4002	FMN	C2'-C1'-N10-C10
3	A	3005	EDO	O1-C1-C2-O2
3	A	3006	EDO	O1-C1-C2-O2
4	A	4001	FMN	C4'-C5'-O5'-P
3	B	3002	EDO	O1-C1-C2-O2
4	D	4004	FMN	C5'-O5'-P-O3P
3	D	3007	EDO	O1-C1-C2-O2

There are no ring outliers.

13 monomers are involved in 31 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	3006	EDO	2	0
4	D	4006	FMN	4	0
4	D	4004	FMN	2	0
3	C	3003	EDO	2	0
3	D	3004	EDO	2	0
4	A	4001	FMN	5	0


Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	3001	EDO	2	0
3	B	3002	EDO	1	0
5	B	5002	EPS	1	0
4	C	4005	FMN	4	0
4	C	4003	FMN	3	0
4	B	4002	FMN	4	0
2	D	2006	NCO	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







Ligand FMN D 4006











Ligand FMN A 4001











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	376/388 (96%)	-1.39	0 100 100	12, 22, 46, 65	8 (2%)
1	B	376/388 (96%)	-1.43	0 100 100	12, 22, 36, 59	8 (2%)
1	C	376/388 (96%)	-1.36	0 100 100	15, 23, 50, 79	8 (2%)
1	D	376/388 (96%)	-1.35	0 100 100	14, 23, 53, 83	4 (1%)
All	All	1504/1552 (96%)	-1.38	0 100 100	12, 22, 46, 83	28 (1%)

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	NCO	A	2002	7/7	0.97	0.06	86,86,86,86	0
2	NCO	B	2008	7/7	0.97	0.06	73,73,74,74	0
2	NCO	A	2007	7/7	0.98	0.06	80,80,80,80	0
3	EDO	A	3001	4/4	0.98	0.05	25,29,30,34	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	EDO	A	3005	4/4	0.98	0.04	31,31,33,35	0
3	EDO	D	3007	4/4	0.98	0.04	28,29,30,33	0
4	FMN	C	4005	31/31	0.98	0.05	46,53,62,63	0
4	FMN	D	4006	31/31	0.98	0.04	46,50,51,51	0
2	NCO	C	2005	7/7	0.99	0.04	52,53,53,53	0
3	EDO	A	3006	4/4	0.99	0.07	38,38,39,39	0
3	EDO	B	3002	4/4	0.99	0.05	23,27,29,29	0
3	EDO	C	3003	4/4	0.99	0.04	26,32,32,33	0
3	EDO	D	3004	4/4	0.99	0.03	20,26,28,28	0
2	NCO	D	2006	7/7	0.99	0.05	47,47,47,48	0
4	FMN	A	4001	31/31	0.99	0.03	17,20,23,24	0
4	FMN	B	4002	31/31	0.99	0.03	17,20,22,23	0
4	FMN	C	4003	31/31	0.99	0.03	18,22,25,28	0
2	NCO	D	2009	7/7	0.99	0.04	25,26,28,29	0
4	FMN	D	4004	31/31	0.99	0.03	16,20,24,26	0
2	NCO	B	2003	7/7	0.99	0.04	40,41,41,42	0
5	EPS	A	5001	21/21	0.99	0.03	19,26,41,42	0
5	EPS	B	5002	21/21	0.99	0.03	21,27,37,39	0
5	EPS	C	5003	21/21	0.99	0.03	23,29,42,43	0
5	EPS	D	5004	21/21	0.99	0.03	22,33,43,44	0
2	NCO	A	2004	7/7	1.00	0.04	39,40,41,42	0
2	NCO	C	2001	7/7	1.00	0.04	34,34,35,36	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around FMN C 4005:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around FMN D 4006:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FMN A 4001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FMN B 4002:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FMN C 4003:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FMN D 4004:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around EPS A 5001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around EPS B 5002:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around EPS C 5003:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.