



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 25, 2026 – 03:05 PM EDT

PDB ID : 3QX8 / pdb_00003qx8
Title : Crystal structure of MID domain from hAGO2 in complex with m7GpppG
Authors : Frank, F.; Fabian, M.R.; Stepinski, J.; Jemielity, J.; Darzynkiewicz, E.; Sonnenberg, N.; Nagar, B.
Deposited on : 2011-03-01
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	138	2% 76% 20% ..
1	B	138	5% 60% 34% ..
1	C	138	2% 70% 25% ..

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 3358 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Protein argonaute-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	133	Total	C	N	O	S	0	0	0
			1036	659	185	182	10			
1	B	133	Total	C	N	O	S	0	0	0
			1036	659	185	182	10			
1	C	133	Total	C	N	O	S	0	0	0
			1036	659	185	182	10			

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	438	SER	-	expression tag	UNP Q9UKV8
B	438	SER	-	expression tag	UNP Q9UKV8
C	438	SER	-	expression tag	UNP Q9UKV8

- Molecule 2 is 7-METHYL-GUANOSINE-5'-TRIPHOSPHATE-5'-GUANOSINE (CCD ID: GTG) (formula: $C_{21}H_{30}N_{10}O_{18}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	23	0
			52	21	10	18	3		
2	B	1	Total	C	N	O	P	23	0
			52	21	10	18	3		
2	C	1	Total	C	N	O	P	23	0
			52	21	10	18	3		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	37	Total	O	0	0
			37	37		
3	B	32	Total	O	0	0
			32	32		
3	C	25	Total	O	0	0
			25	25		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Protein argonaute-2



- Molecule 1: Protein argonaute-2



- Molecule 1: Protein argonaute-2



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	40.69Å 46.97Å 66.12Å 86.09° 73.33° 83.38°	Depositor
Resolution (Å)	30.00 – 2.30 30.00 – 2.30	Depositor EDS
% Data completeness (in resolution range)	(Not available) (30.00-2.30) 84.2 (30.00-2.30)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.00 (at 1.69Å)	Xtriage
Refinement program	PHENIX	Depositor
R, R_{free}	0.226 , 0.279 0.212 , 0.262	Depositor DCC
R_{free} test set	2776 reflections (5.92%)	wwPDB-VP
Wilson B-factor (Å ²)	28.1	Xtriage
Anisotropy	0.314	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 41.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.000 for -h,-k,-h+l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	3358	wwPDB-VP
Average B, all atoms (Å ²)	35.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.81% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GTG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.46	0/1055	0.98	3/1425 (0.2%)
1	B	0.45	0/1055	0.93	3/1425 (0.2%)
1	C	0.46	0/1055	1.00	7/1425 (0.5%)
All	All	0.46	0/3165	0.97	13/4275 (0.3%)

There are no bond length outliers.

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	552	VAL	N-CA-C	-7.40	105.45	111.81
1	C	556	THR	N-CA-C	-7.08	101.85	108.22
1	A	501	VAL	N-CA-C	6.46	116.94	110.23
1	B	526	THR	O-C-N	5.86	126.41	121.84
1	C	539	VAL	N-CA-C	5.83	116.01	110.53
1	A	539	VAL	N-CA-C	5.74	116.87	111.48
1	C	483	MET	CA-C-N	5.56	125.88	119.93
1	C	483	MET	C-N-CA	5.56	125.88	119.93
1	B	457	ALA	N-CA-C	-5.44	102.78	110.29
1	B	463	THR	N-CA-C	5.41	117.06	110.41
1	A	570	LYS	N-CA-C	5.40	117.17	111.28
1	C	469	SER	N-CA-C	-5.22	105.27	111.69
1	C	457	ALA	N-CA-C	-5.13	103.21	110.29

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1036	0	1077	20	0
1	B	1036	0	1077	44	0
1	C	1036	0	1077	22	0
2	A	52	0	26	4	0
2	B	52	0	26	18	0
2	C	52	0	26	1	0
3	A	37	0	0	0	0
3	B	32	0	0	0	0
3	C	25	0	0	0	0
All	All	3358	0	3309	86	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (86) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:522:LEU:HB2	2:B:28:GTG:HC71	1.42	1.00
1:A:440:LYS:HD3	1:A:441:GLN:H	1.24	0.96
1:A:440:LYS:HD3	1:A:441:GLN:N	1.83	0.93
1:B:524:GLY:O	2:B:28:GTG:C7X	2.21	0.88
1:B:524:GLY:CA	2:B:28:GTG:HC72	2.05	0.87
1:A:525:LYS:HA	2:A:28:GTG:HC71	1.59	0.84
1:B:524:GLY:O	2:B:28:GTG:HC73	1.81	0.80
1:B:524:GLY:C	2:B:28:GTG:HC72	2.07	0.80
1:B:522:LEU:CB	2:B:28:GTG:HC71	2.15	0.77
1:B:498:ALA:HB1	1:B:531:GLU:HG2	1.70	0.74
1:B:459:GLN:HB3	1:B:494:TYR:CZ	2.27	0.69
1:B:524:GLY:O	2:B:28:GTG:HC72	1.90	0.69
1:C:521:ILE:HD12	1:C:552:VAL:HG21	1.74	0.68
1:B:502:GLU:HB3	1:B:503:PRO:HD3	1.76	0.66
1:B:531:GLU:HA	1:B:531:GLU:OE1	1.96	0.64
1:C:521:ILE:HD13	1:C:547:VAL:HG13	1.80	0.64
1:C:448:ILE:HD12	1:C:485:ILE:HG12	1.80	0.63
1:B:526:THR:N	2:B:28:GTG:O6A	2.31	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:544:THR:O	1:C:570:LYS:HE2	1.99	0.62
1:A:475:ARG:HD3	1:A:487:GLY:HA3	1.81	0.61
1:B:450:VAL:HG12	1:B:515:LEU:HA	1.81	0.61
1:C:521:ILE:HD13	1:C:547:VAL:CG1	2.32	0.60
1:B:524:GLY:O	2:B:28:GTG:O6A	2.20	0.59
1:A:525:LYS:HA	2:A:28:GTG:C7X	2.30	0.59
1:B:443:HIS:CD2	1:B:572:GLY:HA3	2.38	0.59
1:B:522:LEU:HB2	2:B:28:GTG:C7X	2.26	0.58
1:B:475:ARG:HD3	1:B:487:GLY:HA3	1.87	0.56
1:A:549:MET:O	1:A:553:GLN:HG3	2.05	0.55
1:B:526:THR:HG22	2:B:28:GTG:O6A	2.06	0.55
1:A:448:ILE:HD12	1:A:485:ILE:HG12	1.87	0.55
1:A:528:VAL:O	1:A:532:VAL:HG23	2.07	0.54
1:B:450:VAL:CG1	1:B:515:LEU:HA	2.38	0.53
1:B:524:GLY:N	2:B:28:GTG:HC72	2.23	0.53
1:B:529:TYR:CD1	2:B:28:GTG:N2A	2.77	0.53
1:B:522:LEU:CB	2:B:28:GTG:C7X	2.85	0.52
1:A:491:PHE:CZ	1:A:493:LYS:HD2	2.45	0.52
1:B:479:ARG:NE	1:B:480:ASP:OD1	2.37	0.52
1:B:524:GLY:HA2	2:B:28:GTG:HC72	1.90	0.52
1:B:479:ARG:HD2	1:B:479:ARG:C	2.35	0.51
1:C:457:ALA:HA	1:C:523:PRO:HB3	1.91	0.51
1:A:526:THR:H	2:A:28:GTG:HC71	1.75	0.51
1:B:450:VAL:HB	1:B:514:GLY:O	2.11	0.50
1:B:545:GLN:HG2	1:B:567:ILE:CG1	2.42	0.49
1:C:441:GLN:HG3	1:C:442:PHE:N	2.28	0.49
1:B:526:THR:OG1	1:B:527:PRO:HD2	2.12	0.49
1:B:549:MET:O	1:B:553:GLN:HG3	2.13	0.48
1:B:533:LYS:O	1:B:537:ASP:HB2	2.12	0.48
1:B:486:GLN:HG2	1:B:488:GLN:H	1.79	0.48
1:B:520:VAL:O	1:B:546:CYS:HA	2.13	0.48
1:A:554:ARG:HD3	1:B:480:ASP:HA	1.96	0.48
1:B:538:THR:O	1:B:538:THR:HG22	2.15	0.47
1:B:491:PHE:CE1	1:B:493:LYS:HD2	2.51	0.46
1:C:491:PHE:CD2	1:C:508:LEU:HD21	2.51	0.46
1:C:563:LEU:O	1:C:567:ILE:HG13	2.15	0.45
1:A:520:VAL:HG11	1:A:532:VAL:HG21	1.99	0.45
1:B:448:ILE:HD13	1:B:485:ILE:HG12	1.99	0.45
1:B:524:GLY:H	2:B:28:GTG:C7X	2.30	0.45
1:B:464:GLU:HG2	1:B:468:LYS:HE2	1.97	0.45
1:A:531:GLU:HA	1:A:531:GLU:OE1	2.17	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:483:MET:O	1:C:483:MET:HG3	2.16	0.44
1:A:502:GLU:HB3	1:A:503:PRO:HD3	1.99	0.44
1:A:524:GLY:O	2:A:28:GTG:HC73	2.17	0.44
1:B:491:PHE:CD2	1:B:508:LEU:HD21	2.52	0.44
1:B:548:GLN:HG3	2:B:28:GTG:O2D	2.17	0.43
1:A:486:GLN:O	1:A:486:GLN:HG3	2.19	0.43
1:A:533:LYS:HD3	1:A:533:LYS:HA	1.71	0.43
1:B:501:VAL:HG12	1:B:535:VAL:HG21	1.99	0.43
1:C:443:HIS:ND1	1:C:572:GLY:HA3	2.34	0.43
1:A:521:ILE:HG12	1:A:552:VAL:HG21	2.01	0.43
1:C:475:ARG:HH11	1:C:475:ARG:HG2	1.84	0.43
1:C:525:LYS:HA	2:C:28:GTG:HC73	2.01	0.42
1:C:456:PHE:HA	1:C:495:ALA:O	2.19	0.42
1:C:446:ILE:HD12	1:C:568:ASN:ND2	2.35	0.42
1:B:524:GLY:O	1:B:525:LYS:C	2.62	0.42
2:B:28:GTG:O1B	2:B:28:GTG:O2A	2.37	0.41
1:B:520:VAL:HG11	1:B:532:VAL:HG21	2.02	0.41
1:C:520:VAL:HG11	1:C:532:VAL:HG21	2.01	0.41
1:A:525:LYS:HE2	1:A:525:LYS:HB3	1.73	0.41
1:B:516:GLN:O	1:B:543:ALA:HB3	2.21	0.41
1:A:440:LYS:CD	1:A:441:GLN:N	2.71	0.41
1:C:475:ARG:HG2	1:C:475:ARG:NH1	2.36	0.41
1:C:531:GLU:OE2	1:C:531:GLU:HA	2.21	0.41
1:C:440:LYS:HE3	1:C:440:LYS:HB2	1.80	0.40
1:C:475:ARG:HD3	1:C:487:GLY:HA3	2.04	0.40
1:C:502:GLU:HB3	1:C:503:PRO:HD3	2.02	0.40
1:C:491:PHE:CZ	1:C:493:LYS:HD2	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	131/138 (95%)	127 (97%)	4 (3%)	0	100	100
1	B	131/138 (95%)	125 (95%)	5 (4%)	1 (1%)	16	20
1	C	131/138 (95%)	126 (96%)	5 (4%)	0	100	100
All	All	393/414 (95%)	378 (96%)	14 (4%)	1 (0%)	36	46

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	487	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	115/119 (97%)	113 (98%)	2 (2%)	53	72
1	B	115/119 (97%)	111 (96%)	4 (4%)	32	48
1	C	115/119 (97%)	113 (98%)	2 (2%)	53	72
All	All	345/357 (97%)	337 (98%)	8 (2%)	44	63

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	500	SER
1	A	554	ARG
1	B	449	LYS
1	B	459	GLN
1	B	461	GLN
1	B	506	ARG
1	C	486	GLN
1	C	554	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	486	GLN
1	B	441	GLN
1	B	443	HIS
1	B	496	GLN
1	B	510	ASN
1	B	548	GLN
1	B	551	ASN
1	B	558	GLN
1	B	562	ASN
1	C	443	HIS
1	C	459	GLN
1	C	461	GLN
1	C	488	GLN
1	C	507	HIS
1	C	551	ASN
1	C	553	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GTG	A	28	-	57,57,57	2.96	10 (17%)	85,90,90	2.72	33 (38%)
2	GTG	C	28	-	57,57,57	2.07	13 (22%)	85,90,90	2.54	28 (32%)
2	GTG	B	28	-	57,57,57	1.68	9 (15%)	85,90,90	2.30	28 (32%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GTG	A	28	-	-	10/32/64/64	0/6/6/6
2	GTG	C	28	-	-	8/32/64/64	0/6/6/6
2	GTG	B	28	-	-	9/32/64/64	0/6/6/6

All (32) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	28	GTG	PB-O3B	14.69	1.75	1.59
2	A	28	GTG	PB-O3A	9.41	1.69	1.59
2	C	28	GTG	PA-O3A	8.63	1.68	1.59
2	A	28	GTG	PA-O3A	6.76	1.66	1.59
2	A	28	GTG	PG-O1G	5.96	1.71	1.50
2	C	28	GTG	PB-O3B	5.82	1.65	1.59
2	B	28	GTG	PB-O3B	5.79	1.65	1.59
2	A	28	GTG	O4E-C1E	4.76	1.53	1.42
2	B	28	GTG	PB-O3A	4.55	1.64	1.59
2	C	28	GTG	PB-O3A	4.24	1.64	1.59
2	B	28	GTG	PG-O3B	3.92	1.63	1.59
2	A	28	GTG	PB-O1B	3.79	1.64	1.50
2	A	28	GTG	O4E-C4E	3.76	1.53	1.45
2	A	28	GTG	PG-O3B	-3.64	1.55	1.59
2	B	28	GTG	C5A-N7A	-3.45	1.35	1.39
2	C	28	GTG	PG-O1G	3.38	1.62	1.50
2	B	28	GTG	PB-O1B	3.36	1.62	1.50
2	C	28	GTG	C8A-N7A	-3.29	1.27	1.33
2	C	28	GTG	O4D-C4D	-3.17	1.37	1.45
2	B	28	GTG	PG-O1G	3.10	1.61	1.50
2	C	28	GTG	PG-O3B	2.99	1.62	1.59
2	C	28	GTG	O4D-C1D	2.86	1.48	1.42
2	C	28	GTG	PB-O1B	2.85	1.60	1.50
2	B	28	GTG	C8A-N7A	-2.80	1.28	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	28	GTG	C5A-N7A	-2.74	1.36	1.39
2	A	28	GTG	C8A-N7A	-2.38	1.29	1.33
2	C	28	GTG	C5A-N7A	-2.35	1.36	1.39
2	B	28	GTG	O4E-C1E	2.30	1.47	1.42
2	C	28	GTG	O4E-C1E	2.26	1.47	1.42
2	B	28	GTG	PA-O3A	2.23	1.61	1.59
2	C	28	GTG	C3D-C4D	2.03	1.58	1.53
2	C	28	GTG	PA-O2A	2.02	1.64	1.55

All (89) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	28	GTG	C4D-O4D-C1D	-11.16	84.83	109.47
2	B	28	GTG	C4D-O4D-C1D	-9.30	88.94	109.47
2	A	28	GTG	C4D-O4D-C1D	-8.33	91.08	109.47
2	A	28	GTG	C2E-C1E-N9B	-7.03	93.69	113.25
2	A	28	GTG	O4E-C1E-N9B	6.62	123.35	108.36
2	C	28	GTG	O4D-C1D-N9A	6.45	122.98	108.36
2	A	28	GTG	C2E-C3E-C4E	6.08	114.36	102.61
2	C	28	GTG	O4D-C4D-C5D	5.94	128.35	109.33
2	A	28	GTG	O4D-C1D-N9A	5.88	121.69	108.36
2	C	28	GTG	C5B-C4B-N3B	-5.52	119.61	128.39
2	C	28	GTG	C2A-N3A-C4A	5.51	121.78	112.30
2	A	28	GTG	C2B-N3B-C4B	5.47	121.73	112.30
2	B	28	GTG	O4D-C1D-N9A	5.46	120.72	108.36
2	C	28	GTG	C2B-N3B-C4B	5.45	121.68	112.30
2	B	28	GTG	C2B-N3B-C4B	5.39	121.59	112.30
2	B	28	GTG	C5B-C4B-N3B	-5.36	119.87	128.39
2	A	28	GTG	C2A-N3A-C4A	5.28	121.39	112.30
2	B	28	GTG	C2A-N3A-C4A	5.21	121.27	112.30
2	A	28	GTG	C5B-C4B-N3B	-5.08	120.31	128.39
2	B	28	GTG	O4D-C4D-C5D	4.78	124.65	109.33
2	A	28	GTG	O4D-C4D-C5D	4.77	124.61	109.33
2	C	28	GTG	N9A-C4A-N3A	4.65	135.25	125.95
2	C	28	GTG	C5A-C4A-N3A	-4.52	119.61	128.15
2	C	28	GTG	N9B-C4B-N3B	4.36	134.68	125.95
2	B	28	GTG	N9A-C4A-N3A	4.34	134.63	125.95
2	A	28	GTG	N9A-C4A-N3A	4.33	134.60	125.95
2	A	28	GTG	C5A-C4A-N3A	-4.32	119.98	128.15
2	B	28	GTG	C5A-C4A-N3A	-4.25	120.11	128.15
2	A	28	GTG	O4E-C4E-C3E	-4.15	96.92	105.15
2	A	28	GTG	O3E-C3E-C4E	-4.10	99.32	111.08

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	28	GTG	N9B-C4B-N3B	4.08	134.12	125.95
2	A	28	GTG	O4E-C1E-C2E	-3.87	98.33	106.62
2	C	28	GTG	O2A-PA-O3A	3.86	117.70	107.27
2	C	28	GTG	O3A-PA-O1A	-3.74	99.45	110.70
2	A	28	GTG	N9B-C4B-N3B	3.68	133.31	125.95
2	C	28	GTG	O6A-C6A-C5A	-3.43	120.34	128.01
2	B	28	GTG	C5A-C6A-N1A	3.21	118.47	111.84
2	A	28	GTG	O5E-PG-O1G	-3.20	96.25	108.94
2	C	28	GTG	C5A-C6A-N1A	3.20	118.45	111.84
2	A	28	GTG	C5A-C6A-N1A	3.19	118.43	111.84
2	A	28	GTG	O6A-C6A-C5A	-3.15	120.97	128.01
2	B	28	GTG	O6A-C6A-C5A	-3.13	121.03	128.01
2	C	28	GTG	C3D-C2D-C1D	-3.11	95.58	101.46
2	A	28	GTG	C6B-C5B-N7B	3.06	135.85	130.29
2	B	28	GTG	PA-O5D-C5D	-3.03	104.00	121.35
2	C	28	GTG	C8B-N7B-C5B	3.02	109.65	104.26
2	A	28	GTG	C4E-O4E-C1E	3.02	116.14	109.47
2	B	28	GTG	O3A-PA-O1A	-3.02	101.62	110.70
2	A	28	GTG	O3A-PA-O1A	-3.01	101.64	110.70
2	B	28	GTG	O2A-PA-O3A	2.99	115.36	107.27
2	A	28	GTG	C8B-N7B-C5B	2.99	109.59	104.26
2	B	28	GTG	C8B-N7B-C5B	2.99	109.58	104.26
2	A	28	GTG	C3E-C2E-C1E	2.95	107.05	101.46
2	A	28	GTG	O2A-PA-O3A	2.69	114.55	107.27
2	A	28	GTG	C2B-N1B-C6B	-2.68	120.25	125.11
2	C	28	GTG	C6A-C5A-N7A	2.65	135.50	132.17
2	A	28	GTG	C4B-C5B-N7B	-2.57	106.59	110.67
2	C	28	GTG	C2B-N1B-C6B	-2.55	120.48	125.11
2	C	28	GTG	PG-O5E-C5E	-2.53	106.86	121.35
2	B	28	GTG	C6B-C5B-N7B	2.48	134.80	130.29
2	B	28	GTG	C2B-N1B-C6B	-2.47	120.64	125.11
2	B	28	GTG	C2A-N1A-C6A	-2.46	120.64	125.11
2	C	28	GTG	C2D-C3D-C4D	-2.42	97.94	102.61
2	B	28	GTG	C6A-C5A-N7A	2.40	135.18	132.17
2	B	28	GTG	O4E-C1E-N9B	2.38	113.76	108.36
2	A	28	GTG	C2A-N1A-C6A	-2.38	120.79	125.11
2	A	28	GTG	O4E-C4E-C5E	-2.35	101.80	109.33
2	C	28	GTG	C6B-C5B-N7B	2.29	134.45	130.29
2	C	28	GTG	PA-O5D-C5D	-2.29	108.24	121.35
2	A	28	GTG	N9B-C8B-N7B	-2.27	109.18	113.40
2	B	28	GTG	C3D-C2D-C1D	-2.27	97.17	101.46
2	C	28	GTG	O6B-C6B-C5B	-2.26	120.56	126.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	28	GTG	PG-O5E-C5E	-2.25	108.44	121.35
2	A	28	GTG	C6A-C5A-N7A	2.24	134.99	132.17
2	C	28	GTG	C5B-C6B-N1B	2.23	118.92	113.25
2	B	28	GTG	C4B-C5B-N7B	-2.22	107.15	110.67
2	B	28	GTG	C2D-C1D-N9A	2.20	119.37	113.25
2	C	28	GTG	C2A-N1A-C6A	-2.18	121.15	125.11
2	A	28	GTG	C5B-C6B-N1B	2.17	118.79	113.25
2	B	28	GTG	O6B-C6B-C5B	-2.16	120.84	126.53
2	A	28	GTG	PA-O5D-C5D	-2.16	109.00	121.35
2	B	28	GTG	O4E-C1E-C2E	-2.15	102.01	106.62
2	B	28	GTG	C5B-C6B-N1B	2.12	118.66	113.25
2	C	28	GTG	O5D-PA-O1A	-2.12	100.54	108.94
2	B	28	GTG	O5D-PA-O1A	-2.11	100.58	108.94
2	A	28	GTG	O2G-PG-O5E	2.10	117.09	107.57
2	C	28	GTG	C4B-C5B-N7B	-2.10	107.35	110.67
2	C	28	GTG	O4E-C4E-C5E	2.07	115.97	109.33
2	C	28	GTG	C5D-C4D-C3D	2.05	122.60	115.21

There are no chirality outliers.

All (27) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	28	GTG	C5D-O5D-PA-O1A
2	A	28	GTG	O4D-C1D-N9A-C4A
2	A	28	GTG	C5E-O5E-PG-O1G
2	C	28	GTG	O4D-C1D-N9A-C8A
2	C	28	GTG	O4D-C1D-N9A-C4A
2	B	28	GTG	C3D-C4D-C5D-O5D
2	A	28	GTG	O4D-C1D-N9A-C8A
2	B	28	GTG	O4D-C1D-N9A-C4A
2	B	28	GTG	O4D-C1D-N9A-C8A
2	A	28	GTG	O4E-C4E-C5E-O5E
2	A	28	GTG	C3E-C4E-C5E-O5E
2	B	28	GTG	O4D-C4D-C5D-O5D
2	A	28	GTG	PB-O3A-PA-O5D
2	A	28	GTG	PG-O3B-PB-O2B
2	B	28	GTG	PB-O3B-PG-O1G
2	C	28	GTG	C5D-O5D-PA-O1A
2	C	28	GTG	C5D-O5D-PA-O2A
2	B	28	GTG	PB-O3A-PA-O2A
2	B	28	GTG	PA-O3A-PB-O1B
2	A	28	GTG	O4D-C4D-C5D-O5D

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	A	28	GTG	PG-O3B-PB-O1B
2	B	28	GTG	PB-O3A-PA-O1A
2	C	28	GTG	PB-O3B-PG-O2G
2	B	28	GTG	PA-O3A-PB-O2B
2	C	28	GTG	PA-O3A-PB-O2B
2	C	28	GTG	PB-O3B-PG-O1G
2	C	28	GTG	C3D-C4D-C5D-O5D


There are no ring outliers.

3 monomers are involved in 23 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	28	GTG	4	0
2	C	28	GTG	1	0
2	B	28	GTG	18	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	133/138 (96%)	0.01	3 (2%) 61 63	19, 28, 42, 69	0
1	B	133/138 (96%)	0.50	7 (5%) 32 34	24, 36, 50, 63	0
1	C	133/138 (96%)	0.26	3 (2%) 61 63	22, 32, 46, 68	0
All	All	399/414 (96%)	0.26	13 (3%) 49 51	19, 32, 50, 69	0

All (13) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	487	GLY	3.4
1	B	572	GLY	3.1
1	B	498	ALA	2.8
1	A	525	LYS	2.7
1	B	459	GLN	2.7
1	C	441	GLN	2.6
1	B	440	LYS	2.5
1	B	446	ILE	2.5
1	C	486	GLN	2.4
1	A	440	LYS	2.3
1	A	444	THR	2.3
1	B	497	GLY	2.2
1	B	505	PHE	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	GTG	B	28	52/52	0.77	0.23	59,77,89,89	23
2	GTG	A	28	52/52	0.79	0.20	51,62,73,75	23
2	GTG	C	28	52/52	0.82	0.19	54,70,76,78	23

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around GTG B 28:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GTG A 28:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around GTG C 28:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.