



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 5, 2026 – 04:14 PM UTC

PDB ID : 6QXL / pdb_00006qxl
Title : Crystal Structure of Pyruvate Kinase II (PykA) from *Pseudomonas aeruginosa*
in complex with sodium malonate, magnesium and glucose-6-phosphate
Authors : Abdelhamid, Y.; Brear, P.; Welch, M.
Deposited on : 2019-03-07
Resolution : 2.43 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.43 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2340 (2.46-2.42)
Clashscore	190562	2400 (2.46-2.42)
Ramachandran outliers	187476	2379 (2.46-2.42)
Sidechain outliers	187428	2379 (2.46-2.42)
RSRZ outliers	180081	2340 (2.46-2.42)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	483	2% 92% 7%
1	B	483	2% 93% 6%
1	C	483	2% 93% 6%
1	D	483	% 94% 5%
1	E	483	% 92% 7%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	483	
1	G	483	
1	H	483	
1	I	483	
1	J	483	
1	K	483	
1	L	483	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	MLI	D	504	-	X	-	-

2 Entry composition


There are 6 unique types of molecules in this entry. The entry contains 45923 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pyruvate kinase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	483	Total	C	N	O	S	0	0	0
			3662	2286	661	695	20			
1	B	483	Total	C	N	O	S	0	0	0
			3662	2286	661	695	20			
1	C	483	Total	C	N	O	S	0	0	0
			3662	2286	661	695	20			
1	D	483	Total	C	N	O	S	0	0	0
			3662	2286	661	695	20			
1	E	483	Total	C	N	O	S	0	2	0
			3680	2296	664	700	20			
1	F	483	Total	C	N	O	S	0	0	0
			3662	2286	661	695	20			
1	G	483	Total	C	N	O	S	0	0	0
			3662	2286	661	695	20			
1	H	483	Total	C	N	O	S	0	0	0
			3662	2286	661	695	20			
1	I	483	Total	C	N	O	S	0	0	0
			3662	2286	661	695	20			
1	J	404	Total	C	N	O	S	0	0	0
			3057	1910	555	575	17			
1	K	482	Total	C	N	O	S	0	0	0
			3654	2282	660	692	20			
1	L	483	Total	C	N	O	S	0	0	0
			3662	2286	661	695	20			

- Molecule 2 is 6-O-phosphono-alpha-D-glucopyranose (CCD ID: G6P) (formula: C₆H₁₃O₉P) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	O	P	0	0
			16	6	9	1		
2	B	1	Total	C	O	P	0	0
			16	6	9	1		
2	C	1	Total	C	O	P	0	0
			16	6	9	1		
2	D	1	Total	C	O	P	0	0
			16	6	9	1		
2	E	1	Total	C	O	P	0	0
			16	6	9	1		
2	F	1	Total	C	O	P	0	0
			16	6	9	1		
2	G	1	Total	C	O	P	0	0
			16	6	9	1		
2	H	1	Total	C	O	P	0	0
			16	6	9	1		
2	I	1	Total	C	O	P	0	0
			16	6	9	1		
2	J	1	Total	C	O	P	0	0
			16	6	9	1		
2	K	1	Total	C	O	P	0	0
			16	6	9	1		
2	L	1	Total	C	O	P	0	0
			16	6	9	1		

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total 1 Mg 1	0	0
3	B	1	Total 1 Mg 1	0	0
3	C	1	Total 1 Mg 1	0	0
3	D	1	Total 1 Mg 1	0	0
3	E	1	Total 1 Mg 1	0	0
3	F	1	Total 1 Mg 1	0	0
3	G	1	Total 1 Mg 1	0	0
3	H	1	Total 1 Mg 1	0	0
3	I	1	Total 1 Mg 1	0	0
3	J	1	Total 1 Mg 1	0	0
3	K	1	Total 1 Mg 1	0	0
3	L	1	Total 1 Mg 1	0	0

- Molecule 4 is MALONATE ION (CCD ID: MLI) (formula: $C_3H_2O_4$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 7 3 4	0	0
4	B	1	Total C O 7 3 4	0	0
4	C	1	Total C O 7 3 4	0	0
4	D	1	Total C O 7 3 4	0	0
4	E	1	Total C O 7 3 4	0	0
4	F	1	Total C O 7 3 4	0	0
4	G	1	Total C O 7 3 4	0	0
4	H	1	Total C O 7 3 4	0	0
4	I	1	Total C O 7 3 4	0	0
4	J	1	Total C O 7 3 4	0	0
4	K	1	Total C O 7 3 4	0	0
4	L	1	Total C O 7 3 4	0	0

- Molecule 5 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	B	1	Total C O 6 3 3	0	0
5	D	1	Total C O 6 3 3	0	0
5	E	1	Total C O 6 3 3	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	238	Total O 238 238	0	0
6	B	301	Total O 301 301	0	0
6	C	245	Total O 245 245	0	0
6	D	272	Total O 272 272	0	0
6	E	270	Total O 270 270	0	0
6	F	164	Total O 164 164	0	0
6	G	154	Total O 154 154	0	0
6	H	150	Total O 150 150	0	0
6	I	114	Total O 114 114	0	0
6	J	128	Total O 128 128	0	0
6	K	150	Total O 150 150	0	0
6	L	82	Total O 82 82	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Pyruvate kinase



• Molecule 1: Pyruvate kinase



• Molecule 1: Pyruvate kinase





• Molecule 1: Pyruvate kinase









• Molecule 1: Pyruvate kinase




• Molecule 1: Pyruvate kinase



• Molecule 1: Pyruvate kinase




• Molecule 1: Pyruvate kinase





• Molecule 1: Pyruvate kinase








● Molecule 1: Pyruvate kinase



● Molecule 1: Pyruvate kinase



● Molecule 1: Pyruvate kinase



4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	182.48Å 182.48Å 405.04Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	158.03 – 2.43 158.03 – 2.43	Depositor EDS
% Data completeness (in resolution range)	98.9 (158.03-2.43) 98.9 (158.03-2.43)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.77 (at 2.43Å)	Xtriage
Refinement program	BUSTER 2.10.3	Depositor
R, R_{free}	0.227 , 0.251 0.221 , 0.246	Depositor DCC
R_{free} test set	14500 reflections (4.95%)	wwPDB-VP
Wilson B-factor (Å ²)	41.8	Xtriage
Anisotropy	0.809	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 39.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.014 for -h,-k,l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	45923	wwPDB-VP
Average B, all atoms (Å ²)	55.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.47% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: MG, GOL, G6P, MLI

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.87	3/3716 (0.1%)	0.86	7/5025 (0.1%)
1	B	0.91	1/3716 (0.0%)	0.87	4/5025 (0.1%)
1	C	0.86	4/3716 (0.1%)	0.88	4/5025 (0.1%)
1	D	0.82	1/3716 (0.0%)	0.84	4/5025 (0.1%)
1	E	0.86	2/3734 (0.1%)	0.87	8/5049 (0.2%)
1	F	0.90	3/3716 (0.1%)	0.92	12/5025 (0.2%)
1	G	0.86	4/3716 (0.1%)	0.94	11/5025 (0.2%)
1	H	0.90	5/3716 (0.1%)	0.92	9/5025 (0.2%)
1	I	0.90	4/3716 (0.1%)	0.94	12/5025 (0.2%)
1	J	0.90	5/3103 (0.2%)	1.03	13/4196 (0.3%)
1	K	0.85	1/3707 (0.0%)	0.89	6/5011 (0.1%)
1	L	0.91	5/3716 (0.1%)	1.02	13/5025 (0.3%)
All	All	0.88	38/43988 (0.1%)	0.91	103/59481 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	B	0	3
1	C	0	1
1	D	0	1
1	E	0	1
1	G	0	2
1	H	0	1
1	J	0	2
1	K	0	1
1	L	0	2
All	All	0	16

The worst 5 of 38 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	F	72	PRO	C-O	-13.03	1.10	1.23
1	J	157	HIS	N-CA	-12.42	1.22	1.46
1	H	102	ALA	C-O	-8.47	1.14	1.24
1	F	171	ALA	C-O	-8.08	1.13	1.24
1	A	295	THR	CA-CB	8.05	1.66	1.53

The worst 5 of 103 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	J	76	ILE	O-C-N	-23.71	92.93	122.57
1	G	171	ALA	N-CA-C	20.74	138.30	111.75
1	L	112	TYR	CA-C-N	-15.93	104.26	120.03
1	L	112	TYR	C-N-CA	-15.93	104.26	120.03
1	L	272	ARG	NE-CZ-NH2	13.96	131.77	119.20

There are no chirality outliers.

5 of 16 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	114	ASP	Mainchain
1	A	81	ASN	Mainchain
1	B	114	ASP	Mainchain
1	B	230	ASP	Sidechain
1	B	81	ASN	Mainchain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3662	0	3726	30	0
1	B	3662	0	3726	17	0
1	C	3662	0	3726	23	0
1	D	3662	0	3726	15	0
1	E	3680	0	3738	23	0
1	F	3662	0	3726	30	0
1	G	3662	0	3726	18	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	H	3662	0	3726	21	0
1	I	3662	0	3726	26	0
1	J	3057	0	3123	24	0
1	K	3654	0	3721	15	0
1	L	3662	0	3726	22	0
2	A	16	0	11	2	0
2	B	16	0	11	0	0
2	C	16	0	11	0	0
2	D	16	0	11	0	0
2	E	16	0	11	0	0
2	F	16	0	11	2	0
2	G	16	0	11	0	0
2	H	16	0	11	0	0
2	I	16	0	11	0	0
2	J	16	0	11	0	0
2	K	16	0	11	0	0
2	L	16	0	11	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
3	E	1	0	0	0	0
3	F	1	0	0	0	0
3	G	1	0	0	0	0
3	H	1	0	0	0	0
3	I	1	0	0	0	0
3	J	1	0	0	0	0
3	K	1	0	0	0	0
3	L	1	0	0	0	0
4	A	7	0	2	0	0
4	B	7	0	2	0	0
4	C	7	0	2	0	0
4	D	7	0	2	0	0
4	E	7	0	2	1	0
4	F	7	0	2	0	0
4	G	7	0	2	0	0
4	H	7	0	2	0	0
4	I	7	0	2	0	0
4	J	7	0	2	0	0
4	K	7	0	2	1	0
4	L	7	0	2	0	0
5	B	6	0	8	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	D	6	0	8	0	0
5	E	6	0	8	0	0
6	A	238	0	0	11	0
6	B	301	0	0	7	0
6	C	245	0	0	7	0
6	D	272	0	0	7	0
6	E	270	0	0	8	0
6	F	164	0	0	3	0
6	G	154	0	0	4	0
6	H	150	0	0	3	0
6	I	114	0	0	3	0
6	J	128	0	0	8	0
6	K	150	0	0	1	0
6	L	82	0	0	2	0
All	All	45923	0	44296	249	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

The worst 5 of 249 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:263:ILE:HD11	6:A:791:HOH:O	1.01	1.18
1:C:187:ASP:OD2	6:C:601:HOH:O	1.79	0.98
1:B:378:LYS:HE3	6:B:785:HOH:O	1.65	0.96
1:E:207:ARG:HD2	6:E:771:HOH:O	1.65	0.95
1:K:182:LEU:HG	1:K:186:MET:HE2	1.46	0.94

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	481/483 (100%)	469 (98%)	11 (2%)	1 (0%)	43	53
1	B	481/483 (100%)	469 (98%)	11 (2%)	1 (0%)	43	53
1	C	481/483 (100%)	467 (97%)	13 (3%)	1 (0%)	43	53
1	D	481/483 (100%)	465 (97%)	15 (3%)	1 (0%)	43	53
1	E	483/483 (100%)	468 (97%)	14 (3%)	1 (0%)	43	53
1	F	481/483 (100%)	464 (96%)	15 (3%)	2 (0%)	30	36
1	G	481/483 (100%)	466 (97%)	14 (3%)	1 (0%)	43	53
1	H	481/483 (100%)	467 (97%)	13 (3%)	1 (0%)	43	53
1	I	481/483 (100%)	465 (97%)	15 (3%)	1 (0%)	43	53
1	J	400/483 (83%)	389 (97%)	10 (2%)	1 (0%)	36	44
1	K	478/483 (99%)	461 (96%)	16 (3%)	1 (0%)	43	53
1	L	481/483 (100%)	468 (97%)	12 (2%)	1 (0%)	43	53
All	All	5690/5796 (98%)	5518 (97%)	159 (3%)	13 (0%)	43	53

5 of 13 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	282	THR
1	B	282	THR
1	C	282	THR
1	D	282	THR
1	E	282	THR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	386/386 (100%)	382 (99%)	4 (1%)	68	77
1	B	386/386 (100%)	383 (99%)	3 (1%)	73	81
1	C	386/386 (100%)	384 (100%)	2 (0%)	81	87
1	D	386/386 (100%)	383 (99%)	3 (1%)	73	81

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	E	388/386 (100%)	384 (99%)	4 (1%)	68	77
1	F	386/386 (100%)	381 (99%)	5 (1%)	61	72
1	G	386/386 (100%)	384 (100%)	2 (0%)	81	87
1	H	386/386 (100%)	384 (100%)	2 (0%)	81	87
1	I	386/386 (100%)	381 (99%)	5 (1%)	61	72
1	J	320/386 (83%)	315 (98%)	5 (2%)	55	68
1	K	385/386 (100%)	380 (99%)	5 (1%)	61	72
1	L	386/386 (100%)	382 (99%)	4 (1%)	68	77
All	All	4567/4632 (99%)	4523 (99%)	44 (1%)	68	77

5 of 44 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	I	309	TYR
1	K	83	ARG
1	I	467	GLN
1	J	263	ILE
1	K	223	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 24 such sidechains are listed below:

Mol	Chain	Res	Type
1	G	24	GLN
1	J	157	HIS
1	I	438	GLN
1	J	283	GLN
1	C	438	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 39 ligands modelled in this entry, 12 are monoatomic - leaving 27 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	G6P	K	501	-	16,16,16	0.90	1 (6%)	23,24,24	1.68	5 (21%)
2	G6P	A	501	-	16,16,16	0.84	0	23,24,24	2.65	12 (52%)
4	MLI	E	504	3	6,6,6	1.00	0	7,7,7	1.56	2 (28%)
2	G6P	E	501	-	16,16,16	1.02	1 (6%)	23,24,24	1.97	8 (34%)
2	G6P	D	501	-	16,16,16	1.05	2 (12%)	23,24,24	2.08	6 (26%)
4	MLI	B	504	3	6,6,6	1.31	0	7,7,7	1.50	1 (14%)
2	G6P	B	501	-	16,16,16	1.10	1 (6%)	23,24,24	2.23	9 (39%)
4	MLI	A	503	3	6,6,6	1.39	1 (16%)	7,7,7	1.20	1 (14%)
4	MLI	K	503	3	6,6,6	1.05	0	7,7,7	1.69	2 (28%)
5	GOL	D	503	-	5,5,5	0.51	0	5,5,5	0.93	0
4	MLI	H	503	3	6,6,6	1.47	0	7,7,7	0.74	0
2	G6P	L	501	-	16,16,16	0.73	0	23,24,24	1.82	9 (39%)
5	GOL	E	503	-	5,5,5	0.33	0	5,5,5	0.69	0
4	MLI	D	504	3	6,6,6	1.15	0	7,7,7	2.58	3 (42%)
4	MLI	I	503	3	6,6,6	1.35	0	7,7,7	1.35	0
2	G6P	G	501	-	16,16,16	0.78	0	23,24,24	1.62	5 (21%)
4	MLI	C	503	3	6,6,6	1.06	0	7,7,7	2.05	3 (42%)
5	GOL	B	503	-	5,5,5	0.47	0	5,5,5	0.55	0
4	MLI	F	503	3	6,6,6	1.10	0	7,7,7	1.78	2 (28%)
4	MLI	L	503	3	6,6,6	1.20	0	7,7,7	1.69	1 (14%)
2	G6P	H	501	-	16,16,16	0.66	0	23,24,24	1.53	5 (21%)
2	G6P	J	501	-	16,16,16	0.93	0	23,24,24	1.50	4 (17%)
4	MLI	J	503	3	6,6,6	1.62	1 (16%)	7,7,7	0.94	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	G6P	I	501	-	16,16,16	0.85	1 (6%)	23,24,24	1.76	6 (26%)
2	G6P	F	501	-	16,16,16	0.52	0	23,24,24	1.70	6 (26%)
4	MLI	G	503	3	6,6,6	1.06	0	7,7,7	2.35	4 (57%)
2	G6P	C	501	-	16,16,16	0.74	0	23,24,24	1.77	9 (39%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	G6P	K	501	-	-	1/6/26/26	0/1/1/1
2	G6P	A	501	-	-	5/6/26/26	0/1/1/1
4	MLI	E	504	3	-	2/4/4/4	-
2	G6P	E	501	-	-	1/6/26/26	0/1/1/1
2	G6P	D	501	-	-	3/6/26/26	0/1/1/1
4	MLI	B	504	3	-	2/4/4/4	-
2	G6P	B	501	-	-	4/6/26/26	0/1/1/1
4	MLI	A	503	3	-	3/4/4/4	-
4	MLI	K	503	3	-	2/4/4/4	-
5	GOL	D	503	-	-	4/4/4/4	-
4	MLI	H	503	3	-	4/4/4/4	-
2	G6P	L	501	-	-	2/6/26/26	0/1/1/1
5	GOL	E	503	-	-	2/4/4/4	-
4	MLI	D	504	3	-	4/4/4/4	-
4	MLI	I	503	3	-	2/4/4/4	-
2	G6P	G	501	-	-	2/6/26/26	0/1/1/1
4	MLI	C	503	3	-	3/4/4/4	-
5	GOL	B	503	-	-	2/4/4/4	-
4	MLI	F	503	3	-	2/4/4/4	-
4	MLI	L	503	3	-	2/4/4/4	-
2	G6P	H	501	-	-	2/6/26/26	0/1/1/1
2	G6P	J	501	-	-	5/6/26/26	0/1/1/1
4	MLI	J	503	3	-	4/4/4/4	-
2	G6P	I	501	-	-	5/6/26/26	0/1/1/1
2	G6P	F	501	-	-	5/6/26/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	MLI	G	503	3	-	2/4/4/4	-
2	G6P	C	501	-	-	3/6/26/26	0/1/1/1

The worst 5 of 8 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	E	501	G6P	O1-C1	2.64	1.47	1.39
2	B	501	G6P	C1-C2	-2.42	1.46	1.52
2	D	501	G6P	O1-C1	2.42	1.47	1.39
4	A	503	MLI	O7-C2	-2.32	1.23	1.30
4	J	503	MLI	C1-C2	2.19	1.54	1.51

The worst 5 of 103 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	G6P	O2P-P-O6	-7.09	88.18	106.67
2	D	501	G6P	O5-C1-C2	-6.24	99.33	110.30
2	B	501	G6P	O5-C1-C2	-5.76	100.17	110.30
2	F	501	G6P	C4-C3-C2	-4.98	102.09	110.83
2	E	501	G6P	C1-O5-C5	4.94	123.21	113.65

There are no chirality outliers.

5 of 78 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	501	G6P	C4-C5-C6-O6
2	A	501	G6P	O5-C5-C6-O6
2	A	501	G6P	C6-O6-P-O1P
2	A	501	G6P	C6-O6-P-O2P
2	B	501	G6P	C6-O6-P-O1P


There are no ring outliers.

4 monomers are involved in 6 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	501	G6P	2	0
4	E	504	MLI	1	0
4	K	503	MLI	1	0
2	F	501	G6P	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths,


bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand G6P A 501




Ligand MLI E 504




Ligand G6P E 501




Ligand G6P D 501




Ligand MLI B 504





Ligand G6P B 501




Ligand MLI A 503







Ligand G6P L 501




Ligand MLI D 504





Ligand MLI I 503




Ligand G6P G 501







Ligand MLI L 503




Ligand G6P H 501




Ligand G6P J 501




Ligand MLI J 503




Ligand G6P I 501




Ligand G6P F 501



Ligand MLI G 503





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	483/483 (100%)	0.21	9 (1%) 66 67	27, 47, 74, 105	0
1	B	483/483 (100%)	-0.09	9 (1%) 66 67	22, 37, 67, 98	0
1	C	483/483 (100%)	0.07	11 (2%) 61 62	27, 44, 72, 110	0
1	D	483/483 (100%)	0.00	3 (0%) 85 87	25, 42, 71, 102	0
1	E	483/483 (100%)	-0.07	5 (1%) 79 81	14, 39, 73, 92	2 (0%)
1	F	483/483 (100%)	0.57	23 (4%) 35 33	26, 53, 84, 111	0
1	G	483/483 (100%)	0.48	19 (3%) 43 40	30, 56, 90, 116	0
1	H	483/483 (100%)	0.42	23 (4%) 35 33	23, 54, 102, 138	0
1	I	483/483 (100%)	0.57	20 (4%) 41 39	30, 62, 91, 114	0
1	J	404/483 (83%)	0.61	28 (6%) 23 19	28, 55, 93, 214	0
1	K	482/483 (99%)	0.50	28 (5%) 29 25	31, 58, 92, 128	0
1	L	483/483 (100%)	1.03	73 (15%) 5 4	37, 71, 118, 153	0
All	All	5716/5796 (98%)	0.36	251 (4%) 39 36	14, 52, 92, 214	2 (0%)

The worst 5 of 251 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	J	77	ALA	8.3
1	J	76	ILE	5.8
1	G	171	ALA	5.5
1	J	157	HIS	4.8
1	L	483	VAL	4.5

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	MG	B	502	1/1	0.79	0.15	44,44,44,44	0
3	MG	L	502	1/1	0.82	0.17	75,75,75,75	0
4	MLI	L	503	7/7	0.82	0.14	64,79,81,87	0
4	MLI	J	503	7/7	0.84	0.12	59,61,69,75	0
4	MLI	I	503	7/7	0.84	0.13	55,62,65,83	0
5	GOL	D	503	6/6	0.84	0.17	45,54,60,62	0
3	MG	I	502	1/1	0.86	0.08	30,30,30,30	0
3	MG	E	502	1/1	0.87	0.12	40,40,40,40	0
3	MG	D	502	1/1	0.88	0.17	39,39,39,39	0
4	MLI	K	503	7/7	0.88	0.12	61,67,70,84	0
3	MG	C	502	1/1	0.90	0.07	30,30,30,30	0
4	MLI	F	503	7/7	0.91	0.09	46,58,61,64	0
4	MLI	C	503	7/7	0.91	0.10	38,50,64,68	0
2	G6P	F	501	16/16	0.92	0.11	53,80,96,104	0
2	G6P	L	501	16/16	0.92	0.10	59,80,90,92	0
4	MLI	H	503	7/7	0.92	0.09	47,52,54,57	0
5	GOL	B	503	6/6	0.92	0.11	44,52,58,58	0
4	MLI	A	503	7/7	0.92	0.10	45,49,54,62	0
2	G6P	G	501	16/16	0.93	0.11	49,81,94,100	0
4	MLI	B	504	7/7	0.93	0.08	37,42,45,46	0
2	G6P	K	501	16/16	0.93	0.10	51,77,92,98	0
4	MLI	D	504	7/7	0.93	0.09	33,41,49,50	0
3	MG	K	502	1/1	0.93	0.11	48,48,48,48	0
2	G6P	A	501	16/16	0.93	0.09	40,59,69,74	0
2	G6P	E	501	16/16	0.94	0.11	42,60,75,78	0
2	G6P	H	501	16/16	0.94	0.10	50,69,82,92	0
3	MG	F	502	1/1	0.94	0.07	49,49,49,49	0
2	G6P	I	501	16/16	0.94	0.09	47,62,72,84	0
3	MG	J	502	1/1	0.94	0.07	55,55,55,55	0
2	G6P	J	501	16/16	0.94	0.11	58,85,105,109	0
4	MLI	G	503	7/7	0.94	0.07	52,54,60,60	0
5	GOL	E	503	6/6	0.94	0.10	40,49,51,57	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	G6P	C	501	16/16	0.95	0.09	39,54,79,84	0
4	MLI	E	504	7/7	0.95	0.07	29,34,42,46	0
2	G6P	D	501	16/16	0.95	0.09	36,47,60,74	0
3	MG	H	502	1/1	0.96	0.06	49,49,49,49	0
3	MG	A	502	1/1	0.96	0.06	49,49,49,49	0
2	G6P	B	501	16/16	0.96	0.10	33,51,67,103	0
3	MG	G	502	1/1	0.96	0.11	45,45,45,45	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around MG B 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG L 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MLI L 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MLI J 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MLI I 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG I 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG E 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG D 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MLI K 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG C 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MLI F 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MLI C 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around G6P F 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around G6P L 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MLI H 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MLI A 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around G6P G 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MLI B 504:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around G6P K 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MLI D 504:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG K 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around G6P A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around G6P E 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around G6P H 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG F 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around G6P I 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG J 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around G6P J 501:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MLI G 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around G6P C 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MLI E 504:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around G6P D 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around MG H 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG A 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around G6P B 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around MG G 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.