



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 07:19 PM UTC

PDB ID : 2QYO / pdb_00002qyo
Title : Crystal structure of isoflavone O-methyltransferase homolog in complex with biochanin A and SAH
Authors : Wang, C.; Yu, X.-H.; Liu, C.-J.
Deposited on : 2007-08-15
Resolution : 1.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	3612 (1.96-1.96)
Ramachandran outliers	187476	3587 (1.96-1.96)
Sidechain outliers	187428	3587 (1.96-1.96)
RSRZ outliers	180081	3495 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	357	8% 73% 23% ..
1	B	357	12% 69% 25% ..

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	QSO	A	701	-	X	-	-
4	QSO	B	701	-	X	-	-

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 5869 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called O-methyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	353	Total	C	N	O	S	0	0	0
			2792	1788	452	531	21			
1	B	352	Total	C	N	O	S	0	0	0
			2784	1782	451	530	21			

- Molecule 2 is POTASSIUM ION (CCD ID: K) (formula: K).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	8	Total	K	0	0
			8	8		
2	B	5	Total	K	0	0
			5	5		

- Molecule 3 is S-ADENOSYL-L-HOMOCYSTEINE (CCD ID: SAH) (formula: C₁₄H₂₀N₆O₅S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	S	0	0
			26	14	6	5	1		
3	B	1	Total	C	N	O	S	0	0
			26	14	6	5	1		

- Molecule 4 is 5,7-dihydroxy-3-(4-methoxyphenyl)-4H-chromen-4-one (CCD ID: QSO) (formula: C₁₆H₁₂O₅).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			21	16	5		
4	B	1	Total	C	O	0	0
			21	16	5		

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	94	Total	O	0	0
			94	94		
5	B	92	Total	O	0	0
			92	92		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: O-methyltransferase

Chain A: 



• Molecule 1: O-methyltransferase

Chain B: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	44.54Å 82.05Å 101.03Å 90.00° 101.94° 90.00°	Depositor
Resolution (Å)	31.57 – 1.95 31.57 – 1.95	Depositor EDS
% Data completeness (in resolution range)	95.5 (31.57-1.95) 95.3 (31.57-1.95)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	0.04	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.13 (at 1.95Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.214 , 0.245 0.227 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	21.7	Xtriage
Anisotropy	0.245	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 47.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.023 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	5869	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.32% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: QSO, K, SAH

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.50	1/2842 (0.0%)	1.08	24/3845 (0.6%)
1	B	0.52	4/2834 (0.1%)	1.09	22/3834 (0.6%)
All	All	0.51	5/5676 (0.1%)	1.09	46/7679 (0.6%)

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	93	GLU	C-N	-9.32	1.21	1.34
1	B	93	GLU	CA-C	-7.75	1.42	1.53
1	B	94	ASN	N-CA	-6.76	1.37	1.46
1	B	94	ASN	CA-C	-6.28	1.46	1.53
1	A	6	ASN	C-N	-5.67	1.25	1.33

All (46) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	345	PRO	CA-N-CD	-19.47	84.74	112.00
1	A	345	PRO	CA-N-CD	-18.81	85.66	112.00
1	B	93	GLU	CB-CA-C	-18.70	82.40	111.39
1	A	7	ASN	N-CA-C	-10.95	96.93	110.61
1	B	92	LEU	CA-C-N	-10.78	107.22	122.74
1	B	92	LEU	C-N-CA	-10.78	107.22	122.74
1	A	90	GLN	OE1-CD-NE2	-9.86	112.74	122.60
1	A	6	ASN	CA-C-N	-9.54	105.17	122.54
1	A	6	ASN	C-N-CA	-9.54	105.17	122.54
1	B	90	GLN	OE1-CD-NE2	-9.52	113.08	122.60
1	B	93	GLU	CA-C-N	-9.49	108.05	121.33
1	B	93	GLU	C-N-CA	-9.49	108.05	121.33
1	A	6	ASN	O-C-N	-8.73	110.97	122.59
1	B	96	GLU	CB-CA-C	-8.40	101.01	111.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	236	ASN	CA-C-N	-7.83	111.18	125.66
1	A	236	ASN	C-N-CA	-7.83	111.18	125.66
1	A	6	ASN	CA-C-O	-7.61	109.63	120.51
1	A	215	PHE	CA-C-N	7.24	127.86	119.47
1	A	215	PHE	C-N-CA	7.24	127.86	119.47
1	A	90	GLN	CG-CD-NE2	7.13	127.10	116.40
1	A	143	ASP	CB-CA-C	-7.11	96.27	110.42
1	B	94	ASN	CB-CA-C	6.62	119.64	111.43
1	B	90	GLN	CG-CD-NE2	6.47	126.11	116.40
1	B	96	GLU	O-C-N	-6.43	117.06	123.62
1	B	201	GLY	N-CA-C	-6.16	104.30	114.76
1	B	346	PHE	O-C-N	5.99	127.66	121.79
1	B	162	ASN	CA-C-N	5.92	126.33	119.47
1	B	162	ASN	C-N-CA	5.92	126.33	119.47
1	A	237	ASN	CA-C-N	-5.82	113.78	122.74
1	A	237	ASN	C-N-CA	-5.82	113.78	122.74
1	A	91	GLU	CB-CA-C	-5.66	101.80	111.26
1	A	29	ASP	N-CA-C	-5.60	105.18	111.28
1	B	92	LEU	O-C-N	-5.45	116.96	123.06
1	B	346	PHE	CA-CB-CG	-5.33	108.47	113.80
1	A	201	GLY	N-CA-C	-5.25	104.95	114.46
1	B	102	THR	N-CA-C	-5.25	101.72	109.18
1	B	96	GLU	CA-C-N	-5.16	111.65	122.03
1	B	96	GLU	C-N-CA	-5.16	111.65	122.03
1	A	162	ASN	CA-C-N	5.14	125.18	119.32
1	A	162	ASN	C-N-CA	5.14	125.18	119.32
1	A	237	ASN	CA-CB-CG	5.12	117.72	112.60
1	A	113	GLU	N-CA-C	5.09	116.83	111.28
1	A	6	ASN	N-CA-C	5.09	121.64	110.80
1	A	192	GLU	N-CA-C	5.07	118.93	112.34
1	B	94	ASN	N-CA-C	-5.04	98.64	107.20
1	B	346	PHE	CB-CA-C	-5.02	104.62	112.31

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2792	0	2829	85	0
1	B	2784	0	2818	121	0
2	A	8	0	0	0	0
2	B	5	0	0	0	0
3	A	26	0	19	0	0
3	B	26	0	19	0	0
4	A	21	0	11	0	0
4	B	21	0	11	1	0
5	A	94	0	0	2	0
5	B	92	0	0	5	0
All	All	5869	0	5707	184	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (184) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:89:ASN:OD1	1:B:96:GLU:HB3	1.28	1.28
1:B:89:ASN:HD21	1:B:96:GLU:N	1.29	1.27
1:B:89:ASN:ND2	1:B:96:GLU:H	1.32	1.24
1:B:93:GLU:O	1:B:94:ASN:ND2	1.78	1.14
1:A:236:ASN:O	1:A:237:ASN:HB2	1.32	1.10
1:B:92:LEU:O	1:B:93:GLU:CB	1.95	1.08
1:B:92:LEU:CD1	1:B:93:GLU:CG	2.38	1.00
1:B:92:LEU:HD12	1:B:93:GLU:CG	1.94	0.96
1:B:92:LEU:HD13	1:B:93:GLU:HG2	1.48	0.96
1:A:236:ASN:O	1:A:237:ASN:CB	2.11	0.95
1:B:92:LEU:O	1:B:93:GLU:HB2	1.17	0.95
1:B:92:LEU:CD1	1:B:93:GLU:HG2	1.97	0.94
1:B:53:THR:HB	1:B:96:GLU:OE1	1.67	0.94
1:B:89:ASN:ND2	1:B:96:GLU:N	2.00	0.92
1:A:134:ASN:HD22	1:A:150:ASN:ND2	1.68	0.91
1:B:47:ASN:ND2	5:B:784:HOH:O	2.06	0.89
1:B:92:LEU:CD1	1:B:93:GLU:HG3	2.02	0.89
1:A:217:LYS:HD3	1:A:217:LYS:H	1.36	0.88
1:B:89:ASN:HD21	1:B:96:GLU:CA	1.86	0.87
1:B:89:ASN:CG	1:B:96:GLU:HB3	1.99	0.87
1:A:251:LYS:HE3	1:A:282:SER:OG	1.83	0.79
1:B:89:ASN:OD1	1:B:96:GLU:CB	2.22	0.78
1:A:325:ASN:C	1:A:325:ASN:HD22	1.92	0.76
1:A:134:ASN:HD22	1:A:150:ASN:HD21	1.32	0.76

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:346:PHE:CD2	1:B:347:THR:HG23	2.23	0.73
1:B:67:LYS:HA	1:B:70:ASN:HD22	1.52	0.73
1:B:92:LEU:HD12	1:B:93:GLU:HG3	1.63	0.73
1:A:93:GLU:HG2	1:A:94:ASN:H	1.53	0.72
1:B:89:ASN:HD21	1:B:96:GLU:C	1.97	0.72
1:A:325:ASN:ND2	1:A:328:GLU:H	1.86	0.72
1:B:311:LEU:HD22	1:B:312:MET:CE	2.20	0.71
1:A:90:GLN:O	1:A:91:GLU:HB2	1.88	0.71
1:A:5:ILE:HD11	1:B:107:LEU:HG	1.73	0.71
1:A:113:GLU:HB3	1:A:178:LYS:HG2	1.70	0.71
1:B:89:ASN:HD21	1:B:96:GLU:H	0.73	0.68
1:B:222:VAL:HG23	1:B:238:LEU:HD21	1.76	0.68
1:B:198:VAL:HG11	1:B:250:PRO:HG2	1.75	0.68
1:A:102:THR:O	1:A:106:GLU:HG3	1.94	0.67
1:B:311:LEU:HD22	1:B:312:MET:HE2	1.77	0.67
1:A:67:LYS:HA	1:A:70:ASN:HD22	1.60	0.66
1:B:346:PHE:HB3	1:B:350:MET:O	1.95	0.66
1:B:89:ASN:CG	1:B:96:GLU:O	2.39	0.66
1:B:89:ASN:ND2	1:B:96:GLU:O	2.28	0.66
1:B:312:MET:O	1:B:316:ILE:HG12	1.96	0.66
1:A:93:GLU:HG2	1:A:94:ASN:N	2.11	0.65
1:B:325:ASN:ND2	1:B:328:GLU:HG3	2.12	0.65
1:A:5:ILE:HG23	1:B:114:LEU:HD12	1.79	0.65
1:A:217:LYS:H	1:A:217:LYS:CD	2.09	0.65
1:B:246:PHE:O	1:B:275:LYS:HE3	1.97	0.64
1:A:297:ASN:ND2	1:A:300:LYS:HD2	2.13	0.64
1:A:5:ILE:HG21	5:B:729:HOH:O	1.98	0.63
1:B:126:PRO:O	1:B:130:THR:HG23	1.99	0.63
1:B:205:GLY:O	1:B:209:LYS:HG3	1.98	0.63
1:A:22:LYS:HA	1:B:308:ILE:HD13	1.81	0.63
1:A:89:ASN:C	1:A:89:ASN:HD22	2.08	0.62
1:A:142:GLU:O	1:A:143:ASP:HB2	1.98	0.62
1:A:126:PRO:O	1:A:130:THR:HG23	1.99	0.62
1:A:174:ALA:O	1:A:178:LYS:HD3	1.99	0.62
1:A:298:GLU:HG2	1:A:306:THR:HG21	1.82	0.62
1:B:67:LYS:HA	1:B:70:ASN:ND2	2.14	0.62
1:B:316:ILE:HG22	1:B:321:GLY:HA3	1.82	0.61
1:B:325:ASN:HD21	1:B:328:GLU:HG3	1.66	0.61
1:A:91:GLU:O	1:A:92:LEU:HD12	2.01	0.60
1:B:93:GLU:O	1:B:94:ASN:CG	2.43	0.60
1:B:92:LEU:O	1:B:92:LEU:HD12	2.01	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:89:ASN:OD1	1:A:92:LEU:HD22	2.03	0.59
1:B:102:THR:O	1:B:106:GLU:HG3	2.03	0.59
1:B:169:TYR:CE2	1:B:173:LEU:HD11	2.38	0.58
1:B:89:ASN:OD1	1:B:96:GLU:O	2.22	0.58
1:B:270:ILE:HG22	1:B:274:LYS:HE2	1.85	0.57
1:B:69:ASP:O	1:B:73:ARG:HG3	2.04	0.57
1:A:5:ILE:N	1:A:8:ARG:HD2	2.20	0.56
1:B:308:ILE:HD11	1:B:312:MET:HE3	1.88	0.55
1:A:25:TYR:CD2	1:B:312:MET:HE1	2.41	0.55
1:B:89:ASN:ND2	1:B:96:GLU:C	2.65	0.55
1:A:325:ASN:HD21	1:A:328:GLU:H	1.56	0.54
1:A:308:ILE:HD13	1:B:22:LYS:HA	1.90	0.54
1:B:230:GLU:C	1:B:231:ASN:HD22	2.16	0.54
1:B:92:LEU:HD12	1:B:93:GLU:CB	2.36	0.53
1:B:142:GLU:O	1:B:143:ASP:HB2	2.08	0.53
1:A:19:LEU:C	1:A:19:LEU:HD23	2.34	0.53
1:B:294:MET:HE1	1:B:312:MET:HB2	1.90	0.53
1:A:34:LYS:NZ	1:B:133:HIS:HD2	2.07	0.52
1:B:92:LEU:HD12	1:B:92:LEU:C	2.34	0.52
1:A:5:ILE:HG12	1:B:106:GLU:CB	2.40	0.52
1:B:325:ASN:ND2	1:B:328:GLU:H	2.08	0.52
1:A:255:VAL:HG11	1:A:276:CYS:SG	2.50	0.52
1:A:25:TYR:CG	1:B:312:MET:HE1	2.44	0.51
1:A:230:GLU:HG3	1:A:231:ASN:OD1	2.09	0.51
1:A:142:GLU:OE2	1:B:66:THR:HG23	2.11	0.51
1:B:198:VAL:HG23	1:B:252:ALA:CB	2.41	0.51
1:B:217:LYS:HE3	5:B:768:HOH:O	2.10	0.51
1:A:298:GLU:HG2	1:A:306:THR:CG2	2.40	0.51
1:A:322:LYS:HA	1:B:73:ARG:HH12	1.76	0.51
1:B:234:GLY:HA3	1:B:238:LEU:HD12	1.93	0.51
1:B:157:GLU:HG2	1:B:161:LYS:HE2	1.91	0.50
1:B:330:LYS:O	1:B:334:ILE:HG12	2.11	0.50
1:A:142:GLU:O	1:A:143:ASP:CB	2.58	0.50
1:B:218:LEU:HD23	1:B:219:THR:H	1.76	0.50
1:B:327:GLU:HA	1:B:330:LYS:HZ3	1.77	0.50
1:A:5:ILE:HG12	1:B:106:GLU:HB3	1.94	0.49
1:A:67:LYS:HA	1:A:70:ASN:ND2	2.26	0.49
1:B:198:VAL:HG23	1:B:252:ALA:HB2	1.94	0.49
1:B:267:LYS:NZ	1:B:271:LYS:HE3	2.27	0.49
1:B:238:LEU:C	1:B:238:LEU:HD13	2.37	0.49
1:A:91:GLU:C	1:A:92:LEU:HD12	2.37	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:238:LEU:C	1:A:238:LEU:HD23	2.38	0.49
1:A:93:GLU:H	1:A:93:GLU:CD	2.20	0.49
1:A:322:LYS:HB2	1:B:73:ARG:HH22	1.77	0.49
1:A:352:LEU:C	1:A:352:LEU:HD23	2.38	0.49
1:A:24:MET:HE3	1:A:25:TYR:CE2	2.46	0.48
1:A:281:THR:HA	1:A:285:LYS:O	2.13	0.48
1:B:325:ASN:C	1:B:325:ASN:HD22	2.21	0.48
1:B:352:LEU:HD23	1:B:352:LEU:C	2.39	0.48
1:A:204:ASN:C	1:A:204:ASN:HD22	2.22	0.47
1:B:353:ILE:HG22	1:B:355:ILE:HD13	1.96	0.47
1:A:312:MET:HE3	1:A:349:LEU:HD13	1.96	0.47
1:B:266:ASP:O	1:B:270:ILE:HG12	2.14	0.47
1:A:136:LYS:HG3	1:B:39:MET:SD	2.55	0.47
1:A:154:ASP:OD2	1:A:157:GLU:HG3	2.14	0.47
1:B:267:LYS:HZ1	1:B:271:LYS:HE3	1.80	0.47
1:B:238:LEU:HD13	1:B:239:THR:N	2.30	0.47
1:B:227:LYS:HG3	5:B:740:HOH:O	2.15	0.46
1:A:277:LYS:HG3	1:A:357:PRO:HB3	1.98	0.46
1:B:319:VAL:O	1:B:320:ASN:HB2	2.16	0.46
1:A:117:ALA:N	1:A:118:PRO:CD	2.79	0.46
1:A:225:ARG:HH12	1:A:244:ASP:HB2	1.79	0.46
1:B:308:ILE:CD1	1:B:312:MET:HE3	2.44	0.46
1:A:189:LEU:HB2	5:A:715:HOH:O	2.16	0.45
1:A:322:LYS:HA	1:B:73:ARG:NH1	2.32	0.45
1:A:198:VAL:HG23	1:A:252:ALA:HB2	1.98	0.45
1:B:138:TRP:CZ2	1:B:318:CYS:HA	2.51	0.45
1:A:117:ALA:HB3	1:A:118:PRO:HD3	1.98	0.45
1:A:322:LYS:HG3	1:B:73:ARG:NH2	2.32	0.45
1:A:73:ARG:HG3	1:A:73:ARG:HH11	1.81	0.45
1:A:188:ASN:O	1:A:192:GLU:HB3	2.17	0.45
1:A:5:ILE:N	1:B:106:GLU:OE1	2.49	0.45
1:A:11:SER:O	1:A:15:LYS:HG3	2.17	0.44
1:A:219:THR:HG23	5:A:755:HOH:O	2.17	0.44
1:A:297:ASN:ND2	1:A:300:LYS:CD	2.79	0.44
1:B:262:HIS:HE1	4:B:701:QSO:HM1	1.82	0.44
1:B:268:ASP:O	1:B:272:ILE:HG13	2.18	0.44
1:A:198:VAL:HG23	1:A:252:ALA:CB	2.48	0.44
1:B:339:GLN:HE21	1:B:339:GLN:HB2	1.49	0.44
1:B:353:ILE:HG22	1:B:355:ILE:CD1	2.47	0.44
1:A:67:LYS:HD3	1:A:70:ASN:ND2	2.33	0.44
1:A:296:ILE:O	1:A:325:ASN:HA	2.17	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:229:VAL:HA	1:B:232:LEU:HD12	2.00	0.44
1:B:117:ALA:HB3	1:B:118:PRO:HD3	1.99	0.44
1:B:92:LEU:O	1:B:93:GLU:C	2.48	0.44
1:B:255:VAL:HG11	1:B:276:CYS:SG	2.58	0.43
1:A:89:ASN:C	1:A:89:ASN:ND2	2.74	0.43
1:B:222:VAL:CG2	1:B:238:LEU:HD21	2.45	0.43
1:B:343:ILE:HG12	1:B:353:ILE:HG12	2.00	0.43
1:B:86:ILE:HG23	1:B:97:GLU:HB2	2.00	0.43
1:A:311:LEU:HD11	1:B:28:VAL:HB	2.01	0.43
1:A:348:GLY:N	1:B:14:PHE:HB3	2.33	0.43
1:B:117:ALA:O	1:B:121:GLU:HG3	2.18	0.43
1:B:53:THR:CB	1:B:96:GLU:OE1	2.53	0.43
1:B:40:ASN:N	1:B:40:ASN:HD22	2.17	0.42
1:B:70:ASN:ND2	5:B:783:HOH:O	2.49	0.42
1:B:230:GLU:HG2	1:B:231:ASN:ND2	2.33	0.42
1:A:346:PHE:CD2	1:A:347:THR:HG23	2.54	0.42
1:A:338:PHE:CD1	1:A:355:ILE:HG22	2.54	0.42
1:B:117:ALA:N	1:B:118:PRO:CD	2.83	0.42
1:A:5:ILE:HD11	1:B:107:LEU:CG	2.47	0.42
1:B:89:ASN:ND2	1:B:96:GLU:HB3	2.35	0.42
1:B:304:GLN:O	1:B:307:GLN:HB3	2.20	0.42
1:B:346:PHE:HB3	1:B:347:THR:H	1.65	0.42
1:A:174:ALA:O	1:A:177:SER:HB3	2.19	0.41
1:A:139:VAL:O	1:B:64:PRO:HD2	2.20	0.41
1:A:268:ASP:O	1:A:272:ILE:HG13	2.20	0.41
1:B:200:VAL:HG23	1:B:255:VAL:HG13	2.03	0.41
1:B:296:ILE:O	1:B:325:ASN:HA	2.21	0.41
1:B:330:LYS:HZ3	1:B:330:LYS:HB3	1.86	0.41
1:A:307:GLN:HB2	1:B:80:HIS:CE1	2.55	0.41
1:B:244:ASP:HB3	1:B:247:ILE:HG12	2.03	0.41
1:A:34:LYS:HZ3	1:B:133:HIS:HD2	1.69	0.41
1:B:310:LEU:HD12	1:B:310:LEU:HA	1.93	0.41
1:A:89:ASN:ND2	1:A:92:LEU:HD13	2.36	0.40
1:B:92:LEU:HD12	1:B:93:GLU:HB2	2.02	0.40
1:A:200:VAL:HG23	1:A:255:VAL:HG13	2.03	0.40
1:B:270:ILE:CG2	1:B:274:LYS:HE2	2.49	0.40
1:A:214:THR:C	1:A:216:PRO:HD3	2.46	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	351/357 (98%)	335 (95%)	16 (5%)	0	100	100
1	B	350/357 (98%)	341 (97%)	9 (3%)	0	100	100
All	All	701/714 (98%)	676 (96%)	25 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	318/321 (99%)	310 (98%)	8 (2%)	42	34
1	B	317/321 (99%)	304 (96%)	13 (4%)	27	17
All	All	635/642 (99%)	614 (97%)	21 (3%)	33	24

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	7	ASN
1	A	20	LEU
1	A	22	LYS
1	A	178	LYS
1	A	204	ASN
1	A	293	ASP
1	A	310	LEU
1	A	325	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	6	ASN
1	B	57	LEU
1	B	69	ASP
1	B	133	HIS
1	B	217	LYS
1	B	218	LEU
1	B	227	LYS
1	B	293	ASP
1	B	310	LEU
1	B	325	ASN
1	B	330	LYS
1	B	339	GLN
1	B	342	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (27) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	6	ASN
1	A	48	HIS
1	A	70	ASN
1	A	72	GLN
1	A	80	HIS
1	A	89	ASN
1	A	150	ASN
1	A	204	ASN
1	A	320	ASN
1	A	325	ASN
1	B	40	ASN
1	B	47	ASN
1	B	48	HIS
1	B	56	ASN
1	B	62	GLN
1	B	70	ASN
1	B	72	GLN
1	B	80	HIS
1	B	89	ASN
1	B	133	HIS
1	B	170	ASN
1	B	231	ASN
1	B	237	ASN
1	B	307	GLN
1	B	320	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	325	ASN
1	B	339	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 17 ligands modelled in this entry, 13 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
4	QSO	B	701	-	23,23,23	2.17	16 (69%)	33,33,33	1.85	10 (30%)
3	SAH	B	602	-	27,28,28	2.04	7 (25%)	36,40,40	1.68	6 (16%)
3	SAH	A	601	-	27,28,28	2.01	6 (22%)	36,40,40	1.74	8 (22%)
4	QSO	A	701	-	23,23,23	2.20	16 (69%)	33,33,33	1.82	10 (30%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	QSO	B	701	-	-	6/6/6/6	0/3/3/3
3	SAH	B	602	-	-	1/15/31/31	0/3/3/3
3	SAH	A	601	-	-	1/15/31/31	0/3/3/3
4	QSO	A	701	-	-	4/6/6/6	0/3/3/3

All (45) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	602	SAH	CB-CA	-6.26	1.39	1.53
3	A	601	SAH	CB-CA	-6.02	1.40	1.53
3	B	602	SAH	C1'-N9	-4.43	1.34	1.46
3	A	601	SAH	C1'-N9	-4.28	1.34	1.46
4	A	701	QSO	C3-C4	4.07	1.52	1.46
4	B	701	QSO	C3-C4	3.93	1.52	1.46
3	A	601	SAH	CB-CG	-3.34	1.38	1.51
3	B	602	SAH	CB-CG	-3.32	1.38	1.51
4	A	701	QSO	C6'-C1'	3.10	1.44	1.39
4	A	701	QSO	C3'-C4'	2.94	1.44	1.38
4	B	701	QSO	C6-C5	2.86	1.43	1.38
4	B	701	QSO	C3'-C4'	2.79	1.44	1.38
4	A	701	QSO	C6-C5	2.78	1.42	1.38
4	B	701	QSO	C5'-C4'	2.75	1.43	1.38
4	B	701	QSO	C2'-C1'	2.70	1.43	1.39
4	B	701	QSO	C3'-C2'	2.68	1.43	1.38
4	B	701	QSO	C6'-C1'	2.67	1.43	1.39
3	A	601	SAH	C4-N9	2.61	1.43	1.37
4	A	701	QSO	C2'-C1'	2.59	1.43	1.39
4	B	701	QSO	C4A-C8A	2.55	1.45	1.40
4	B	701	QSO	C6-C7	2.54	1.42	1.39
4	A	701	QSO	C6'-C5'	2.52	1.42	1.38
4	A	701	QSO	C5'-C4'	2.50	1.43	1.38
4	A	701	QSO	C4A-C8A	2.49	1.45	1.40
4	A	701	QSO	C8-C8A	2.47	1.43	1.38
3	B	602	SAH	C2-N3	2.47	1.38	1.33
4	A	701	QSO	C3'-C2'	2.46	1.42	1.38
4	B	701	QSO	C8-C8A	2.36	1.42	1.38
4	A	701	QSO	C2-C3	2.33	1.37	1.34
4	B	701	QSO	O1-C2	2.31	1.39	1.35
3	B	602	SAH	C4-N9	2.31	1.42	1.37
3	A	601	SAH	C2-N3	2.30	1.38	1.33
4	A	701	QSO	C6-C7	2.25	1.42	1.39
4	B	701	QSO	C2-C3	2.24	1.37	1.34
4	A	701	QSO	O1-C2	2.22	1.39	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	701	QSO	C4A-C4	2.21	1.52	1.46
4	B	701	QSO	C8-C7	2.21	1.42	1.39
4	A	701	QSO	C4A-C5	2.20	1.45	1.41
4	A	701	QSO	C8-C7	2.20	1.42	1.39
4	B	701	QSO	C6'-C5'	2.19	1.42	1.38
4	B	701	QSO	C4A-C5	2.18	1.44	1.41
3	B	602	SAH	C5'-C4'	2.08	1.60	1.52
4	B	701	QSO	C4A-C4	2.05	1.51	1.46
3	B	602	SAH	C5-N7	2.03	1.42	1.39
3	A	601	SAH	C2'-C3'	2.01	1.58	1.53

All (34) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	601	SAH	O4'-C1'-C2'	-5.46	94.93	106.62
3	B	602	SAH	O4'-C1'-C2'	-5.29	95.30	106.62
4	B	701	QSO	C5-C4A-C8A	3.94	121.17	117.41
4	A	701	QSO	C5-C6-C7	3.84	123.22	119.67
4	A	701	QSO	C5-C4A-C8A	3.74	120.98	117.41
4	B	701	QSO	C5-C6-C7	3.70	123.08	119.67
3	A	601	SAH	CB-CA-N	3.45	119.12	110.12
4	B	701	QSO	O1-C8A-C4A	3.44	123.91	120.67
3	A	601	SAH	N3-C2-N1	-3.43	123.39	128.58
3	B	602	SAH	CB-CA-N	3.40	118.99	110.12
4	A	701	QSO	O1-C8A-C4A	3.39	123.86	120.67
3	B	602	SAH	N3-C2-N1	-3.32	123.55	128.58
3	A	601	SAH	C1'-N9-C8	3.01	133.76	127.09
3	B	602	SAH	CB-CG-SD	-2.99	106.77	113.45
3	B	602	SAH	C1'-N9-C8	2.96	133.67	127.09
4	B	701	QSO	C6-C5-C4A	-2.96	117.60	120.92
3	A	601	SAH	C2-N1-C6	2.93	123.55	118.73
4	A	701	QSO	C6-C5-C4A	-2.89	117.68	120.92
4	A	701	QSO	C8A-C4A-C4	-2.69	116.79	120.03
3	B	602	SAH	C2-N1-C6	2.68	123.14	118.73
4	B	701	QSO	C8A-C8-C7	2.65	123.17	118.98
4	B	701	QSO	C8A-C4A-C4	-2.65	116.83	120.03
4	A	701	QSO	C8A-C8-C7	2.61	123.09	118.98
4	B	701	QSO	C5'-C4'-C3'	-2.45	116.59	120.16
4	A	701	QSO	C5'-C4'-C3'	-2.40	116.66	120.16
4	B	701	QSO	C8-C8A-C4A	-2.38	117.64	121.79
4	B	701	QSO	O1-C8A-C8	2.36	118.45	115.81
4	A	701	QSO	C8-C8A-C4A	-2.34	117.72	121.79

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	701	QSO	O1-C8A-C8	2.33	118.42	115.81
3	A	601	SAH	CB-CG-SD	-2.31	108.30	113.45
4	A	701	QSO	C8-C7-C6	-2.30	117.33	120.47
4	B	701	QSO	C8-C7-C6	-2.28	117.34	120.47
3	A	601	SAH	C5'-SD-CG	-2.24	95.62	102.26
3	A	601	SAH	O4'-C4'-C5'	-2.17	103.23	108.83

There are no chirality outliers.

All (12) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
4	A	701	QSO	C3'-C4'-O5-CM
4	A	701	QSO	C5'-C4'-O5-CM
4	B	701	QSO	C5'-C4'-O5-CM
4	B	701	QSO	C3'-C4'-O5-CM
4	B	701	QSO	C2'-C1'-C3-C2
4	B	701	QSO	C6'-C1'-C3-C2
4	B	701	QSO	C2'-C1'-C3-C4
4	B	701	QSO	C6'-C1'-C3-C4
3	A	601	SAH	CA-CB-CG-SD
3	B	602	SAH	C4'-C5'-SD-CG
4	A	701	QSO	C6'-C1'-C3-C2
4	A	701	QSO	C6'-C1'-C3-C4


There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	701	QSO	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	353/357 (98%)	0.50	29 (8%) 17 20	12, 24, 47, 64	0
1	B	352/357 (98%)	0.70	44 (12%) 8 9	13, 26, 57, 89	0
All	All	705/714 (98%)	0.60	73 (10%) 11 13	12, 25, 50, 89	0

All (73) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	5	ILE	6.7
1	A	156	TRP	6.3
1	B	92	LEU	6.1
1	A	6	ASN	5.9
1	B	229	VAL	5.3
1	A	92	LEU	5.0
1	B	232	LEU	5.0
1	B	88	THR	5.0
1	B	234	GLY	4.8
1	B	89	ASN	4.7
1	B	233	CYS	4.5
1	B	94	ASN	4.4
1	B	96	GLU	4.3
1	A	284	GLY	4.1
1	B	231	ASN	4.1
1	B	91	GLU	4.1
1	A	93	GLU	4.0
1	B	235	SER	3.9
1	A	91	GLU	3.7
1	A	90	GLN	3.7
1	B	227	LYS	3.6
1	B	90	GLN	3.6
1	B	236	ASN	3.6
1	B	93	GLU	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	188	ASN	3.5
1	B	217	LYS	3.4
1	B	166	ASN	3.4
1	B	237	ASN	3.4
1	A	348	GLY	3.3
1	A	94	ASN	3.3
1	B	228	VAL	3.2
1	B	6	ASN	3.2
1	B	192	GLU	3.1
1	B	346	PHE	3.0
1	B	7	ASN	3.0
1	A	155	LEU	2.9
1	A	7	ASN	2.9
1	B	165	TYR	2.9
1	A	192	GLU	2.8
1	A	286	ARG	2.8
1	B	218	LEU	2.8
1	A	163	PRO	2.8
1	B	357	PRO	2.8
1	B	238	LEU	2.7
1	A	217	LYS	2.7
1	A	234	GLY	2.7
1	B	216	PRO	2.6
1	A	232	LEU	2.5
1	B	345	PRO	2.5
1	B	150	ASN	2.4
1	B	95	GLU	2.4
1	A	89	ASN	2.4
1	B	240	TYR	2.4
1	A	193	GLY	2.4
1	B	169	TYR	2.3
1	A	230	GLU	2.3
1	B	167	THR	2.3
1	B	334	ILE	2.2
1	B	284	GLY	2.2
1	A	283	ASP	2.1
1	B	283	ASP	2.1
1	A	159	LEU	2.1
1	A	237	ASN	2.1
1	B	156	TRP	2.1
1	B	282	SER	2.1
1	A	153	CYS	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	158	PHE	2.1
1	B	230	GLU	2.1
1	B	239	THR	2.1
1	B	263	ASP	2.1
1	A	231	ASN	2.0
1	A	303	ASN	2.0
1	A	229	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	QSO	B	701	21/21	0.65	0.24	67,71,73,74	0
4	QSO	A	701	21/21	0.70	0.25	63,67,69,69	0
2	K	B	362	1/1	0.81	0.14	56,56,56,56	0
3	SAH	A	601	26/26	0.86	0.12	23,29,35,36	0
3	SAH	B	602	26/26	0.89	0.10	26,30,34,35	0
2	K	B	361	1/1	0.94	0.07	39,39,39,39	0
2	K	A	358	1/1	0.95	0.05	28,28,28,28	0
2	K	A	365	1/1	0.96	0.08	45,45,45,45	0
2	K	A	359	1/1	0.97	0.09	23,23,23,23	0
2	K	A	360	1/1	0.98	0.07	23,23,23,23	0
2	K	B	359	1/1	0.98	0.12	15,15,15,15	0
2	K	B	360	1/1	0.98	0.04	25,25,25,25	0
2	K	A	363	1/1	0.99	0.16	7,7,7,7	0
2	K	A	364	1/1	0.99	0.09	16,16,16,16	0
2	K	A	362	1/1	0.99	0.11	14,14,14,14	0
2	K	B	358	1/1	0.99	0.02	27,27,27,27	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	K	A	361	1/1	1.00	0.08	14,14,14,14	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around QSO B 701:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around QSO A 701:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around SAH A 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.