



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 12, 2026 – 01:59 PM UTC

PDB ID : 4QYS / pdb_00004qys
Title : TrpB2 enzymes
Authors : Busch, F.; Rajendran, C.; Loeffler, P.; Merkl, R.; Sterner, R.
Deposited on : 2014-07-25
Resolution : 1.94 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 1.94 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1452 (1.94-1.94)
Clashscore	190562	1494 (1.94-1.94)
Ramachandran outliers	187476	1479 (1.94-1.94)
Sidechain outliers	187428	1479 (1.94-1.94)
RSRZ outliers	180081	1453 (1.94-1.94)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	442	
1	B	442	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	PLR	B	501	-	-	X	-

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 6720 atoms, of which 12 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tryptophan synthase beta chain 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	B	418	Total	C	N	O	S	0	0	0
			3279	2120	540	607	12			
1	A	408	Total	C	N	O	S	0	0	0
			3172	2053	519	588	12			

There are 26 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
B	430	LYS	-	expression tag	UNP Q97TX6
B	431	LEU	-	expression tag	UNP Q97TX6
B	432	ALA	-	expression tag	UNP Q97TX6
B	433	ALA	-	expression tag	UNP Q97TX6
B	434	ALA	-	expression tag	UNP Q97TX6
B	435	LEU	-	expression tag	UNP Q97TX6
B	436	GLU	-	expression tag	UNP Q97TX6
B	437	HIS	-	expression tag	UNP Q97TX6
B	438	HIS	-	expression tag	UNP Q97TX6
B	439	HIS	-	expression tag	UNP Q97TX6
B	440	HIS	-	expression tag	UNP Q97TX6
B	441	HIS	-	expression tag	UNP Q97TX6
B	442	HIS	-	expression tag	UNP Q97TX6
A	430	LYS	-	expression tag	UNP Q97TX6
A	431	LEU	-	expression tag	UNP Q97TX6
A	432	ALA	-	expression tag	UNP Q97TX6
A	433	ALA	-	expression tag	UNP Q97TX6
A	434	ALA	-	expression tag	UNP Q97TX6
A	435	LEU	-	expression tag	UNP Q97TX6
A	436	GLU	-	expression tag	UNP Q97TX6
A	437	HIS	-	expression tag	UNP Q97TX6
A	438	HIS	-	expression tag	UNP Q97TX6
A	439	HIS	-	expression tag	UNP Q97TX6
A	440	HIS	-	expression tag	UNP Q97TX6
A	441	HIS	-	expression tag	UNP Q97TX6

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
A	442	HIS	-	expression tag	UNP Q97TX6

- Molecule 2 is (5-HYDROXY-4,6-DIMETHYLPYRIDIN-3-YL)METHYL DIHYDROGEN PHOSPHATE (CCD ID: PLR) (formula: $C_8H_{12}NO_5P$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	B	1	15	8	1	5	1	0	0

- Molecule 3 is PYRIDOXAL-5'-PHOSPHATE (CCD ID: PLP) (formula: $C_8H_{10}NO_6P$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	H	N	O	P	
			23	8	8	1	5	1	

- Molecule 4 is PHOSPHOSERINE (CCD ID: SEP) (formula: $C_3H_8NO_6P$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	H	N	O	P	
			15	3	4	1	6	1	


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	124	Total	O	0	0
			124	124		
5	A	92	Total	O	0	0
			92	92		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Tryptophan synthase beta chain 2



• Molecule 1: Tryptophan synthase beta chain 2



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	55.56Å 61.90Å 109.57Å 90.00° 98.23° 90.00°	Depositor
Resolution (Å)	46.44 – 1.94 46.44 – 1.94	Depositor EDS
% Data completeness (in resolution range)	96.3 (46.44-1.94) 96.3 (46.44-1.94)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.05 (at 1.94Å)	Xtriage
Refinement program	PHENIX (phenix.refine: dev_1589)	Depositor
R, R_{free}	0.195 , 0.252 0.198 , 0.253	Depositor DCC
R_{free} test set	2641 reflections (4.82%)	wwPDB-VP
Wilson B-factor (Å ²)	31.4	Xtriage
Anisotropy	0.197	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 37.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6720	wwPDB-VP
Average B, all atoms (Å ²)	34.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.34% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PLR, PLP, SEP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.59	0/3251	0.85	2/4409 (0.0%)
1	B	0.53	0/3360	0.83	4/4549 (0.1%)
All	All	0.56	0/6611	0.84	6/8958 (0.1%)

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	166	LYS	CA-C-N	7.05	126.66	119.19
1	B	166	LYS	C-N-CA	7.05	126.66	119.19
1	B	41	GLU	CA-C-N	6.65	133.67	121.70
1	B	41	GLU	C-N-CA	6.65	133.67	121.70
1	A	30	PRO	CA-C-N	5.97	123.96	119.66
1	A	30	PRO	C-N-CA	5.97	123.96	119.66

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3172	0	3168	98	0
1	B	3279	0	3300	70	0
2	B	15	0	10	8	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	15	8	7	3	0
4	A	11	4	3	3	0
5	A	92	0	0	4	0
5	B	124	0	0	6	0
All	All	6708	12	6488	167	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (167) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:311:THR:O	1:A:312:ALA:HB3	1.46	1.15
1:A:42:LEU:O	1:A:42:LEU:HD13	1.54	1.05
1:A:42:LEU:HD13	1:A:42:LEU:C	1.82	1.04
1:A:311:THR:O	1:A:312:ALA:CB	2.10	0.94
1:B:318:LEU:HB2	1:B:320:MET:HE2	1.56	0.87
1:A:205:LEU:HA	1:A:207:ILE:H	1.41	0.86
1:A:215:TYR:O	1:A:218:LYS:O	1.95	0.84
1:A:184:PRO:HG3	1:A:207:ILE:HG21	1.59	0.84
1:A:42:LEU:C	1:A:42:LEU:CD1	2.53	0.80
1:A:133:GLU:HB2	1:A:208:ALA:HB1	1.63	0.78
1:A:205:LEU:HA	1:A:207:ILE:N	1.98	0.77
1:B:304:TYR:OH	5:B:713:HOH:O	2.03	0.76
1:B:42:LEU:HD13	1:B:42:LEU:C	2.12	0.75
1:B:111:LYS:NZ	2:B:501:PLR:O3	2.20	0.74
1:B:189:GLU:OE2	1:B:192:ARG:NH2	2.14	0.74
1:A:210:SER:OG	1:A:311:THR:O	2.06	0.74
1:A:36:THR:O	1:A:38:LYS:N	2.19	0.72
1:A:41:GLU:HA	1:A:44:LYS:HD2	1.72	0.71
1:B:55:GLU:OE2	1:B:230:ASN:N	2.23	0.71
1:A:111:LYS:HZ1	3:A:501:PLP:C4A	2.06	0.69
1:A:278:GLU:OE2	1:A:288:TYR:OH	2.08	0.69
1:B:248:GLU:HG3	5:B:646:HOH:O	1.92	0.69
1:B:5:ILE:HD12	1:B:82:ILE:HG23	1.76	0.68
1:A:9:LEU:HD11	1:A:245:LYS:HD2	1.76	0.68
1:B:111:LYS:HE3	2:B:501:PLR:H4A2	1.75	0.67
1:B:86:ARG:NE	1:B:375:LEU:O	2.28	0.67
1:B:111:LYS:CE	2:B:501:PLR:H4A2	2.25	0.66
1:A:151:ARG:NH1	5:A:692:HOH:O	2.25	0.66
1:A:35:PRO:O	1:A:37:GLY:N	2.28	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:367:LYS:HD2	5:B:661:HOH:O	1.96	0.65
1:A:12:ASP:OD1	5:A:640:HOH:O	2.15	0.64
1:A:336:GLY:O	1:A:338:ARG:HG3	1.99	0.63
1:B:41:GLU:HA	1:B:43:LEU:H	1.64	0.63
1:B:33:GLN:HE22	1:B:317:MET:HE3	1.63	0.62
1:B:318:LEU:HB2	1:B:320:MET:CE	2.27	0.62
1:A:336:GLY:O	1:A:338:ARG:N	2.31	0.62
1:A:111:LYS:HZ1	4:A:502:SEP:CA	2.12	0.62
1:A:205:LEU:N	1:A:206:GLY:HA3	2.15	0.62
1:B:90:TYR:CE2	1:B:371:LEU:HD21	2.35	0.62
1:A:43:LEU:HD11	1:A:47:LEU:CD1	2.30	0.61
1:B:320:MET:HB2	1:B:342:VAL:O	1.99	0.61
1:A:43:LEU:HD12	1:A:43:LEU:O	2.01	0.61
1:A:39:SER:HB2	1:A:314:LEU:O	2.01	0.60
1:A:364:GLU:OE1	5:A:635:HOH:O	2.15	0.60
1:B:42:LEU:HD13	1:B:43:LEU:N	2.17	0.59
1:A:43:LEU:CD1	1:A:47:LEU:HG	2.32	0.59
1:A:139:TRP:HZ2	1:A:224:VAL:HG12	1.67	0.59
1:A:43:LEU:HD11	1:A:47:LEU:HG	1.84	0.58
1:A:133:GLU:HB2	1:A:208:ALA:CB	2.33	0.58
1:A:186:ASP:O	1:A:187:LEU:HB2	2.02	0.58
1:B:111:LYS:NZ	2:B:501:PLR:C4A	2.66	0.58
1:B:393:GLU:O	1:B:397:GLU:HG2	2.02	0.58
1:B:41:GLU:HA	1:B:43:LEU:N	2.19	0.57
1:B:348:LEU:HB2	5:B:713:HOH:O	2.04	0.57
1:A:310:ASP:HB3	1:A:315:LEU:HD12	1.87	0.57
1:A:283:LYS:HE2	1:A:285:ARG:HB3	1.87	0.57
1:B:392:ALA:O	1:B:396:GLU:HG2	2.05	0.56
1:B:33:GLN:NE2	1:B:317:MET:HE3	2.20	0.56
1:B:96:LYS:NZ	1:B:252:GLU:OE2	2.25	0.56
1:B:43:LEU:HD22	1:B:47:LEU:CD1	2.35	0.56
1:A:110:HIS:NE2	1:A:266:ASN:HB3	2.21	0.55
1:B:86:ARG:HD3	1:A:74:GLN:NE2	2.20	0.55
1:B:44:LYS:HA	1:B:52:LEU:HD11	1.89	0.55
1:A:109:SER:HB3	1:A:138:GLN:HG2	1.89	0.54
1:A:162:SER:O	1:A:166:LYS:HB2	2.07	0.54
1:B:321:TYR:HD1	1:B:347:SER:HB3	1.71	0.54
1:A:153:LYS:NZ	1:A:179:GLU:HG3	2.23	0.54
1:A:134:THR:HG23	1:A:158:MET:HG3	1.91	0.53
1:B:183:SER:HA	1:B:184:PRO:C	2.34	0.53
1:A:320:MET:HB2	1:A:342:VAL:O	2.09	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:285:ARG:HG3	1:A:286:ARG:N	2.24	0.52
1:B:190:PHE:HB3	1:B:214:GLU:OE1	2.09	0.52
1:A:111:LYS:HZ1	4:A:502:SEP:HA	1.75	0.52
1:A:227:SER:O	1:A:228:VAL:HG22	2.10	0.52
1:B:43:LEU:HD22	1:B:47:LEU:HD11	1.91	0.51
1:A:156:ILE:HD12	1:A:156:ILE:N	2.26	0.51
1:A:183:SER:HA	1:A:184:PRO:C	2.34	0.51
1:B:197:LYS:HE2	5:B:645:HOH:O	2.11	0.50
1:A:97:ILE:HD13	1:A:391:LEU:HD13	1.92	0.50
1:A:96:LYS:NZ	1:A:252:GLU:OE2	2.38	0.50
1:B:96:LYS:HE2	1:B:404:ARG:HH21	1.77	0.50
1:B:18:TRP:CE2	1:B:64:ILE:HG12	2.47	0.50
1:A:43:LEU:HD11	1:A:47:LEU:CG	2.42	0.50
1:A:250:ILE:HG13	1:A:252:GLU:HB2	1.94	0.50
3:A:501:PLP:O3	4:A:502:SEP:N	2.45	0.50
1:A:398:ALA:HB1	1:A:403:GLU:O	2.12	0.49
1:A:33:GLN:HG3	1:A:306:TYR:CE1	2.47	0.49
1:A:256:TYR:CD1	1:A:287:LYS:HB2	2.48	0.49
1:A:7:ILE:HD12	1:A:7:ILE:N	2.28	0.49
1:A:307:ASP:OD1	1:A:308:TYR:N	2.42	0.49
1:A:59:GLU:OE1	1:A:59:GLU:N	2.46	0.49
1:A:238:ILE:O	1:A:242:GLU:HG3	2.14	0.48
1:B:41:GLU:CA	1:B:43:LEU:H	2.27	0.48
1:B:32:PRO:HB3	1:B:318:LEU:HD23	1.94	0.48
1:B:42:LEU:C	1:B:42:LEU:CD1	2.83	0.48
1:A:44:LYS:HG2	1:A:52:LEU:HD21	1.96	0.48
1:A:210:SER:OG	1:A:312:ALA:HB3	2.14	0.48
1:B:41:GLU:N	1:B:42:LEU:HB3	2.28	0.48
1:A:253:ASP:OD1	1:A:286:ARG:NH2	2.37	0.47
1:A:228:VAL:HG23	1:A:229:VAL:N	2.29	0.47
1:A:111:LYS:NZ	3:A:501:PLP:C4A	2.77	0.46
1:A:160:ARG:HA	1:A:163:TYR:HB3	1.97	0.46
1:B:136:ALA:HB3	1:B:138:GLN:OE1	2.16	0.46
1:B:291:SER:HA	1:B:358:ARG:O	2.16	0.46
1:B:232:ASP:OD2	1:B:236:LYS:NZ	2.32	0.46
1:B:380:PRO:HB3	1:B:411:PHE:CZ	2.51	0.46
1:A:39:SER:CB	1:A:314:LEU:O	2.64	0.46
1:A:156:ILE:HD13	1:A:178:ALA:HB1	1.97	0.46
1:A:227:SER:HA	1:A:232:ASP:OD2	2.16	0.46
1:A:17:GLN:HG2	5:A:647:HOH:O	2.16	0.45
1:B:111:LYS:NZ	2:B:501:PLR:H4A2	2.31	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:111:LYS:HZ3	2:B:501:PLR:H4A3	1.81	0.45
1:A:159:VAL:O	1:A:160:ARG:CB	2.63	0.45
1:B:309:PRO:HG2	1:B:315:LEU:HB2	1.98	0.45
1:B:111:LYS:HZ3	2:B:501:PLR:C4A	2.29	0.45
1:A:128:LYS:HA	1:A:128:LYS:HD3	1.66	0.45
1:A:320:MET:CB	1:A:342:VAL:O	2.65	0.44
1:B:111:LYS:CE	2:B:501:PLR:C4A	2.93	0.44
1:B:233:ILE:O	1:B:237:THR:HG23	2.18	0.44
1:A:258:ILE:HA	1:A:289:ILE:O	2.17	0.44
1:A:153:LYS:HZ2	1:A:179:GLU:HG3	1.82	0.44
1:A:187:LEU:HD22	1:A:215:TYR:CD1	2.53	0.43
1:A:18:TRP:CE2	1:A:64:ILE:HG12	2.53	0.43
1:A:247:MET:HB3	1:A:252:GLU:O	2.19	0.43
1:A:43:LEU:O	1:A:47:LEU:HB2	2.19	0.43
1:B:42:LEU:CD1	1:B:43:LEU:N	2.82	0.43
1:B:225:VAL:O	1:B:225:VAL:HG13	2.19	0.43
1:A:155:HIS:C	1:A:156:ILE:HD12	2.44	0.43
1:A:160:ARG:HA	1:A:163:TYR:CB	2.48	0.43
1:B:258:ILE:HA	1:B:289:ILE:O	2.19	0.42
1:B:30:PRO:HA	1:B:31:PRO:HD2	1.85	0.42
1:B:277:ASP:OD1	1:B:280:ARG:NH2	2.52	0.42
1:A:261:VAL:HG23	1:A:290:ALA:HB1	2.00	0.42
1:A:310:ASP:OD1	1:A:315:LEU:HB2	2.18	0.42
1:A:205:LEU:CA	1:A:207:ILE:H	2.20	0.42
1:A:30:PRO:HG2	1:A:319:LYS:HD3	2.01	0.42
1:A:169:ARG:O	1:A:173:MET:HE3	2.19	0.42
1:A:423:ALA:HA	1:A:427:PHE:CD2	2.54	0.42
1:B:96:LYS:HD2	1:B:252:GLU:OE2	2.19	0.42
1:B:131:THR:HG22	1:B:155:HIS:HB2	2.02	0.42
1:A:133:GLU:HA	1:A:157:PHE:O	2.20	0.42
1:B:370:LYS:O	1:B:374:GLU:HG3	2.20	0.42
1:A:33:GLN:HG3	1:A:306:TYR:CZ	2.54	0.42
1:A:236:LYS:O	1:A:269:ALA:HB1	2.20	0.42
1:B:141:SER:HA	1:B:173:MET:HG2	2.01	0.41
1:B:315:LEU:HB3	1:B:316:PRO:HD2	2.01	0.41
1:B:107:THR:HG23	1:B:145:LEU:HD22	2.02	0.41
1:B:283:LYS:O	1:B:283:LYS:HG3	2.20	0.41
5:B:705:HOH:O	1:A:5:ILE:HD11	2.19	0.41
1:A:67:GLU:OE1	1:A:67:GLU:N	2.54	0.41
1:A:187:LEU:HD23	1:A:215:TYR:HA	2.02	0.41
1:A:283:LYS:HE3	1:A:283:LYS:HB2	1.89	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:133:GLU:O	1:A:139:TRP:HD1	2.03	0.41
1:A:253:ASP:CG	1:A:285:ARG:HH21	2.29	0.41
1:B:60:ARG:HG2	1:B:61:TYR:CE2	2.56	0.41
1:A:139:TRP:CH2	1:A:226:GLY:HA2	2.56	0.41
1:A:43:LEU:HD11	1:A:47:LEU:HD12	2.03	0.41
1:B:110:HIS:NE2	1:B:266:ASN:HB3	2.35	0.40
1:B:78:PRO:HB3	1:B:242:GLU:CD	2.46	0.40
1:B:169:ARG:O	1:B:173:MET:HG3	2.21	0.40
1:B:233:ILE:HG12	1:B:265:SER:HA	2.03	0.40
1:A:31:PRO:O	1:A:306:TYR:OH	2.33	0.40
1:B:48:PRO:HA	1:B:125:ASP:OD2	2.21	0.40
1:B:86:ARG:HD3	1:A:74:GLN:CD	2.46	0.40
1:A:233:ILE:O	1:A:237:THR:HG23	2.21	0.40
1:B:246:GLN:O	1:B:249:LEU:HB3	2.20	0.40
1:B:328:VAL:HA	1:B:329:PRO:HD3	1.92	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	404/442 (91%)	378 (94%)	14 (4%)	12 (3%)	3	0
1	B	414/442 (94%)	403 (97%)	10 (2%)	1 (0%)	43	37
All	All	818/884 (92%)	781 (96%)	24 (3%)	13 (2%)	7	1

All (13) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	44	LYS
1	A	35	PRO
1	A	36	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	37	GLY
1	A	219	ASN
1	A	337	LEU
1	A	40	LEU
1	A	159	VAL
1	A	160	ARG
1	A	218	LYS
1	A	227	SER
1	A	228	VAL
1	A	312	ALA

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	333/369 (90%)	327 (98%)	6 (2%)	51	43
1	B	348/369 (94%)	342 (98%)	6 (2%)	53	44
All	All	681/738 (92%)	669 (98%)	12 (2%)	51	43

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	5	ILE
1	B	50	LYS
1	B	109	SER
1	B	227	SER
1	B	252	GLU
1	B	376	GLU
1	A	22	LEU
1	A	42	LEU
1	A	43	LEU
1	A	138	GLN
1	A	205	LEU
1	A	207	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	74	GLN
1	A	94	ASN
1	A	356	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	SEP	A	502	3	9,10,10	1.13	0	9,14,14	1.86	3 (33%)
2	PLR	B	501	-	15,15,15	1.39	2 (13%)	21,22,22	1.60	6 (28%)
3	PLP	A	501	4	15,15,16	1.58	2 (13%)	21,22,23	1.26	1 (4%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	SEP	A	502	3	-	2/10/10/10	-
2	PLR	B	501	-	-	3/6/6/6	0/1/1/1
3	PLP	A	501	4	-	2/6/6/8	0/1/1/1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	501	PLP	C5-C4	-3.21	1.36	1.40
2	B	501	PLR	C5-C4	-2.78	1.37	1.40
3	A	501	PLP	C3-C2	-2.47	1.38	1.41
2	B	501	PLR	P-O3P	-2.05	1.47	1.54

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	501	PLR	O4P-P-O1P	3.80	116.71	106.44
4	A	502	SEP	OG-P-O1P	2.96	114.44	106.44
4	A	502	SEP	O3P-P-OG	2.63	113.52	106.67
4	A	502	SEP	OXT-C-O	-2.58	118.22	124.08
3	A	501	PLP	O3P-P-O4P	2.52	113.24	106.67
2	B	501	PLR	C4A-C4-C5	-2.38	118.48	120.94
2	B	501	PLR	O3P-P-O4P	2.22	112.46	106.67
2	B	501	PLR	O2P-P-O4P	2.21	112.43	106.67
2	B	501	PLR	C5-C6-N1	-2.17	120.30	123.83
2	B	501	PLR	O3P-P-O2P	-2.07	100.03	107.80

There are no chirality outliers.

All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	501	PLR	C5A-O4P-P-O1P
2	B	501	PLR	C5A-O4P-P-O2P
2	B	501	PLR	C5A-O4P-P-O3P
4	A	502	SEP	OXT-C-CA-CB
3	A	501	PLP	C6-C5-C5A-O4P
3	A	501	PLP	C5A-O4P-P-O1P
4	A	502	SEP	CA-CB-OG-P

There are no ring outliers.

3 monomers are involved in 13 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	502	SEP	3	0
2	B	501	PLR	8	0
3	A	501	PLP	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	408/442 (92%)	0.47	14 (3%) 48 54	20, 35, 57, 75	0
1	B	418/442 (94%)	0.24	6 (1%) 73 79	18, 30, 48, 62	0
All	All	826/884 (93%)	0.35	20 (2%) 59 67	18, 33, 53, 75	0

All (20) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	187	LEU	4.0
1	A	332	VAL	3.6
1	A	206	GLY	3.5
1	A	205	LEU	3.3
1	A	136	ALA	3.1
1	B	41	GLU	2.7
1	A	159	VAL	2.6
1	A	217	HIS	2.5
1	B	43	LEU	2.4
1	A	185	SER	2.3
1	A	212	ALA	2.2
1	A	43	LEU	2.2
1	A	324	GLY	2.2
1	A	336	GLY	2.2
1	A	219	ASN	2.2
1	B	56	PHE	2.1
1	B	52	LEU	2.1
1	B	4	ARG	2.1
1	B	86	ARG	2.1
1	A	135	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	SEP	A	502	11/11	0.86	0.09	31,35,42,44	0
3	PLP	A	501	15/16	0.94	0.07	27,33,38,45	0
2	PLR	B	501	15/15	0.95	0.07	21,27,33,38	0

6.5 Other polymers [i](#)

There are no such residues in this entry.