



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 06:44 PM UTC

PDB ID : 1R10 / pdb_00001r10
Title : Cystic fibrosis transmembrane conductance regulator (CFTR) nucleotide-binding domain one (NBD1) with ATP, I4122 space group
Authors : Lewis, H.A.; Buchanan, S.G.; Burley, S.K.; Conners, K.; Dickey, M.; Dorwart, M.; Fowler, R.; Gao, X.; Guggino, W.B.; Hendrickson, W.A.
Deposited on : 2003-09-23
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	2977 (3.00-3.00)
Ramachandran outliers	187476	2877 (3.00-3.00)
Sidechain outliers	187428	2880 (3.00-3.00)
RSRZ outliers	180081	2671 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	286	
1	B	286	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	ACY	A	7	-	-	X	-

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 4240 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cystic fibrosis transmembrane conductance regulator.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	264	Total	C	N	O	S	0	0	0
			2082	1327	344	399	12			
1	B	264	Total	C	N	O	S	0	0	0
			2082	1327	344	399	12			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	388	SER	-	cloning artifact	UNP P26361
B	388	SER	-	cloning artifact	UNP P26361

- Molecule 2 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Mg	0	0
			1	1		
2	B	1	Total	Mg	0	0
			1	1		

- Molecule 3 is ADENOSINE-5'-TRIPHOSPHATE (CCD ID: ATP) (formula: C₁₀H₁₆N₅O₁₃P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total 31	C 10	N 5	O 13	P 3	0	0
3	B	1	Total 31	C 10	N 5	O 13	P 3	0	0

- Molecule 4 is ACETIC ACID (CCD ID: ACY) (formula: $\text{C}_2\text{H}_4\text{O}_2$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	C	O	0	0
			4	2	2		

4 Data and refinement statistics

Property	Value	Source
Space group	I 41 2 2	Depositor
Cell constants a, b, c, α , β , γ	141.20Å 141.20Å 279.46Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 3.00 30.00 – 3.00	Depositor EDS
% Data completeness (in resolution range)	(Not available) (30.00-3.00) 99.7 (30.00-3.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.36 (at 3.01Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.228 , 0.265 0.213 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	88.9	Xtriage
Anisotropy	0.336	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 54.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.52$, $\langle L^2 \rangle = 0.36$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	4240	wwPDB-VP
Average B, all atoms (Å ²)	82.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.17% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ATP, ACY

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.63	0/2117	0.86	0/2846
1	B	0.68	0/2117	0.97	3/2846 (0.1%)
All	All	0.66	0/4234	0.92	3/5692 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	B	536	GLN	CB-CA-C	-6.77	108.76	116.54
1	B	583	GLU	N-CA-C	-5.92	104.95	111.82
1	B	655	GLU	N-CA-C	-5.92	104.90	111.71

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	579	ASP	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2082	0	2081	71	0
1	B	2082	0	2081	76	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	31	0	12	0	0
3	B	31	0	12	1	0
4	A	8	0	6	2	0
4	B	4	0	3	0	0
All	All	4240	0	4195	147	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (147) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:392:ILE:HD12	1:B:484:HIS:HB3	1.42	1.00
1:A:516:ARG:HH11	1:A:516:ARG:HG3	1.37	0.89
1:B:501:THR:OG1	1:B:504:GLU:HG3	1.73	0.88
1:B:456:ILE:HD13	1:B:467:LEU:HD23	1.62	0.78
1:B:476:GLU:H	1:B:476:GLU:CD	1.93	0.76
1:A:542:GLY:H	4:A:7:ACY:H2	1.51	0.75
1:A:610:LEU:HG	1:A:616:ILE:HD13	1.73	0.71
1:B:396:ASN:O	1:B:480:GLY:HA3	1.91	0.71
1:B:392:ILE:HG22	1:B:448:ILE:HB	1.75	0.69
1:B:407:GLU:HG3	1:B:411:LYS:HE2	1.74	0.68
1:A:516:ARG:HG3	1:A:516:ARG:NH1	2.08	0.68
1:A:575:PHE:HD1	1:A:583:GLU:HG2	1.58	0.66
1:B:610:LEU:HG	1:B:616:ILE:HD13	1.76	0.66
1:B:668:ARG:NH2	1:B:669:PHE:HZ	1.95	0.65
1:B:525:GLN:HG2	1:B:586:VAL:HG22	1.79	0.65
1:B:644:LEU:HD11	1:B:662:LEU:HD23	1.78	0.65
1:A:402:GLU:HG3	1:A:476:GLU:CD	2.21	0.64
1:B:530:ILE:O	1:B:536:GLN:HA	1.98	0.64
1:A:440:VAL:HG11	1:A:475:LEU:HD21	1.79	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:452:GLU:HA	1:A:614:ASP:OD2	1.99	0.62
1:B:617:LEU:HD22	1:B:619:LEU:HD13	1.83	0.61
1:B:432:HIS:O	1:B:436:VAL:HG23	2.01	0.61
1:A:549:SER:OG	1:A:552:GLN:HG3	2.00	0.60
1:A:611:ARG:HG3	1:A:630:PHE:CE2	2.36	0.60
1:B:452:GLU:HA	1:B:614:ASP:OD2	2.01	0.60
1:A:617:LEU:HD22	1:A:619:LEU:CD1	2.31	0.60
1:A:499:PRO:HD3	1:A:543:GLU:HG2	1.83	0.60
1:B:525:GLN:HG2	1:B:586:VAL:CG2	2.33	0.59
1:B:470:LEU:HD12	1:B:475:LEU:O	2.03	0.59
1:A:400:PHE:HD2	1:A:478:SER:HG	1.51	0.59
1:A:496:TRP:H	1:A:496:TRP:CD1	2.21	0.58
1:B:456:ILE:CD1	1:B:467:LEU:HD23	2.33	0.58
1:B:474:GLU:HA	1:B:474:GLU:OE2	2.03	0.58
1:B:668:ARG:NH2	1:B:669:PHE:CZ	2.73	0.57
1:A:394:MET:HB2	1:A:446:LEU:HG	1.87	0.56
1:B:392:ILE:CG2	1:B:448:ILE:HB	2.34	0.56
1:A:542:GLY:H	4:A:7:ACY:CH3	2.17	0.56
1:A:668:ARG:HG2	1:A:669:PHE:CE1	2.40	0.56
1:A:525:GLN:HG2	1:A:586:VAL:HG22	1.87	0.56
1:B:630:PHE:O	1:B:634:GLN:HG3	2.06	0.56
1:B:544:GLY:O	1:B:545:GLY:C	2.49	0.56
1:A:607:MET:HE2	1:A:607:MET:HA	1.89	0.54
1:B:446:LEU:HA	1:B:627:TYR:CE2	2.43	0.54
1:A:552:GLN:O	1:A:556:ILE:HG13	2.08	0.53
1:B:459:SER:HB3	1:B:620:HIS:ND1	2.23	0.53
1:B:453:MET:HB2	1:B:600:ARG:CZ	2.38	0.53
1:B:449:GLU:O	1:B:450:LYS:C	2.51	0.53
1:B:487:ARG:HB2	1:B:487:ARG:CZ	2.39	0.52
1:A:402:GLU:HG3	1:A:476:GLU:OE1	2.10	0.52
1:A:594:LEU:HG	1:A:594:LEU:O	2.08	0.52
1:A:530:ILE:O	1:A:536:GLN:HA	2.09	0.52
1:A:486:GLY:HA3	1:A:567:ASP:OD2	2.10	0.51
1:A:503:LYS:NZ	1:A:512:TYR:HE1	2.08	0.51
1:B:563:TYR:O	1:B:563:TYR:CD2	2.63	0.51
1:A:644:LEU:HD21	1:A:662:LEU:CD2	2.40	0.51
1:B:449:GLU:HG3	1:B:452:GLU:OE1	2.11	0.51
1:A:460:THR:HG23	1:A:663:THR:OG1	2.11	0.51
1:A:453:MET:HG2	1:A:600:ARG:HG3	1.94	0.50
1:A:436:VAL:HG12	1:A:438:ASN:OD1	2.10	0.50
1:B:514:GLU:O	1:B:518:LYS:HB2	2.12	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:630:PHE:HZ	1:B:645:MET:HE2	1.76	0.50
1:A:569:TYR:HE1	1:A:598:LYS:HD2	1.76	0.49
1:B:503:LYS:HG3	1:B:517:TYR:CZ	2.47	0.49
1:B:459:SER:HB2	1:B:663:THR:HG23	1.93	0.49
1:B:461:GLY:O	3:B:2:ATP:H3'	2.13	0.49
1:A:525:GLN:HB3	1:A:528:GLN:HE22	1.77	0.49
1:A:392:ILE:HD12	1:A:484:HIS:HB3	1.94	0.49
1:A:516:ARG:HH11	1:A:516:ARG:CG	2.17	0.49
1:A:626:PHE:CE2	1:A:633:LEU:HA	2.48	0.49
1:A:396:ASN:N	1:A:445:ASN:OD1	2.42	0.49
1:A:487:ARG:CZ	1:A:487:ARG:HB2	2.42	0.49
1:B:524:CYS:O	1:B:525:GLN:HB2	2.13	0.49
1:B:629:THR:HG23	1:B:632:GLU:OE2	2.13	0.48
1:B:446:LEU:HD22	1:B:454:LEU:HD11	1.95	0.48
1:B:644:LEU:HD11	1:B:662:LEU:CD2	2.42	0.48
1:B:460:THR:HG22	1:B:663:THR:OG1	2.13	0.48
1:B:590:CYS:O	1:B:595:MET:HB2	2.12	0.48
1:B:542:GLY:O	1:B:543:GLU:C	2.56	0.48
1:B:592:CYS:O	1:B:596:ALA:HB2	2.13	0.48
1:B:449:GLU:O	1:B:452:GLU:HB2	2.13	0.47
1:A:392:ILE:CG2	1:A:448:ILE:HB	2.44	0.47
1:A:562:VAL:HG22	1:A:595:MET:HE3	1.95	0.47
1:B:396:ASN:O	1:B:480:GLY:CA	2.62	0.47
1:A:593:LYS:O	1:A:595:MET:N	2.48	0.47
1:B:502:ILE:HG23	1:B:556:ILE:HD13	1.96	0.47
1:A:641:SER:O	1:A:645:MET:HB2	2.15	0.47
1:A:524:CYS:O	1:A:555:ARG:HD2	2.14	0.47
1:B:542:GLY:O	1:B:543:GLU:O	2.33	0.47
1:A:396:ASN:HD22	1:A:445:ASN:HD21	1.63	0.46
1:B:407:GLU:OE1	1:B:411:LYS:HG3	2.15	0.46
1:B:610:LEU:HG	1:B:616:ILE:CD1	2.44	0.46
1:A:617:LEU:HD22	1:A:619:LEU:HD12	1.96	0.46
1:A:568:LEU:HD12	1:A:599:THR:O	2.16	0.45
1:B:457:THR:CG2	1:B:618:ILE:HG12	2.47	0.45
1:A:396:ASN:O	1:A:480:GLY:CA	2.64	0.45
1:B:392:ILE:CD1	1:B:484:HIS:HB3	2.30	0.45
1:A:440:VAL:CG1	1:A:475:LEU:HD21	2.45	0.45
1:B:484:HIS:ND1	1:B:485:SER:N	2.64	0.45
1:A:527:GLN:O	1:A:531:THR:HG22	2.15	0.44
1:B:542:GLY:O	1:B:545:GLY:N	2.49	0.44
1:A:397:VAL:HA	1:A:480:GLY:HA3	1.98	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:666:LEU:HD13	1:A:666:LEU:HA	1.71	0.44
1:B:397:VAL:HA	1:B:479:GLU:O	2.18	0.44
1:B:447:ASN:HD22	1:B:447:ASN:C	2.25	0.44
1:B:643:LYS:HD3	1:B:665:THR:OG1	2.18	0.44
1:A:517:TYR:CE2	1:A:521:VAL:HG21	2.53	0.44
1:B:639:ASP:HB3	1:B:669:PHE:CE2	2.52	0.44
1:A:520:VAL:O	1:A:521:VAL:C	2.60	0.44
1:B:552:GLN:O	1:B:556:ILE:HG13	2.17	0.43
1:B:630:PHE:CZ	1:B:645:MET:HE2	2.54	0.43
1:B:453:MET:HA	1:B:600:ARG:O	2.19	0.43
1:A:644:LEU:HD21	1:A:662:LEU:HD21	2.00	0.43
1:A:395:GLU:O	1:A:396:ASN:C	2.61	0.43
1:A:449:GLU:O	1:A:450:LYS:C	2.61	0.43
1:A:512:TYR:OH	1:A:514:GLU:HG2	2.19	0.43
1:B:593:LYS:O	1:B:594:LEU:C	2.61	0.43
1:A:472:LEU:HD11	1:A:490:PHE:CD2	2.53	0.43
1:A:563:TYR:O	1:A:564:LYS:C	2.61	0.43
1:A:626:PHE:CD1	1:A:627:TYR:N	2.87	0.43
1:A:654:THR:O	1:A:658:ARG:HG3	2.18	0.43
1:B:402:GLU:HG2	1:B:476:GLU:OE1	2.19	0.43
1:B:627:TYR:CD1	1:B:628:GLY:N	2.87	0.42
1:B:476:GLU:CD	1:B:476:GLU:N	2.69	0.42
1:A:400:PHE:HD2	1:A:478:SER:OG	2.02	0.42
1:A:502:ILE:O	1:A:506:ILE:HG13	2.20	0.42
1:B:501:THR:HA	1:B:539:THR:O	2.19	0.42
1:B:526:LEU:O	1:B:530:ILE:HG12	2.19	0.42
1:B:660:SER:O	1:B:664:GLU:HG3	2.20	0.42
1:A:525:GLN:HB3	1:A:528:GLN:NE2	2.34	0.41
1:B:441:LEU:HA	1:B:622:GLY:O	2.20	0.41
1:A:580:VAL:HG21	1:A:652:GLN:HA	2.02	0.41
1:A:635:SER:OG	1:A:636:LEU:N	2.53	0.41
1:B:588:GLU:O	1:B:592:CYS:HB2	2.20	0.41
1:A:650:PHE:HA	1:A:653:PHE:CD1	2.56	0.41
1:A:528:GLN:C	1:A:531:THR:HG22	2.46	0.41
1:A:562:VAL:HG22	1:A:595:MET:CE	2.50	0.41
1:B:529:ASP:C	1:B:531:THR:N	2.77	0.41
1:B:570:LEU:CD2	1:B:601:ILE:HD12	2.50	0.41
1:B:617:LEU:HD22	1:B:619:LEU:CD1	2.50	0.41
1:A:639:ASP:HB3	1:A:669:PHE:CE2	2.56	0.40
1:A:449:GLU:O	1:A:452:GLU:HG3	2.21	0.40
1:A:503:LYS:HE3	1:A:512:TYR:CE1	2.56	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:481:ILE:HD12	1:B:481:ILE:HA	1.89	0.40
1:B:454:LEU:CD2	1:B:454:LEU:C	2.94	0.40
1:B:516:ARG:O	1:B:520:VAL:HG23	2.21	0.40
1:A:634:GLN:HE21	1:A:634:GLN:HB2	1.56	0.40
1:B:577:TYR:CD2	1:B:577:TYR:N	2.88	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	260/286 (91%)	232 (89%)	23 (9%)	5 (2%)	6	30
1	B	260/286 (91%)	237 (91%)	16 (6%)	7 (3%)	4	22
All	All	520/572 (91%)	469 (90%)	39 (8%)	12 (2%)	5	25

All (12) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	543	GLU
1	A	396	ASN
1	A	648	ASP
1	B	508	PHE
1	A	594	LEU
1	A	640	PHE
1	B	396	ASN
1	B	450	LYS
1	B	545	GLY
1	B	611	ARG
1	A	593	LYS
1	B	612	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	231/252 (92%)	196 (85%)	35 (15%)	3	14
1	B	231/252 (92%)	201 (87%)	30 (13%)	4	19
All	All	462/504 (92%)	397 (86%)	65 (14%)	3	16

All (65) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	392	ILE
1	A	396	ASN
1	A	403	GLU
1	A	435	LEU
1	A	449	GLU
1	A	454	LEU
1	A	460	THR
1	A	464	LYS
1	A	476	GLU
1	A	479	GLU
1	A	481	ILE
1	A	487	ARG
1	A	511	SER
1	A	514	GLU
1	A	522	LYS
1	A	548	LEU
1	A	557	SER
1	A	558	LEU
1	A	564	LYS
1	A	571	LEU
1	A	589	SER
1	A	594	LEU
1	A	599	THR
1	A	610	LEU
1	A	611	ARG
1	A	617	LEU
1	A	619	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	634	GLN
1	A	635	SER
1	A	644	LEU
1	A	649	THR
1	A	656	GLU
1	A	659	SER
1	A	666	LEU
1	A	668	ARG
1	B	395	GLU
1	B	407	GLU
1	B	431	SER
1	B	435	LEU
1	B	438	ASN
1	B	442	LYS
1	B	447	ASN
1	B	449	GLU
1	B	450	LYS
1	B	454	LEU
1	B	476	GLU
1	B	478	SER
1	B	487	ARG
1	B	488	VAL
1	B	495	SER
1	B	511	SER
1	B	518	LYS
1	B	532	LYS
1	B	548	LEU
1	B	558	LEU
1	B	564	LYS
1	B	571	LEU
1	B	610	LEU
1	B	617	LEU
1	B	619	LEU
1	B	629	THR
1	B	642	SER
1	B	645	MET
1	B	648	ASP
1	B	666	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	396	ASN
1	A	447	ASN
1	A	538	ASN
1	A	634	GLN
1	A	652	GLN
1	B	396	ASN
1	B	447	ASN
1	B	634	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 7 ligands modelled in this entry, 2 are monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	ACY	B	8	-	3,3,3	1.18	0	3,3,3	1.61	1 (33%)
3	ATP	B	2	2	32,33,33	2.66	10 (31%)	48,52,52	3.09	14 (29%)
4	ACY	A	7	-	3,3,3	1.49	1 (33%)	3,3,3	1.46	0
4	ACY	A	9	-	3,3,3	1.47	1 (33%)	3,3,3	1.64	1 (33%)
3	ATP	A	1	2	32,33,33	2.88	12 (37%)	48,52,52	3.13	14 (29%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ATP	A	1	2	-	4/22/38/38	0/3/3/3
3	ATP	B	2	2	-	4/22/38/38	0/3/3/3

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1	ATP	PB-O3A	10.88	1.71	1.59
3	B	2	ATP	PB-O3A	8.45	1.68	1.59
3	B	2	ATP	C4-N3	6.12	1.45	1.34
3	A	1	ATP	C4-N3	5.86	1.45	1.34
3	B	2	ATP	O5'-C5'	-5.27	1.24	1.44
3	A	1	ATP	O5'-C5'	-4.63	1.27	1.44
3	B	2	ATP	O4'-C1'	3.64	1.50	1.42
3	B	2	ATP	C8-N9	3.58	1.43	1.37
3	A	1	ATP	C8-N9	3.57	1.43	1.37
3	A	1	ATP	O4'-C1'	3.11	1.49	1.42
3	B	2	ATP	PA-O5'	-2.91	1.48	1.59
3	A	1	ATP	C2-N3	2.68	1.38	1.33
3	A	1	ATP	PA-O5'	-2.64	1.49	1.59
3	A	1	ATP	C1'-N9	2.63	1.53	1.46
3	B	2	ATP	C2'-C3'	2.62	1.60	1.53
3	B	2	ATP	C2-N1	2.41	1.38	1.33
3	A	1	ATP	C6-N1	2.39	1.42	1.35
3	A	1	ATP	C5-C6	2.37	1.47	1.41
3	A	1	ATP	C2-N1	2.31	1.38	1.33
3	A	1	ATP	C3'-C4'	-2.27	1.47	1.53
4	A	7	ACY	O-C	2.25	1.32	1.22
3	B	2	ATP	C2-N3	2.22	1.37	1.33
3	B	2	ATP	C2'-C1'	2.12	1.60	1.53
4	A	9	ACY	O-C	2.02	1.31	1.22

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	2	ATP	O5'-C5'-C4'	12.58	151.82	108.99
3	A	1	ATP	O5'-C5'-C4'	12.54	151.68	108.99
3	B	2	ATP	O3A-PB-O1B	-8.41	85.40	110.70
3	A	1	ATP	O3A-PB-O1B	-7.05	89.50	110.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1	ATP	PA-O5'-C5'	7.01	161.54	121.35
3	A	1	ATP	O5'-PA-O1A	-6.88	81.68	108.94
3	B	2	ATP	O5'-PA-O1A	-6.35	83.75	108.94
3	B	2	ATP	PA-O5'-C5'	6.28	157.33	121.35
3	A	1	ATP	C5'-C4'-C3'	-5.83	94.22	115.21
3	B	2	ATP	C5'-C4'-C3'	-5.71	94.66	115.21
3	A	1	ATP	O2B-PB-O3B	4.99	120.75	107.27
3	B	2	ATP	O2B-PB-O3B	4.80	120.25	107.27
3	B	2	ATP	O2A-PA-O3A	4.46	119.32	107.27
3	A	1	ATP	O4'-C4'-C3'	4.11	113.30	105.15
3	A	1	ATP	O2A-PA-O3A	4.09	118.32	107.27
3	A	1	ATP	O4'-C4'-C5'	-3.63	97.70	109.33
3	B	2	ATP	O4'-C4'-C3'	3.05	111.20	105.15
3	A	1	ATP	C3'-C2'-C1'	3.05	107.22	101.46
3	B	2	ATP	O2A-PA-O5'	-2.84	94.71	107.57
3	A	1	ATP	O3A-PA-O1A	2.42	117.99	110.70
3	B	2	ATP	O2A-PA-O1A	2.35	123.39	112.44
3	A	1	ATP	O2A-PA-O1A	2.34	123.33	112.44
4	A	9	ACY	O-C-CH3	-2.26	113.28	122.53
3	B	2	ATP	O3B-PB-O1B	2.25	117.46	110.70
4	B	8	ACY	O-C-CH3	-2.17	113.61	122.53
3	A	1	ATP	O2B-PB-O3A	-2.14	101.48	107.27
3	B	2	ATP	O3'-C3'-C2'	2.11	118.59	111.82
3	B	2	ATP	O3A-PA-O1A	2.06	116.89	110.70
3	B	2	ATP	O4'-C4'-C5'	-2.05	102.77	109.33
3	A	1	ATP	O3B-PB-O1B	2.05	116.86	110.70

There are no chirality outliers.

All (8) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	1	ATP	PB-O3B-PG-O2G
3	B	2	ATP	PB-O3B-PG-O2G
3	A	1	ATP	PG-O3B-PB-O2B
3	B	2	ATP	PG-O3B-PB-O2B
3	A	1	ATP	C4'-C5'-O5'-PA
3	B	2	ATP	C4'-C5'-O5'-PA
3	B	2	ATP	PB-O3B-PG-O1G
3	A	1	ATP	PB-O3B-PG-O3G


There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	2	ATP	1	0
4	A	7	ACY	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	264/286 (92%)	-0.01	5 (1%) 66 43	54, 84, 111, 120	0
1	B	264/286 (92%)	0.04	7 (2%) 56 33	44, 78, 111, 120	0
All	All	528/572 (92%)	0.02	12 (2%) 61 38	44, 80, 111, 120	0

All (12) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	670	SER	5.0
1	B	412	VAL	4.9
1	B	391	GLY	4.1
1	A	429	SER	3.9
1	B	429	SER	3.3
1	A	391	GLY	3.3
1	A	412	VAL	3.3
1	B	476	GLU	2.7
1	B	670	SER	2.6
1	B	544	GLY	2.5
1	B	543	GLU	2.2
1	A	450	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.


6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	ACY	A	9	4/4	0.77	0.23	82,82,82,82	0
3	ATP	A	1	31/31	0.89	0.10	82,82,82,82	0
3	ATP	B	2	31/31	0.90	0.10	82,82,82,82	0
2	MG	B	4	1/1	0.90	0.12	82,82,82,82	0
4	ACY	A	7	4/4	0.94	0.15	82,82,82,82	0
2	MG	A	3	1/1	0.95	0.08	82,82,82,82	0
4	ACY	B	8	4/4	0.98	0.12	82,82,82,82	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers ⓘ

There are no such residues in this entry.