



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 02:37 PM UTC

PDB ID : 1R1Z / pdb_00001r1z
Title : The Crystal structure of the Carbohydrate recognition domain of the glycoprotein sorting receptor p58/ERGIC-53 reveals a novel metal binding site and conformational changes associated with calcium ion binding
Authors : Velloso, L.M.; Svensson, K.; Pettersson, R.F.; Lindqvist, Y.
Deposited on : 2003-09-25
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	263	11% 79% 12% • 6%
1	B	263	8% 80% 11% • 6%
1	C	263	6% 80% 11% • 6%
1	D	263	15% 81% 11% • 6%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 7793 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ERGIC-53 protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	247	Total	C	N	O	S	0	0	0
			1898	1198	339	355	6			
1	B	247	Total	C	N	O	S	0	0	0
			1898	1198	339	355	6			
1	C	247	Total	C	N	O	S	0	0	0
			1898	1198	339	355	6			
1	D	247	Total	C	N	O	S	0	0	0
			1898	1198	339	355	6			

There are 84 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	22	MET	-	cloning artifact	UNP Q62902
A	23	GLY	-	cloning artifact	UNP Q62902
A	24	SER	-	cloning artifact	UNP Q62902
A	25	SER	-	cloning artifact	UNP Q62902
A	26	HIS	-	cloning artifact	UNP Q62902
A	27	HIS	-	cloning artifact	UNP Q62902
A	28	HIS	-	cloning artifact	UNP Q62902
A	29	HIS	-	cloning artifact	UNP Q62902
A	30	HIS	-	cloning artifact	UNP Q62902
A	31	HIS	-	cloning artifact	UNP Q62902
A	32	SER	-	cloning artifact	UNP Q62902
A	33	SER	-	cloning artifact	UNP Q62902
A	34	GLY	-	cloning artifact	UNP Q62902
A	35	LEU	-	cloning artifact	UNP Q62902
A	36	VAL	-	cloning artifact	UNP Q62902
A	37	PRO	-	cloning artifact	UNP Q62902
A	38	ARG	-	cloning artifact	UNP Q62902
A	39	GLY	-	cloning artifact	UNP Q62902
A	40	SER	-	cloning artifact	UNP Q62902
A	41	HIS	-	cloning artifact	UNP Q62902
A	42	MET	-	cloning artifact	UNP Q62902

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	19	MET	-	cloning artifact	UNP Q62902
B	20	GLY	-	cloning artifact	UNP Q62902
B	21	SER	-	cloning artifact	UNP Q62902
B	22	SER	-	cloning artifact	UNP Q62902
B	26	HIS	-	cloning artifact	UNP Q62902
B	27	HIS	-	cloning artifact	UNP Q62902
B	28	HIS	-	cloning artifact	UNP Q62902
B	26	HIS	-	cloning artifact	UNP Q62902
B	27	HIS	-	cloning artifact	UNP Q62902
B	28	HIS	-	cloning artifact	UNP Q62902
B	29	SER	-	cloning artifact	UNP Q62902
B	30	SER	-	cloning artifact	UNP Q62902
B	31	GLY	-	cloning artifact	UNP Q62902
B	32	LEU	-	cloning artifact	UNP Q62902
B	33	VAL	-	cloning artifact	UNP Q62902
B	34	PRO	-	cloning artifact	UNP Q62902
B	35	ARG	-	cloning artifact	UNP Q62902
B	36	GLY	-	cloning artifact	UNP Q62902
B	37	SER	-	cloning artifact	UNP Q62902
B	38	HIS	-	cloning artifact	UNP Q62902
B	39	MET	-	cloning artifact	UNP Q62902
C	19	MET	-	cloning artifact	UNP Q62902
C	20	GLY	-	cloning artifact	UNP Q62902
C	21	SER	-	cloning artifact	UNP Q62902
C	22	SER	-	cloning artifact	UNP Q62902
C	26	HIS	-	cloning artifact	UNP Q62902
C	27	HIS	-	cloning artifact	UNP Q62902
C	28	HIS	-	cloning artifact	UNP Q62902
C	26	HIS	-	cloning artifact	UNP Q62902
C	27	HIS	-	cloning artifact	UNP Q62902
C	28	HIS	-	cloning artifact	UNP Q62902
C	29	SER	-	cloning artifact	UNP Q62902
C	30	SER	-	cloning artifact	UNP Q62902
C	31	GLY	-	cloning artifact	UNP Q62902
C	32	LEU	-	cloning artifact	UNP Q62902
C	33	VAL	-	cloning artifact	UNP Q62902
C	34	PRO	-	cloning artifact	UNP Q62902
C	35	ARG	-	cloning artifact	UNP Q62902
C	36	GLY	-	cloning artifact	UNP Q62902
C	37	SER	-	cloning artifact	UNP Q62902
C	38	HIS	-	cloning artifact	UNP Q62902
C	39	MET	-	cloning artifact	UNP Q62902

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	19	MET	-	cloning artifact	UNP Q62902
D	20	GLY	-	cloning artifact	UNP Q62902
D	21	SER	-	cloning artifact	UNP Q62902
D	22	SER	-	cloning artifact	UNP Q62902
D	26	HIS	-	cloning artifact	UNP Q62902
D	27	HIS	-	cloning artifact	UNP Q62902
D	28	HIS	-	cloning artifact	UNP Q62902
D	26	HIS	-	cloning artifact	UNP Q62902
D	27	HIS	-	cloning artifact	UNP Q62902
D	28	HIS	-	cloning artifact	UNP Q62902
D	29	SER	-	cloning artifact	UNP Q62902
D	30	SER	-	cloning artifact	UNP Q62902
D	31	GLY	-	cloning artifact	UNP Q62902
D	32	LEU	-	cloning artifact	UNP Q62902
D	33	VAL	-	cloning artifact	UNP Q62902
D	34	PRO	-	cloning artifact	UNP Q62902
D	35	ARG	-	cloning artifact	UNP Q62902
D	36	GLY	-	cloning artifact	UNP Q62902
D	37	SER	-	cloning artifact	UNP Q62902
D	38	HIS	-	cloning artifact	UNP Q62902
D	39	MET	-	cloning artifact	UNP Q62902

- Molecule 2 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	2	Total Ca 2 2	0	0
2	B	2	Total Ca 2 2	0	0
2	C	2	Total Ca 2 2	0	0
2	D	2	Total Ca 2 2	0	0

- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	89	Total O 89 89	0	0
3	B	58	Total O 58 58	0	0
3	C	28	Total O 28 28	0	0

Continued on next page...



Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	D	18	Total	O	0	0
			18	18		



3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: ERGIC-53 protein




• Molecule 1: ERGIC-53 protein




• Molecule 1: ERGIC-53 protein



• Molecule 1: ERGIC-53 protein





4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	44.35Å 81.07Å 82.31Å 91.05° 94.14° 94.99°	Depositor
Resolution (Å)	10.00 – 2.40 10.00 – 2.40	Depositor EDS
% Data completeness (in resolution range)	94.5 (10.00-2.40) 94.5 (10.00-2.40)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	0.10	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.72 (at 2.41Å)	Xtriage
Refinement program	REFMAC 5.1.24	Depositor
R, R_{free}	0.223 , 0.241 0.300 , 0.304	Depositor DCC
R_{free} test set	1071 reflections (2.54%)	wwPDB-VP
Wilson B-factor (Å ²)	35.9	Xtriage
Anisotropy	0.426	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.49 , 60.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.015 for -h,-l,-k	Xtriage
F_o, F_c correlation	0.86	EDS
Total number of atoms	7793	wwPDB-VP
Average B, all atoms (Å ²)	21.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.24% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.79	1/1951 (0.1%)	0.93	0/2651
1	B	0.73	3/1951 (0.2%)	0.90	0/2651
1	C	0.64	1/1951 (0.1%)	0.87	0/2651
1	D	0.57	2/1951 (0.1%)	0.86	0/2651
All	All	0.69	7/7804 (0.1%)	0.89	0/10604

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	39	MET	SD-CE	6.55	1.96	1.79
1	B	33	VAL	CA-CB	6.21	1.58	1.53
1	B	33	VAL	CA-C	6.03	1.57	1.52
1	C	39	MET	SD-CE	6.02	1.94	1.79
1	B	39	MET	SD-CE	5.58	1.93	1.79
1	D	33	VAL	CA-C	5.05	1.58	1.52
1	A	42	MET	SD-CE	5.02	1.92	1.79

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1898	0	1765	35	0
1	B	1898	0	1765	25	0
1	C	1898	0	1765	39	0
1	D	1898	0	1765	18	1
2	A	2	0	0	0	0
2	B	2	0	0	0	0
2	C	2	0	0	0	0
2	D	2	0	0	0	0
3	A	89	0	0	10	0
3	B	58	0	0	12	0
3	C	28	0	0	6	1
3	D	18	0	0	3	0
All	All	7793	0	7060	100	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (100) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:36:GLY:HA3	3:B:361:HOH:O	1.14	1.30
1:D:98:ARG:HD2	3:D:525:HOH:O	1.28	1.24
1:A:35:LEU:HD23	3:A:375:HOH:O	1.37	1.23
1:C:128:ALA:O	3:C:422:HOH:O	1.57	1.19
1:B:32:LEU:HD23	3:B:324:HOH:O	1.42	1.17
3:B:330:HOH:O	1:C:32:LEU:HD23	1.43	1.15
1:D:98:ARG:CD	3:D:525:HOH:O	1.86	1.10
1:A:35:LEU:CD2	3:A:375:HOH:O	2.00	1.02
1:C:262:ALA:HA	3:C:422:HOH:O	1.58	1.00
1:B:95:LYS:H	1:C:67:GLN:HE22	1.00	1.00
1:A:228:PHE:CE2	1:C:228:PHE:CZ	2.51	0.97
1:C:31:GLY:HA3	3:C:441:HOH:O	1.66	0.95
1:C:41:GLY:HA3	3:C:437:HOH:O	1.66	0.93
1:A:142:ASP:OD2	3:A:327:HOH:O	1.89	0.90
1:B:39:MET:CE	3:B:368:HOH:O	2.25	0.84
1:B:95:LYS:N	1:C:67:GLN:HE22	1.77	0.81
1:B:95:LYS:H	1:C:67:GLN:NE2	1.77	0.81
1:A:186:HIS:HB2	3:A:326:HOH:O	1.86	0.75
1:A:34:GLY:HA3	3:A:325:HOH:O	1.88	0.74
1:A:228:PHE:CE2	1:C:228:PHE:CE2	2.76	0.73
3:B:372:HOH:O	1:C:32:LEU:HD22	1.88	0.72
1:A:228:PHE:CE1	1:C:228:PHE:CD1	2.77	0.72

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:228:PHE:CZ	1:C:228:PHE:CD2	2.80	0.70
1:A:228:PHE:CZ	1:C:228:PHE:CE2	2.82	0.68
1:B:32:LEU:HD23	1:B:32:LEU:H	1.57	0.68
1:B:32:LEU:CD2	3:B:324:HOH:O	2.15	0.66
1:A:35:LEU:HD23	1:A:35:LEU:H	1.61	0.66
1:A:228:PHE:CD2	1:C:228:PHE:CZ	2.83	0.65
1:C:32:LEU:HD23	1:C:32:LEU:H	1.63	0.63
1:A:201:ASP:O	1:A:205:LYS:NZ	2.32	0.63
1:B:185:ASP:H	1:B:193:GLN:HE22	1.45	0.63
1:C:157:ILE:HD13	1:C:213:ILE:HD13	1.81	0.63
1:D:157:ILE:HD13	1:D:213:ILE:HD13	1.81	0.62
1:D:98:ARG:HD3	3:D:525:HOH:O	1.76	0.62
1:A:185:ASP:H	1:A:193:GLN:HE22	1.49	0.61
1:D:32:LEU:HD23	1:D:32:LEU:H	1.64	0.61
1:A:228:PHE:CE1	1:C:228:PHE:CG	2.89	0.61
1:A:228:PHE:CD2	1:C:228:PHE:CE1	2.89	0.61
1:B:119:ARG:HD3	3:B:325:HOH:O	1.99	0.60
1:B:64:HIS:ND1	3:B:340:HOH:O	2.30	0.60
1:A:157:ILE:HD13	1:A:213:ILE:HD13	1.83	0.60
1:B:152:TRP:CE2	1:B:178:ASN:HB2	2.38	0.58
1:B:25:HIS:HE1	3:B:336:HOH:O	1.86	0.58
1:B:32:LEU:HB2	1:B:34:PRO:HD2	1.85	0.58
1:B:157:ILE:HD13	1:B:213:ILE:HD13	1.85	0.58
1:B:201:ASP:O	1:B:205:LYS:NZ	2.37	0.57
1:A:228:PHE:CG	1:C:228:PHE:CE1	2.93	0.56
1:C:201:ASP:O	1:C:205:LYS:NZ	2.39	0.56
1:A:228:PHE:CZ	1:C:228:PHE:CG	2.94	0.56
1:D:185:ASP:H	1:D:193:GLN:HE22	1.52	0.56
1:D:32:LEU:HB2	1:D:34:PRO:HD2	1.88	0.55
1:A:31:HIS:CD2	3:A:305:HOH:O	2.59	0.55
1:D:201:ASP:O	1:D:205:LYS:NZ	2.39	0.55
1:C:185:ASP:H	1:C:193:GLN:HE22	1.53	0.55
1:C:35:ARG:NH2	3:C:435:HOH:O	2.40	0.54
1:A:182:ILE:HD11	3:A:288:HOH:O	2.09	0.53
1:B:119:ARG:NH2	3:B:362:HOH:O	2.21	0.53
1:A:137:GLU:OE1	1:A:138:ASN:ND2	2.42	0.52
1:C:35:ARG:HD2	1:C:56:TYR:OH	2.10	0.52
1:A:228:PHE:CZ	1:C:228:PHE:CZ	2.98	0.52
1:A:228:PHE:CD1	1:C:228:PHE:CD1	2.98	0.52
1:C:32:LEU:HB2	1:C:34:PRO:HD2	1.91	0.52
1:B:38:HIS:NE2	3:B:369:HOH:O	1.60	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:35:LEU:HB2	1:A:37:PRO:HD2	1.91	0.51
1:A:228:PHE:CE2	1:C:228:PHE:CE1	2.98	0.51
1:D:32:LEU:HD12	1:D:34:PRO:HG2	1.93	0.50
1:D:210:ARG:HB2	1:D:225:ASN:HB3	1.92	0.50
1:B:200:ARG:NH2	1:B:237:PHE:O	2.46	0.49
1:D:137:GLU:OE1	1:D:138:ASN:ND2	2.46	0.48
1:A:36:VAL:HG23	1:A:37:PRO:HD3	1.94	0.48
1:C:33:VAL:HG23	1:C:34:PRO:HD3	1.95	0.48
1:B:39:MET:HE2	3:B:368:HOH:O	2.00	0.48
1:A:38:ARG:HD2	1:A:56:TYR:OH	2.14	0.48
1:B:137:GLU:OE1	1:B:138:ASN:ND2	2.47	0.47
1:C:277:GLU:O	1:C:277:GLU:HG3	2.14	0.47
1:C:137:GLU:OE1	1:C:138:ASN:ND2	2.48	0.47
1:B:33:VAL:HG23	1:B:34:PRO:HD3	1.97	0.47
1:C:111:ASN:HB2	1:C:275:LEU:O	2.15	0.46
1:B:210:ARG:HB2	1:B:225:ASN:HB3	1.97	0.46
1:A:119:ARG:NH1	3:A:314:HOH:O	2.18	0.46
1:B:35:ARG:HA	1:B:38:HIS:HB3	1.96	0.45
1:D:200:ARG:NH2	1:D:237:PHE:O	2.49	0.45
1:D:35:ARG:HA	1:D:38:HIS:HB3	1.98	0.45
1:C:170:ASN:HA	1:C:171:PRO:C	2.42	0.45
1:C:35:ARG:HA	1:C:38:HIS:HB3	1.99	0.44
1:D:170:ASN:HA	1:D:171:PRO:C	2.42	0.44
1:C:51:HIS:O	1:C:275:LEU:HA	2.17	0.44
1:D:32:LEU:HD12	1:D:34:PRO:HD2	2.00	0.44
1:A:77:HIS:HD2	3:A:301:HOH:O	2.01	0.44
1:A:228:PHE:CD1	1:C:228:PHE:CE1	3.07	0.42
1:A:119:ARG:HD3	3:A:314:HOH:O	2.18	0.42
1:A:170:ASN:HA	1:A:171:PRO:C	2.45	0.42
1:C:185:ASP:H	1:C:193:GLN:NE2	2.18	0.42
1:A:185:ASP:H	1:A:193:GLN:NE2	2.16	0.42
1:B:35:ARG:HD2	1:B:56:TYR:OH	2.20	0.41
1:A:38:ARG:HA	1:A:41:HIS:HB3	2.01	0.41
1:D:32:LEU:HD12	1:D:34:PRO:CG	2.51	0.41
1:D:277:GLU:O	1:D:277:GLU:HG3	2.21	0.41
1:C:31:GLY:CA	3:C:441:HOH:O	2.45	0.41
1:D:35:ARG:HD2	1:D:56:TYR:OH	2.20	0.41

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:30:SER:OG	3:C:430:HOH:O[1_545]	1.92	0.28

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	243/263 (92%)	234 (96%)	8 (3%)	1 (0%)	30	43
1	B	243/263 (92%)	236 (97%)	6 (2%)	1 (0%)	30	43
1	C	243/263 (92%)	237 (98%)	5 (2%)	1 (0%)	30	43
1	D	243/263 (92%)	236 (97%)	6 (2%)	1 (0%)	30	43
All	All	972/1052 (92%)	943 (97%)	25 (3%)	4 (0%)	30	43

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	29	HIS
1	B	26	HIS
1	C	26	HIS
1	D	26	HIS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	193/215 (90%)	174 (90%)	19 (10%)	7	12
1	B	193/215 (90%)	177 (92%)	16 (8%)	10	17

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	193/215 (90%)	177 (92%)	16 (8%)	10	17
1	D	193/215 (90%)	176 (91%)	17 (9%)	9	15
All	All	772/860 (90%)	704 (91%)	68 (9%)	9	15

All (68) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	28	HIS
1	A	29	HIS
1	A	30	HIS
1	A	32	SER
1	A	35	LEU
1	A	36	VAL
1	A	38	ARG
1	A	41	HIS
1	A	45	THR
1	A	51	HIS
1	A	66	VAL
1	A	119	ARG
1	A	137	GLU
1	A	151	MET
1	A	174	VAL
1	A	226	ASN
1	A	232	LYS
1	A	245	VAL
1	A	277	GLU
1	B	26	HIS
1	B	27	HIS
1	B	29	SER
1	B	32	LEU
1	B	33	VAL
1	B	35	ARG
1	B	38	HIS
1	B	42	THR
1	B	66	VAL
1	B	137	GLU
1	B	151	MET
1	B	174	VAL
1	B	226	ASN
1	B	232	LYS
1	B	245	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	277	GLU
1	C	26	HIS
1	C	27	HIS
1	C	29	SER
1	C	32	LEU
1	C	33	VAL
1	C	35	ARG
1	C	38	HIS
1	C	42	THR
1	C	66	VAL
1	C	137	GLU
1	C	151	MET
1	C	174	VAL
1	C	226	ASN
1	C	232	LYS
1	C	245	VAL
1	C	277	GLU
1	D	26	HIS
1	D	27	HIS
1	D	29	SER
1	D	32	LEU
1	D	33	VAL
1	D	35	ARG
1	D	38	HIS
1	D	42	THR
1	D	66	VAL
1	D	137	GLU
1	D	151	MET
1	D	174	VAL
1	D	226	ASN
1	D	232	LYS
1	D	245	VAL
1	D	276	THR
1	D	277	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (32) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	77	HIS
1	A	138	ASN
1	A	139	GLN
1	A	183	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	187	GLN
1	A	193	GLN
1	A	226	ASN
1	A	249	GLN
1	A	274	GLN
1	B	138	ASN
1	B	139	GLN
1	B	181	GLN
1	B	183	ASN
1	B	187	GLN
1	B	193	GLN
1	B	226	ASN
1	C	67	GLN
1	C	138	ASN
1	C	139	GLN
1	C	181	GLN
1	C	183	ASN
1	C	193	GLN
1	C	199	GLN
1	C	226	ASN
1	C	274	GLN
1	D	138	ASN
1	D	139	GLN
1	D	181	GLN
1	D	183	ASN
1	D	187	GLN
1	D	193	GLN
1	D	226	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 8 ligands modelled in this entry, 8 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	247/263 (93%)	0.94	29 (11%) 9 7	11, 20, 29, 38	0
1	B	247/263 (93%)	0.81	22 (8%) 15 12	11, 20, 29, 38	0
1	C	247/263 (93%)	0.72	16 (6%) 25 21	11, 20, 29, 38	0
1	D	247/263 (93%)	1.20	40 (16%) 4 4	11, 20, 31, 70	0
All	All	988/1052 (93%)	0.92	107 (10%) 11 8	11, 20, 30, 70	0

All (107) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	44	GLY	6.1
1	D	40	ALA	6.0
1	A	30	HIS	5.7
1	A	29	HIS	4.9
1	B	186	HIS	4.7
1	A	124	GLY	4.6
1	D	28	HIS	4.5
1	C	259	GLY	4.4
1	A	47	ALA	4.2
1	A	37	PRO	4.1
1	A	232	LYS	4.1
1	D	249	GLN	4.0
1	D	219	THR	4.0
1	B	26	HIS	3.9
1	D	39	MET	3.7
1	D	233	ASN	3.7
1	B	229	THR	3.7
1	B	27	HIS	3.7
1	A	86	ASP	3.6
1	A	187	GLN	3.5
1	B	188	ASN	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	243	ASN	3.4
1	A	28	HIS	3.4
1	D	215	TYR	3.3
1	C	164	ASN	3.3
1	D	44	ALA	3.3
1	B	164	ASN	3.2
1	B	181	GLN	3.1
1	D	29	SER	3.1
1	D	229	THR	3.1
1	A	231	ASP	3.1
1	B	245	VAL	3.1
1	D	190	GLY	3.1
1	D	137	GLU	3.1
1	B	243	ASN	3.1
1	C	186	HIS	3.1
1	A	35	LEU	3.1
1	C	276	THR	3.0
1	D	34	PRO	3.0
1	D	130	GLY	3.0
1	C	219	THR	2.9
1	B	179	ASN	2.9
1	A	228	PHE	2.9
1	B	34	PRO	2.9
1	A	207	TYR	2.9
1	D	38	HIS	2.9
1	C	228	PHE	2.9
1	D	277	GLU	2.9
1	A	113	GLU	2.8
1	A	186	HIS	2.8
1	D	154	GLY	2.8
1	D	185	ASP	2.8
1	A	277	GLU	2.7
1	D	244	MET	2.7
1	B	231	ASP	2.7
1	A	233	ASN	2.7
1	D	275	LEU	2.7
1	D	269	SER	2.7
1	A	43	ALA	2.7
1	B	44	ALA	2.7
1	B	219	THR	2.7
1	A	227	GLY	2.6
1	C	34	PRO	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	234	ASP	2.6
1	A	51	HIS	2.6
1	D	62	GLY	2.6
1	A	31	HIS	2.6
1	D	64	HIS	2.6
1	D	230	PRO	2.5
1	A	38	ARG	2.5
1	A	137	GLU	2.5
1	C	26	HIS	2.5
1	D	59	SER	2.5
1	B	276	THR	2.4
1	B	277	GLU	2.4
1	D	70	GLY	2.4
1	B	185	ASP	2.4
1	D	207	TYR	2.4
1	D	228	PHE	2.4
1	D	276	THR	2.4
1	C	262	ALA	2.4
1	D	142	ASP	2.3
1	B	117	THR	2.3
1	D	248	THR	2.3
1	C	28	HIS	2.3
1	D	214	THR	2.2
1	B	129	ASP	2.2
1	C	234	ASP	2.2
1	D	231	ASP	2.2
1	C	27	HIS	2.1
1	D	32	LEU	2.1
1	D	35	ARG	2.1
1	C	233	ASN	2.1
1	C	223	MET	2.1
1	D	33	VAL	2.1
1	C	143	GLY	2.1
1	A	41	HIS	2.1
1	A	114	VAL	2.1
1	B	72	VAL	2.1
1	A	134	TRP	2.1
1	B	198	CYS	2.1
1	D	27	HIS	2.1
1	A	245	VAL	2.0
1	D	120	VAL	2.0
1	B	31	GLY	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	71	THR	2.0
1	D	251	HIS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	CA	C	415	1/1	0.54	0.16	66,66,66,66	0
2	CA	C	410	1/1	0.59	0.20	59,59,59,59	0
2	CA	D	515	1/1	0.59	0.30	61,61,61,61	0
2	CA	B	315	1/1	0.68	0.35	59,59,59,59	0
2	CA	D	510	1/1	0.84	0.27	48,48,48,48	0
2	CA	B	310	1/1	0.91	0.26	45,45,45,45	0
2	CA	A	285	1/1	0.91	0.16	32,32,32,32	0
2	CA	A	286	1/1	0.94	0.14	34,34,34,34	0

6.5 Other polymers [i](#)

There are no such residues in this entry.