



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 06:15 PM UTC

PDB ID : 2R26 / pdb_00002r26
Title : The Structure of the Ternary Complex of Carboxymethyl Coenzyme A and Oxalateacetate with Citrate Synthase from the Thermophilic Archaeonthermoplasma Acidophilum
Authors : Lehmann, C.
Deposited on : 2007-08-24
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	384	
1	B	384	
1	C	384	
1	D	384	

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 13168 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Citrate Synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	381	Total	C	N	O	S	0	0	0
			3001	1919	508	562	12			
1	B	380	Total	C	N	O	S	0	0	0
			2994	1915	507	560	12			
1	C	379	Total	C	N	O	S	0	0	0
			2985	1910	506	557	12			
1	D	379	Total	C	N	O	S	0	0	0
			2985	1910	506	557	12			

- Molecule 2 is OXALOACETATE ION (CCD ID: OAA) (formula: $C_4H_3O_5$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			9	4	5		
2	B	1	Total	C	O	0	0
			9	4	5		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	C	1	Total	C	O	0	0
			9	4	5		
2	D	1	Total	C	O	0	0
			9	4	5		

- Molecule 3 is CARBOXYMETHYL COENZYME *A (CCD ID: CMC) (formula: $C_{23}H_{38}N_7O_{18}P_3S$).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	S	0	0
			52	23	7	18	3	1		
3	B	1	Total	C	N	O	P	S	0	0
			52	23	7	18	3	1		
3	C	1	Total	C	N	O	P	S	0	0
			52	23	7	18	3	1		
3	D	1	Total	C	N	O	P	S	0	0
			52	23	7	18	3	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	255	Total	O	0	0
			255	255		
4	B	230	Total	O	0	0
			230	230		
4	C	228	Total	O	0	0
			228	228		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	D	246	Total	O	0	0
			246	246		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Citrate Synthase




• Molecule 1: Citrate Synthase




• Molecule 1: Citrate Synthase



• Molecule 1: Citrate Synthase





4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	67.70Å 74.22Å 89.87Å 99.34° 98.34° 114.38°	Depositor
Resolution (Å)	43.09 – 2.50 43.09 – 2.50	Depositor EDS
% Data completeness (in resolution range)	97.5 (43.09-2.50) 94.3 (43.09-2.50)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.72 (at 2.39Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.200 , 0.261 0.199 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	29.5	Xtriage
Anisotropy	0.506	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 36.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	13168	wwPDB-VP
Average B, all atoms (Å ²)	37.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.01% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: OAA, CMC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.44	0/3065	0.83	2/4143 (0.0%)
1	B	0.44	0/3058	0.85	2/4133 (0.0%)
1	C	0.45	0/3049	0.85	0/4121
1	D	0.44	0/3049	0.86	0/4121
All	All	0.44	0/12221	0.84	4/16518 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	219	GLY	CA-C-N	5.47	125.81	119.47
1	A	219	GLY	C-N-CA	5.47	125.81	119.47
1	B	286	LYS	CA-C-N	5.43	125.52	119.32
1	B	286	LYS	C-N-CA	5.43	125.52	119.32

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3001	0	3003	26	0
1	B	2994	0	2996	20	0
1	C	2985	0	2990	21	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	2985	0	2990	30	0
2	A	9	0	2	0	0
2	B	9	0	2	0	0
2	C	9	0	2	0	0
2	D	9	0	2	1	0
3	A	52	0	31	0	0
3	B	52	0	31	0	0
3	C	52	0	31	0	0
3	D	52	0	31	0	0
4	A	255	0	0	0	0
4	B	230	0	0	1	0
4	C	228	0	0	2	0
4	D	246	0	0	0	0
All	All	13168	0	12111	91	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (91) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:382:GLU:HA	1:D:383:ARG:C	2.00	0.85
1:C:167:ARG:HG2	1:C:167:ARG:HH21	1.46	0.80
1:A:106:MET:HE1	1:A:134:ILE:HD11	1.66	0.78
1:B:334:ASN:HB3	4:B:925:HOH:O	1.84	0.78
1:D:106:MET:HE1	1:D:130:ARG:HD3	1.67	0.76
1:C:106:MET:HE1	1:C:127:MET:SD	2.30	0.71
1:A:97:ALA:HA	1:A:100:MET:HE3	1.73	0.70
1:C:307:PHE:HB3	1:C:312:ILE:HB	1.71	0.70
1:A:93:SER:HB2	1:A:98:MET:HE3	1.72	0.69
1:C:167:ARG:HH21	1:C:167:ARG:CG	2.07	0.66
1:A:238:ASP:HB3	1:A:241:MET:HG2	1.78	0.66
1:A:176:ALA:HB3	1:A:327:ILE:HD11	1.77	0.65
1:A:307:PHE:HB3	1:A:312:ILE:HB	1.80	0.64
1:D:41:ILE:HD12	1:D:179:THR:HG23	1.80	0.63
1:C:108:ALA:HB1	1:D:93:SER:HB3	1.84	0.59
1:D:22:THR:HG22	1:D:31:ARG:HB2	1.87	0.57
1:D:106:MET:CE	1:D:130:ARG:HD3	2.36	0.55
1:D:382:GLU:CA	1:D:383:ARG:C	2.75	0.55
1:A:37:VAL:O	1:A:41:ILE:HG12	2.08	0.53
1:C:230:ILE:HA	1:C:233:PHE:CD2	2.44	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:37:VAL:O	1:D:41:ILE:HG12	2.10	0.52
1:B:307:PHE:HB3	1:B:312:ILE:HB	1.93	0.51
1:A:252:ASN:HD21	1:A:254:LYS:HE2	1.75	0.51
1:A:230:ILE:HA	1:A:233:PHE:CD2	2.44	0.51
1:A:243:GLU:HG2	1:A:302:PHE:CZ	2.46	0.51
1:D:241:MET:HE1	1:D:244:LYS:HD3	1.93	0.51
1:B:382:GLU:H	1:B:383:ARG:HB2	1.76	0.50
1:B:230:ILE:HA	1:B:233:PHE:CD2	2.47	0.49
1:C:192:SER:HA	1:C:216:ALA:HB3	1.93	0.49
1:C:84:ASN:O	1:C:88:GLN:HB3	2.12	0.48
1:C:88:GLN:HG3	1:D:81:PHE:HB2	1.94	0.48
1:A:238:ASP:HB3	1:A:241:MET:CG	2.43	0.48
1:B:237:LYS:HA	1:B:237:LYS:HE2	1.96	0.48
1:A:364:ARG:HB3	1:B:263:ARG:HG2	1.96	0.48
1:B:192:SER:HA	1:B:216:ALA:HB3	1.96	0.48
1:C:124:ALA:HA	1:C:349:GLN:OE1	2.14	0.48
1:D:190:PRO:HB3	2:D:503:OAA:C1	2.44	0.47
1:D:106:MET:HE1	1:D:130:ARG:HH21	1.79	0.47
1:B:340:PHE:C	1:B:340:PHE:CD2	2.92	0.47
1:C:263:ARG:HG2	1:D:364:ARG:HB3	1.96	0.47
1:B:106:MET:HE1	1:B:130:ARG:HB3	1.97	0.47
1:B:340:PHE:C	1:B:340:PHE:HD2	2.23	0.46
1:C:93:SER:HB2	1:C:98:MET:HE3	1.96	0.46
1:B:96:VAL:HB	1:B:218:LYS:HG3	1.98	0.46
1:D:106:MET:HE1	1:D:130:ARG:CD	2.41	0.46
1:D:140:ARG:HD3	1:D:146:PRO:O	2.14	0.46
1:D:192:SER:HA	1:D:216:ALA:HB3	1.96	0.46
1:D:230:ILE:HA	1:D:233:PHE:CD1	2.49	0.46
1:D:51:GLN:HB3	1:D:68:TYR:OH	2.16	0.46
1:D:340:PHE:CD2	1:D:340:PHE:C	2.94	0.46
1:A:340:PHE:C	1:A:340:PHE:CD2	2.94	0.45
1:C:167:ARG:CG	1:C:167:ARG:NH2	2.72	0.45
1:A:192:SER:HA	1:A:216:ALA:HB3	1.99	0.45
1:A:340:PHE:C	1:A:340:PHE:HD2	2.24	0.45
1:B:89:LEU:O	1:B:141:HIS:HE1	2.00	0.45
1:A:200:VAL:HG11	1:A:352:PHE:HB3	2.00	0.44
1:C:41:ILE:HD12	1:C:179:THR:HG23	1.98	0.44
1:A:41:ILE:HD12	1:A:179:THR:HG23	1.98	0.44
1:A:337:THR:O	1:A:340:PHE:HB3	2.17	0.44
1:C:93:SER:HB3	1:D:108:ALA:HB1	1.98	0.44
1:D:340:PHE:C	1:D:340:PHE:HD2	2.25	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:84:ASN:O	1:B:88:GLN:HG2	2.18	0.43
1:D:307:PHE:HB3	1:D:312:ILE:HB	2.00	0.43
1:C:106:MET:CE	1:C:127:MET:SD	3.03	0.43
1:B:291:LYS:HB2	1:B:291:LYS:NZ	2.34	0.43
1:A:106:MET:CE	1:A:134:ILE:HD11	2.41	0.43
1:B:197:LEU:HA	1:B:200:VAL:HG22	2.00	0.43
1:D:253:GLY:HA3	1:D:254:LYS:HA	1.90	0.43
1:C:14:ASN:HB2	1:D:6:ILE:HA	2.01	0.42
1:C:46:GLN:HG3	4:C:875:HOH:O	2.18	0.42
1:B:31:ARG:HG2	1:B:36:SER:HA	2.01	0.42
1:D:337:THR:O	1:D:340:PHE:HB3	2.19	0.42
1:A:219:GLY:HA2	1:A:220:PRO:HD3	1.90	0.42
1:A:87:ARG:HD2	1:A:147:ALA:HB2	2.01	0.42
1:D:106:MET:HE1	1:D:130:ARG:NH2	2.35	0.42
1:B:89:LEU:O	1:B:141:HIS:CE1	2.72	0.42
1:A:51:GLN:HA	1:A:346:THR:HG21	2.01	0.41
1:D:269:ASP:HA	1:D:270:PRO:HD2	1.90	0.41
1:D:286:LYS:HA	1:D:287:PRO:HD2	1.93	0.41
1:B:89:LEU:HD12	1:B:98:MET:HG2	2.03	0.41
1:C:86:ILE:HG21	1:C:138:VAL:HA	2.03	0.41
1:A:51:GLN:HB3	1:A:68:TYR:OH	2.20	0.41
1:A:99:GLN:O	1:A:103:VAL:HG23	2.20	0.41
1:C:243:GLU:HG2	1:C:302:PHE:CZ	2.55	0.41
1:A:22:THR:HG22	1:A:31:ARG:HB2	2.02	0.41
1:B:51:GLN:HA	1:B:346:THR:HG21	2.03	0.41
1:B:87:ARG:HA	1:B:141:HIS:CD2	2.55	0.41
1:D:370:VAL:O	1:D:370:VAL:HG12	2.20	0.41
1:A:283:SER:O	1:A:290:HIS:HB2	2.21	0.40
1:C:117:LYS:HE2	4:C:867:HOH:O	2.21	0.40
1:D:313:TYR:HB3	1:D:314:PRO:HD2	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	379/384 (99%)	369 (97%)	10 (3%)	0	100	100
1	B	378/384 (98%)	367 (97%)	11 (3%)	0	100	100
1	C	377/384 (98%)	364 (97%)	13 (3%)	0	100	100
1	D	377/384 (98%)	363 (96%)	14 (4%)	0	100	100
All	All	1511/1536 (98%)	1463 (97%)	48 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	311/314 (99%)	308 (99%)	3 (1%)	68	86
1	B	310/314 (99%)	297 (96%)	13 (4%)	26	52
1	C	309/314 (98%)	296 (96%)	13 (4%)	26	52
1	D	309/314 (98%)	302 (98%)	7 (2%)	44	72
All	All	1239/1256 (99%)	1203 (97%)	36 (3%)	37	65

All (36) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4	GLU
1	A	266	LYS
1	A	340	PHE
1	B	4	GLU
1	B	22	THR
1	B	37	VAL
1	B	39	ASP
1	B	58	ASN
1	B	65	LEU
1	B	114	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	117	LYS
1	B	218	LYS
1	B	273	LYS
1	B	286	LYS
1	B	291	LYS
1	B	340	PHE
1	C	8	LYS
1	C	22	THR
1	C	66	ARG
1	C	80	ASP
1	C	88	GLN
1	C	89	LEU
1	C	167	ARG
1	C	171	LYS
1	C	251	ILE
1	C	254	LYS
1	C	266	LYS
1	C	332	ARG
1	C	382	GLU
1	D	62	GLU
1	D	65	LEU
1	D	168	LYS
1	D	238	ASP
1	D	285	LYS
1	D	334	ASN
1	D	378	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	14	ASN
1	A	290	HIS
1	A	360	GLN
1	B	14	ASN
1	B	116	ASN
1	B	137	ASN
1	B	141	HIS
1	C	14	ASN
1	C	84	ASN
1	D	26	ASN
1	D	46	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	CMC	A	701	-	52,54,54	3.36	11 (21%)	75,80,80	1.96	10 (13%)
3	CMC	C	702	-	52,54,54	3.35	10 (19%)	75,80,80	1.98	14 (18%)
3	CMC	D	703	-	52,54,54	3.34	9 (17%)	75,80,80	2.05	14 (18%)
2	OAA	D	503	-	8,8,8	2.25	3 (37%)	8,10,10	1.08	0
3	CMC	B	700	-	52,54,54	3.33	9 (17%)	75,80,80	2.01	13 (17%)
2	OAA	C	502	-	8,8,8	2.14	3 (37%)	8,10,10	1.20	0
2	OAA	B	500	-	8,8,8	2.23	3 (37%)	8,10,10	1.10	0
2	OAA	A	501	-	8,8,8	2.20	3 (37%)	8,10,10	1.19	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	CMC	A	701	-	-	5/52/68/68	0/3/3/3
3	CMC	C	702	-	-	6/52/68/68	0/3/3/3
3	CMC	D	703	-	-	6/52/68/68	0/3/3/3
2	OAA	D	503	-	-	1/8/8/8	-
3	CMC	B	700	-	-	4/52/68/68	0/3/3/3
2	OAA	C	502	-	-	1/8/8/8	-
2	OAA	B	500	-	-	2/8/8/8	-
2	OAA	A	501	-	-	2/8/8/8	-

All (51) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	701	CMC	C1-C2	-18.62	1.10	1.50
3	C	702	CMC	C1-C2	-18.60	1.10	1.50
3	D	703	CMC	C1-C2	-18.55	1.10	1.50
3	B	700	CMC	C1-C2	-18.48	1.10	1.50
3	D	703	CMC	C1-S1P	-10.31	1.55	1.81
3	B	700	CMC	C1-S1P	-10.27	1.55	1.81
3	C	702	CMC	C1-S1P	-10.24	1.56	1.81
3	A	701	CMC	C1-S1P	-10.21	1.56	1.81
3	A	701	CMC	CEP-CBP	-5.07	1.43	1.53
3	B	700	CMC	CDP-CBP	-5.06	1.43	1.53
3	C	702	CMC	CEP-CBP	-5.02	1.43	1.53
3	D	703	CMC	CEP-CBP	-5.00	1.43	1.53
3	A	701	CMC	CDP-CBP	-4.89	1.43	1.53
3	D	703	CMC	CDP-CBP	-4.87	1.43	1.53
3	D	703	CMC	C5A-C4A	4.83	1.47	1.39
3	B	700	CMC	C5A-C4A	4.82	1.47	1.39
3	A	701	CMC	C5A-C4A	4.81	1.47	1.39
3	C	702	CMC	CDP-CBP	-4.76	1.44	1.53
3	B	700	CMC	CEP-CBP	-4.75	1.44	1.53
3	C	702	CMC	C5A-C4A	4.73	1.47	1.39
3	C	702	CMC	O21-C2	-4.14	1.08	1.22
2	D	503	OAA	O3-C3	4.09	1.31	1.23
3	D	703	CMC	O21-C2	-4.08	1.08	1.22
3	B	700	CMC	O21-C2	-4.06	1.08	1.22
2	A	501	OAA	O3-C3	4.05	1.31	1.23
3	A	701	CMC	O21-C2	-4.02	1.09	1.22
2	B	500	OAA	O3-C3	4.01	1.31	1.23
2	C	502	OAA	O3-C3	3.97	1.31	1.23
2	D	503	OAA	O4-C4	3.69	1.31	1.22
2	B	500	OAA	O4-C4	3.58	1.31	1.22

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	OAA	O4-C4	3.49	1.31	1.22
2	C	502	OAA	O4-C4	3.45	1.31	1.22
2	D	503	OAA	O1-C1	2.94	1.31	1.22
2	B	500	OAA	O1-C1	2.89	1.31	1.22
2	A	501	OAA	O1-C1	2.87	1.31	1.22
3	A	701	CMC	C5A-C6A	2.76	1.48	1.41
3	D	703	CMC	C5A-C6A	2.75	1.48	1.41
3	B	700	CMC	C5A-C6A	2.74	1.48	1.41
2	C	502	OAA	O1-C1	2.70	1.30	1.22
3	C	702	CMC	C5A-C6A	2.65	1.48	1.41
3	A	701	CMC	C5A-N7A	-2.48	1.34	1.39
3	C	702	CMC	C5A-N7A	-2.41	1.34	1.39
3	B	700	CMC	C8A-N7A	2.37	1.36	1.31
3	D	703	CMC	C5A-N7A	-2.33	1.34	1.39
3	B	700	CMC	C5A-N7A	-2.24	1.35	1.39
3	D	703	CMC	C8A-N7A	2.24	1.36	1.31
3	C	702	CMC	C8A-N7A	2.23	1.36	1.31
3	A	701	CMC	C8A-N7A	2.20	1.35	1.31
3	A	701	CMC	P2A-O3A	2.15	1.61	1.59
3	A	701	CMC	P1A-O3A	2.15	1.61	1.59
3	C	702	CMC	P1A-O3A	2.12	1.61	1.59

All (51) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	703	CMC	C2P-S1P-C1	11.18	120.16	101.72
3	B	700	CMC	C2P-S1P-C1	11.14	120.08	101.72
3	C	702	CMC	C2P-S1P-C1	10.80	119.53	101.72
3	A	701	CMC	C2P-S1P-C1	10.75	119.44	101.72
3	A	701	CMC	C5A-C4A-N3A	-5.84	118.68	126.72
3	D	703	CMC	C5A-C4A-N3A	-5.79	118.74	126.72
3	B	700	CMC	C5A-C4A-N3A	-5.65	118.94	126.72
3	C	702	CMC	C5A-C4A-N3A	-5.50	119.14	126.72
3	D	703	CMC	N3A-C4A-N9A	4.75	135.25	127.17
3	A	701	CMC	N3A-C4A-N9A	4.71	135.18	127.17
3	C	702	CMC	N3A-C4A-N9A	4.58	134.95	127.17
3	B	700	CMC	N3A-C4A-N9A	4.54	134.89	127.17
3	B	700	CMC	C2-C1-S1P	4.46	124.78	113.18
3	D	703	CMC	C2-C1-S1P	4.10	123.83	113.18
3	A	701	CMC	C2-C1-S1P	4.02	123.62	113.18
3	C	702	CMC	C2-C1-S1P	3.80	123.07	113.18
3	D	703	CMC	C2A-N3A-C4A	3.80	121.11	111.83

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	701	CMC	C2A-N3A-C4A	3.78	121.07	111.83
3	C	702	CMC	C2A-N3A-C4A	3.77	121.03	111.83
3	C	702	CMC	N3A-C2A-N1A	-3.75	122.91	128.58
3	B	700	CMC	C2A-N3A-C4A	3.73	120.93	111.83
3	A	701	CMC	N3A-C2A-N1A	-3.53	123.24	128.58
3	D	703	CMC	N3A-C2A-N1A	-3.50	123.28	128.58
3	B	700	CMC	N3A-C2A-N1A	-3.48	123.32	128.58
3	D	703	CMC	C4A-C5A-N7A	-3.40	106.69	110.58
3	B	700	CMC	C4A-C5A-N7A	-3.34	106.76	110.58
3	A	701	CMC	C4A-C5A-N7A	-3.33	106.77	110.58
3	C	702	CMC	C4A-C5A-N7A	-3.32	106.79	110.58
3	C	702	CMC	C4A-N9A-C8A	3.00	108.89	105.74
3	D	703	CMC	C4A-N9A-C8A	2.77	108.64	105.74
3	D	703	CMC	C5A-N7A-C8A	2.72	107.73	103.45
3	B	700	CMC	C4A-N9A-C8A	2.65	108.52	105.74
3	C	702	CMC	C5A-N7A-C8A	2.62	107.57	103.45
3	A	701	CMC	C5A-N7A-C8A	2.61	107.55	103.45
3	A	701	CMC	C4A-N9A-C8A	2.47	108.33	105.74
3	B	700	CMC	C5A-N7A-C8A	2.43	107.27	103.45
3	B	700	CMC	O22-C2-O21	-2.32	117.36	123.33
3	C	702	CMC	O22-C2-C1	2.31	120.87	113.38
3	D	703	CMC	O22-C2-O21	-2.29	117.43	123.33
3	B	700	CMC	O22-C2-C1	2.29	120.81	113.38
3	D	703	CMC	O22-C2-C1	2.24	120.64	113.38
3	C	702	CMC	C2A-N1A-C6A	2.21	122.36	118.73
3	C	702	CMC	C6A-C5A-N7A	2.20	136.32	132.09
3	C	702	CMC	N9A-C8A-N7A	-2.18	110.84	113.94
3	C	702	CMC	O22-C2-O21	-2.15	117.81	123.33
3	B	700	CMC	C6A-C5A-N7A	2.14	136.22	132.09
3	D	703	CMC	C6A-C5A-N7A	2.14	136.22	132.09
3	D	703	CMC	N9A-C8A-N7A	-2.13	110.92	113.94
3	A	701	CMC	O22-C2-O21	-2.12	117.88	123.33
3	D	703	CMC	C3B-C2B-C1B	2.11	104.53	99.89
3	B	700	CMC	C2A-N1A-C6A	2.04	122.08	118.73

There are no chirality outliers.

All (27) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	701	CMC	CCP-O6A-P2A-O4A
3	A	701	CMC	C2-C1-S1P-C2P
3	B	700	CMC	CCP-O6A-P2A-O4A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	B	700	CMC	C2-C1-S1P-C2P
3	C	702	CMC	CCP-O6A-P2A-O3A
3	C	702	CMC	C2-C1-S1P-C2P
3	D	703	CMC	CCP-O6A-P2A-O4A
3	D	703	CMC	C2-C1-S1P-C2P
3	D	703	CMC	C3P-C2P-S1P-C1
3	B	700	CMC	C3P-C2P-S1P-C1
3	A	701	CMC	S1P-C1-C2-O22
2	A	501	OAA	C1-C2-C3-O3
3	B	700	CMC	S1P-C1-C2-O22
3	C	702	CMC	CCP-O6A-P2A-O4A
3	A	701	CMC	S1P-C1-C2-O21
3	C	702	CMC	S1P-C1-C2-O22
3	D	703	CMC	S1P-C1-C2-O22
3	C	702	CMC	C3B-O3B-P3B-O9A
3	D	703	CMC	S1P-C1-C2-O21
3	D	703	CMC	P2A-O3A-P1A-O1A
2	B	500	OAA	C1-C2-C3-O3
2	C	502	OAA	C1-C2-C3-O3
2	D	503	OAA	C1-C2-C3-O3
2	A	501	OAA	C1-C2-C3-C4
2	B	500	OAA	C1-C2-C3-C4
3	A	701	CMC	P2A-O3A-P1A-O2A
3	C	702	CMC	P2A-O3A-P1A-O2A


There are no ring outliers.


1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	503	OAA	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient

equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	381/384 (99%)	0.20	1 (0%) 90 87	24, 36, 46, 52	0
1	B	380/384 (98%)	0.29	6 (1%) 70 67	23, 35, 55, 69	0
1	C	379/384 (98%)	0.30	3 (0%) 82 80	26, 37, 50, 57	0
1	D	379/384 (98%)	0.27	5 (1%) 75 71	23, 36, 51, 66	0
All	All	1519/1536 (98%)	0.26	15 (0%) 79 76	23, 36, 50, 69	0

All (15) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	380	ILE	3.8
1	C	78	ILE	3.1
1	C	252	ASN	2.9
1	D	373	ALA	2.8
1	B	383	ARG	2.8
1	C	66	ARG	2.5
1	B	382	GLU	2.5
1	D	147	ALA	2.5
1	B	252	ASN	2.5
1	A	3	THR	2.5
1	B	378	VAL	2.3
1	D	254	LYS	2.3
1	D	250	ILE	2.1
1	D	381	ALA	2.0
1	B	301	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	CMC	D	703	52/52	0.92	0.10	33,42,54,54	0
2	OAA	C	502	9/9	0.93	0.08	29,29,29,30	0
2	OAA	B	500	9/9	0.93	0.10	31,32,34,34	0
3	CMC	C	702	52/52	0.94	0.09	32,36,43,43	0
2	OAA	D	503	9/9	0.94	0.07	26,26,27,28	0
3	CMC	A	701	52/52	0.95	0.09	31,33,42,44	0
3	CMC	B	700	52/52	0.95	0.08	33,37,44,45	0
2	OAA	A	501	9/9	0.96	0.07	32,33,33,33	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around CMC D 703:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around CMC C 702:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CMC A 701:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around CMC B 700:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.