



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 04:51 AM UTC

PDB ID : 2R45 / pdb_00002r45
Title : Crystal structure of Escherichia coli Glycerol-3-phosphate Dehydrogenase in complex with 2-phospho-d-glyceric acid
Authors : Yeh, J.I.; Du, S.; Chinte, U.
Deposited on : 2007-08-30
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	501	 67% 27% 6% ..
1	B	501	 69% 23% 6% ..

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
8	2PG	A	700	X	X	X	-
8	2PG	B	700	X	-	X	-

2 Entry composition [i](#)


There are 9 unique types of molecules in this entry. The entry contains 8627 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Aerobic glycerol-3-phosphate dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	495	Total	C	N	O	S	0	0	0
			3962	2515	705	729	13			
1	B	495	Total	C	N	O	S	0	0	0
			3962	2515	705	729	13			

- Molecule 2 is octyl beta-D-glucopyranoside (CCD ID: BOG) (formula: $C_{14}H_{28}O_6$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			20	14	6		
2	A	1	Total	C	O	0	0
			20	14	6		
2	A	1	Total	C	O	0	0
			20	14	6		
2	A	1	Total	C	O	0	0
			20	14	6		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	B	1	Total	C	O	0	0
			20	14	6		
2	B	1	Total	C	O	0	0
			20	14	6		

- Molecule 3 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	P	0	0
			5	4	1		
3	A	1	Total	O	P	0	0
			5	4	1		
3	A	1	Total	O	P	0	0
			5	4	1		
3	A	1	Total	O	P	0	0
			5	4	1		
3	B	1	Total	O	P	0	0
			5	4	1		
3	B	1	Total	O	P	0	0
			5	4	1		
3	B	1	Total	O	P	0	0
			5	4	1		
3	B	1	Total	O	P	0	0
			5	4	1		

- # FAD
-
- The image displays the chemical structure of Flavin Adenine Dinucleotide (FAD), a crucial coenzyme. The structure is composed of several interconnected parts:
- Flavin Mononucleotide (FMN) moiety:** This includes the isoalloxazine ring system (top left) and the ribityl side chain (middle left). The ribityl chain consists of three carbon atoms (C2', C3', C4') with various functional groups including hydroxyl groups (OH) and phosphate groups (P).
 - Adenine moiety:** The adenine ring system (bottom left) is connected to the ribityl chain via a glycosidic bond. The adenine ring is labeled with atoms N1, N3, N7, N9, C2, C4, C6, and C8.
 - Phosphate groups:** The structure shows two phosphate groups (P) linked by a pyrophosphate bridge (O-P-O-P-O). The terminal phosphate groups are labeled with O1A, O1B, O1C, O1D, O1E, O1F, O1G, O1H, O1I, O1J, O1K, O1L, O1M, O1N, O1O, O1P, O1Q, O1R, O1S, O1T, O1U, O1V, O1W, O1X, O1Y, O1Z, O1AA, O1AB, O1AC, O1AD, O1AE, O1AF, O1AG, O1AH, O1AI, O1AJ, O1AK, O1AL, O1AM, O1AN, O1AO, O1AP, O1AQ, O1AR, O1AS, O1AT, O1AU, O1AV, O1AW, O1AX, O1AY, O1AZ, O1BA, O1BB, O1BC, O1BD, O1BE, O1BF, O1BG, O1BH, O1BI, O1BJ, O1BK, O1BL, O1BM, O1BN, O1BO, O1BP, O1BQ, O1BR, O1BS, O1BT, O1BU, O1BV, O1BW, O1BX, O1BY, O1BZ, O1CA, O1CB, O1CC, O1CD, O1CE, O1CF, O1CG, O1CH, O1CI, O1CJ, O1CK, O1CL, O1CM, O1CN, O1CO, O1CP, O1CQ, O1CR, O1CS, O1CT, O1CU, O1CV, O1CW, O1CX, O1CY, O1CZ, O1DA, O1DB, O1DC, O1DD, O1DE, O1DF, O1DG, O1DH, O1DI, O1DJ, O1DK, O1DL, O1DM, O1DN, O1DO, O1DP, O1DQ, O1DR, O1DS, O1DT, O1DU, O1DV, O1DW, O1DX, O1DY, O1DZ, O1EA, O1EB, O1EC, O1ED, O1EE, O1EF, O1EG, O1EH, O1EI, O1EJ, O1EK, O1EL, O1EM, O1EN, O1EO, O1EP, O1EQ, O1ER, O1ES, O1ET, O1EU, O1EV, O1EW, O1EX, O1EY, O1EZ, O1FA, O1FB, O1FC, O1FD, O1FE, O1FF, O1FG, O1FH, O1FI, O1FJ, O1FK, O1FL, O1FM, O1FN, O1FO, O1FP, O1FQ, O1FR, O1FS, O1FT, O1FU, O1FV, O1FW, O1FX, O1FY, O1FZ, O1GA, O1GB, O1GC, O1GD, O1GE, O1GF, O1GG, O1GH, O1GI, O1GJ, O1GK, O1GL, O1GM, O1GN, O1GO, O1GP, O1GQ, O1GR, O1GS, O1GT, O1GU, O1GV, O1GW, O1GX, O1GY, O1GZ, O1HA, O1HB, O1HC, O1HD, O1HE, O1HF, O1HG, O1HH, O1HI, O1HJ, O1HK, O1HL, O1HM, O1HN, O1HO, O1HP, O1HQ, O1HR, O1HS, O1HT, O1HU, O1HV, O1HW, O1HX, O1HY, O1HZ, O1IA, O1IB, O1IC, O1ID, O1IE, O1IF, O1IG, O1IH, O1II, O1IJ, O1IK, O1IL, O1IM, O1IN, O1IO, O1IP, O1IQ, O1IR, O1IS, O1IT, O1IU, O1IV, O1IW, O1IX, O1IY, O1IZ, O1JA, O1JB, O1JC, O1JD, O1JE, O1JF, O1JG, O1JH, O1JI, O1JJ, O1JK, O1JL, O1JM, O1JN, O1JO, O1JP, O1JQ, O1JR, O1JS, O1JT, O1JU, O1JV, O1JW, O1JX, O1JY, O1JZ, O1KA, O1KB, O1KC, O1KD, O1KE, O1KF, O1KG, O1KH, O1KI, O1KJ, O1KK, O1KL, O1KM, O1KN, O1KO, O1KP, O1KQ, O1KR, O1KS, O1KT, O1KU, O1KV, O1KW, O1KX, O1KY, O1KZ, O1LA, O1LB, O1LC, O1LD, O1LE, O1LF, O1LG, O1LH, O1LI, O1LJ, O1LK, O1LL, O1LM, O1LN, O1LO, O1LP, O1LQ, O1LR, O1LS, O1LT, O1LU, O1LV, O1LW, O1LX, O1LY, O1LZ, O1MA, O1MB, O1MC, O1MD, O1ME, O1MF, O1MG, O1MH, O1MI, O1MJ, O1MK, O1ML, O1MM, O1MN, O1MO, O1MP, O1MQ, O1MR, O1MS, O1MT, O1MU, O1MV, O1MW, O1MX, O1MY, O1MZ, O1NA, O1NB, O1NC, O1ND, O1NE, O1NF, O1NG, O1NH, O1NI, O1NJ, O1NK, O1NL, O1NM, O1NN, O1NO, O1NP, O1NQ, O1NR, O1NS, O1NT, O1NU, O1NV, O1NW, O1NX, O1NY, O1NZ, O1OA, O1OB, O1OC, O1OD, O1OE, O1OF, O1OG, O1OH, O1OI, O1OJ, O1OK, O1OL, O1OM, O1ON, O1OO, O1OP, O1OQ, O1OR, O1OS, O1OT, O1OU, O1OV, O1OW, O1OX, O1OY, O1OZ, O1PA, O1PB, O1PC, O1PD, O1PE, O1PF, O1PG, O1PH, O1PI, O1PJ, O1PK, O1PL, O1PM, O1PN, O1PO, O1PP, O1PQ, O1PR, O1PS, O1PT, O1PU, O1PV, O1PW, O1PX, O1PY, O1PZ, O1QA, O1QB, O1QC, O1QD, O1QE, O1QF, O1QG, O1QH, O1QI, O1QJ, O1QK, O1QL, O1QM, O1QN, O1QO, O1QP, O1QQ, O1QR, O1QS, O1QT, O1QU, O1QV, O1QW, O1QX, O1QY, O1QZ, O1RA, O1RB, O1RC, O1RD, O1RE, O1RF, O1RG, O1RH, O1RI, O1RJ, O1RK, O1RL, O1RM, O1RN, O1RO, O1RP, O1RQ, O1RR, O1RS, O1RT, O1RU, O1RV, O1RW, O1RX, O1RY, O1RZ, O1SA, O1SB, O1SC, O1SD, O1SE, O1SF, O1SG, O1SH, O1SI, O1SJ, O1SK, O1SL, O1SM, O1SN, O1SO, O1SP, O1SQ, O1SR, O1SS, O1ST, O1SU, O1SV, O1SW, O1SX, O1SY, O1SZ, O1TA, O1TB, O1TC, O1TD, O1TE, O1TF, O1TG, O1TH, O1TI, O1TJ, O1TK, O1TL, O1TM, O1TN, O1TO, O1TP, O1TQ, O1TR, O1TS, O1TT, O1TU, O1TV, O1TW, O1TX, O1TY, O1TZ, O1UA, O1UB, O1UC, O1UD, O1UE, O1UF, O1UG, O1UH, O1UI, O1UJ, O1UK, O1UL, O1UM, O1UN, O1UO, O1UP, O1UQ, O1UR, O1US, O1UT, O1UU, O1UV, O1UW, O1UX, O1UY, O1UZ, O1VA, O1VB, O1VC, O1VD, O1VE, O1VF, O1VG, O1VH, O1VI, O1VJ, O1VK, O1VL, O1VM, O1VN, O1VO, O1VP, O1VQ, O1VR, O1VS, O1VT, O1VU, O1VV, O1VW, O1VX, O1VY, O1VZ, O1WA, O1WB, O1WC, O1WD, O1WE, O1WF, O1WG, O1WH, O1WI, O1WJ, O1WK, O1WL, O1WM, O1WN, O1WO, O1WP, O1WQ, O1WR, O1WS, O1WT, O1WU, O1WV, O1WW, O1WX, O1WY, O1WZ, O1XA, O1XB, O1XC, O1XD, O1XE, O1XF, O1XG, O1XH, O1XI, O1XJ, O1XK, O1XL, O1XM, O1XN, O1XO, O1XP, O1XQ, O1XR, O1XS, O1XT, O1XU, O1XV, O1XW, O1XX, O1XY, O1XZ, O1YA, O1YB, O1YC, O1YD, O1YE, O1YF, O1YG, O1YH, O1YI, O1YJ, O1YK, O1YL, O1YM, O1YN, O1YO, O1YP, O1YQ, O1YR, O1YS, O1YT, O1YU, O1YV, O1YW, O1YX, O1YY, O1YZ, O1ZA, O1ZB, O1ZC, O1ZD, O1ZE, O1ZF, O1ZG, O1ZH, O1ZI, O1ZJ, O1ZK, O1ZL, O1ZM, O1ZN, O1ZO, O1ZP, O1ZQ, O1ZR, O1ZS, O1ZT, O1ZU, O1ZV, O1ZW, O1ZX, O1ZY, O1ZZ.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total 53	C 27	N 9	O 15	P 2	0	0
4	B	1	Total 53	C 27	N 9	O 15	P 2	0	0

-
- The diagram shows the chemical structure of the imidazole ring, a five-membered aromatic heterocycle. The ring consists of two nitrogen atoms (N1 and N3) and three carbon atoms (C2, C4, and C5). The nitrogen atom at the bottom is labeled N1, and the nitrogen atom at the top is labeled N3. The carbon atoms are labeled C2, C4, and C5. The structure is shown with blue lines for the bonds and green text for the labels. The nitrogen atom N3 is shown with a positive charge (+). The label IMD is positioned above the N3 atom.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	N	0	0
			5	3	2		

WORLDWIDE
PDB
PROTEIN DATA BANK

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	N	0	0
			5	3	2		
5	B	1	Total	C	N	0	0
			5	3	2		

- Molecule 6 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $C_2H_6O_2$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			4	2	2		
6	A	1	Total	C	O	0	0
			4	2	2		
6	A	1	Total	C	O	0	0
			4	2	2		
6	A	1	Total	C	O	0	0
			4	2	2		
6	A	1	Total	C	O	0	0
			4	2	2		
6	B	1	Total	C	O	0	0
			4	2	2		
6	B	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	B	1	Total	C	O	0	0
			4	2	2		
6	B	1	Total	C	O	0	0
			4	2	2		
6	B	1	Total	C	O	0	0
			4	2	2		
6	B	1	Total	C	O	0	0
			4	2	2		
6	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 7 is N-(TRIS(HYDROXYMETHYL)METHYL)-3-AMINOPROPANESULFONIC ACID (CCD ID: T3A) (formula: $C_7H_{17}NO_6S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
7	A	1	Total	C	N	O	S	0	0
			15	7	1	6	1		
7	B	1	Total	C	N	O	S	0	0
			15	7	1	6	1		

- Molecule 8 is 2-PHOSPHOGLYCERIC ACID (CCD ID: 2PG) (formula: $C_3H_7O_7P$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	A	1	Total	C	O	P	0	0
			11	3	7	1		
8	B	1	Total	C	O	P	0	0
			11	3	7	1		


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	152	Total	O	0	0
			152	152		
9	B	153	Total	O	0	0
			153	153		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Aerobic glycerol-3-phosphate dehydrogenase



• Molecule 1: Aerobic glycerol-3-phosphate dehydrogenase



4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	113.74Å 113.91Å 193.07Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	10.00 – 2.30 10.00 – 2.30	Depositor EDS
% Data completeness (in resolution range)	98.5 (10.00-2.30) 98.1 (10.00-2.30)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.39 (at 2.31Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.190 , 0.270 0.186 , 0.249	Depositor DCC
R_{free} test set	2754 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	37.2	Xtriage
Anisotropy	0.051	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 19.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.478 for k,h,-l	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	8627	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.75% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FAD, 2PG, IMD, PO4, BOG, T3A, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.45	18/4057 (0.4%)	1.30	15/5494 (0.3%)
1	B	1.47	18/4057 (0.4%)	1.29	19/5494 (0.3%)
All	All	1.46	36/8114 (0.4%)	1.29	34/10988 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3
1	B	0	1
All	All	0	4

All (36) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	35	GLN	CA-C	12.82	1.58	1.52
1	B	259	ILE	CA-CB	9.10	1.61	1.54
1	A	295	VAL	CA-CB	-8.05	1.44	1.54
1	A	385	VAL	CA-CB	8.01	1.64	1.54
1	B	391	ILE	CA-CB	7.91	1.64	1.54
1	B	316	VAL	CA-CB	7.46	1.63	1.54
1	B	390	ALA	CA-CB	6.80	1.60	1.52
1	B	392	GLU	N-CA	6.77	1.54	1.46
1	B	392	GLU	CA-C	6.71	1.61	1.52
1	A	392	GLU	CA-C	6.39	1.61	1.52
1	A	135	ILE	CA-CB	6.37	1.61	1.53
1	B	209	TRP	N-CA	-6.29	1.37	1.46
1	A	376	ILE	CA-CB	6.17	1.62	1.53
1	B	395	ARG	N-CA	6.13	1.54	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	113	LYS	CA-C	6.12	1.60	1.52
1	A	392	GLU	N-CA	5.84	1.53	1.46
1	B	149	ALA	N-CA	-5.80	1.38	1.46
1	A	255	ILE	CA-CB	5.68	1.62	1.54
1	B	44	ALA	CA-CB	5.59	1.61	1.53
1	B	175	ALA	CA-CB	-5.59	1.44	1.53
1	A	48	LEU	CA-C	-5.54	1.45	1.52
1	A	4	LYS	CA-C	-5.53	1.45	1.52
1	B	329	ALA	CA-CB	5.50	1.63	1.53
1	B	168	THR	CA-CB	5.45	1.61	1.53
1	A	414	ALA	CA-CB	5.42	1.62	1.53
1	A	295	VAL	C-O	5.42	1.30	1.24
1	A	393	GLY	N-CA	5.40	1.53	1.45
1	A	298	THR	CA-CB	5.37	1.62	1.53
1	B	400	ALA	CA-C	5.32	1.59	1.52
1	B	376	ILE	CA-CB	5.32	1.59	1.54
1	A	344	LYS	CA-C	5.24	1.59	1.52
1	A	337	ASP	N-CA	-5.18	1.40	1.46
1	B	226	ILE	CA-CB	5.13	1.60	1.54
1	A	463	ALA	CA-CB	5.09	1.61	1.53
1	A	19	ALA	CA-C	5.05	1.59	1.52
1	A	273	VAL	CA-CB	5.02	1.60	1.54

All (34) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	132	LYS	CA-C-N	8.48	130.45	119.84
1	A	132	LYS	C-N-CA	8.48	130.45	119.84
1	B	420	THR	CB-CA-C	7.67	122.70	111.65
1	B	236	VAL	CA-C-N	-7.65	111.90	119.78
1	B	236	VAL	C-N-CA	-7.65	111.90	119.78
1	B	111	LEU	N-CA-C	6.90	120.58	111.75
1	B	113	LYS	N-CA-C	6.85	125.40	110.80
1	A	72	GLU	N-CA-C	6.83	118.80	111.36
1	B	272	ASP	CB-CA-C	-6.52	102.82	111.82
1	A	396	ASP	N-CA-C	-6.38	97.22	110.80
1	A	374	GLN	N-CA-C	6.10	123.79	110.80
1	A	494	GLN	CA-C-N	5.99	132.49	121.70
1	A	494	GLN	C-N-CA	5.99	132.49	121.70
1	B	392	GLU	N-CA-C	5.67	122.87	110.80
1	B	49	ILE	N-CA-C	-5.66	98.28	106.88
1	B	113	LYS	CA-C-N	5.52	131.63	121.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	113	LYS	C-N-CA	5.52	131.63	121.70
1	A	392	GLU	N-CA-C	5.46	122.44	110.80
1	A	385	VAL	N-CA-C	-5.46	99.64	107.78
1	A	29	VAL	N-CA-C	5.46	115.75	108.11
1	A	394	ASP	N-CA-C	5.44	122.38	110.80
1	B	393	GLY	N-CA-C	5.42	126.02	113.18
1	A	397	ASP	N-CA-C	-5.26	104.60	111.02
1	A	393	GLY	N-CA-C	5.26	125.65	113.18
1	B	124	ARG	CB-CA-C	5.25	119.75	109.35
1	B	92	ARG	N-CA-C	-5.25	98.11	108.71
1	B	294	ASN	N-CA-C	5.17	117.33	111.02
1	B	212	GLN	CA-CB-CG	5.14	124.38	114.10
1	A	410	THR	N-CA-CB	-5.11	102.95	110.26
1	B	215	ASP	N-CA-C	5.11	116.53	111.07
1	B	291	TYR	N-CA-C	5.09	116.52	111.07
1	A	465	ASP	N-CA-C	-5.08	105.74	111.28
1	B	396	ASP	N-CA-C	-5.03	100.08	110.80
1	B	299	HIS	N-CA-C	5.03	119.44	112.45

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	373	TYR	Peptide
1	A	391	ILE	Peptide
1	A	394	ASP	Peptide
1	B	391	ILE	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3962	0	3911	139	0
1	B	3962	0	3911	137	0
2	A	80	0	112	13	0
2	B	40	0	56	7	0
3	A	25	0	0	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	20	0	0	1	0
4	A	53	0	29	7	0
4	B	53	0	31	2	0
5	A	10	0	10	2	0
5	B	5	0	5	0	0
6	A	28	0	42	10	0
6	B	32	0	48	6	0
7	A	15	0	16	0	0
7	B	15	0	16	1	0
8	A	11	0	4	4	0
8	B	11	0	4	4	0
9	A	152	0	0	11	0
9	B	153	0	0	6	0
All	All	8627	0	8195	282	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (282) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:494:GLN:CB	1:A:495:GLN:HB2	1.55	1.34
1:B:13:ILE:HG12	1:B:355:LEU:HD12	1.22	1.14
1:A:1:MET:HA	1:A:3:THR:H	1.08	1.13
1:B:119:GLY:O	1:B:120:SER:HB3	1.44	1.08
1:A:54:ARG:HA	2:A:900:BOG:H61	1.36	1.07
1:B:13:ILE:HG21	1:B:355:LEU:HD13	1.37	1.07
1:A:374:GLN:CB	1:A:375:GLY:HA3	1.84	1.05
1:B:324:SER:O	1:B:325:ASP:HB2	1.54	1.02
1:B:13:ILE:HG21	1:B:355:LEU:CD1	1.91	1.01
1:A:395:ARG:HD3	1:A:419:ARG:HH21	1.22	0.99
1:A:494:GLN:HB3	1:A:495:GLN:HB2	0.99	0.99
1:B:416:HIS:O	1:B:420:THR:HG23	1.63	0.99
1:B:50:HIS:HE1	1:B:354:LYS:NZ	1.61	0.98
6:A:1957:EDO:H22	9:A:7209:HOH:O	1.61	0.98
1:B:355:LEU:HD22	4:B:600:FAD:H2'	1.46	0.96
1:A:494:GLN:HB3	1:A:495:GLN:CB	1.95	0.95
1:A:54:ARG:HA	2:A:900:BOG:C6	1.96	0.95
1:A:50:HIS:HE1	1:A:354:LYS:NZ	1.63	0.95
1:B:50:HIS:CE1	1:B:354:LYS:NZ	2.35	0.94
1:B:13:ILE:CG1	1:B:355:LEU:HD12	1.96	0.94

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:50:HIS:HE1	1:A:354:LYS:HZ1	1.07	0.94
1:B:1:MET:HE2	1:B:2:GLU:HG3	1.47	0.94
1:A:494:GLN:CB	1:A:495:GLN:CB	2.46	0.92
1:B:62:ARG:HD3	1:B:333:ASP:OD2	1.70	0.92
1:B:484:ARG:NH1	1:B:487:GLN:HE21	1.69	0.91
1:B:13:ILE:HB	1:B:355:LEU:HD11	1.50	0.90
1:A:12:GLY:HA3	4:A:600:FAD:O2A	1.72	0.90
1:A:50:HIS:CE1	1:A:354:LYS:NZ	2.40	0.90
1:A:410:THR:HG22	1:A:413:LEU:H	1.36	0.90
1:A:494:GLN:HB2	1:A:495:GLN:HB2	1.53	0.89
1:B:395:ARG:HG2	1:B:395:ARG:HH11	1.36	0.89
1:A:374:GLN:HB2	1:A:375:GLY:HA3	1.54	0.88
1:A:374:GLN:HB3	1:A:375:GLY:HA3	1.55	0.87
1:A:1:MET:HA	1:A:3:THR:N	1.88	0.87
1:B:324:SER:O	1:B:325:ASP:CB	2.23	0.87
1:B:484:ARG:HH11	1:B:487:GLN:HE21	0.88	0.86
1:B:13:ILE:CB	1:B:355:LEU:CD1	2.53	0.85
1:B:484:ARG:HH11	1:B:487:GLN:NE2	1.73	0.85
1:B:13:ILE:CG2	1:B:355:LEU:CD1	2.54	0.84
1:B:137:ARG:HG2	1:B:137:ARG:HH11	1.43	0.84
1:B:96:ARG:HH11	1:B:249:GLN:HE21	1.26	0.83
1:A:297:ASN:HD21	1:A:304:LEU:H	1.25	0.83
1:B:394:ASP:OD2	1:B:395:ARG:NH1	2.12	0.82
1:B:61:PHE:O	1:B:65:SER:HB2	1.80	0.80
1:A:410:THR:CG2	1:A:413:LEU:H	1.94	0.80
1:A:395:ARG:CD	1:A:419:ARG:HH21	1.95	0.80
1:B:119:GLY:O	1:B:120:SER:CB	2.22	0.79
1:B:57:GLU:HG3	2:B:900:BOG:H2	1.64	0.78
1:B:129:SER:O	1:B:301:LYS:HE2	1.84	0.78
1:A:280:LYS:HE2	1:A:280:LYS:HA	1.65	0.77
1:A:50:HIS:CE1	1:A:354:LYS:HZ1	1.98	0.77
1:A:478:ASN:ND2	1:A:481:GLN:H	1.83	0.77
1:B:13:ILE:HB	1:B:355:LEU:CD1	2.15	0.77
1:B:348:LEU:HD21	1:B:365:ALA:HB1	1.67	0.76
1:A:50:HIS:HD2	9:A:7122:HOH:O	1.67	0.76
1:A:374:GLN:CB	1:A:375:GLY:CA	2.63	0.75
1:B:50:HIS:CE1	1:B:354:LYS:HZ3	2.02	0.75
1:A:1:MET:H1	1:A:2:GLU:HG3	1.52	0.75
1:A:54:ARG:NE	8:A:700:2PG:H31	2.01	0.75
1:B:13:ILE:CB	1:B:355:LEU:HD11	2.15	0.74
1:B:27:LEU:HD21	1:B:376:ILE:HG13	1.69	0.74

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:57:GLU:HG3	2:B:900:BOG:C2	2.18	0.74
1:B:50:HIS:CE1	1:B:354:LYS:CE	2.71	0.74
1:B:355:LEU:HD22	4:B:600:FAD:C2'	2.17	0.74
1:A:374:GLN:OE1	1:A:374:GLN:HA	1.86	0.73
1:B:50:HIS:HE1	1:B:354:LYS:HZ1	1.32	0.73
1:B:107:MET:HG2	1:B:111:LEU:CD2	2.20	0.71
1:B:129:SER:HB2	9:B:7182:HOH:O	1.89	0.71
1:A:424:ASN:HD21	6:A:7067:EDO:H21	1.54	0.71
1:B:56:LEU:HD13	1:B:64:VAL:HG21	1.72	0.71
1:A:487:GLN:HG2	9:A:7203:HOH:O	1.90	0.71
1:A:374:GLN:HB3	1:A:375:GLY:CA	2.20	0.71
1:A:444:HIS:HE1	9:A:7102:HOH:O	1.73	0.71
1:A:410:THR:HG21	1:A:445:GLU:OE2	1.90	0.70
1:A:1:MET:N	1:A:2:GLU:HG3	2.07	0.70
1:A:494:GLN:HB2	1:A:495:GLN:CB	2.17	0.69
1:A:73:VAL:O	1:A:77:MET:HG3	1.93	0.69
1:B:62:ARG:HG3	1:B:63:LEU:N	2.07	0.69
1:A:57:GLU:HG3	2:A:900:BOG:H62	1.72	0.69
1:A:151:LEU:HD23	1:A:355:LEU:HD21	1.75	0.69
1:B:53:LEU:HD22	2:B:900:BOG:H5	1.75	0.68
1:A:396:ASP:HA	1:A:399:ALA:HB3	1.76	0.67
1:A:137:ARG:HG3	2:A:1949:BOG:H3'2	1.77	0.67
1:B:137:ARG:HH11	1:B:137:ARG:CG	2.08	0.67
1:A:57:GLU:HG3	2:A:900:BOG:C6	2.25	0.66
1:A:294:ASN:HD21	6:A:1961:EDO:H11	1.61	0.66
1:B:395:ARG:HA	1:B:419:ARG:HH12	1.61	0.66
1:B:1:MET:HG3	1:B:2:GLU:H	1.59	0.65
1:B:395:ARG:HA	1:B:419:ARG:NH1	2.11	0.65
1:B:62:ARG:CD	1:B:333:ASP:OD2	2.44	0.65
1:A:49:ILE:HD11	1:A:146:VAL:HB	1.77	0.65
1:A:50:HIS:CE1	1:A:354:LYS:HZ3	2.14	0.64
1:B:403:ARG:NE	1:B:409:LEU:O	2.27	0.64
1:B:445:GLU:OE2	6:B:909:EDO:H11	1.98	0.63
1:B:30:LEU:HD13	1:B:165:GLU:HG2	1.79	0.63
1:A:311:TRP:HZ2	6:A:1960:EDO:H22	1.62	0.63
1:B:55:TYR:CZ	1:B:332:ARG:HD2	2.34	0.62
1:B:229:ILE:HD12	1:B:327:PRO:HB3	1.81	0.62
1:B:55:TYR:CE1	1:B:332:ARG:HD2	2.34	0.62
1:B:62:ARG:HG3	1:B:63:LEU:H	1.63	0.62
1:B:50:HIS:HE1	1:B:354:LYS:CE	2.11	0.62
1:A:107:MET:CE	1:A:111:LEU:HD11	2.29	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:54:ARG:CZ	8:A:700:2PG:H31	2.30	0.61
1:B:101:ILE:HG22	1:B:105:LEU:HD22	1.82	0.61
1:A:478:ASN:HD22	1:A:478:ASN:C	2.08	0.61
1:A:406:TYR:HB2	1:A:409:LEU:HD22	1.83	0.60
1:A:254:ARG:NH2	8:A:700:2PG:H2	2.16	0.60
1:A:61:PHE:CE1	1:A:107:MET:HE1	2.37	0.59
1:A:410:THR:HG22	1:A:413:LEU:N	2.15	0.59
1:A:415:ARG:HG2	1:A:419:ARG:HD2	1.83	0.59
9:A:7161:HOH:O	1:B:457:HIS:HE1	1.84	0.58
1:B:394:ASP:C	1:B:396:ASP:H	2.09	0.58
1:B:107:MET:HG2	1:B:111:LEU:HD22	1.84	0.58
1:A:109:ASP:O	1:A:114:ARG:NH1	2.37	0.58
1:B:385:VAL:H	6:B:910:EDO:H21	1.69	0.57
1:A:395:ARG:HD3	1:A:419:ARG:NH2	2.05	0.57
1:A:254:ARG:HH21	8:A:700:2PG:H2	1.70	0.57
1:B:30:LEU:CD1	1:B:165:GLU:HG2	2.34	0.57
1:A:396:ASP:O	1:A:397:ASP:C	2.48	0.57
1:B:457:HIS:HD2	7:B:7066:T3A:O1	1.88	0.56
1:B:1:MET:CE	1:B:2:GLU:HG3	2.30	0.56
1:B:158:MET:HE1	6:B:910:EDO:H11	1.86	0.56
1:B:348:LEU:CD2	1:B:365:ALA:HB1	2.35	0.56
2:A:1949:BOG:H2'1	2:A:1949:BOG:H7'1	1.88	0.56
1:B:161:ARG:HB3	6:B:7067:EDO:O2	2.04	0.56
1:B:254:ARG:HH21	8:B:700:2PG:H32	1.70	0.56
1:A:49:ILE:HB	1:A:144:CYS:HB2	1.87	0.56
1:A:107:MET:HE2	1:A:111:LEU:HD11	1.87	0.56
1:A:56:LEU:HD21	1:A:64:VAL:HG11	1.88	0.55
1:B:239:VAL:HG23	1:B:240:HIS:CD2	2.42	0.55
1:B:13:ILE:CB	1:B:355:LEU:HD12	2.26	0.55
1:A:30:LEU:HD13	1:A:165:GLU:HG3	1.89	0.55
1:B:62:ARG:HG3	9:B:7220:HOH:O	2.05	0.55
1:B:107:MET:HG2	1:B:111:LEU:HD21	1.88	0.54
1:B:49:ILE:HB	1:B:144:CYS:HB2	1.88	0.54
1:B:56:LEU:HB3	2:B:900:BOG:H1'2	1.89	0.54
1:B:102:ARG:NH1	2:B:800:BOG:O2	2.40	0.54
1:A:102:ARG:HD2	2:A:800:BOG:H1'2	1.88	0.54
1:B:114:ARG:O	1:B:114:ARG:HG2	2.08	0.54
1:B:48:LEU:HD22	1:B:87:PHE:HZ	1.72	0.53
1:B:338:ILE:HD11	1:B:346:PRO:HB2	1.89	0.53
1:A:478:ASN:HD22	1:A:481:GLN:H	1.55	0.53
1:A:30:LEU:HG	1:A:32:LEU:HD13	1.90	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:101:ILE:HG22	1:A:105:LEU:HD22	1.89	0.53
1:B:96:ARG:HB2	1:B:249:GLN:HE22	1.73	0.52
1:A:47:LYS:NZ	1:A:148:ASP:OD2	2.40	0.52
1:B:54:ARG:CZ	8:B:700:2PG:H31	2.38	0.52
1:B:13:ILE:CG2	1:B:355:LEU:HD11	2.38	0.52
1:A:487:GLN:CG	9:A:7203:HOH:O	2.54	0.52
1:A:87:PHE:CE1	1:A:143:ASP:HB2	2.45	0.52
1:B:395:ARG:HD3	1:B:419:ARG:NH2	2.25	0.51
1:B:370:THR:O	1:B:372:TYR:N	2.44	0.51
1:A:338:ILE:HD11	1:A:346:PRO:HB2	1.93	0.51
1:B:129:SER:O	1:B:301:LYS:CE	2.57	0.50
1:B:296:TYR:C	1:B:296:TYR:CD2	2.90	0.50
1:A:182:TRP:O	1:A:198:GLN:HA	2.11	0.50
1:B:50:HIS:HD2	9:B:7123:HOH:O	1.94	0.50
1:B:200:ARG:O	1:B:346:PRO:HD2	2.12	0.50
1:B:424:ASN:HB3	1:B:453:TYR:OH	2.12	0.49
1:A:233:HIS:CD2	1:A:269:GLY:HA3	2.47	0.49
6:A:1957:EDO:C2	9:A:7209:HOH:O	2.38	0.49
1:B:50:HIS:O	1:B:356:THR:HG21	2.12	0.49
1:A:252:ASP:O	1:A:253:LYS:HB2	2.12	0.49
1:A:39:CYS:HA	1:A:469:ARG:HD3	1.94	0.49
1:B:1:MET:HG3	1:B:2:GLU:OE1	2.13	0.49
1:B:394:ASP:CG	1:B:395:ARG:NH1	2.71	0.49
1:B:370:THR:HG23	1:B:376:ILE:HG21	1.94	0.49
1:B:233:HIS:CD2	1:B:269:GLY:HA3	2.48	0.48
1:B:87:PHE:CE1	1:B:143:ASP:HB2	2.48	0.48
1:A:98:ALA:O	1:A:102:ARG:HG3	2.14	0.48
1:A:137:ARG:HD3	2:A:1949:BOG:O1	2.13	0.48
1:A:317:ARG:CG	4:A:600:FAD:HM81	2.43	0.48
2:A:800:BOG:O4	2:A:1949:BOG:H4	2.14	0.48
1:B:62:ARG:CG	9:B:7220:HOH:O	2.60	0.48
1:B:120:SER:C	1:B:121:THR:HG23	2.39	0.48
1:B:394:ASP:CG	1:B:395:ARG:N	2.72	0.48
1:B:241:THR:O	1:B:241:THR:CG2	2.62	0.48
1:A:212:GLN:HG2	3:A:1955:PO4:O3	2.14	0.48
1:A:271:THR:HB	6:A:1962:EDO:H22	1.95	0.48
1:B:311:TRP:HZ2	6:B:907:EDO:H12	1.79	0.47
1:A:374:GLN:CD	1:A:374:GLN:H	2.22	0.47
1:A:395:ARG:HD2	1:A:395:ARG:HA	1.70	0.47
1:B:415:ARG:HG2	1:B:419:ARG:HD2	1.96	0.47
1:A:45:SER:HA	4:A:600:FAD:C6	2.45	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:96:ARG:HD2	1:B:249:GLN:NE2	2.29	0.47
1:A:103:ILE:O	1:A:107:MET:HG3	2.15	0.47
1:A:107:MET:HE2	1:A:111:LEU:CD1	2.45	0.47
1:A:176:ARG:HH11	1:A:176:ARG:HG3	1.80	0.47
1:A:394:ASP:OD2	5:A:1956:IMD:N1	2.48	0.47
1:A:115:THR:HG22	1:A:116:SER:N	2.30	0.46
1:A:241:THR:O	1:A:241:THR:CG2	2.62	0.46
1:A:354:LYS:HB3	1:A:354:LYS:HE3	1.75	0.46
1:A:394:ASP:OD2	5:A:1956:IMD:C2	2.63	0.46
1:B:161:ARG:CB	6:B:7067:EDO:O2	2.64	0.46
1:B:39:CYS:HA	1:B:469:ARG:HD3	1.97	0.46
1:B:416:HIS:CE1	1:B:420:THR:HG21	2.51	0.46
1:B:96:ARG:NH1	1:B:249:GLN:HE21	2.03	0.46
1:A:232:SER:CB	1:A:284:ILE:HG13	2.46	0.46
1:A:294:ASN:O	1:A:298:THR:HG23	2.16	0.46
1:B:395:ARG:HG2	1:B:395:ARG:NH1	2.15	0.46
1:A:27:LEU:HD21	1:A:376:ILE:HG13	1.98	0.46
1:A:136:LYS:HD3	9:A:7174:HOH:O	2.16	0.46
1:A:200:ARG:O	1:A:346:PRO:HD2	2.15	0.46
1:B:120:SER:C	1:B:121:THR:CG2	2.88	0.46
1:A:395:ARG:O	1:A:396:ASP:HB2	2.15	0.46
1:A:102:ARG:HD2	2:A:800:BOG:C1'	2.46	0.46
1:A:50:HIS:O	1:A:356:THR:HG21	2.16	0.45
1:A:107:MET:O	1:A:111:LEU:HB2	2.16	0.45
1:A:129:SER:HB2	9:A:7108:HOH:O	2.17	0.45
1:B:148:ASP:OD1	1:B:149:ALA:N	2.49	0.45
1:A:229:ILE:HD12	1:A:327:PRO:HB3	1.98	0.45
1:A:6:LEU:HD11	1:A:203:VAL:HG23	1.99	0.45
1:A:401:ARG:NH2	3:A:1954:PO4:O2	2.42	0.45
1:B:91:HIS:CD2	9:B:7077:HOH:O	2.69	0.45
1:A:248:LEU:O	1:A:255:ILE:HA	2.16	0.45
1:B:327:PRO:HA	1:B:330:ILE:HD12	1.98	0.45
1:B:366:LEU:HD13	1:B:366:LEU:HA	1.77	0.45
1:B:454:LEU:HB3	1:B:460:VAL:HG21	1.99	0.45
1:A:294:ASN:HD21	6:A:1961:EDO:C1	2.27	0.45
1:A:49:ILE:HG22	1:A:71:ARG:HG2	1.99	0.45
1:B:248:LEU:O	1:B:255:ILE:HA	2.16	0.45
1:A:107:MET:HE2	1:A:107:MET:HB3	1.86	0.45
1:A:494:GLN:HA	1:A:494:GLN:OE1	2.16	0.44
1:A:148:ASP:OD1	1:A:149:ALA:N	2.47	0.44
1:A:236:VAL:O	1:A:237:PRO:C	2.60	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:13:ILE:CG1	1:B:355:LEU:CD1	2.75	0.44
1:B:50:HIS:CE1	1:B:354:LYS:HE2	2.49	0.44
1:A:67:ALA:HB1	1:A:356:THR:HG21	1.98	0.44
1:A:370:THR:O	1:A:371:PRO:C	2.60	0.44
1:A:396:ASP:O	1:A:400:ALA:N	2.39	0.44
1:B:193:LYS:HE3	1:B:195:TYR:CE1	2.52	0.44
1:B:370:THR:O	1:B:371:PRO:C	2.60	0.44
1:A:12:GLY:CA	4:A:600:FAD:O2A	2.55	0.44
1:A:77:MET:SD	1:A:359:ARG:HD3	2.58	0.44
6:A:1960:EDO:H21	9:A:7094:HOH:O	2.17	0.44
1:B:102:ARG:NH1	1:B:137:ARG:HH22	2.16	0.44
1:A:33:GLU:OE2	4:A:600:FAD:O2B	2.36	0.43
1:B:361:LEU:HD23	1:B:361:LEU:C	2.42	0.43
1:A:54:ARG:HA	2:A:900:BOG:O6	2.17	0.43
1:A:361:LEU:C	1:A:361:LEU:HD23	2.44	0.43
1:A:285:GLU:HG2	1:A:288:GLU:OE1	2.18	0.43
1:B:87:PHE:O	1:B:140:GLU:HA	2.19	0.43
1:B:338:ILE:HG22	1:B:368:LYS:HE3	2.01	0.43
1:A:132:LYS:HA	1:A:133:PRO:HD3	1.91	0.43
1:B:1:MET:CG	1:B:2:GLU:H	2.25	0.43
1:B:54:ARG:NE	8:B:700:2PG:H31	2.33	0.43
1:B:162:LYS:HD2	1:B:162:LYS:HA	1.66	0.43
1:A:30:LEU:CD1	1:A:165:GLU:HG3	2.48	0.43
6:A:1959:EDO:H21	9:A:7127:HOH:O	2.17	0.43
1:A:193:LYS:HE3	1:A:195:TYR:CE1	2.54	0.43
1:B:420:THR:HG21	9:B:7162:HOH:O	2.18	0.43
1:B:13:ILE:HG23	1:B:14:ASN:N	2.34	0.42
1:A:91:HIS:CD2	2:A:1949:BOG:H2	2.54	0.42
1:A:10:GLY:O	1:A:15:GLY:HA3	2.19	0.42
1:A:57:GLU:HG3	2:A:900:BOG:O6	2.20	0.42
1:A:318:PRO:O	1:A:352:GLY:HA2	2.19	0.42
1:B:56:LEU:HD12	1:B:56:LEU:HA	1.92	0.42
1:A:405:ARG:O	1:A:407:PRO:HD3	2.19	0.42
1:B:57:GLU:HG3	2:B:900:BOG:O2	2.19	0.42
1:A:428:LEU:C	1:A:428:LEU:HD23	2.44	0.42
1:A:460:VAL:HG11	1:A:466:ALA:HB2	2.02	0.42
1:B:10:GLY:O	1:B:15:GLY:HA3	2.20	0.42
1:B:254:ARG:HH21	8:B:700:2PG:C3	2.32	0.41
1:A:272:ASP:H	6:A:1962:EDO:H22	1.85	0.41
1:B:394:ASP:C	1:B:396:ASP:N	2.78	0.41
1:A:317:ARG:HG3	4:A:600:FAD:HM81	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:113:LYS:NZ	1:B:113:LYS:HB2	2.36	0.41
1:A:403:ARG:NE	1:A:409:LEU:O	2.36	0.41
1:A:133:PRO:O	1:A:136:LYS:HE3	2.21	0.41
1:A:404:ARG:HG2	1:B:163:GLY:HA3	2.03	0.41
1:B:182:TRP:O	1:B:198:GLN:HA	2.21	0.41
1:A:358:TYR:CD2	1:A:358:TYR:C	2.98	0.41
1:A:102:ARG:HH21	1:A:137:ARG:NH2	2.19	0.40
1:A:394:ASP:C	1:A:396:ASP:H	2.27	0.40
1:B:295:VAL:O	1:B:299:HIS:HD2	2.03	0.40
1:B:405:ARG:HD3	3:B:901:PO4:O3	2.21	0.40
1:A:151:LEU:CD2	1:A:355:LEU:HD21	2.49	0.40
1:A:410:THR:HG22	1:A:413:LEU:CB	2.51	0.40
4:A:600:FAD:HM71	4:A:600:FAD:HM83	1.83	0.40
1:B:137:ARG:HG2	1:B:137:ARG:NH1	2.23	0.40
1:B:490:VAL:HG22	1:B:494:GLN:HE22	1.86	0.40
1:B:101:ILE:HG23	2:B:900:BOG:H61	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	493/501 (98%)	457 (93%)	26 (5%)	10 (2%)	6	5
1	B	493/501 (98%)	450 (91%)	35 (7%)	8 (2%)	7	7
All	All	986/1002 (98%)	907 (92%)	61 (6%)	18 (2%)	6	6

All (18) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	2	GLU
1	A	392	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	325	ASP
1	A	321	ASP
1	A	374	GLN
1	A	396	ASP
1	A	494	GLN
1	B	120	SER
1	B	321	ASP
1	B	392	GLU
1	A	394	ASP
1	A	423	SER
1	B	396	ASP
1	A	159	VAL
1	A	371	PRO
1	B	159	VAL
1	B	263	ASP
1	B	371	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	414/419 (99%)	385 (93%)	29 (7%)	14	19
1	B	414/419 (99%)	373 (90%)	41 (10%)	7	9
All	All	828/838 (99%)	758 (92%)	70 (8%)	10	13

All (70) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	GLU
1	A	28	SER
1	A	29	VAL
1	A	32	LEU
1	A	35	GLN
1	A	94	HIS
1	A	105	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	113	LYS
1	A	162	LYS
1	A	165	GLU
1	A	176	ARG
1	A	241	THR
1	A	243	LYS
1	A	244	GLN
1	A	247	ILE
1	A	250	ASN
1	A	297	ASN
1	A	341	GLU
1	A	348	LEU
1	A	355	LEU
1	A	392	GLU
1	A	395	ARG
1	A	396	ASP
1	A	403	ARG
1	A	404	ARG
1	A	409	LEU
1	A	410	THR
1	A	427	LEU
1	A	478	ASN
1	B	2	GLU
1	B	4	LYS
1	B	53	LEU
1	B	56	LEU
1	B	62	ARG
1	B	65	SER
1	B	102	ARG
1	B	105	LEU
1	B	111	LEU
1	B	113	LYS
1	B	114	ARG
1	B	115	THR
1	B	124	ARG
1	B	130	VAL
1	B	137	ARG
1	B	151	LEU
1	B	161	ARG
1	B	162	LYS
1	B	165	GLU
1	B	183	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	187	GLU
1	B	212	GLN
1	B	241	THR
1	B	243	LYS
1	B	244	GLN
1	B	247	ILE
1	B	280	LYS
1	B	302	LYS
1	B	332	ARG
1	B	338	ILE
1	B	341	GLU
1	B	348	LEU
1	B	355	LEU
1	B	366	LEU
1	B	392	GLU
1	B	395	ARG
1	B	396	ASP
1	B	413	LEU
1	B	420	THR
1	B	483	SER
1	B	494	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (26) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	14	ASN
1	A	50	HIS
1	A	110	HIS
1	A	128	ASN
1	A	155	ASN
1	A	250	ASN
1	A	294	ASN
1	A	297	ASN
1	A	303	GLN
1	A	424	ASN
1	A	444	HIS
1	A	478	ASN
1	A	482	GLN
1	A	495	GLN
1	B	50	HIS
1	B	91	HIS
1	B	110	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	155	ASN
1	B	212	GLN
1	B	244	GLN
1	B	249	GLN
1	B	299	HIS
1	B	457	HIS
1	B	487	GLN
1	B	494	GLN
1	B	495	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

39 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	EDO	B	910	-	3,3,3	1.09	0	2,2,2	0.31	0
8	2PG	A	700	-	9,10,10	3.01	5 (55%)	12,14,14	3.61	5 (41%)
3	PO4	B	902	-	4,4,4	0.89	0	6,6,6	0.76	0
7	T3A	A	7066	-	14,14,14	2.37	2 (14%)	19,19,19	2.13	8 (42%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	PO4	A	1952	-	4,4,4	0.53	0	6,6,6	0.98	0
2	BOG	A	800	-	20,20,20	0.47	0	25,25,25	0.58	0
6	EDO	A	1960	-	3,3,3	0.62	0	2,2,2	0.21	0
6	EDO	B	907	-	3,3,3	0.56	0	2,2,2	0.38	0
6	EDO	A	1963	-	3,3,3	0.81	0	2,2,2	0.54	0
3	PO4	A	1953	-	4,4,4	0.77	0	6,6,6	0.60	0
3	PO4	B	903	-	4,4,4	1.24	1 (25%)	6,6,6	1.09	0
6	EDO	A	7067	-	3,3,3	0.87	0	2,2,2	0.08	0
6	EDO	B	906	-	3,3,3	0.80	0	2,2,2	0.72	0
6	EDO	A	1957	-	3,3,3	0.40	0	2,2,2	0.71	0
6	EDO	A	1961	-	3,3,3	0.37	0	2,2,2	0.81	0
2	BOG	A	1950	-	20,20,20	1.11	1 (5%)	25,25,25	1.55	5 (20%)
6	EDO	B	911	-	3,3,3	0.67	0	2,2,2	0.23	0
6	EDO	B	909	-	3,3,3	0.49	0	2,2,2	0.30	0
2	BOG	B	900	-	20,20,20	0.77	1 (5%)	25,25,25	1.69	6 (24%)
2	BOG	B	800	-	20,20,20	0.46	0	25,25,25	0.58	0
6	EDO	B	908	-	3,3,3	0.92	0	2,2,2	0.55	0
3	PO4	B	904	-	4,4,4	0.86	0	6,6,6	0.46	0
7	T3A	B	7066	-	14,14,14	2.30	3 (21%)	19,19,19	2.68	11 (57%)
6	EDO	A	1959	-	3,3,3	1.06	0	2,2,2	0.66	0
6	EDO	A	1962	-	3,3,3	0.74	0	2,2,2	0.03	0
4	FAD	B	600	-	58,58,58	1.62	11 (18%)	85,89,89	2.01	24 (28%)
3	PO4	A	1951	-	4,4,4	0.86	0	6,6,6	0.68	0
3	PO4	A	1954	-	4,4,4	0.94	0	6,6,6	0.88	0
5	IMD	A	1956	-	5,5,5	0.90	0	5,5,5	0.66	0
6	EDO	B	7067	-	3,3,3	0.69	0	2,2,2	0.64	0
5	IMD	A	1958	-	5,5,5	0.76	0	5,5,5	0.63	0
4	FAD	A	600	-	58,58,58	1.17	6 (10%)	85,89,89	1.76	16 (18%)
3	PO4	B	901	-	4,4,4	0.95	0	6,6,6	0.59	0
6	EDO	B	905	-	3,3,3	0.51	0	2,2,2	1.21	0
2	BOG	A	1949	-	20,20,20	1.08	1 (5%)	25,25,25	2.36	9 (36%)
5	IMD	B	912	-	5,5,5	0.94	0	5,5,5	0.36	0
3	PO4	A	1955	-	4,4,4	0.69	0	6,6,6	1.41	1 (16%)
2	BOG	A	900	-	20,20,20	0.80	1 (5%)	25,25,25	1.73	7 (28%)
8	2PG	B	700	-	9,10,10	2.85	4 (44%)	12,14,14	3.05	3 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	2PG	A	700	-	1/1/3/3	5/11/11/11	-
6	EDO	B	910	-	-	1/1/1/1	-
7	T3A	A	7066	-	-	6/18/18/18	-
2	BOG	A	800	-	-	7/11/31/31	0/1/1/1
6	EDO	A	1960	-	-	1/1/1/1	-
6	EDO	B	907	-	-	1/1/1/1	-
6	EDO	A	1963	-	-	1/1/1/1	-
6	EDO	A	7067	-	-	1/1/1/1	-
6	EDO	B	906	-	-	1/1/1/1	-
6	EDO	A	1957	-	-	1/1/1/1	-
6	EDO	A	1961	-	-	1/1/1/1	-
2	BOG	A	1950	-	-	10/11/31/31	0/1/1/1
6	EDO	B	911	-	-	1/1/1/1	-
6	EDO	B	909	-	-	0/1/1/1	-
2	BOG	B	900	-	-	4/11/31/31	0/1/1/1
2	BOG	B	800	-	-	8/11/31/31	0/1/1/1
6	EDO	B	908	-	-	0/1/1/1	-
7	T3A	B	7066	-	-	3/18/18/18	-
6	EDO	A	1959	-	-	1/1/1/1	-
6	EDO	A	1962	-	-	0/1/1/1	-
4	FAD	B	600	-	-	2/34/50/50	0/6/6/6
5	IMD	A	1956	-	-	-	0/1/1/1
6	EDO	B	7067	-	-	0/1/1/1	-
5	IMD	A	1958	-	-	-	0/1/1/1
4	FAD	A	600	-	-	5/34/50/50	0/6/6/6
6	EDO	B	905	-	-	0/1/1/1	-
2	BOG	A	1949	-	-	9/11/31/31	0/1/1/1
5	IMD	B	912	-	-	-	0/1/1/1
2	BOG	A	900	-	-	9/11/31/31	0/1/1/1
8	2PG	B	700	-	1/1/3/3	5/11/11/11	-

All (36) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	A	7066	T3A	C1-S1	-7.95	1.66	1.77
7	B	7066	T3A	C1-S1	-7.78	1.66	1.77
8	B	700	2PG	O1-C1	5.23	1.37	1.22
8	A	700	2PG	C2-C1	5.04	1.58	1.52
8	A	700	2PG	O1-C1	4.89	1.36	1.22
8	B	700	2PG	C2-C1	4.74	1.58	1.52
4	B	600	FAD	C6-C7	-4.30	1.33	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	A	700	2PG	P-O1P	3.72	1.66	1.59
4	B	600	FAD	C4X-N5	3.68	1.38	1.30
4	B	600	FAD	P-O3P	3.68	1.63	1.59
4	B	600	FAD	C9-C9A	-3.63	1.33	1.39
4	A	600	FAD	C4X-N5	3.56	1.38	1.30
2	A	1950	BOG	O1-C1	3.49	1.46	1.40
4	B	600	FAD	O4-C4	3.11	1.29	1.23
4	A	600	FAD	O2B-C2B	-3.10	1.35	1.43
4	B	600	FAD	C10-N1	3.09	1.39	1.33
8	A	700	2PG	C3-C2	3.05	1.59	1.52
8	B	700	2PG	C3-C2	3.02	1.58	1.52
4	B	600	FAD	PA-O3P	2.97	1.62	1.59
2	A	1949	BOG	O1-C1	2.85	1.45	1.40
2	A	900	BOG	O1-C1	2.76	1.44	1.40
4	B	600	FAD	C7M-C7	-2.76	1.45	1.51
4	A	600	FAD	C2A-N3A	2.62	1.38	1.33
4	A	600	FAD	C10-N1	2.58	1.38	1.33
4	A	600	FAD	C2A-N1A	2.56	1.38	1.33
7	A	7066	T3A	C5-C4	2.41	1.56	1.53
8	A	700	2PG	O3-C3	2.38	1.52	1.42
2	B	900	BOG	O1-C1	2.35	1.44	1.40
4	B	600	FAD	O2'-C2'	-2.35	1.38	1.43
3	B	903	PO4	P-O1	2.33	1.56	1.50
7	B	7066	T3A	C5-C4	2.32	1.56	1.53
8	B	700	2PG	O3-C3	2.29	1.52	1.42
4	B	600	FAD	O4B-C4B	-2.10	1.40	1.45
4	A	600	FAD	C8A-N7A	2.08	1.35	1.31
7	B	7066	T3A	O2-S1	2.02	1.50	1.45
4	B	600	FAD	C3B-C4B	2.01	1.58	1.53

All (95) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	A	700	2PG	P-O1P-C2	9.67	145.22	123.04
8	B	700	2PG	P-O1P-C2	8.91	143.47	123.04
4	A	600	FAD	O2B-C2B-C3B	7.70	136.50	111.82
4	B	600	FAD	N3A-C2A-N1A	-7.69	116.94	128.58
4	B	600	FAD	O4-C4-N3	-5.51	109.75	120.11
4	A	600	FAD	N3A-C2A-N1A	-5.51	120.25	128.58
7	B	7066	T3A	C6-C4-C5	5.49	122.06	110.02
2	A	1949	BOG	C1-C2-C3	5.22	120.98	110.01
2	A	900	BOG	C1-O5-C5	5.13	123.73	113.72

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1950	BOG	O1-C1-C2	4.97	115.82	108.27
4	B	600	FAD	C5A-C4A-N3A	-4.92	119.94	126.72
8	A	700	2PG	O3-C3-C2	4.81	123.96	111.73
4	B	600	FAD	C2A-N3A-C4A	4.75	123.43	111.83
4	A	600	FAD	C5A-C4A-N3A	-4.62	120.36	126.72
7	B	7066	T3A	O5-C5-C4	4.28	120.39	111.68
8	A	700	2PG	O4P-P-O2P	-3.96	95.40	110.83
2	B	900	BOG	C3-C4-C5	-3.91	103.13	110.23
7	A	7066	T3A	C2-C1-S1	-3.84	107.36	113.25
4	A	600	FAD	N9A-C8A-N7A	-3.78	108.58	113.94
2	A	1949	BOG	O5-C5-C6	3.62	115.42	106.44
2	A	1949	BOG	O3-C3-C2	3.59	118.85	110.38
2	B	900	BOG	C1-C2-C3	3.53	117.44	110.01
4	B	600	FAD	N9A-C8A-N7A	-3.46	109.03	113.94
4	B	600	FAD	C5A-N7A-C8A	3.45	108.86	103.45
8	A	700	2PG	O1P-C2-C1	3.43	118.82	111.66
4	A	600	FAD	C2A-N3A-C4A	3.43	120.20	111.83
8	B	700	2PG	O4P-P-O2P	-3.41	97.55	110.83
2	A	1949	BOG	C1-O5-C5	-3.41	107.07	113.72
2	A	1949	BOG	O4-C4-C5	3.40	117.70	109.32
7	B	7066	T3A	C3-N1-C4	3.39	121.13	116.17
4	A	600	FAD	C5A-N7A-C8A	3.36	108.73	103.45
4	B	600	FAD	N3A-C4A-N9A	3.35	132.87	127.17
2	A	1949	BOG	O1-C1-C2	3.35	113.35	108.27
2	A	1949	BOG	C6-C5-C4	3.32	121.18	113.02
4	B	600	FAD	O5'-C5'-C4'	-3.31	100.53	109.36
7	A	7066	T3A	O3-S1-C1	3.29	112.44	106.00
8	B	700	2PG	O1P-C2-C1	3.28	118.51	111.66
4	B	600	FAD	C4X-C10-N10	3.26	121.16	116.48
4	B	600	FAD	C10-C4X-N5	-3.25	118.18	124.81
7	B	7066	T3A	C7-C4-N1	3.21	118.59	109.02
7	B	7066	T3A	C7-C4-C6	-3.20	103.01	110.02
7	B	7066	T3A	O3-S1-C1	3.12	112.11	106.00
4	A	600	FAD	C4-N3-C2	-3.12	120.11	125.64
4	A	600	FAD	N3A-C4A-N9A	3.10	132.44	127.17
2	A	1949	BOG	O2-C2-C1	-3.06	102.77	110.08
2	A	1949	BOG	C3-C4-C5	-3.05	104.71	110.23
7	B	7066	T3A	C2-C1-S1	-3.00	108.65	113.25
4	B	600	FAD	C6-C5X-C9A	2.99	123.15	119.05
7	A	7066	T3A	O1-S1-C1	2.95	111.19	106.73
4	B	600	FAD	C2A-N1A-C6A	2.93	123.54	118.73
7	A	7066	T3A	O5-C5-C4	2.92	117.62	111.68

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	900	BOG	O5-C5-C4	2.87	114.86	109.70
7	A	7066	T3A	C7-C4-N1	2.80	117.37	109.02
2	B	900	BOG	O4-C4-C5	2.80	116.21	109.32
4	B	600	FAD	C9A-C5X-N5	-2.80	119.49	122.45
7	A	7066	T3A	O2-S1-O1	-2.77	104.81	113.82
7	B	7066	T3A	C5-C4-N1	-2.72	100.91	109.02
2	B	900	BOG	C4-C3-C2	2.71	115.59	110.83
2	B	900	BOG	O1-C1-C2	2.71	112.38	108.27
4	B	600	FAD	O2-C2-N1	2.70	126.29	121.80
7	A	7066	T3A	C6-C4-C5	2.69	115.93	110.02
2	A	900	BOG	C3-C4-C5	-2.67	105.40	110.23
4	B	600	FAD	C5X-N5-C4X	2.65	122.37	118.09
4	A	600	FAD	C4X-C4-N3	2.61	119.90	113.25
2	A	1950	BOG	C1'-O1-C1	2.57	118.07	113.68
7	A	7066	T3A	C3-N1-C4	2.57	119.92	116.17
7	B	7066	T3A	O2-S1-C1	2.57	110.61	106.73
4	B	600	FAD	C4A-C5A-N7A	-2.52	107.69	110.58
2	A	1950	BOG	O4-C4-C5	2.51	115.51	109.32
7	B	7066	T3A	O1-S1-C1	2.50	110.51	106.73
2	A	900	BOG	O1-C1-C2	2.50	112.07	108.27
4	A	600	FAD	C4X-C10-N10	2.48	120.04	116.48
4	A	600	FAD	O4-C4-C4X	-2.45	120.06	126.53
2	A	900	BOG	O4-C4-C3	2.42	116.07	110.38
4	B	600	FAD	O2-C2-N3	-2.39	114.00	118.58
4	B	600	FAD	O2P-P-O3P	2.39	113.73	107.27
4	B	600	FAD	C1'-N10-C9A	2.35	125.21	120.63
7	B	7066	T3A	O2-S1-O1	-2.34	106.20	113.82
4	A	600	FAD	C3B-C2B-C1B	2.33	105.87	101.46
4	A	600	FAD	C10-C4X-N5	-2.32	120.07	124.81
4	A	600	FAD	C4A-C5A-N7A	-2.32	107.93	110.58
4	B	600	FAD	O5B-PA-O1A	-2.30	99.82	108.94
2	B	900	BOG	O4-C4-C3	-2.28	105.00	110.38
4	A	600	FAD	C5X-C9A-N10	2.26	120.01	117.97
4	A	600	FAD	C9A-C5X-N5	-2.24	120.08	122.45
8	A	700	2PG	O1P-P-O2P	2.21	117.21	109.33
4	B	600	FAD	C4-C4X-C10	2.18	120.67	116.93
4	B	600	FAD	O2A-PA-O5B	2.13	117.24	107.57
4	B	600	FAD	C4-C4X-N5	2.12	121.13	118.21
2	A	1950	BOG	O3-C3-C2	2.12	115.37	110.38
2	A	900	BOG	O5-C1-O1	2.11	115.02	110.04
3	A	1955	PO4	O4-P-O2	2.04	114.26	107.91
2	A	1950	BOG	O4-C4-C3	-2.03	105.59	110.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	600	FAD	C4B-O4B-C1B	-2.01	105.02	109.47
2	A	900	BOG	O5-C5-C6	2.01	111.43	106.44

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
8	A	700	2PG	C2
8	B	700	2PG	C2

All (83) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	900	BOG	C2-C1-O1-C1'
2	A	1950	BOG	O5-C1-O1-C1'
4	A	600	FAD	C5B-O5B-PA-O2A
4	A	600	FAD	C5B-O5B-PA-O3P
7	A	7066	T3A	C6-C4-C5-O5
7	A	7066	T3A	N1-C4-C7-O7
7	A	7066	T3A	C5-C4-C7-O7
7	A	7066	T3A	C6-C4-C7-O7
8	A	700	2PG	O2-C1-C2-O1P
8	A	700	2PG	C1-C2-C3-O3
8	B	700	2PG	O2-C1-C2-O1P
8	B	700	2PG	C1-C2-C3-O3
8	B	700	2PG	O1P-C2-C3-O3
2	A	1950	BOG	O5-C5-C6-O6
2	A	1949	BOG	C4-C5-C6-O6
4	A	600	FAD	C4B-C5B-O5B-PA
2	A	1949	BOG	O5-C1-O1-C1'
2	A	1950	BOG	C4-C5-C6-O6
2	A	1949	BOG	C2-C1-O1-C1'
2	A	1950	BOG	C2-C1-O1-C1'
2	A	1949	BOG	O5-C5-C6-O6
2	A	800	BOG	O1-C1'-C2'-C3'
2	B	800	BOG	O5-C5-C6-O6
2	A	900	BOG	O5-C1-O1-C1'
2	B	900	BOG	O1-C1'-C2'-C3'
2	A	1949	BOG	C4'-C5'-C6'-C7'
2	A	1950	BOG	O1-C1'-C2'-C3'
2	B	900	BOG	C2-C1-O1-C1'
2	A	900	BOG	C4-C5-C6-O6
2	B	900	BOG	O5-C1-O1-C1'

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
8	B	700	2PG	C3-C2-O1P-P
2	A	800	BOG	C2'-C3'-C4'-C5'
2	A	1950	BOG	C3'-C4'-C5'-C6'
2	A	1950	BOG	C2'-C1'-O1-C1
2	B	800	BOG	C2'-C1'-O1-C1
2	A	1949	BOG	C1'-C2'-C3'-C4'
2	A	1950	BOG	C1'-C2'-C3'-C4'
2	A	1949	BOG	C3'-C4'-C5'-C6'
2	A	1949	BOG	C2'-C3'-C4'-C5'
7	A	7066	T3A	N1-C4-C5-O5
2	A	800	BOG	C1'-C2'-C3'-C4'
2	B	800	BOG	C2'-C3'-C4'-C5'
2	A	1950	BOG	C2'-C3'-C4'-C5'
2	A	800	BOG	C4'-C5'-C6'-C7'
2	B	800	BOG	O1-C1'-C2'-C3'
2	A	900	BOG	C3'-C4'-C5'-C6'
2	A	900	BOG	C1'-C2'-C3'-C4'
6	B	906	EDO	O1-C1-C2-O2
2	A	900	BOG	C5'-C6'-C7'-C8'
2	A	1950	BOG	C5'-C6'-C7'-C8'
7	A	7066	T3A	C7-C4-C5-O5
2	B	800	BOG	C4'-C5'-C6'-C7'
6	B	911	EDO	O1-C1-C2-O2
2	B	800	BOG	C4-C5-C6-O6
2	B	900	BOG	C1'-C2'-C3'-C4'
2	B	800	BOG	C3'-C4'-C5'-C6'
4	B	600	FAD	N10-C1'-C2'-O2'
7	B	7066	T3A	C6-C4-C5-O5
2	A	900	BOG	O5-C5-C6-O6
6	B	907	EDO	O1-C1-C2-O2
4	A	600	FAD	C5B-O5B-PA-O1A
2	A	900	BOG	C4'-C5'-C6'-C7'
2	A	800	BOG	O5-C1-O1-C1'
2	A	1949	BOG	C2'-C1'-O1-C1
8	A	700	2PG	C2-O1P-P-O4P
2	B	800	BOG	C1'-C2'-C3'-C4'
4	B	600	FAD	O4B-C4B-C5B-O5B
6	A	1963	EDO	O1-C1-C2-O2
6	B	910	EDO	O1-C1-C2-O2
2	A	800	BOG	C5'-C6'-C7'-C8'
8	B	700	2PG	C2-O1P-P-O2P
8	A	700	2PG	C3-C2-O1P-P

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	A	1959	EDO	O1-C1-C2-O2
6	A	1960	EDO	O1-C1-C2-O2
2	A	900	BOG	C2'-C3'-C4'-C5'
2	A	800	BOG	C3'-C4'-C5'-C6'
7	B	7066	T3A	N1-C4-C5-O5
6	A	1957	EDO	O1-C1-C2-O2
6	A	1961	EDO	O1-C1-C2-O2
6	A	7067	EDO	O1-C1-C2-O2
8	A	700	2PG	O1-C1-C2-O1P
7	B	7066	T3A	C6-C4-N1-C3
4	A	600	FAD	O4B-C4B-C5B-O5B


There are no ring outliers.



24 monomers are involved in 59 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	B	910	EDO	2	0
8	A	700	2PG	4	0
2	A	800	BOG	3	0
6	A	1960	EDO	2	0
6	B	907	EDO	1	0
6	A	7067	EDO	1	0
6	A	1957	EDO	2	0
6	A	1961	EDO	2	0
6	B	909	EDO	1	0
2	B	900	BOG	6	0
2	B	800	BOG	1	0
7	B	7066	T3A	1	0
6	A	1959	EDO	1	0
6	A	1962	EDO	2	0
4	B	600	FAD	2	0
3	A	1954	PO4	1	0
5	A	1956	IMD	2	0
6	B	7067	EDO	2	0
4	A	600	FAD	7	0
3	B	901	PO4	1	0
2	A	1949	BOG	5	0
3	A	1955	PO4	1	0
2	A	900	BOG	6	0
8	B	700	2PG	4	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths,


bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	495/501 (98%)	-1.68	0 100 100	18, 36, 57, 89	0
1	B	495/501 (98%)	-1.68	0 100 100	18, 36, 57, 87	0
All	All	990/1002 (98%)	-1.68	0 100 100	18, 36, 57, 89	0

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	BOG	A	800	20/20	0.96	0.06	108,112,114,114	0
2	BOG	A	1950	20/20	0.97	0.04	88,91,94,94	0
2	BOG	B	800	20/20	0.97	0.04	101,105,108,108	0
6	EDO	B	910	4/4	0.97	0.05	54,55,55,55	0
2	BOG	B	900	20/20	0.98	0.05	100,105,106,107	0
6	EDO	A	1963	4/4	0.98	0.03	57,58,58,59	0
6	EDO	A	7067	4/4	0.98	0.03	45,47,48,50	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	EDO	B	909	4/4	0.98	0.04	55,57,60,64	0
2	BOG	A	1949	20/20	0.98	0.04	77,93,97,98	0
6	EDO	B	911	4/4	0.98	0.03	53,55,59,59	0
3	PO4	A	1955	5/5	0.99	0.03	77,79,81,82	0
3	PO4	B	901	5/5	0.99	0.04	98,98,98,99	0
3	PO4	B	902	5/5	0.99	0.03	79,81,82,83	0
3	PO4	B	903	5/5	0.99	0.03	54,59,61,61	0
3	PO4	B	904	5/5	0.99	0.02	73,74,78,80	0
5	IMD	A	1956	5/5	0.99	0.03	62,64,65,66	0
5	IMD	A	1958	5/5	0.99	0.04	79,80,81,81	0
5	IMD	B	912	5/5	0.99	0.03	64,65,68,68	0
6	EDO	A	1957	4/4	0.99	0.02	47,50,52,55	0
6	EDO	A	1959	4/4	0.99	0.03	31,39,39,44	0
6	EDO	A	1960	4/4	0.99	0.03	44,46,47,49	0
6	EDO	A	1961	4/4	0.99	0.05	63,65,65,65	0
6	EDO	A	1962	4/4	0.99	0.02	40,41,46,47	0
2	BOG	A	900	20/20	0.99	0.04	89,96,99,100	0
3	PO4	A	1951	5/5	0.99	0.04	83,84,87,87	0
6	EDO	B	905	4/4	0.99	0.03	37,40,44,45	0
6	EDO	B	906	4/4	0.99	0.02	46,48,56,60	0
6	EDO	B	907	4/4	0.99	0.04	53,53,55,55	0
6	EDO	B	908	4/4	0.99	0.03	30,42,45,46	0
3	PO4	A	1952	5/5	0.99	0.05	49,55,56,58	0
3	PO4	A	1953	5/5	0.99	0.02	75,75,76,77	0
3	PO4	A	1954	5/5	0.99	0.03	89,90,90,90	0
6	EDO	B	7067	4/4	0.99	0.03	49,49,49,50	0
7	T3A	A	7066	15/15	0.99	0.03	31,45,50,54	0
4	FAD	B	600	53/53	1.00	0.02	16,22,26,29	0
4	FAD	A	600	53/53	1.00	0.02	14,23,26,35	0
7	T3A	B	7066	15/15	1.00	0.02	30,42,52,53	0
8	2PG	A	700	11/11	1.00	0.03	34,39,48,49	0
8	2PG	B	700	11/11	1.00	0.03	32,42,48,49	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around BOG A 800:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around BOG A 1950:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BOG B 800:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around BOG B 900:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BOG A 1949:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around BOG A 900:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FAD B 600:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around FAD A 600:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.