



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 07:14 PM UTC

PDB ID : 3R4I / pdb_00003r4i
Title : Crystal structure of a Citrate lyase (Bxe_B2899) from BURKHOLDERIA XENOVORANS LB400 at 2.24 Å resolution
Authors : Joint Center for Structural Genomics (JCSG)
Deposited on : 2011-03-17
Resolution : 2.24 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.24 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3416 (2.26-2.22)
Clashscore	190562	3556 (2.26-2.22)
Ramachandran outliers	187476	3500 (2.26-2.22)
Sidechain outliers	187428	3501 (2.26-2.22)
RSRZ outliers	180081	3415 (2.26-2.22)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	339	7% 89%6%5%
1	B	339	5% 85%9%6%
1	C	339	4% 88%6%6%
1	D	339	5% 88%6%6%
1	E	339	18% 88%6%6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	339	16% 91% 6%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 14805 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Citrate Lyase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	321	Total	C	N	O	S	Se	0	6	0
			2464	1563	438	454	3	6			
1	B	319	Total	C	N	O	S	Se	0	6	0
			2437	1546	432	450	3	6			
1	C	320	Total	C	N	O	S	Se	0	4	0
			2434	1539	434	452	3	6			
1	D	317	Total	C	N	O	S	Se	0	6	0
			2422	1541	427	445	3	6			
1	E	320	Total	C	N	O	S	Se	0	0	0
			2372	1500	419	444	3	6			
1	F	317	Total	C	N	O	S	Se	0	0	0
			2364	1497	412	446	3	6			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	GLY	-	expression tag	UNP Q13S43
B	0	GLY	-	expression tag	UNP Q13S43
C	0	GLY	-	expression tag	UNP Q13S43
D	0	GLY	-	expression tag	UNP Q13S43
E	0	GLY	-	expression tag	UNP Q13S43
F	0	GLY	-	expression tag	UNP Q13S43

- Molecule 2 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Ca	0	0
			2	2		
2	B	2	Total	Ca	0	0
			2	2		
2	C	2	Total	Ca	0	0
			2	2		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	D	3	Total	Ca	0	0
			3	3		
2	E	2	Total	Ca	0	0
			2	2		
2	F	2	Total	Ca	0	0
			2	2		

- Molecule 3 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Cl	0	0
			1	1		
3	C	1	Total	Cl	0	0
			1	1		
3	D	1	Total	Cl	0	0
			1	1		
3	E	1	Total	Cl	0	0
			1	1		
3	F	1	Total	Cl	0	0
			1	1		

- Molecule 4 is ACETATE ION (CCD ID: ACT) (formula: C₂H₃O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	C	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	D	1	Total	C	O	0	0
			4	2	2		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	72	Total	O	0	0
			72	72		
5	B	65	Total	O	0	0
			65	65		
5	C	57	Total	O	0	0
			57	57		
5	D	64	Total	O	0	0
			64	64		
5	E	21	Total	O	0	0
			21	21		
5	F	7	Total	O	0	0
			7	7		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Citrate Lyase




• Molecule 1: Citrate Lyase




• Molecule 1: Citrate Lyase





• Molecule 1: Citrate Lyase







● Molecule 1: Citrate Lyase



● Molecule 1: Citrate Lyase



4 Data and refinement statistics

Property	Value	Source
Space group	P 3	Depositor
Cell constants a, b, c, α , β , γ	148.47Å 148.47Å 79.57Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	48.60 – 2.24 48.60 – 2.24	Depositor EDS
% Data completeness (in resolution range)	99.3 (48.60-2.24) 99.3 (48.60-2.24)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.58 (at 2.24Å)	Xtriage
Refinement program	PHENIX 1.6.4	Depositor
R, R_{free}	0.151 , 0.174 (Not available) , 0.259	Depositor DCC
R_{free} test set	4701 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	33.3	Xtriage
Anisotropy	0.330	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 48.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.43$, $\langle L^2 \rangle = 0.25$	Xtriage
Estimated twinning fraction	0.069 for -h,-k,l 0.470 for h,-h-k,-l 0.069 for -k,-h,-l	Xtriage
Reported twinning fraction	0.476 for h,-h-k,-l	Depositor
Outliers	0 of 93681 reflections	Xtriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	14805	wwPDB-VP
Average B, all atoms (Å ²)	37.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.54% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CL, ACT, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.46	0/2539	0.81	4/3454 (0.1%)
1	B	0.46	0/2509	0.79	1/3418 (0.0%)
1	C	0.46	0/2499	0.79	2/3402 (0.1%)
1	D	0.46	0/2494	0.78	1/3394 (0.0%)
1	E	0.46	0/2423	0.81	1/3303 (0.0%)
1	F	0.47	0/2415	0.80	0/3294
All	All	0.46	0/14879	0.80	9/20265 (0.0%)

There are no bond length outliers.

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	224	VAL	CB-CA-C	-7.02	103.59	111.45
1	A	224	VAL	CB-CA-C	-6.57	104.10	111.45
1	C	224	VAL	CB-CA-C	-6.20	104.50	111.45
1	E	224	VAL	CB-CA-C	-6.03	104.69	111.45
1	C	272	ILE	N-CA-C	5.75	115.94	110.42
1	A	272	ILE	N-CA-C	5.32	115.53	110.53
1	A	199	HIS	CA-C-N	5.19	125.24	119.32
1	A	199	HIS	C-N-CA	5.19	125.24	119.32
1	D	224	VAL	CB-CA-C	-5.11	104.64	111.13

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2464	0	2366	12	0
1	B	2437	0	2340	26	1
1	C	2434	0	2324	11	0
1	D	2422	0	2333	17	0
1	E	2372	0	2220	12	0
1	F	2364	0	2225	7	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
2	C	2	0	0	0	0
2	D	3	0	0	0	0
2	E	2	0	0	0	0
2	F	2	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
3	E	1	0	0	0	0
3	F	1	0	0	0	0
4	C	4	0	3	0	0
4	D	4	0	3	0	0
5	A	72	0	0	1	1
5	B	65	0	0	2	0
5	C	57	0	0	0	0
5	D	64	0	0	0	0
5	E	21	0	0	0	0
5	F	7	0	0	0	0
All	All	14805	0	13814	80	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (80) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:220:PRO:HD2	1:B:248[B]:THR:HG22	1.52	0.89
1:B:92:HIS:CE1	1:B:94[B]:HIS:CD2	2.61	0.89
1:B:92:HIS:HE1	1:B:94[B]:HIS:CD2	1.92	0.86
1:B:92:HIS:CE1	1:B:94[B]:HIS:HD2	2.04	0.74
1:A:31:LYS:HB2	1:D:31:LYS:HB2	1.76	0.68
1:C:127:MSE:O	1:C:131[B]:ILE:HG12	1.94	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:97:ASP:O	1:E:101:LEU:HG	1.95	0.65
1:B:74:GLY:CA	1:B:108:ARG:HG2	2.27	0.65
1:B:219:VAL:HG13	1:B:248[B]:THR:HG23	1.78	0.64
1:B:219:VAL:HG13	1:B:248[B]:THR:CG2	2.27	0.64
1:C:299:ARG:O	1:C:303:ARG:HG3	1.98	0.63
1:C:74:GLY:CA	1:C:108:ARG:HG2	2.30	0.61
1:E:74:GLY:CA	1:E:108:ARG:HG2	2.31	0.61
1:D:299:ARG:O	1:D:303:ARG:HG3	2.01	0.60
1:A:299:ARG:O	1:A:303:ARG:HG3	2.01	0.60
1:F:74:GLY:CA	1:F:108:ARG:HG2	2.32	0.60
1:B:299:ARG:O	1:B:303:ARG:HG3	2.02	0.60
1:E:299:ARG:O	1:E:303:ARG:HG3	2.01	0.59
1:F:299:ARG:O	1:F:303:ARG:HG3	2.02	0.59
1:B:74:GLY:HA3	1:B:108:ARG:HG2	1.85	0.58
1:A:18:ALA:HB2	1:A:217:GLY:O	2.04	0.58
1:A:74:GLY:CA	1:A:108:ARG:HG2	2.35	0.56
1:C:74:GLY:HA3	1:C:108:ARG:HG2	1.87	0.55
1:D:74:GLY:CA	1:D:108:ARG:HG2	2.36	0.55
1:E:74:GLY:HA3	1:E:108:ARG:HG2	1.88	0.55
1:F:74:GLY:HA3	1:F:108:ARG:HG2	1.89	0.54
1:B:193:SER:HB3	5:B:429:HOH:O	2.07	0.53
1:C:18:ALA:HB2	1:C:217:GLY:O	2.09	0.52
1:B:198:ASP:OD2	5:B:362:HOH:O	2.18	0.52
1:B:321:GLN:NE2	1:D:101:LEU:HA	2.25	0.51
1:D:39[A]:LEU:HD21	1:D:43:LEU:HD11	1.92	0.51
1:E:135:ARG:HD2	1:E:135:ARG:C	2.36	0.51
1:A:74:GLY:HA3	1:A:108:ARG:HG2	1.92	0.50
1:B:299:ARG:HA	1:B:302:TYR:CD2	2.47	0.50
1:F:29:SER:O	1:F:33:MSE:HG3	2.13	0.49
1:B:119:ARG:HA	1:B:152[B]:THR:HG21	1.94	0.49
1:F:299:ARG:HA	1:F:302:TYR:CD2	2.48	0.49
1:C:299:ARG:HA	1:C:302:TYR:CD2	2.49	0.48
1:A:299:ARG:HA	1:A:302:TYR:CD2	2.49	0.48
1:D:299:ARG:HA	1:D:302:TYR:CD2	2.48	0.48
1:A:81:GLY:HA2	5:A:376:HOH:O	2.14	0.47
1:D:135:ARG:HD2	1:D:135:ARG:C	2.39	0.47
1:A:29:SER:O	1:A:33:MSE:HG3	2.15	0.47
1:E:299:ARG:HA	1:E:302:TYR:CD2	2.50	0.46
1:B:324:ALA:N	1:B:325:PRO:HD2	2.31	0.46
1:D:74:GLY:HA3	1:D:108:ARG:HG2	1.96	0.46
1:C:135:ARG:C	1:C:135:ARG:HD2	2.41	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:29:SER:O	1:E:33:MSE:HG3	2.15	0.45
1:C:61:ARG:HA	1:C:64:GLN:HE22	1.81	0.45
1:B:255:PRO:HA	1:B:258:ILE:HD12	2.00	0.44
1:B:149:LEU:HD13	1:B:172:SER:HB2	2.00	0.44
1:B:253:ILE:HD12	1:B:253:ILE:HA	1.87	0.43
1:C:253:ILE:HD12	1:C:253:ILE:HA	1.91	0.43
1:D:253:ILE:HD12	1:D:253:ILE:HA	1.91	0.43
1:D:324:ALA:N	1:D:325:PRO:HD2	2.33	0.43
1:B:135:ARG:HD2	1:B:135:ARG:C	2.42	0.43
1:F:253:ILE:HD12	1:F:253:ILE:HA	1.87	0.43
1:B:118:ILE:O	1:B:155:ALA:HB2	2.19	0.43
1:A:135:ARG:HD2	1:A:135:ARG:C	2.43	0.43
1:C:29:SER:O	1:C:33:MSE:HG3	2.19	0.43
1:E:324:ALA:N	1:E:325:PRO:HD2	2.34	0.43
1:D:39[B]:LEU:CD1	1:D:43:LEU:HG	2.50	0.42
1:B:29:SER:O	1:B:33:MSE:HG3	2.19	0.42
1:A:116:PRO:HA	1:A:149:LEU:HB2	2.02	0.42
1:D:63:ALA:O	1:D:67:GLU:HG3	2.20	0.41
1:B:321:GLN:NE2	1:D:104:ARG:HB2	2.35	0.41
1:E:309:LEU:HD23	1:E:309:LEU:HA	1.90	0.41
1:B:321:GLN:HE22	1:D:104:ARG:HB2	1.85	0.41
1:A:253:ILE:HD12	1:A:253:ILE:HA	1.90	0.41
1:B:26:TYR:CZ	1:B:50:THR:HG21	2.55	0.41
1:D:39[A]:LEU:HD21	1:D:43:LEU:CD1	2.49	0.41
1:B:321:GLN:HE22	1:D:101:LEU:HA	1.83	0.40
1:A:324:ALA:N	1:A:325:PRO:HD2	2.36	0.40
1:C:324:ALA:N	1:C:325:PRO:HD2	2.36	0.40
1:E:70:ALA:HB2	1:E:102:ILE:HA	2.03	0.40
1:E:199:HIS:HA	1:E:200:PRO:HD3	1.97	0.40
1:E:149:LEU:HD13	1:E:172:SER:HB2	2.04	0.40
1:D:103:LEU:HD23	1:D:103:LEU:HA	1.84	0.40
1:F:309:LEU:HD23	1:F:309:LEU:HA	1.91	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:188:ASP:OD2	5:A:391:HOH:O[3_555]	2.17	0.03

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	323/339 (95%)	314 (97%)	9 (3%)	0	100	100
1	B	321/339 (95%)	311 (97%)	10 (3%)	0	100	100
1	C	320/339 (94%)	311 (97%)	9 (3%)	0	100	100
1	D	319/339 (94%)	310 (97%)	9 (3%)	0	100	100
1	E	316/339 (93%)	308 (98%)	8 (2%)	0	100	100
1	F	313/339 (92%)	305 (97%)	8 (3%)	0	100	100
All	All	1912/2034 (94%)	1859 (97%)	53 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	246/260 (95%)	245 (100%)	1 (0%)	84	88
1	B	243/260 (94%)	242 (100%)	1 (0%)	84	88
1	C	240/260 (92%)	239 (100%)	1 (0%)	84	88
1	D	241/260 (93%)	240 (100%)	1 (0%)	84	88
1	E	226/260 (87%)	225 (100%)	1 (0%)	84	88
1	F	230/260 (88%)	229 (100%)	1 (0%)	84	88
All	All	1426/1560 (91%)	1420 (100%)	6 (0%)	84	88

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	149	LEU
1	B	149	LEU
1	C	149	LEU
1	D	149	LEU
1	E	149	LEU
1	F	149	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	41	GLN
1	A	77	HIS
1	A	286	GLN
1	B	41	GLN
1	B	92	HIS
1	B	286	GLN
1	B	321	GLN
1	C	41	GLN
1	C	286	GLN
1	D	41	GLN
1	D	286	GLN
1	E	41	GLN
1	E	77	HIS
1	E	243	ASN
1	E	286	GLN
1	F	41	GLN
1	F	286	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 20 ligands modelled in this entry, 18 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	ACT	D	358	-	3,3,3	0.68	0	3,3,3	1.31	0
4	ACT	C	357	-	3,3,3	0.75	0	3,3,3	1.01	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	315/339 (92%)	0.68	25 (7%)	18 16	16, 34, 56, 74	6 (1%)
1	B	313/339 (92%)	0.65	18 (5%)	29 27	13, 35, 56, 74	6 (1%)
1	C	314/339 (92%)	0.66	14 (4%)	38 36	16, 36, 57, 75	4 (1%)
1	D	311/339 (91%)	0.69	17 (5%)	30 29	16, 34, 55, 75	6 (1%)
1	E	314/339 (92%)	1.32	61 (19%)	3 2	23, 37, 56, 73	0
1	F	311/339 (91%)	1.31	55 (17%)	4 3	24, 38, 57, 75	0
All	All	1878/2034 (92%)	0.89	190 (10%)	12 11	13, 36, 56, 75	22 (1%)

All (190) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	60	GLY	6.2
1	A	318	ALA	5.0
1	E	318	ALA	4.4
1	E	328	THR	4.3
1	D	313	GLN	4.3
1	F	12	ASP	3.8
1	E	141	ALA	3.7
1	F	120	HIS	3.7
1	B	313	GLN	3.5
1	A	17	PRO	3.4
1	E	143	PRO	3.4
1	E	142	GLN	3.3
1	E	109	ALA	3.3
1	E	133	ALA	3.3
1	E	286	GLN	3.3
1	A	267	PRO	3.3
1	D	314	ALA	3.2
1	F	142	GLN	3.2
1	B	314	ALA	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	319	VAL	3.2
1	E	314	ALA	3.2
1	F	141	ALA	3.2
1	A	122	HIS	3.1
1	A	286	GLN	3.0
1	B	91	ASP	3.0
1	F	318	ALA	3.0
1	E	121	VAL	3.0
1	E	146	VAL	3.0
1	E	104	ARG	3.0
1	F	281	ALA	2.9
1	F	144	VAL	2.9
1	E	285	ALA	2.9
1	F	109	ALA	2.9
1	D	183	ASP	2.9
1	F	154	GLY	2.9
1	E	93	ALA	2.9
1	F	313	GLN	2.9
1	F	167	GLY	2.8
1	C	105	ALA	2.8
1	F	269	ASP	2.8
1	E	4	LEU	2.8
1	C	18	ALA	2.8
1	A	253	ILE	2.7
1	F	106	ALA	2.7
1	C	327	PHE	2.7
1	F	262	VAL	2.7
1	F	7	ALA	2.7
1	E	166	PRO	2.7
1	E	267	PRO	2.7
1	A	93	ALA	2.7
1	F	93	ALA	2.7
1	C	313	GLN	2.7
1	F	327	PHE	2.7
1	F	4	LEU	2.7
1	B	43	LEU	2.6
1	A	314	ALA	2.6
1	D	122	HIS	2.6
1	E	137	GLU	2.6
1	F	205	ALA	2.6
1	D	108	ARG	2.6
1	A	56	GLY	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	110	PRO	2.6
1	C	141	ALA	2.6
1	F	9	VAL	2.6
1	F	102	ILE	2.6
1	E	32	LEU	2.5
1	C	287	TRP	2.5
1	E	46	VAL	2.5
1	F	87	ILE	2.5
1	B	61	ARG	2.5
1	B	108	ARG	2.5
1	E	185	ALA	2.5
1	F	324	ALA	2.5
1	A	166[A]	PRO	2.5
1	E	134	THR	2.5
1	C	137	GLU	2.5
1	E	38	ALA	2.5
1	E	235	ALA	2.5
1	F	125	ALA	2.5
1	A	42	GLN	2.5
1	A	142	GLN	2.5
1	A	313	GLN	2.5
1	C	286	GLN	2.5
1	E	262	VAL	2.5
1	F	121	VAL	2.5
1	A	12	ASP	2.5
1	D	318	ALA	2.5
1	A	3	ALA	2.4
1	D	285	ALA	2.4
1	F	282	ALA	2.4
1	B	319	VAL	2.4
1	E	296	LEU	2.4
1	E	309	LEU	2.4
1	F	148	LEU	2.4
1	F	122	HIS	2.4
1	F	321	GLN	2.4
1	D	67	GLU	2.4
1	B	284	SER	2.4
1	E	138	LEU	2.4
1	F	8	GLU	2.4
1	B	141	ALA	2.4
1	A	284	SER	2.4
1	E	144	VAL	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	42	GLN	2.4
1	C	12	ASP	2.3
1	E	12	ASP	2.3
1	D	74	GLY	2.3
1	C	318	ALA	2.3
1	E	315	THR	2.3
1	E	130	PHE	2.3
1	F	85	VAL	2.3
1	F	224	VAL	2.3
1	A	108	ARG	2.3
1	E	101	LEU	2.3
1	F	259	GLU	2.3
1	F	306	TRP	2.3
1	F	166	PRO	2.3
1	E	312	ALA	2.3
1	A	104	ARG	2.3
1	B	80	PHE	2.3
1	E	313	GLN	2.3
1	C	296	LEU	2.3
1	C	17	PRO	2.3
1	A	316	GLY	2.3
1	E	61	ARG	2.3
1	E	321	GLN	2.3
1	E	69	VAL	2.3
1	E	20	LEU	2.3
1	F	296	LEU	2.3
1	F	75	SER	2.3
1	A	19	VAL	2.3
1	E	43	LEU	2.2
1	B	12	ASP	2.2
1	E	119	ARG	2.2
1	B	256	ALA	2.2
1	E	67	GLU	2.2
1	E	77	HIS	2.2
1	E	322	ASP	2.2
1	F	97	ASP	2.2
1	E	272	ILE	2.2
1	F	309	LEU	2.2
1	E	202	VAL	2.2
1	E	120	HIS	2.2
1	E	2	ARG	2.2
1	E	317	ARG	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	234	VAL	2.2
1	E	80	PHE	2.2
1	F	320	PRO	2.2
1	E	288	GLY	2.2
1	B	109	ALA	2.2
1	F	105	ALA	2.2
1	F	73	LEU	2.1
1	D	97	ASP	2.1
1	F	322	ASP	2.1
1	E	327	PHE	2.1
1	A	58	GLN	2.1
1	F	58	GLN	2.1
1	F	44	GLY	2.1
1	F	5	THR	2.1
1	E	294	ASP	2.1
1	E	9	VAL	2.1
1	B	327	PHE	2.1
1	D	58	GLN	2.1
1	A	27	ALA	2.1
1	E	57	ALA	2.1
1	F	267	PRO	2.1
1	F	81	GLY	2.1
1	C	104	ARG	2.1
1	D	284	SER	2.1
1	D	323	ALA	2.1
1	F	137	GLU	2.1
1	A	101	LEU	2.1
1	A	91	ASP	2.1
1	B	322	ASP	2.1
1	D	65	HIS	2.1
1	F	216	TYR	2.1
1	E	319	VAL	2.1
1	D	327	PHE	2.1
1	E	248	THR	2.0
1	A	18	ALA	2.0
1	E	3	ALA	2.0
1	E	132	GLU	2.0
1	F	256	ALA	2.0
1	B	120	HIS	2.0
1	F	108	ARG	2.0
1	F	319	VAL	2.0
1	B	90	PHE	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	137	GLU	2.0
1	F	226	THR	2.0
1	C	321	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	CA	C	343	1/1	0.85	0.12	43,43,43,43	0
2	CA	D	350	1/1	0.85	0.11	57,57,57,57	0
2	CA	E	347	1/1	0.88	0.08	51,51,51,51	0
2	CA	F	349	1/1	0.88	0.10	57,57,57,57	0
2	CA	D	345	1/1	0.91	0.07	39,39,39,39	0
3	CL	D	352	1/1	0.92	0.09	25,25,25,25	0
2	CA	F	351	1/1	0.93	0.20	43,43,43,43	0
2	CA	C	344	1/1	0.94	0.07	36,36,36,36	0
3	CL	B	354	1/1	0.95	0.11	38,38,38,38	0
2	CA	E	348	1/1	0.95	0.06	43,43,43,43	0
3	CL	E	355	1/1	0.95	0.14	30,30,30,30	0
4	ACT	D	358	4/4	0.95	0.07	13,16,18,21	0
2	CA	A	341	1/1	0.96	0.13	34,34,34,34	0
2	CA	A	346	1/1	0.96	0.10	31,31,31,31	0
3	CL	F	356	1/1	0.96	0.14	33,33,33,33	0
2	CA	B	340	1/1	0.96	0.10	35,35,35,35	0
2	CA	B	339	1/1	0.97	0.04	22,22,22,22	0
3	CL	C	353	1/1	0.97	0.05	29,29,29,29	0
4	ACT	C	357	4/4	0.97	0.07	15,19,22,23	0
2	CA	D	342	1/1	0.97	0.04	29,29,29,29	0

6.5 Other polymers [i](#)

There are no such residues in this entry.