



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 7, 2026 – 04:49 AM UTC

PDB ID : 6R4M / pdb_00006r4m
Title : Crystal structure of S. cerevisia Niemann-Pick type C protein NPC2
Authors : Winkler, M.B.L.; Kidmose, R.T.; Pedersen, B.P.
Deposited on : 2019-03-22
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3866 (2.80-2.80)
Clashscore	190562	4276 (2.80-2.80)
Ramachandran outliers	187476	4196 (2.80-2.80)
Sidechain outliers	187428	4198 (2.80-2.80)
RSRZ outliers	180081	3869 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	201	
1	B	201	
1	C	201	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 3431 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Phosphatidylglycerol/phosphatidylinositol transfer protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	142	Total	C	N	O	S	0	0	0
			1106	705	172	225	4			
1	B	143	Total	C	N	O	S	0	0	0
			1114	711	173	226	4			
1	C	150	Total	C	N	O	S	0	0	0
			1169	747	184	234	4			

There are 84 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	174	LEU	-	expression tag	UNP Q12408
A	175	VAL	-	expression tag	UNP Q12408
A	176	PRO	-	expression tag	UNP Q12408
A	177	ARG	-	expression tag	UNP Q12408
A	178	GLY	-	expression tag	UNP Q12408
A	179	SER	-	expression tag	UNP Q12408
A	180	GLY	-	expression tag	UNP Q12408
A	181	GLY	-	expression tag	UNP Q12408
A	182	GLY	-	expression tag	UNP Q12408
A	183	GLY	-	expression tag	UNP Q12408
A	184	SER	-	expression tag	UNP Q12408
A	185	GLY	-	expression tag	UNP Q12408
A	186	GLY	-	expression tag	UNP Q12408
A	187	GLY	-	expression tag	UNP Q12408
A	188	GLY	-	expression tag	UNP Q12408
A	189	SER	-	expression tag	UNP Q12408
A	190	GLY	-	expression tag	UNP Q12408
A	191	GLY	-	expression tag	UNP Q12408
A	192	HIS	-	expression tag	UNP Q12408
A	193	HIS	-	expression tag	UNP Q12408
A	194	HIS	-	expression tag	UNP Q12408
A	195	HIS	-	expression tag	UNP Q12408
A	196	HIS	-	expression tag	UNP Q12408

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
A	197	HIS	-	expression tag	UNP Q12408
A	198	HIS	-	expression tag	UNP Q12408
A	199	HIS	-	expression tag	UNP Q12408
A	200	HIS	-	expression tag	UNP Q12408
A	201	HIS	-	expression tag	UNP Q12408
B	174	LEU	-	expression tag	UNP Q12408
B	175	VAL	-	expression tag	UNP Q12408
B	176	PRO	-	expression tag	UNP Q12408
B	177	ARG	-	expression tag	UNP Q12408
B	178	GLY	-	expression tag	UNP Q12408
B	179	SER	-	expression tag	UNP Q12408
B	180	GLY	-	expression tag	UNP Q12408
B	181	GLY	-	expression tag	UNP Q12408
B	182	GLY	-	expression tag	UNP Q12408
B	183	GLY	-	expression tag	UNP Q12408
B	184	SER	-	expression tag	UNP Q12408
B	185	GLY	-	expression tag	UNP Q12408
B	186	GLY	-	expression tag	UNP Q12408
B	187	GLY	-	expression tag	UNP Q12408
B	188	GLY	-	expression tag	UNP Q12408
B	189	SER	-	expression tag	UNP Q12408
B	190	GLY	-	expression tag	UNP Q12408
B	191	GLY	-	expression tag	UNP Q12408
B	192	HIS	-	expression tag	UNP Q12408
B	193	HIS	-	expression tag	UNP Q12408
B	194	HIS	-	expression tag	UNP Q12408
B	195	HIS	-	expression tag	UNP Q12408
B	196	HIS	-	expression tag	UNP Q12408
B	197	HIS	-	expression tag	UNP Q12408
B	198	HIS	-	expression tag	UNP Q12408
B	199	HIS	-	expression tag	UNP Q12408
B	200	HIS	-	expression tag	UNP Q12408
B	201	HIS	-	expression tag	UNP Q12408
C	174	LEU	-	expression tag	UNP Q12408
C	175	VAL	-	expression tag	UNP Q12408
C	176	PRO	-	expression tag	UNP Q12408
C	177	ARG	-	expression tag	UNP Q12408
C	178	GLY	-	expression tag	UNP Q12408
C	179	SER	-	expression tag	UNP Q12408
C	180	GLY	-	expression tag	UNP Q12408
C	181	GLY	-	expression tag	UNP Q12408
C	182	GLY	-	expression tag	UNP Q12408

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	183	GLY	-	expression tag	UNP Q12408
C	184	SER	-	expression tag	UNP Q12408
C	185	GLY	-	expression tag	UNP Q12408
C	186	GLY	-	expression tag	UNP Q12408
C	187	GLY	-	expression tag	UNP Q12408
C	188	GLY	-	expression tag	UNP Q12408
C	189	SER	-	expression tag	UNP Q12408
C	190	GLY	-	expression tag	UNP Q12408
C	191	GLY	-	expression tag	UNP Q12408
C	192	HIS	-	expression tag	UNP Q12408
C	193	HIS	-	expression tag	UNP Q12408
C	194	HIS	-	expression tag	UNP Q12408
C	195	HIS	-	expression tag	UNP Q12408
C	196	HIS	-	expression tag	UNP Q12408
C	197	HIS	-	expression tag	UNP Q12408
C	198	HIS	-	expression tag	UNP Q12408
C	199	HIS	-	expression tag	UNP Q12408
C	200	HIS	-	expression tag	UNP Q12408
C	201	HIS	-	expression tag	UNP Q12408

- Molecule 2 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			14	8	1	5		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	B	1	Total	C	N	O	0	0
			14	8	1	5		
2	C	1	Total	C	N	O	0	0
			14	8	1	5		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Phosphatidylglycerol/phosphatidylinositol transfer protein



- Molecule 1: Phosphatidylglycerol/phosphatidylinositol transfer protein



- Molecule 1: Phosphatidylglycerol/phosphatidylinositol transfer protein



4 Data and refinement statistics

Property	Value	Source
Space group	P 61	Depositor
Cell constants a, b, c, α , β , γ	205.32Å 205.32Å 39.08Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	44.45 – 2.80 44.45 – 2.80	Depositor EDS
% Data completeness (in resolution range)	99.5 (44.45-2.80) 99.5 (44.45-2.80)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.09 (at 2.81Å)	Xtriage
Refinement program	PHENIX	Depositor
R, R_{free}	0.236 , 0.262 0.241 , 0.266	Depositor DCC
R_{free} test set	1197 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	90.4	Xtriage
Anisotropy	0.333	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 52.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.034 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	3431	wwPDB-VP
Average B, all atoms (Å ²)	107.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.99% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section:
NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.36	0/1129	0.70	0/1543
1	B	0.32	0/1137	0.70	1/1555 (0.1%)
1	C	0.33	0/1193	0.74	1/1630 (0.1%)
All	All	0.34	0/3459	0.71	2/4728 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	26	ILE	N-CA-C	5.57	120.92	109.34
1	B	46	GLN	CA-CB-CG	5.51	125.13	114.10

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	25	GLY	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1106	0	1091	43	1
1	B	1114	0	1101	25	0
1	C	1169	0	1159	26	1
2	A	14	0	13	0	0
2	B	14	0	13	0	0
2	C	14	0	13	0	0
All	All	3431	0	3390	86	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (86) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:119:GLU:OE2	1:C:133:LYS:N	2.07	0.88
1:B:63:ASP:HB2	1:B:74:THR:HB	1.58	0.84
1:C:25:GLY:O	1:C:27:PHE:HD1	1.62	0.81
1:A:91:ILE:HD11	1:A:109:LEU:HD13	1.63	0.79
1:A:72:ASN:OD1	1:A:137:GLU:HG2	1.84	0.77
1:B:91:ILE:HD11	1:B:109:LEU:HD13	1.68	0.76
1:A:90:TYR:CE1	1:A:154:TYR:HB2	2.28	0.69
1:C:63:ASP:HB2	1:C:74:THR:HB	1.74	0.68
1:A:69:ARG:HH21	1:A:170:PHE:HB3	1.61	0.66
1:C:25:GLY:O	1:C:27:PHE:CD1	2.47	0.66
1:A:52:LYS:HG3	1:C:130:TYR:CZ	2.32	0.65
1:B:58:LYS:NZ	1:C:56:GLU:OE2	2.30	0.64
1:A:56:GLU:OE2	1:C:58:LYS:NZ	2.31	0.64
1:B:130:TYR:CZ	1:C:52:LYS:HG3	2.34	0.63
1:A:155:THR:HG22	1:A:159:ASP:H	1.66	0.59
1:B:65:ASN:HB3	1:B:66:PRO:HD3	1.85	0.59
1:A:118:ILE:HG21	1:A:121:LEU:HD12	1.85	0.59
1:B:96:ARG:HH21	1:B:148:VAL:HG21	1.68	0.58
1:A:155:THR:HG23	1:A:157:LYS:H	1.69	0.58
1:C:101:ARG:O	1:C:101:ARG:HG3	2.04	0.57
1:C:123:CYS:O	1:C:125:ILE:HG13	2.05	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:50:LEU:HD22	1:C:119:GLU:OE2	2.04	0.56
1:C:63:ASP:HB3	1:C:64:PRO:HD3	1.88	0.56
1:A:35:THR:HA	1:A:46:GLN:O	2.07	0.55
1:A:146:LYS:HD2	1:A:167:GLU:OE2	2.05	0.55
1:B:44:LEU:HD12	1:B:60:VAL:HG11	1.89	0.54
1:C:27:PHE:HD1	1:C:27:PHE:H	1.54	0.54
1:A:69:ARG:NH2	1:A:171:PRO:O	2.39	0.53
1:B:139:PRO:HB2	1:B:142:VAL:HG23	1.90	0.53
1:A:130:TYR:CZ	1:B:52:LYS:HG3	2.43	0.53
1:C:25:GLY:O	1:C:27:PHE:N	2.41	0.53
1:A:63:ASP:HB3	1:A:64:PRO:HD3	1.90	0.53
1:A:91:ILE:O	1:A:106:THR:HA	2.09	0.52
1:B:35:THR:HA	1:B:46:GLN:O	2.09	0.52
1:B:146:LYS:HD2	1:B:167:GLU:OE2	2.09	0.52
1:A:155:THR:HG23	1:A:157:LYS:N	2.25	0.51
1:A:58:LYS:HD2	1:A:78:ASN:ND2	2.25	0.51
1:A:94:GLU:HA	1:A:103:LEU:O	2.10	0.51
1:A:47:CYS:O	1:A:163:CYS:HB3	2.11	0.50
1:A:67:PRO:HB3	1:A:138:ILE:HD11	1.93	0.50
1:C:107:PHE:CD1	1:C:107:PHE:N	2.80	0.50
1:C:69:ARG:HD2	1:C:142:VAL:HB	1.94	0.49
1:A:113:LEU:HD13	1:A:121:LEU:HD13	1.95	0.49
1:C:103:LEU:HD11	1:C:105:GLN:NE2	2.27	0.49
1:B:87:GLU:HA	1:B:110:CYS:SG	2.53	0.48
1:A:139:PRO:HB2	1:A:142:VAL:HG23	1.94	0.48
1:B:119:GLU:OE2	1:C:50:LEU:HD13	2.14	0.47
1:A:90:TYR:HD1	1:A:90:TYR:C	2.23	0.46
1:A:147:TYR:N	1:A:147:TYR:CD1	2.83	0.46
1:A:147:TYR:N	1:A:147:TYR:HD1	2.13	0.46
1:A:154:TYR:CD1	1:A:154:TYR:N	2.83	0.46
1:B:130:TYR:CE1	1:C:52:LYS:HG3	2.52	0.45
1:A:55:VAL:HG22	1:A:81:VAL:HG22	1.98	0.45
1:C:146:LYS:HD2	1:C:167:GLU:OE2	2.16	0.45
1:A:64:PRO:HD2	1:A:73:LEU:HD12	1.98	0.45
1:C:41:GLU:OE1	1:C:65:ASN:ND2	2.50	0.45
1:A:96:ARG:HH11	1:A:148:VAL:HG11	1.81	0.44
1:B:97:LEU:HD13	1:B:147:TYR:CE1	2.52	0.44
1:A:90:TYR:C	1:A:90:TYR:CD1	2.96	0.44
1:B:47:CYS:O	1:B:163:CYS:HB3	2.18	0.44
1:C:47:CYS:O	1:C:163:CYS:HB3	2.19	0.43
1:A:90:TYR:HD1	1:A:90:TYR:O	2.02	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:64:PRO:HD2	1:B:73:LEU:HD12	2.00	0.43
1:B:149:VAL:O	1:B:165:THR:HA	2.19	0.43
1:A:105:GLN:HG3	1:A:107:PHE:CE1	2.54	0.42
1:A:155:THR:HG22	1:A:159:ASP:HB2	1.99	0.42
1:C:85:ILE:HB	1:C:125:ILE:HB	2.02	0.42
1:A:44:LEU:HD12	1:A:60:VAL:HG11	2.01	0.42
1:A:152:ARG:HB3	1:A:154:TYR:CE1	2.55	0.42
1:B:96:ARG:NH2	1:B:148:VAL:HG21	2.32	0.42
1:A:63:ASP:HB2	1:A:74:THR:HB	2.01	0.42
1:A:69:ARG:NH2	1:A:170:PHE:HB3	2.32	0.42
1:C:67:PRO:HB3	1:C:138:ILE:HD11	2.01	0.42
1:B:126:GLU:O	1:B:130:TYR:OH	2.29	0.42
1:A:85:ILE:HB	1:A:125:ILE:HB	2.02	0.42
1:B:63:ASP:HB3	1:B:64:PRO:CD	2.50	0.41
1:A:62:LEU:HB3	1:A:73:LEU:HD11	2.02	0.41
1:A:95:VAL:HB	1:A:103:LEU:HB3	2.01	0.41
1:C:95:VAL:HB	1:C:103:LEU:HB3	2.03	0.41
1:A:96:ARG:NH1	1:A:148:VAL:HG11	2.35	0.41
1:B:147:TYR:N	1:B:147:TYR:CD1	2.88	0.41
1:B:58:LYS:HE3	1:B:80:GLU:OE2	2.21	0.40
1:B:69:ARG:HD2	1:B:142:VAL:HB	2.02	0.40
1:A:105:GLN:HG3	1:A:107:PHE:HE1	1.86	0.40
1:B:63:ASP:HB2	1:B:74:THR:CB	2.40	0.40
1:C:87:GLU:HA	1:C:110:CYS:SG	2.62	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:157:LYS:NZ	1:C:41:GLU:OE2[1_556]	2.15	0.05

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	140/201 (70%)	134 (96%)	6 (4%)	0	100	100
1	B	141/201 (70%)	137 (97%)	4 (3%)	0	100	100
1	C	148/201 (74%)	141 (95%)	5 (3%)	2 (1%)	9	30
All	All	429/603 (71%)	412 (96%)	15 (4%)	2 (0%)	24	55

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	26	ILE
1	C	27	PHE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	128/168 (76%)	124 (97%)	4 (3%)	35	70
1	B	129/168 (77%)	128 (99%)	1 (1%)	73	90
1	C	134/168 (80%)	130 (97%)	4 (3%)	36	72
All	All	391/504 (78%)	382 (98%)	9 (2%)	44	78

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	90	TYR
1	A	107	PHE
1	A	147	TYR
1	A	154	TYR
1	B	147	TYR
1	C	27	PHE
1	C	101	ARG
1	C	107	PHE
1	C	154	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	34	ASN
1	A	78	ASN
1	A	116	ASN
1	B	34	ASN
1	B	78	ASN
1	B	105	GLN
1	B	131	ASN
1	C	65	ASN
1	C	105	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	C	301	1	14,14,15	0.60	0	17,19,21	0.72	1 (5%)
2	NAG	A	301	1	14,14,15	1.00	2 (14%)	17,19,21	0.68	1 (5%)
2	NAG	B	301	1	14,14,15	0.62	0	17,19,21	0.41	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	C	301	1	-	2/6/23/26	0/1/1/1
2	NAG	A	301	1	-	2/6/23/26	0/1/1/1
2	NAG	B	301	1	-	1/6/23/26	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	301	NAG	O5-C1	2.71	1.48	1.43
2	A	301	NAG	C1-C2	2.43	1.55	1.52

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	301	NAG	C1-O5-C5	2.49	115.53	112.19
2	A	301	NAG	C1-O5-C5	2.34	115.33	112.19

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	301	NAG	C4-C5-C6-O6
2	A	301	NAG	O5-C5-C6-O6
2	C	301	NAG	C4-C5-C6-O6
2	C	301	NAG	O5-C5-C6-O6
2	B	301	NAG	C1-C2-N2-C7

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	142/201 (70%)	0.65	10 (7%) 22 16	89, 117, 159, 190	0
1	B	143/201 (71%)	0.62	15 (10%) 11 8	67, 104, 153, 187	0
1	C	150/201 (74%)	0.25	8 (5%) 32 24	61, 84, 135, 180	0
All	All	435/603 (72%)	0.50	33 (7%) 20 14	61, 101, 156, 190	0

All (33) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	24	ILE	4.8
1	B	30	LEU	4.8
1	C	119	GLU	4.0
1	C	120	GLY	3.6
1	B	102	LEU	3.6
1	B	103	LEU	3.2
1	B	120	GLY	3.1
1	B	119	GLU	3.0
1	A	157	LYS	2.9
1	C	123	CYS	2.7
1	B	122	SER	2.7
1	A	120	GLY	2.6
1	A	31	PRO	2.6
1	A	121	LEU	2.6
1	B	147	TYR	2.6
1	C	27	PHE	2.6
1	B	121	LEU	2.4
1	A	77	ALA	2.3
1	B	104	SER	2.3
1	C	63	ASP	2.3
1	A	169	ILE	2.3
1	A	124	PRO	2.3
1	A	86	GLU	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	96	ARG	2.2
1	A	39	ASN	2.2
1	B	31	PRO	2.2
1	C	103	LEU	2.2
1	B	124	PRO	2.1
1	C	65	ASN	2.1
1	A	33	PRO	2.1
1	B	98	GLY	2.1
1	B	157	LYS	2.0
1	B	148	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	NAG	B	301	14/15	0.42	0.18	161,177,192,195	0
2	NAG	C	301	14/15	0.66	0.15	147,160,172,182	0
2	NAG	A	301	14/15	0.74	0.12	166,175,182,185	0

6.5 Other polymers [i](#)

There are no such residues in this entry.