



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 04:45 PM UTC

PDB ID : 3R6N / pdb_00003r6n
Title : Crystal structure of a rigid four spectrin repeat fragment of the human desmo-plakin plakin domain
Authors : Choi, H.-J.; Weis, W.I.
Deposited on : 2011-03-22
Resolution : 2.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1130 (2.98-2.94)
Clashscore	190562	1157 (2.98-2.94)
Ramachandran outliers	187476	1101 (2.98-2.94)
Sidechain outliers	187428	1101 (2.98-2.94)
RSRZ outliers	180081	1130 (2.98-2.94)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	450	% 74% 25% .
1	B	450	% 71% 27% ..

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 7486 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Desmoplakin.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	450	Total	C	N	O	S	0	0	0
			3738	2363	644	708	23			
1	B	447	Total	C	N	O	S	0	0	0
			3716	2349	641	703	23			

- Molecule 2 is (4S,5S)-1,2-DITHIANE-4,5-DIOL (CCD ID: D1D) (formula: C₄H₈O₂S₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	O	S	0	0
			8	4	2	2		
2	B	1	Total	C	O	S	0	0
			8	4	2	2		

- Molecule 3 is 2,3-DIHYDROXY-1,4-DITHIOBUTANE (CCD ID: DTT) (formula: C₄H₁₀O₂S₂).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	O	S	0	0
			8	4	2	2		
3	B	1	Total	C	O	S	0	0
			8	4	2	2		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Desmoplakin



• Molecule 1: Desmoplakin



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	157.52Å 82.52Å 139.98Å 90.00° 125.54° 90.00°	Depositor
Resolution (Å)	45.65 – 2.95 45.65 – 2.95	Depositor EDS
% Data completeness (in resolution range)	99.3 (45.65-2.95) 99.3 (45.65-2.95)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	0.05	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.23 (at 2.96Å)	Xtriage
Refinement program	PHENIX 1.7 _650	Depositor
R, R_{free}	0.216 , 0.265 0.213 , 0.264	Depositor DCC
R_{free} test set	3093 reflections (10.04%)	wwPDB-VP
Wilson B-factor (Å ²)	86.6	Xtriage
Anisotropy	0.125	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 48.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.012 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	7486	wwPDB-VP
Average B, all atoms (Å ²)	105.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.98% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: DTT, D1D

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.31	0/3812	0.68	0/5136
1	B	0.28	0/3789	0.67	1/5105 (0.0%)
All	All	0.29	0/7601	0.67	1/10241 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	473	GLN	N-CA-C	-5.90	106.03	113.23

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3738	0	3710	82	0
1	B	3716	0	3687	94	0
2	A	8	0	8	2	0
2	B	8	0	8	0	0
3	A	8	0	10	0	0
3	B	8	0	10	1	0
All	All	7486	0	7433	176	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (176) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:312:PHE:CD1	1:B:368:ILE:HD11	2.13	0.84
1:A:553:CYS:O	1:A:557:ILE:HG12	1.84	0.76
1:A:421:LEU:HD22	1:A:544:MET:HE2	1.67	0.76
1:B:315:ARG:HH11	1:B:315:ARG:HG3	1.50	0.76
1:A:621:THR:O	1:A:625:GLN:HG2	1.92	0.70
1:B:450:PRO:HB2	1:B:512:ILE:HD13	1.74	0.69
1:A:453:PRO:HB3	1:A:488:ASN:HA	1.72	0.69
1:A:483:ILE:HB	1:A:496:THR:HG23	1.73	0.69
1:A:563:MET:HE1	1:A:619:TYR:HD1	1.56	0.69
1:B:425:ARG:HD3	1:B:537:TRP:CH2	2.28	0.69
1:A:482:CYS:HB3	1:A:495:VAL:HG13	1.75	0.68
1:A:461:ILE:HD12	1:A:484:LEU:HD23	1.76	0.67
1:B:389:GLU:HG2	1:B:393:LYS:HE3	1.76	0.66
1:B:406:ASP:HB3	1:B:409:MET:HB3	1.77	0.65
1:B:312:PHE:CE1	1:B:368:ILE:HD11	2.32	0.65
1:B:195:MET:HE2	1:B:231:TYR:HE2	1.62	0.64
1:B:224:ILE:O	1:B:228:ILE:HG23	1.96	0.64
1:A:358:TRP:O	1:A:361:ILE:HG22	1.97	0.63
1:A:418:ILE:HG12	1:A:544:MET:HE3	1.80	0.63
1:A:327:ASN:O	1:A:331:GLN:HG2	1.99	0.62
1:A:361:ILE:O	1:A:365:THR:HG23	2.00	0.61
1:A:418:ILE:O	1:A:422:GLU:HG3	1.99	0.61
1:B:282:GLU:HG3	1:B:326:LEU:CD2	2.32	0.60
1:A:607:LYS:O	1:A:611:GLN:HG3	2.02	0.59
1:B:543:ASN:O	1:B:546:SER:HB3	2.02	0.59
1:A:198:GLN:O	1:A:202:MET:HG2	2.03	0.58
1:B:328:LYS:HA	1:B:331:GLN:HG3	1.84	0.58
1:B:364:ILE:O	1:B:368:ILE:HG23	2.03	0.58
1:B:239:LYS:HZ3	1:B:252:GLU:CD	2.12	0.58
1:A:626:LEU:HB2	1:A:627:PRO:HD3	1.86	0.57
1:B:315:ARG:HG3	1:B:315:ARG:NH1	2.20	0.56
1:A:282:GLU:HG3	1:A:326:LEU:HD21	1.86	0.56
1:B:461:ILE:HD12	1:B:484:LEU:HD23	1.88	0.56
1:A:476:VAL:HG13	1:A:503:MET:SD	2.46	0.55
1:B:405:CYS:HB3	1:B:599:MET:HE3	1.88	0.55
1:A:609:GLN:HE21	1:A:609:GLN:HA	1.71	0.55
1:A:395:LEU:HB3	1:A:533:ILE:HD11	1.89	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:482:CYS:HB3	1:A:495:VAL:CG1	2.37	0.54
1:A:294:LEU:HD12	1:A:508:VAL:HG21	1.88	0.54
1:B:484:LEU:HD21	1:B:487:ASN:HD21	1.73	0.54
1:B:406:ASP:O	1:B:409:MET:HG2	2.08	0.54
1:A:282:GLU:OE1	1:A:282:GLU:HA	2.07	0.53
1:A:496:THR:OG1	1:A:497:GLY:N	2.40	0.53
1:B:522:LEU:O	1:B:526:ILE:HG13	2.08	0.53
1:A:428:ILE:HA	1:A:431:TYR:CD2	2.44	0.53
1:B:576:TYR:O	1:B:579:THR:HG22	2.09	0.53
1:B:618:HIS:O	1:B:622:LEU:HD13	2.09	0.53
1:A:409:MET:HE3	1:A:414:LEU:HD21	1.91	0.53
1:B:285:TRP:CZ3	1:B:322:LYS:HG3	2.43	0.52
1:B:403:TYR:N	1:B:404:PRO:HD3	2.23	0.52
1:A:525:LYS:HG2	1:A:529:TYR:HE1	1.74	0.52
1:B:399:ILE:HD11	1:B:537:TRP:HD1	1.75	0.52
1:B:330:LYS:HA	1:B:351:MET:HE2	1.92	0.52
1:A:489:GLU:HB3	1:A:492:LYS:O	2.10	0.51
1:A:550:TRP:O	1:A:554:MET:HG2	2.10	0.51
1:B:492:LYS:HB3	1:B:504:LEU:HD22	1.93	0.51
1:A:304:ASN:C	1:A:306:ALA:H	2.18	0.51
1:B:260:LYS:O	1:B:264:GLU:HG3	2.11	0.51
1:A:414:LEU:HD21	1:A:547:LEU:HD23	1.93	0.51
1:B:556:ASP:O	1:B:560:ILE:HG12	2.11	0.51
1:A:194:TRP:O	1:A:198:GLN:HG2	2.11	0.50
1:B:399:ILE:HD11	1:B:537:TRP:CD1	2.46	0.50
1:B:405:CYS:HB3	1:B:599:MET:CE	2.42	0.50
1:A:218:ILE:CD1	1:A:269:LEU:HB3	2.42	0.49
1:A:224:ILE:O	1:A:228:ILE:HG23	2.12	0.49
1:A:610:SER:HA	1:A:613:THR:HG22	1.93	0.49
1:B:239:LYS:HZ3	1:B:252:GLU:HG2	1.78	0.49
1:B:425:ARG:HB2	1:B:537:TRP:CZ2	2.47	0.49
1:A:559:LYS:O	1:A:563:MET:HG3	2.13	0.49
1:A:560:ILE:HG23	1:A:563:MET:HE2	1.95	0.49
1:B:389:GLU:O	1:B:393:LYS:HG3	2.13	0.48
1:B:282:GLU:HA	1:B:282:GLU:OE1	2.12	0.48
1:B:182:GLU:HA	1:B:185:LYS:HB2	1.94	0.48
1:B:484:LEU:HD21	1:B:487:ASN:OD1	2.14	0.48
1:A:330:LYS:HD2	2:A:1:D1D:H1C2	1.95	0.48
1:A:367:CYS:HB2	1:A:466:LEU:CD1	2.43	0.48
1:B:463:LEU:HD11	1:B:484:LEU:HD13	1.96	0.48
1:A:446:VAL:HG22	1:A:512:ILE:O	2.14	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:619:TYR:O	1:A:623:VAL:HG23	2.14	0.48
1:B:597:SER:HB3	1:B:605:LYS:HZ3	1.79	0.47
1:A:326:LEU:HD22	1:A:354:LEU:HD21	1.95	0.47
1:B:310:GLU:O	1:B:314:ILE:HG12	2.14	0.47
1:A:201:GLU:O	1:A:204:MET:HG2	2.14	0.47
1:A:367:CYS:HB2	1:A:466:LEU:HD13	1.96	0.47
1:B:298:TRP:CE3	1:B:371:HIS:HB3	2.49	0.47
1:B:563:MET:HE1	1:B:619:TYR:HD1	1.79	0.47
1:B:597:SER:HB3	1:B:605:LYS:NZ	2.30	0.47
1:A:301:LYS:HE3	1:A:452:ASN:ND2	2.29	0.47
1:B:473:GLN:O	1:B:473:GLN:HG2	2.15	0.47
1:B:566:ALA:C	1:B:568:LEU:H	2.22	0.47
1:A:450:PRO:HB2	1:A:512:ILE:HD13	1.96	0.46
1:B:536:LEU:HD23	1:B:536:LEU:O	2.15	0.46
1:B:524:CYS:O	1:B:527:GLU:HB2	2.14	0.46
1:B:288:ASP:HB3	3:B:4:DTT:H12	1.96	0.46
1:B:409:MET:HB2	1:B:410:PRO:HD2	1.97	0.46
1:B:450:PRO:HB2	1:B:512:ILE:CD1	2.44	0.46
1:A:350:TYR:O	1:A:353:THR:HB	2.15	0.46
1:B:393:LYS:HA	1:B:529:TYR:OH	2.15	0.46
1:B:472:ASP:O	1:B:473:GLN:HB3	2.15	0.46
1:A:563:MET:HE1	1:A:619:TYR:CD1	2.43	0.46
1:A:178:SER:HA	1:A:185:LYS:HE2	1.97	0.46
1:A:282:GLU:CG	1:A:326:LEU:HD21	2.46	0.46
1:B:282:GLU:OE1	1:B:322:LYS:HE3	2.16	0.46
1:A:330:LYS:HD2	2:A:1:D1D:C1	2.45	0.46
1:B:316:MET:O	1:B:320:GLU:HG3	2.16	0.46
1:A:343:ALA:O	1:A:347:ILE:HG23	2.16	0.45
1:B:564:THR:O	1:B:568:LEU:HB2	2.17	0.45
1:B:195:MET:HE2	1:B:231:TYR:CE2	2.48	0.45
1:A:293:GLU:HB3	1:A:368:ILE:HD11	1.99	0.45
1:A:450:PRO:HB2	1:A:512:ILE:CD1	2.46	0.45
1:B:276:ILE:HA	1:B:279:THR:HG22	1.99	0.45
1:B:550:TRP:CD1	1:B:608:ILE:HD12	2.52	0.45
1:A:184:THR:HG23	1:A:242:LEU:HD22	1.99	0.45
1:A:209:VAL:HA	1:A:276:ILE:HD13	1.99	0.45
1:B:201:GLU:O	1:B:205:VAL:HG23	2.16	0.45
1:B:228:ILE:HD11	1:B:259:LEU:HA	1.99	0.44
1:A:272:LEU:O	1:A:275:ILE:HG22	2.17	0.44
1:B:239:LYS:HZ3	1:B:252:GLU:CG	2.31	0.44
1:A:180:TRP:CG	1:A:244:GLU:HG2	2.53	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:391:TYR:C	1:A:391:TYR:HD1	2.26	0.44
1:A:620:GLN:O	1:A:624:ILE:HG12	2.17	0.44
1:B:243:ARG:HA	1:B:243:ARG:HD3	1.79	0.44
1:B:602:ASP:O	1:B:606:ARG:HG3	2.17	0.44
1:B:308:LYS:O	1:B:308:LYS:HD3	2.18	0.44
1:A:267:ASP:O	1:A:271:GLN:HG3	2.18	0.43
1:A:391:TYR:C	1:A:391:TYR:CD1	2.96	0.43
1:B:207:TRP:CZ3	1:B:269:LEU:HD23	2.53	0.43
1:B:567:LYS:O	1:B:567:LYS:HG2	2.18	0.43
1:B:199:ARG:HA	1:B:202:MET:HE2	2.00	0.43
1:B:385:ALA:HA	1:B:438:LEU:HD21	2.00	0.43
1:A:180:TRP:O	1:A:185:LYS:HE3	2.18	0.43
1:A:304:ASN:C	1:A:306:ALA:N	2.77	0.43
1:B:238:ILE:C	1:B:238:ILE:HD12	2.43	0.43
1:B:514:PRO:CB	1:B:515:PRO:HA	2.48	0.43
1:B:484:LEU:HD21	1:B:487:ASN:ND2	2.31	0.43
1:A:534:LEU:HD12	1:A:534:LEU:HA	1.87	0.43
1:B:491:SER:O	1:B:506:PRO:HA	2.18	0.43
1:B:449:LYS:HB2	1:B:450:PRO:HD3	2.01	0.42
1:A:450:PRO:HB3	1:A:461:ILE:HD13	2.01	0.42
1:B:574:GLU:HA	1:B:577:MET:HE2	2.01	0.42
1:A:505:VAL:HA	1:A:506:PRO:HD3	1.93	0.42
1:B:476:VAL:HG13	1:B:476:VAL:O	2.19	0.42
1:B:435:VAL:O	1:B:439:VAL:HG23	2.19	0.42
1:B:541:TYR:CE2	1:B:545:LYS:HD3	2.55	0.42
1:B:354:LEU:HD23	1:B:354:LEU:O	2.19	0.42
1:A:232:ARG:HB2	1:A:255:TYR:OH	2.19	0.42
1:A:347:ILE:O	1:A:351:MET:HG2	2.18	0.42
1:A:580:ILE:HG21	1:A:619:TYR:CD2	2.55	0.42
1:A:449:LYS:N	1:A:450:PRO:CD	2.83	0.42
1:A:179:GLY:N	1:A:185:LYS:HE2	2.34	0.41
1:A:294:LEU:HD12	1:A:508:VAL:CG2	2.50	0.41
1:A:425:ARG:HB2	1:A:537:TRP:CZ2	2.55	0.41
1:A:452:ASN:HA	1:A:453:PRO:HD3	1.81	0.41
1:A:530:TYR:CD2	1:A:530:TYR:C	2.98	0.41
1:A:540:LEU:O	1:A:544:MET:HG3	2.19	0.41
1:B:465:ALA:HA	1:B:510:LEU:HD23	2.01	0.41
1:B:472:ASP:OD1	1:B:472:ASP:N	2.52	0.41
1:B:327:ASN:O	1:B:331:GLN:HG2	2.20	0.41
1:B:182:GLU:HA	1:B:185:LYS:CB	2.50	0.41
1:A:218:ILE:HD11	1:A:269:LEU:HB3	2.01	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:551:HIS:O	1:A:555:ILE:HG12	2.20	0.41
1:B:322:LYS:O	1:B:326:LEU:HG	2.20	0.41
1:B:472:ASP:HB2	1:B:474:LYS:HB2	2.03	0.41
1:B:483:ILE:HG23	1:B:496:THR:HB	2.01	0.41
1:B:495:VAL:HG12	1:B:496:THR:N	2.36	0.41
1:B:341:HIS:HA	1:B:342:PRO:HD3	1.95	0.41
1:A:391:TYR:HH	1:A:431:TYR:HH	1.68	0.41
1:B:486:ASP:HB3	1:B:494:TYR:HB2	2.03	0.41
1:B:538:ASN:O	1:B:542:ILE:HG23	2.20	0.41
1:B:282:GLU:HG3	1:B:326:LEU:HD21	2.03	0.40
1:B:294:LEU:CD2	1:B:506:PRO:HB3	2.51	0.40
1:A:626:LEU:CB	1:A:627:PRO:HD3	2.51	0.40
1:B:579:THR:O	1:B:582:ASP:HB2	2.22	0.40
1:A:544:MET:O	1:A:548:VAL:HG23	2.21	0.40
1:B:284:MET:HE3	1:B:284:MET:HB2	1.97	0.40
1:B:529:TYR:O	1:B:533:ILE:HG13	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	448/450 (100%)	436 (97%)	11 (2%)	1 (0%)	43	66
1	B	445/450 (99%)	426 (96%)	19 (4%)	0	100	100
All	All	893/900 (99%)	862 (96%)	30 (3%)	1 (0%)	48	72

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	472	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	414/414 (100%)	398 (96%)	16 (4%)	28	54
1	B	411/414 (99%)	402 (98%)	9 (2%)	45	69
All	All	825/828 (100%)	800 (97%)	25 (3%)	36	60

All (25) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	234	GLN
1	A	258	LEU
1	A	267	ASP
1	A	280	SER
1	A	282	GLU
1	A	303	THR
1	A	347	ILE
1	A	446	VAL
1	A	470	LYS
1	A	475	ILE
1	A	496	THR
1	A	505	VAL
1	A	507	SER
1	A	508	VAL
1	A	520	VAL
1	A	609	GLN
1	B	228	ILE
1	B	282	GLU
1	B	300	ASP
1	B	335	GLN
1	B	362	LEU
1	B	368	ILE
1	B	411	LEU
1	B	472	ASP
1	B	505	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20)

such sidechains are listed below:

Mol	Chain	Res	Type
1	A	268	HIS
1	A	271	GLN
1	A	307	GLN
1	A	396	GLN
1	A	436	GLN
1	A	437	ASN
1	A	440	ASN
1	A	488	ASN
1	A	539	GLN
1	A	551	HIS
1	A	595	GLN
1	A	609	GLN
1	B	198	GLN
1	B	216	GLN
1	B	226	ASN
1	B	234	GLN
1	B	287	ASN
1	B	335	GLN
1	B	380	GLN
1	B	586	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	DTT	A	3	-	7,7,7	0.34	0	4,8,8	0.51	0
3	DTT	B	4	-	7,7,7	0.33	0	4,8,8	0.46	0
2	D1D	A	1	-	8,8,8	2.38	2 (25%)	6,10,10	0.61	0
2	D1D	B	2	-	8,8,8	2.37	2 (25%)	6,10,10	0.52	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	DTT	A	3	-	-	0/8/8/8	-
3	DTT	B	4	-	-	0/8/8/8	-
2	D1D	A	1	-	-	-	1/1/1/1
2	D1D	B	2	-	-	-	1/1/1/1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	2	D1D	C4-S4	-4.84	1.76	1.82
2	A	1	D1D	C4-S4	-4.77	1.76	1.82
2	A	1	D1D	C1-S1	-4.60	1.76	1.82
2	B	2	D1D	C1-S1	-4.49	1.76	1.82

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

All (2) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	2	D1D	C1-C2-C3-C4-S1-S4
2	A	1	D1D	C1-C2-C3-C4-S1-S4

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	4	DTT	1	0
2	A	1	D1D	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	450/450 (100%)	0.04	3 (0%) 84 80	52, 93, 138, 182	0
1	B	447/450 (99%)	0.17	5 (1%) 78 73	56, 109, 161, 194	0
All	All	897/900 (99%)	0.11	8 (0%) 81 76	52, 102, 153, 194	0

All (8) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	178	SER	5.8
1	A	179	GLY	3.9
1	B	405	CYS	2.7
1	A	245	LYS	2.7
1	B	596	GLY	2.6
1	B	566	ALA	2.3
1	B	508	VAL	2.1
1	B	592	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	DTT	B	4	8/8	0.79	0.14	172,173,174,175	0
3	DTT	A	3	8/8	0.87	0.13	126,131,133,134	0
2	D1D	A	1	8/8	0.92	0.18	166,170,174,174	0
2	D1D	B	2	8/8	0.92	0.12	145,154,156,157	0

6.5 Other polymers [i](#)

There are no such residues in this entry.