



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 05:56 PM UTC

PDB ID : 3R8D / pdb_00003r8d
Title : Activation of the Human Nuclear Xenobiotic Receptor PXR by the Reverse Transcriptase-Targeted Anti-HIV Drug PNU-142721
Authors : Cheng, Y.; Redinbo, M.R.
Deposited on : 2011-03-23
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3866 (2.80-2.80)
Clashscore	190562	4276 (2.80-2.80)
Ramachandran outliers	187476	4196 (2.80-2.80)
Sidechain outliers	187428	4198 (2.80-2.80)
RSRZ outliers	180081	3869 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	316	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	PNU	A	1	-	-	X	-

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 2140 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Nuclear receptor subfamily 1 group I member 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	264	2105	1358	356	374	17	1	0	0

There are 11 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	119	MET	-	expression tag	UNP O75469
A	120	LYS	-	expression tag	UNP O75469
A	121	LYS	-	expression tag	UNP O75469
A	122	GLY	-	expression tag	UNP O75469
A	123	HIS	-	expression tag	UNP O75469
A	124	HIS	-	expression tag	UNP O75469
A	125	HIS	-	expression tag	UNP O75469
A	126	HIS	-	expression tag	UNP O75469
A	127	HIS	-	expression tag	UNP O75469
A	128	HIS	-	expression tag	UNP O75469
A	129	GLY	-	expression tag	UNP O75469

- Molecule 2 is 6-CHLORO-2-(1-FURO[2,3-C]PYRIDIN-5-YL-ETHYLSULFANYL)-PYRIMIDIN-4-YLAMINE (CCD ID: PNU) (formula: C₁₃H₁₁ClN₄OS).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	Cl	N	O	S	0	0
			20	13	1	4	1	1		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	15	Total	O	0	0
			15	15		

4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	92.28Å 92.28Å 84.38Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	41.27 – 2.80 41.27 – 2.80	Depositor EDS
% Data completeness (in resolution range)	99.7 (41.27-2.80) 99.6 (41.27-2.80)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.10 (at 2.81Å)	Xtriage
Refinement program	REFMAC 5.5.0072	Depositor
R, R_{free}	0.238 , 0.289 0.248 , 0.291	Depositor DCC
R_{free} test set	450 reflections (4.78%)	wwPDB-VP
Wilson B-factor (Å ²)	55.7	Xtriage
Anisotropy	0.003	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 32.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	2140	wwPDB-VP
Average B, all atoms (Å ²)	47.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.67% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PNU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.91	49/2149 (2.3%)	1.60	30/2894 (1.0%)

All (49) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	150	MET	C-O	7.92	1.33	1.24
1	A	293	ASN	CG-ND2	-7.15	1.18	1.33
1	A	245	ASP	N-CA	-7.00	1.37	1.46
1	A	347	SER	N-CA	-6.94	1.37	1.46
1	A	226	LYS	C-O	-6.78	1.17	1.24
1	A	293	ASN	CG-OD1	6.67	1.36	1.23
1	A	329	MET	SD-CE	6.65	1.96	1.79
1	A	289	ASN	CG-OD1	-6.61	1.10	1.23
1	A	410	ARG	N-CA	-6.55	1.38	1.46
1	A	166	PHE	N-CA	-6.39	1.36	1.46
1	A	370	ALA	CA-CB	6.22	1.62	1.53
1	A	393	ILE	C-O	6.17	1.31	1.24
1	A	421	ALA	C-O	6.06	1.31	1.23
1	A	381	ARG	CA-C	6.03	1.60	1.52
1	A	150	MET	CA-C	6.03	1.60	1.52
1	A	272	GLN	CD-NE2	-6.01	1.20	1.33
1	A	152	ARG	C-O	-6.00	1.17	1.24
1	A	380	ASN	CG-ND2	-5.99	1.20	1.33
1	A	383	GLN	CA-C	5.95	1.59	1.53
1	A	269	ILE	N-CA	-5.93	1.40	1.46
1	A	366	GLN	CD-NE2	-5.85	1.21	1.33
1	A	281	PHE	C-O	-5.80	1.17	1.24
1	A	331	LYS	C-O	-5.68	1.17	1.24
1	A	261	ILE	N-CA	5.68	1.53	1.46
1	A	268	PRO	C-O	5.64	1.30	1.23
1	A	253	GLY	CA-C	-5.62	1.45	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	328	TYR	CA-CB	-5.60	1.44	1.53
1	A	417	ILE	C-O	5.57	1.29	1.24
1	A	226	LYS	CG-CD	5.45	1.68	1.52
1	A	244	ALA	C-O	-5.42	1.17	1.24
1	A	344	GLN	CA-C	5.37	1.59	1.52
1	A	400	LEU	C-O	-5.37	1.17	1.24
1	A	421	ALA	CA-CB	-5.36	1.44	1.53
1	A	243	MET	N-CA	-5.33	1.39	1.46
1	A	176	GLY	N-CA	5.32	1.54	1.45
1	A	381	ARG	N-CA	5.29	1.52	1.46
1	A	143	LEU	CA-C	-5.28	1.46	1.52
1	A	225	TYR	C-O	-5.25	1.17	1.24
1	A	305	SER	CA-C	-5.19	1.46	1.52
1	A	414	ILE	CA-CB	-5.19	1.46	1.54
1	A	152	ARG	NE-CZ	5.18	1.38	1.33
1	A	268	PRO	N-CA	-5.16	1.40	1.47
1	A	147	GLN	CD-OE1	5.14	1.33	1.23
1	A	212	SER	N-CA	-5.11	1.40	1.45
1	A	227	PRO	C-O	-5.10	1.18	1.24
1	A	261	ILE	C-O	5.08	1.29	1.24
1	A	345	ALA	C-O	5.08	1.29	1.24
1	A	161	THR	N-CA	5.06	1.52	1.46
1	A	399	GLU	CA-C	-5.04	1.46	1.52

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	319	LEU	N-CA-C	-9.60	102.79	112.97
1	A	320	LEU	N-CA-C	-8.11	103.39	113.28
1	A	285	GLN	N-CA-C	-7.93	102.62	111.82
1	A	288	PHE	N-CA-C	7.72	121.19	111.69
1	A	161	THR	CB-CA-C	-7.36	98.07	110.44
1	A	324	LEU	CA-C-O	-7.00	113.41	120.90
1	A	144	THR	N-CA-C	6.85	119.81	110.35
1	A	237	PHE	N-CA-C	-6.81	104.71	113.16
1	A	161	THR	CA-C-O	6.68	126.63	119.34
1	A	243	MET	N-CA-C	-6.49	104.24	111.71
1	A	347	SER	CA-C-O	-6.38	113.16	120.24
1	A	399	GLU	CB-CA-C	-6.29	100.17	110.85
1	A	199	TRP	N-CA-C	-6.14	104.85	112.90
1	A	286	LEU	CA-C-O	-6.09	113.97	120.42
1	A	285	GLN	CA-C-N	-5.95	111.84	120.29

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	285	GLN	C-N-CA	-5.95	111.84	120.29
1	A	277	LYS	N-CA-C	-5.95	104.92	111.82
1	A	205	ASP	N-CA-C	-5.87	106.08	113.18
1	A	286	LEU	N-CA-C	5.86	117.75	111.36
1	A	236	ILE	N-CA-C	-5.57	107.36	113.43
1	A	349	PHE	N-CA-C	5.51	118.16	109.39
1	A	288	PHE	CB-CA-C	-5.35	100.91	110.70
1	A	256	SER	N-CA-C	-5.18	105.81	111.82
1	A	370	ALA	N-CA-C	5.15	116.58	111.07
1	A	245	ASP	N-CA-C	5.15	117.63	111.71
1	A	324	LEU	O-C-N	5.11	127.40	122.09
1	A	353	ARG	N-CA-C	-5.10	102.44	110.14
1	A	252	LYS	CB-CG-CD	-5.07	99.64	111.30
1	A	383	GLN	CG-CD-NE2	5.07	124.00	116.40
1	A	414	ILE	CB-CA-C	-5.05	104.68	112.05

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2105	0	2079	146	0
2	A	20	0	11	11	0
3	A	15	0	0	1	0
All	All	2140	0	2090	146	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 35.

All (146) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:337:GLU:O	1:A:341:VAL:HG13	1.32	1.28
1:A:338:GLU:O	1:A:341:VAL:HG22	1.31	1.26

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:217:GLY:HA2	1:A:218:GLU:HG2	1.22	1.10
1:A:217:GLY:CA	1:A:218:GLU:CG	2.34	1.05
1:A:150:MET:O	1:A:154:LEU:HD13	1.58	1.03
1:A:217:GLY:CA	1:A:218:GLU:HG2	1.89	1.02
1:A:230:ASP:HA	1:A:236:ILE:HD11	1.40	1.02
1:A:217:GLY:CA	1:A:218:GLU:HG3	1.97	0.94
1:A:155:MET:SD	1:A:341:VAL:HG11	2.09	0.92
1:A:217:GLY:HA2	1:A:218:GLU:CG	1.98	0.91
1:A:411:LEU:HD11	1:A:420:PHE:HZ	1.36	0.87
1:A:337:GLU:O	1:A:341:VAL:CG1	2.21	0.86
1:A:217:GLY:C	1:A:218:GLU:CA	2.49	0.86
1:A:411:LEU:CD1	1:A:420:PHE:HZ	1.87	0.85
1:A:422:THR:H	1:A:425:MET:HE3	1.41	0.85
1:A:411:LEU:HD11	1:A:420:PHE:CZ	2.13	0.84
1:A:199:TRP:O	1:A:202:VAL:HG12	1.78	0.83
1:A:217:GLY:C	1:A:218:GLU:CG	2.54	0.81
1:A:338:GLU:O	1:A:341:VAL:CG2	2.22	0.81
1:A:240:LEU:HD11	2:A:1:PNU:N18	1.96	0.80
1:A:244:ALA:HB1	1:A:425:MET:HE1	1.61	0.80
1:A:422:THR:OG1	1:A:425:MET:HG3	1.83	0.79
1:A:244:ALA:HB1	1:A:425:MET:CE	2.12	0.78
1:A:392:LYS:O	1:A:396:MET:HG2	1.83	0.77
1:A:217:GLY:C	1:A:219:ASP:N	2.42	0.77
1:A:217:GLY:HA3	1:A:218:GLU:HG3	1.69	0.74
1:A:387:ARG:O	1:A:388:PHE:HB2	1.86	0.74
1:A:244:ALA:CB	1:A:425:MET:HE1	2.17	0.74
1:A:240:LEU:CD1	2:A:1:PNU:N18	2.51	0.73
1:A:309:GLU:HA	1:A:309:GLU:OE1	1.86	0.73
1:A:217:GLY:C	1:A:218:GLU:HG3	2.11	0.73
1:A:228:PRO:HG3	1:A:235:GLU:O	1.89	0.73
1:A:240:LEU:N	1:A:241:PRO:CD	2.51	0.73
1:A:206:LEU:HD12	1:A:206:LEU:N	2.03	0.72
1:A:219:ASP:OD1	1:A:219:ASP:C	2.30	0.72
1:A:150:MET:O	1:A:154:LEU:CD1	2.36	0.71
1:A:175:PRO:HB3	1:A:238:SER:O	1.91	0.71
1:A:240:LEU:H	1:A:241:PRO:CD	2.04	0.70
1:A:217:GLY:C	1:A:218:GLU:C	2.60	0.70
1:A:213:LEU:C	1:A:213:LEU:HD23	2.17	0.70
1:A:410:ARG:HA	1:A:413:ARG:CZ	2.22	0.69
1:A:257:PHE:O	1:A:260:VAL:HG12	1.93	0.69
1:A:145:GLU:HG3	1:A:149:MET:HE3	1.75	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:203:ARG:C	1:A:205:ASP:H	2.01	0.67
1:A:341:VAL:HG23	1:A:342:LEU:N	2.09	0.67
1:A:410:ARG:HA	1:A:413:ARG:NH2	2.10	0.66
1:A:155:MET:HE1	1:A:337:GLU:HB3	1.77	0.66
1:A:231:SER:O	1:A:233:GLY:N	2.29	0.65
1:A:219:ASP:OD1	1:A:220:GLY:N	2.30	0.65
1:A:338:GLU:C	1:A:341:VAL:HG22	2.20	0.64
1:A:217:GLY:C	1:A:219:ASP:H	2.06	0.63
1:A:387:ARG:O	1:A:388:PHE:CB	2.48	0.62
1:A:202:VAL:C	1:A:204:LYS:N	2.57	0.61
1:A:299:TRP:CG	2:A:1:PNU:H15C	2.35	0.61
1:A:315:PHE:C	1:A:317:GLN:H	2.07	0.61
1:A:173:ARG:C	1:A:174:LEU:HD22	2.25	0.61
1:A:420:PHE:HE1	2:A:1:PNU:HC4	1.66	0.60
1:A:213:LEU:HD23	1:A:214:GLN:N	2.17	0.60
1:A:199:TRP:O	1:A:200:SER:C	2.42	0.60
1:A:206:LEU:HD11	1:A:414:ILE:HG12	1.84	0.60
1:A:420:PHE:CE1	2:A:1:PNU:HC4	2.37	0.60
1:A:175:PRO:HG3	1:A:239:LEU:HD13	1.84	0.59
1:A:145:GLU:OE2	1:A:149:MET:HE3	2.03	0.59
1:A:352:ASP:CG	1:A:401:ARG:HH22	2.11	0.59
1:A:246:MET:HE2	1:A:250:MET:HG2	1.83	0.59
1:A:318:LEU:HD22	1:A:320:LEU:HD12	1.86	0.58
1:A:341:VAL:CG2	1:A:342:LEU:N	2.65	0.58
1:A:269:ILE:HG22	1:A:270:GLU:OE1	2.03	0.58
1:A:278:GLY:HA3	1:A:353:ARG:HD2	1.85	0.57
1:A:202:VAL:O	1:A:204:LYS:N	2.37	0.57
1:A:205:ASP:CG	1:A:413:ARG:HH21	2.13	0.56
1:A:304:LEU:HD21	1:A:306:TYR:OH	2.06	0.56
1:A:234:LYS:O	1:A:235:GLU:CB	2.53	0.55
1:A:206:LEU:N	1:A:206:LEU:CD1	2.70	0.55
1:A:308:LEU:CD1	1:A:324:LEU:HD11	2.37	0.55
1:A:308:LEU:HD11	1:A:324:LEU:HD11	1.88	0.55
1:A:411:LEU:HD12	1:A:420:PHE:HZ	1.71	0.55
1:A:202:VAL:C	1:A:204:LYS:H	2.15	0.54
1:A:318:LEU:CD2	1:A:320:LEU:HD12	2.38	0.54
1:A:273:ILE:O	1:A:277:LYS:HG3	2.07	0.54
1:A:146:GLU:H	1:A:146:GLU:CD	2.16	0.54
1:A:390:PHE:O	1:A:394:MET:HG2	2.09	0.53
1:A:240:LEU:H	1:A:241:PRO:HD2	1.73	0.53
1:A:163:ASP:OD2	1:A:167:SER:N	2.42	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:240:LEU:HD11	2:A:1:PNU:H182	1.70	0.52
1:A:264:PHE:CZ	1:A:272:GLN:HB3	2.44	0.52
1:A:358:GLN:O	1:A:362:VAL:HG23	2.07	0.52
1:A:203:ARG:C	1:A:205:ASP:N	2.68	0.52
1:A:218:GLU:HG3	1:A:219:ASP:H	1.75	0.52
1:A:157:ALA:HB1	1:A:260:VAL:CG1	2.39	0.52
1:A:339:GLU:C	1:A:341:VAL:N	2.67	0.51
1:A:402:SER:O	1:A:403:ILE:C	2.49	0.51
1:A:142:GLY:HA2	1:A:379:CYS:SG	2.51	0.51
1:A:219:ASP:OD1	1:A:221:SER:N	2.40	0.50
1:A:240:LEU:HD11	2:A:1:PNU:H181	1.74	0.50
1:A:217:GLY:HA3	1:A:218:GLU:CG	2.31	0.50
1:A:282:GLU:HG2	1:A:400:LEU:HG	1.93	0.50
1:A:240:LEU:N	1:A:241:PRO:HD2	2.26	0.50
1:A:240:LEU:CD1	2:A:1:PNU:H181	2.24	0.50
1:A:205:ASP:HB3	1:A:410:ARG:HG3	1.94	0.50
1:A:420:PHE:N	1:A:420:PHE:CD2	2.80	0.49
1:A:155:MET:HE1	1:A:337:GLU:CB	2.41	0.49
1:A:298:THR:HG22	1:A:307:CYS:SG	2.53	0.49
1:A:259:LYS:O	1:A:265:ARG:HG3	2.12	0.49
1:A:290:THR:HA	3:A:4:HOH:O	2.13	0.49
1:A:216:ARG:HH11	1:A:216:ARG:HG3	1.78	0.49
1:A:236:ILE:HG22	1:A:236:ILE:O	2.13	0.49
1:A:254:ILE:HG12	1:A:283:LEU:HB2	1.95	0.49
1:A:425:MET:O	1:A:429:PHE:HD1	1.96	0.49
1:A:240:LEU:HD12	2:A:1:PNU:N18	2.28	0.48
1:A:299:TRP:CD2	2:A:1:PNU:H15C	2.49	0.48
1:A:215:LEU:CD2	1:A:304:LEU:HD13	2.44	0.48
1:A:329:MET:HB3	1:A:396:MET:HE1	1.96	0.47
1:A:315:PHE:C	1:A:317:GLN:N	2.70	0.47
1:A:146:GLU:CD	1:A:146:GLU:N	2.72	0.47
1:A:240:LEU:H	1:A:241:PRO:HD3	1.77	0.46
1:A:216:ARG:HG3	1:A:216:ARG:NH1	2.30	0.46
1:A:339:GLU:C	1:A:341:VAL:H	2.24	0.46
1:A:173:ARG:O	1:A:174:LEU:HD22	2.15	0.45
1:A:152:ARG:O	1:A:152:ARG:HD2	2.17	0.45
1:A:380:ASN:ND2	1:A:380:ASN:N	2.64	0.45
1:A:321:GLU:O	1:A:322:PRO:C	2.59	0.44
1:A:206:LEU:HD11	1:A:414:ILE:CD1	2.46	0.44
1:A:206:LEU:HD11	1:A:414:ILE:CG1	2.48	0.44
1:A:341:VAL:CG2	1:A:342:LEU:H	2.31	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:376:TYR:CD1	1:A:376:TYR:C	2.95	0.44
1:A:240:LEU:HD21	1:A:414:ILE:HG21	2.00	0.43
1:A:269:ILE:CG2	1:A:270:GLU:N	2.81	0.43
1:A:285:GLN:HE22	2:A:1:PNU:HC8	1.83	0.43
1:A:246:MET:O	1:A:246:MET:HG3	2.14	0.43
1:A:318:LEU:C	1:A:320:LEU:H	2.25	0.43
1:A:166:PHE:CE1	1:A:246:MET:HE1	2.54	0.43
1:A:269:ILE:HG23	1:A:270:GLU:N	2.33	0.42
1:A:213:LEU:C	1:A:213:LEU:CD2	2.89	0.42
1:A:422:THR:HB	1:A:423:PRO:HD2	2.02	0.42
1:A:246:MET:HE3	1:A:249:TYR:HB3	2.01	0.42
1:A:339:GLU:O	1:A:341:VAL:N	2.53	0.42
1:A:413:ARG:O	1:A:414:ILE:C	2.62	0.42
1:A:260:VAL:HG22	1:A:260:VAL:O	2.20	0.42
1:A:296:THR:OG1	1:A:298:THR:HG23	2.20	0.41
1:A:145:GLU:CG	1:A:149:MET:HE3	2.46	0.41
1:A:165:THR:O	1:A:166:PHE:C	2.62	0.41
1:A:341:VAL:O	1:A:344:GLN:HB2	2.21	0.41
1:A:321:GLU:CD	1:A:322:PRO:HD2	2.46	0.40
1:A:324:LEU:C	1:A:326:PHE:N	2.75	0.40
1:A:214:GLN:HB3	1:A:305:SER:HB2	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	256/316 (81%)	232 (91%)	17 (7%)	7 (3%)	4 15

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	232	GLY
1	A	201	GLN
1	A	203	ARG
1	A	228	PRO
1	A	340	TYR
1	A	233	GLY
1	A	241	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	224/279 (80%)	210 (94%)	14 (6%)	16	45

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	143	LEU
1	A	159	MET
1	A	212	SER
1	A	224	ASN
1	A	226	LYS
1	A	240	LEU
1	A	243	MET
1	A	254	ILE
1	A	283	LEU
1	A	309	GLU
1	A	331	LYS
1	A	380	ASN
1	A	399	GLU
1	A	401	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	158	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	214	GLN
1	A	285	GLN
1	A	289	ASN
1	A	344	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	PNU	A	1	-	21,22,22	0.93	1 (4%)	27,31,31	3.40	14 (51%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PNU	A	1	-	-	0/7/8/8	0/3/3/3

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1	PNU	C12-C13	-3.50	1.33	1.43

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1	PNU	C5-N6-C1	7.62	120.76	114.15
2	A	1	PNU	O14-C7-C8	7.00	133.15	126.14
2	A	1	PNU	C8-C7-C12	-5.92	119.80	123.15
2	A	1	PNU	C4-C5-N6	-5.27	119.49	125.47
2	A	1	PNU	C8-N9-C10	4.95	121.55	118.00
2	A	1	PNU	C1-N2-C3	4.72	120.59	115.49
2	A	1	PNU	C5-C4-C3	4.70	118.62	115.21
2	A	1	PNU	O14-C15-C13	-4.38	108.89	112.49
2	A	1	PNU	N6-C1-N2	-3.36	120.86	127.00
2	A	1	PNU	C11-C10-N9	-2.49	120.54	123.00
2	A	1	PNU	C12-C13-C15	2.47	108.95	106.39
2	A	1	PNU	O14-C7-C12	-2.34	107.05	110.55
2	A	1	PNU	CL19-C5-N6	2.29	120.32	115.45
2	A	1	PNU	N18-C3-N2	2.21	120.14	116.59

There are no chirality outliers.


There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1	PNU	11	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	264/316 (83%)	0.47	19 (7%) 21 16	30, 45, 70, 76	1 (0%)

All (19) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	215	LEU	4.1
1	A	319	LEU	3.5
1	A	235	GLU	3.2
1	A	239	LEU	3.1
1	A	316	GLN	2.9
1	A	315	PHE	2.7
1	A	318	LEU	2.7
1	A	407	HIS	2.4
1	A	317	GLN	2.4
1	A	303	ARG	2.3
1	A	174	LEU	2.3
1	A	236	ILE	2.3
1	A	341	VAL	2.2
1	A	198	LYS	2.2
1	A	232	GLY	2.2
1	A	176	GLY	2.1
1	A	229	ALA	2.1
1	A	308	LEU	2.1
1	A	340	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	PNU	A	1	20/20	0.47	0.28	62,64,74,75	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.