



wwPDB EM Validation Summary Report ⓘ

Mar 28, 2026 – 06:36 AM UTC

PDB ID : 7R81 / pdb_00007r81
EMDB ID : EMD-24307
Title : Structure of the translating *Neurospora crassa* ribosome arrested by cycloheximide
Authors : Shen, L.; Su, Z.; Yang, K.; Wu, C.; Becker, T.; Bell-Pedersen, D.; Zhang, J.; Sachs, M.S.
Deposited on : 2021-06-25
Resolution : 2.70 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	10327 (2.20 - 3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A1	3338	
2	A2	1796	
3	B1	120	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	B2	290	
5	C1	158	
6	C2	256	
7	D1	254	
8	D2	265	
9	E1	392	
10	E2	262	
11	F1	361	
12	F2	261	
13	G1	301	
14	G2	213	
15	H1	202	
16	H2	239	
17	I1	248	
18	I2	202	
19	J1	262	
20	J2	202	
21	K1	193	
22	K2	190	
23	L1	221	
24	L2	163	
25	M1	174	
26	M2	161	
27	N1	214	
28	N2	147	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
29	O1	142	
30	O2	151	
31	P1	203	
32	P2	150	
33	Q1	231	
34	Q2	152	
35	R1	186	
36	R2	142	
37	S1	183	
38	S2	146	
39	T1	192	
40	T2	156	
41	U1	174	
42	U2	149	
43	V1	160	
44	V2	117	
45	W1	126	
46	W2	87	
47	X1	139	
48	X2	130	
49	Y1	156	
50	Y2	145	
51	Z1	156	
52	Z2	136	
53	a1	136	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
54	a2	97	
55	b1	135	
56	b2	119	
57	c1	149	
58	c2	82	
59	d1	65	
60	d2	68	
61	e1	109	
62	e2	56	
63	f1	122	
64	f2	63	
65	g1	131	
66	g2	154	
67	h1	109	
68	h2	316	
69	i1	117	
70	j1	125	
71	k1	104	
72	l1	92	
73	m1	80	
74	n1	51	
75	o1	52	
76	p1	25	
77	q1	106	
78	r1	92	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
79	s1	150	23%80%19%
80	t1	76	50%59%36%5%
80	u1	76	33%63%34%
81	v1	4	75%100%
82	w1	17	41%53%35%12%

2 Entry composition [i](#)

There are 85 unique types of molecules in this entry. The entry contains 202730 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 26S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A1	3123	Total	C	N	O	P	0	0
			66761	29810	12043	21785	3123		

- Molecule 2 is a RNA chain called 18S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	A2	1769	Total	C	N	O	P	0	0
			37713	16852	6713	12379	1769		

- Molecule 3 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	B1	120	Total	C	N	O	P	0	0
			2554	1141	456	837	120		

- Molecule 4 is a protein called 40S ribosomal protein S0.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	B2	209	Total	C	N	O	S	0	0
			1635	1045	289	294	7		

- Molecule 5 is a RNA chain called 5.8S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	C1	158	Total	C	N	O	P	0	0
			3360	1503	593	1106	158		

- Molecule 6 is a protein called 40S ribosomal protein S1.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	C2	212	Total	C	N	O	S	0	0
			1706	1082	314	306	4		

- Molecule 7 is a protein called 60S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	D1	245	Total	C	N	O	S	0	0
			1855	1158	368	326	3		

- Molecule 8 is a protein called 40S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	D2	210	Total	C	N	O	S	0	0
			1612	1036	282	291	3		

- Molecule 9 is a protein called 60S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	E1	385	Total	C	N	O	S	0	0
			3058	1946	573	529	10		

- Molecule 10 is a protein called Cytoplasmic ribosomal protein 10.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	E2	224	Total	C	N	O	S	0	0
			1750	1102	319	322	7		

- Molecule 11 is a protein called 60S ribosomal protein L4-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	F1	360	Total	C	N	O	S	0	0
			2727	1711	524	487	5		

- Molecule 12 is a protein called 40S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	F2	256	Total	C	N	O	S	0	0
			2048	1299	385	357	7		

- Molecule 13 is a protein called 60S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	G1	300	Total	C	N	O	S	0	0
			2423	1527	426	467	3		

- Molecule 14 is a protein called 40S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	G2	202	Total	C	N	O	S	0	0
			1586	987	298	294	7		

- Molecule 15 is a protein called 60S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	H1	194	Total	C	N	O	S	0	0
			1521	969	277	274	1		

- Molecule 16 is a protein called 40S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	H2	222	Total	C	N	O	S	0	0
			1782	1116	351	310	5		

- Molecule 17 is a protein called 60S ribosomal protein L7.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	I1	247	Total	C	N	O	S	0	0
			2016	1291	369	352	4		

- Molecule 18 is a protein called 40S ribosomal protein S7.

Mol	Chain	Residues	Atoms				AltConf	Trace
18	I2	189	Total	C	N	O	0	0
			1514	955	287	272		

- Molecule 19 is a protein called 60S ribosomal protein L8.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	J1	236	Total	C	N	O	S	0	0
			1882	1206	347	323	6		

- Molecule 20 is a protein called 40S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	J2	183	Total	C	N	O	S	0	0
			1464	910	293	259	2		

- Molecule 21 is a protein called 60S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	K1	190	Total	C	N	O	S	0	0
			1504	952	275	273	4		

- Molecule 22 is a protein called 40S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	K2	174	Total	C	N	O	S	0	0
			1420	900	284	234	2		

- Molecule 23 is a protein called 60S ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	L1	217	Total	C	N	O	S	0	0
			1751	1106	340	295	10		

- Molecule 24 is a protein called Probable 40s ribosomal protein s10-b.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	L2	90	Total	C	N	O	S	0	0
			753	490	125	135	3		

- Molecule 25 is a protein called 60S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	M1	165	Total	C	N	O	S	0	0
			1341	839	260	236	6		

- Molecule 26 is a protein called 40S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	M2	131	Total	C	N	O	S	0	0
			1068	682	206	177	3		

- Molecule 27 is a protein called 60S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	N1	213	Total	C	N	O	S	0	0
			1675	1046	336	291	2		

- Molecule 28 is a protein called 40S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	N2	116	Total	C	N	O	S	0	0
			907	566	163	169	9		

- Molecule 29 is a protein called Ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	O1	141	Total	C	N	O	S	0	0
			1109	702	212	194	1		

- Molecule 30 is a protein called 40S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	O2	150	Total	C	N	O	S	0	0
			1179	750	218	208	3		

- Molecule 31 is a protein called 60S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	P1	202	Total	C	N	O	S	0	0
			1702	1063	359	278	2		

- Molecule 32 is a protein called 40S ribosomal protein S14 (uS11).

Mol	Chain	Residues	Atoms					AltConf	Trace
32	P2	126	Total	C	N	O	S	0	0
			938	574	186	173	5		

- Molecule 33 is a protein called 60S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	Q1	199	Total	C	N	O	S	0	0
			1595	1022	301	267	5		

- Molecule 34 is a protein called Ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	Q2	127	Total	C	N	O	S	0	0
			1007	639	189	175	4		

- Molecule 35 is a protein called 60S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	R1	168	Total	C	N	O	S	0	0
			1322	819	269	231	3		

- Molecule 36 is a protein called 40S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	R2	139	Total	C	N	O	S	0	0
			1089	700	200	187	2		

- Molecule 37 is a protein called 60S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	S1	182	Total	C	N	O	S	0	0
			1445	912	291	240	2		

- Molecule 38 is a protein called 40S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	S2	124	Total	C	N	O	S	0	0
			1005	636	182	185	2		

- Molecule 39 is a protein called Ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	T1	191	Total	C	N	O	S	0	0
			1563	963	331	265	4		

- Molecule 40 is a protein called 40S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	T2	141	Total	C	N	O	S	0	0
			1139	709	227	201	2		

- Molecule 41 is a protein called 60S ribosomal protein L20.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	U1	173	Total	C	N	O	S	0	0
			1429	920	268	237	4		

- Molecule 42 is a protein called 40S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	U2	143	Total	C	N	O	S	0	0
			1124	701	221	201	1		

- Molecule 43 is a protein called Ribosomal protein Srp1.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	V1	159	Total	C	N	O	S	0	0
			1276	807	246	221	2		

- Molecule 44 is a protein called 40S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	V2	99	Total	C	N	O	S	0	0
			786	498	145	140	3		

- Molecule 45 is a protein called 60S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	W1	101	Total	C	N	O	S	0	0
			816	530	141	144	1		

- Molecule 46 is a protein called 40S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	W2	86	Total	C	N	O	S	0	0
			668	408	127	130	3		

- Molecule 47 is a protein called 60S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	X1	136	Total	C	N	O	S	0	0
			1007	638	186	176	7		

- Molecule 48 is a protein called 40S ribosomal protein S22.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	X2	129	Total	C	N	O	S	0	0
			1035	659	192	180	4		

- Molecule 49 is a protein called 60S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	Y1	61	Total	C	N	O	S	0	0
			525	334	104	86	1		

- Molecule 50 is a protein called 40S ribosomal protein S23.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	Y2	144	Total	C	N	O	S	0	0
			1113	701	218	192	2		

- Molecule 51 is a protein called 60S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	Z1	118	Total	C	N	O	S	0	0
			941	602	170	169			

- Molecule 52 is a protein called 40S ribosomal protein S24.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	Z2	124	Total	C	N	O	S	0	0
			1003	630	197	174	2		

- Molecule 53 is a protein called Ribosomal protein L26.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	a1	121	Total	C	N	O	S	0	0
			961	596	189	175	1		

- Molecule 54 is a protein called 40S ribosomal protein S25.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	a2	71	Total	C	N	O	S	0	0
			565	356	105	102	2		

- Molecule 55 is a protein called 60S ribosomal protein L27 (eL27).

Mol	Chain	Residues	Atoms					AltConf	Trace
55	b1	135	Total	C	N	O	S	0	0
			1108	707	206	191	4		

- Molecule 56 is a protein called 40S ribosomal protein S26E.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	b2	99	Total	C	N	O	S	0	0
			793	488	167	131	7		

- Molecule 57 is a protein called 60S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
57	c1	148	Total	C	N	O	S	0	0
			1166	738	235	191	2		

- Molecule 58 is a protein called 40S ribosomal protein S27.

Mol	Chain	Residues	Atoms					AltConf	Trace
58	c2	81	Total	C	N	O	S	0	0
			611	386	110	108	7		

- Molecule 59 is a protein called 60S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
59	d1	64	Total	C	N	O		0	0
			518	315	113	90			

- Molecule 60 is a protein called 40S ribosomal protein S28.

Mol	Chain	Residues	Atoms					AltConf	Trace
60	d2	62	Total	C	N	O	S	0	0
			491	302	98	90	1		

- Molecule 61 is a protein called 60S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
61	e1	91	Total	C	N	O	S	0	0
			681	433	118	125	5		

- Molecule 62 is a protein called 40S ribosomal protein S29.

Mol	Chain	Residues	Atoms					AltConf	Trace
62	e2	55	Total	C	N	O	S	0	0
			446	271	94	77	4		

- Molecule 63 is a protein called 60s ribosomal protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
63	f1	104	Total	C	N	O	S	0	0
			854	540	166	145	3		

- Molecule 64 is a protein called 40S ribosomal protein S30.

Mol	Chain	Residues	Atoms				AltConf	Trace
64	f2	43	Total	C	N	O	0	0
			346	216	72	58		

- Molecule 65 is a protein called 60S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
65	g1	121	Total	C	N	O	S	0	0
			973	609	199	159	6		

- Molecule 66 is a protein called Ubiquitin-40S ribosomal protein S27a.

Mol	Chain	Residues	Atoms					AltConf	Trace
66	g2	41	Total	C	N	O	S	0	0
			328	204	59	61	4		

- Molecule 67 is a protein called 60S ribosomal protein L33.

Mol	Chain	Residues	Atoms					AltConf	Trace
67	h1	108	Total	C	N	O	S	0	0
			853	541	167	144	1		

- Molecule 68 is a protein called Guanine nucleotide-binding protein subunit beta-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
68	h2	310	Total	C	N	O	S	0	0
			2429	1528	424	468	9		

- Molecule 69 is a protein called 60S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
69	i1	108	Total	C	N	O	S	0	0
			853	530	174	145	4		

- Molecule 70 is a protein called 60S ribosomal protein L35.

Mol	Chain	Residues	Atoms				AltConf	Trace
70	j1	118	Total	C	N	O	0	0
			967	613	192	162		

- Molecule 71 is a protein called 60S ribosomal protein L36.

Mol	Chain	Residues	Atoms				AltConf	Trace
71	k1	96	Total	C	N	O	0	0
			760	473	162	125		

- Molecule 72 is a protein called Ribosomal protein L37.

Mol	Chain	Residues	Atoms					AltConf	Trace
72	l1	88	Total	C	N	O	S	0	0
			691	424	147	116	4		

- Molecule 73 is a protein called 60S ribosomal protein L38.

Mol	Chain	Residues	Atoms					AltConf	Trace
73	m1	73	Total	C	N	O	S	0	0
			585	373	107	103	2		

- Molecule 74 is a protein called 60S ribosomal protein L39.

Mol	Chain	Residues	Atoms				AltConf	Trace
74	n1	50	Total	C	N	O	0	0
			435	274	97	64		

- Molecule 75 is a protein called 60S ribosomal protein L40.

Mol	Chain	Residues	Atoms					AltConf	Trace
75	o1	49	Total	C	N	O	S	0	0
			395	245	83	61	6		

- Molecule 76 is a protein called hypothetical protein NCU16635 (eL41).

Mol	Chain	Residues	Atoms					AltConf	Trace
76	p1	25	Total	C	N	O	S	0	0
			235	143	63	27	2		

- Molecule 77 is a protein called 60S ribosomal protein L44.

Mol	Chain	Residues	Atoms					AltConf	Trace
77	q1	105	Total	C	N	O	S	0	0
			827	522	163	137	5		

- Molecule 78 is a protein called 60S ribosomal protein L43.

Mol	Chain	Residues	Atoms					AltConf	Trace
78	r1	85	Total	C	N	O	S	0	0
			647	401	129	112	5		

- Molecule 79 is a protein called Ribosomal_L28e domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
79	s1	149	Total	C	N	O		0	0
			1118	697	222	199			

- Molecule 80 is a RNA chain called tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
80	t1	76	Total	C	N	O	P	0	0
			1621	723	291	531	76		
80	u1	76	Total	C	N	O	P	0	0
			1621	723	291	531	76		


- Molecule 81 is a protein called Nascent peptide.

Mol	Chain	Residues	Atoms					AltConf	Trace
81	v1	4	Total	C	N	O		0	0
			20	12	4	4			

- Molecule 82 is a RNA chain called mRNA.


Mol	Chain	Residues	Atoms					AltConf	Trace
82	w1	17	Total	C	N	O	P	0	0
			340	153	34	136	17		

- Molecule 83 is 4-{(2R)-2-[(1S,3S,5S)-3,5-dimethyl-2-oxocyclohexyl]-2-hydroxyethyl}piperidine-2,6-dione (CCD ID: 3HE) (formula: C₁₅H₂₃NO₄) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf
83	A1	1	Total	C	N	O	0
			20	15	1	4	

- Molecule 84 is SPERMIDINE (CCD ID: SPD) (formula: $C_7H_{19}N_3$).



Mol	Chain	Residues	Atoms			AltConf
84	A1	1	Total	C	N	0
			10	7	3	


- Molecule 85 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
85	A1	180	Total 180	Mg 180	0
85	A2	74	Total 74	Mg 74	0
85	F1	1	Total 1	Mg 1	0
85	F2	1	Total 1	Mg 1	0
85	V1	1	Total 1	Mg 1	0
85	Y2	1	Total 1	Mg 1	0
85	i1	1	Total 1	Mg 1	0
85	u1	1	Total 1	Mg 1	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: 26S rRNA













• Molecule 3: 5S rRNA




• Molecule 4: 40S ribosomal protein S0







- Molecule 5: 5.8S rRNA




- Molecule 6: 40S ribosomal protein S1





- Molecule 7: 60S ribosomal protein L2



- Molecule 8: 40S ribosomal protein S2




- Molecule 9: 60S ribosomal protein L3





- Molecule 10: Cytoplasmic ribosomal protein 10








• Molecule 11: 60S ribosomal protein L4-A




• Molecule 12: 40S ribosomal protein S4





• Molecule 13: 60S ribosomal protein L5








• Molecule 14: 40S ribosomal protein S5




• Molecule 15: 60S ribosomal protein L6




• Molecule 16: 40S ribosomal protein S6








• Molecule 17: 60S ribosomal protein L7



• Molecule 18: 40S ribosomal protein S7




• Molecule 19: 60S ribosomal protein L8








- Molecule 20: 40S ribosomal protein S8




- Molecule 21: 60S ribosomal protein L9





- Molecule 22: 40S ribosomal protein S9






- Molecule 23: 60S ribosomal protein L10











- Molecule 28: 40S ribosomal protein S12






- Molecule 29: Ribosomal protein L14




- Molecule 30: 40S ribosomal protein S13




- Molecule 31: 60S ribosomal protein L15




- Molecule 32: 40S ribosomal protein S14 (uS11)




- Molecule 33: 60S ribosomal protein L16




- Molecule 34: Ribosomal protein S12




- Molecule 35: 60S ribosomal protein L17




- Molecule 36: 40S ribosomal protein S16






• Molecule 37: 60S ribosomal protein L18

Chain S1: 84% 15%




• Molecule 38: 40S ribosomal protein S17

Chain S2: 66% 61% 24% 15%




• Molecule 39: Ribosomal protein L19


Chain T1: 19% 81% 19%





• Molecule 40: 40S ribosomal protein S18

Chain T2: 67% 64% 26% 10%









• Molecule 41: 60S ribosomal protein L20



• Molecule 42: 40S ribosomal protein S19



• Molecule 43: Ribosomal protein Srp1





• Molecule 44: 40S ribosomal protein S20








• Molecule 45: 60S ribosomal protein L22





• Molecule 46: 40S ribosomal protein S21




• Molecule 47: 60S ribosomal protein L23





• Molecule 48: 40S ribosomal protein S22









- Molecule 49: 60S ribosomal protein L24







- Molecule 50: 40S ribosomal protein S23



- Molecule 51: 60S ribosomal protein L25




- Molecule 52: 40S ribosomal protein S24




- Molecule 53: Ribosomal protein L26

Chain a1: 




- Molecule 54: 40S ribosomal protein S25

Chain a2: 



- Molecule 55: 60S ribosomal protein L27 (eL27)

Chain b1: 




- Molecule 56: 40S ribosomal protein S26E

Chain b2: 




- Molecule 57: 60S ribosomal protein L28

Chain c1: 








- Molecule 58: 40S ribosomal protein S27





- Molecule 59: 60S ribosomal protein L29





- Molecule 60: 40S ribosomal protein S28




- Molecule 61: 60S ribosomal protein L30




- Molecule 62: 40S ribosomal protein S29





- Molecule 63: 60s ribosomal protein











- Molecule 69: 60S ribosomal protein L34




- Molecule 70: 60S ribosomal protein L35




- Molecule 71: 60S ribosomal protein L36





- Molecule 72: Ribosomal protein L37







- Molecule 73: 60S ribosomal protein L38





- Molecule 74: 60S ribosomal protein L39





- Molecule 75: 60S ribosomal protein L40




- Molecule 76: hypothetical protein NCU16635 (eL41)



- Molecule 77: 60S ribosomal protein L44






- Molecule 78: 60S ribosomal protein L43






- Molecule 79: Ribosomal_L28e domain-containing protein




- Molecule 80: tRNA





- Molecule 80: tRNA



- Molecule 81: Nascent peptide



- Molecule 82: mRNA



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	196154	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	32	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	4.040	Depositor
Minimum map value	-2.001	Depositor
Average map value	0.002	Depositor
Map value standard deviation	0.132	Depositor
Recommended contour level	0.5	Depositor
Map size (Å)	407.03998, 407.03998, 407.03998	wwPDB
Map dimensions	384, 384, 384	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.06, 1.06, 1.06	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SPD, 3HE, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A1	0.17	0/74705	0.27	0/116467
2	A2	0.12	0/42178	0.23	0/65727
3	B1	0.13	0/2854	0.22	0/4445
4	B2	0.13	0/1675	0.29	0/2288
5	C1	0.15	0/3756	0.26	0/5849
6	C2	0.14	0/1733	0.32	1/2332 (0.0%)
7	D1	0.17	0/1890	0.32	0/2540
8	D2	0.13	0/1641	0.29	0/2218
9	E1	0.16	0/3127	0.30	0/4201
10	E2	0.13	0/1777	0.35	0/2387
11	F1	0.16	0/2776	0.32	0/3744
12	F2	0.13	0/2088	0.40	2/2806 (0.1%)
13	G1	0.12	0/2469	0.28	0/3311
14	G2	0.11	0/1608	0.30	0/2167
15	H1	0.12	0/1549	0.31	0/2084
16	H2	0.11	0/1810	0.29	0/2420
17	I1	0.16	0/2052	0.37	0/2751
18	I2	0.13	0/1536	0.34	0/2069
19	J1	0.14	0/1909	0.32	0/2557
20	J2	0.12	0/1494	0.29	0/2004
21	K1	0.12	0/1523	0.29	0/2048
22	K2	0.11	0/1442	0.30	0/1932
23	L1	0.13	0/1788	0.28	0/2398
24	L2	0.10	0/775	0.28	0/1053
25	M1	0.11	0/1363	0.27	0/1821
26	M2	0.14	0/1092	0.31	0/1468
27	N1	0.15	0/1703	0.37	2/2281 (0.1%)
28	N2	0.11	0/918	0.33	0/1230
29	O1	0.11	0/1125	0.24	0/1508
30	O2	0.10	0/1201	0.28	0/1618
31	P1	0.18	0/1738	0.30	0/2327
32	P2	0.14	0/949	0.31	0/1272

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	Q1	0.15	0/1627	0.29	0/2176
34	Q2	0.11	0/1025	0.32	0/1371
35	R1	0.15	0/1342	0.32	0/1799
36	R2	0.11	0/1107	0.29	0/1485
37	S1	0.15	0/1469	0.38	0/1966
38	S2	0.14	0/1018	0.36	0/1367
39	T1	0.14	0/1582	0.24	0/2102
40	T2	0.14	0/1154	0.38	2/1547 (0.1%)
41	U1	0.14	0/1464	0.29	0/1970
42	U2	0.08	0/1147	0.24	0/1548
43	V1	0.15	0/1296	0.28	0/1736
44	V2	0.12	0/794	0.30	0/1069
45	W1	0.08	0/829	0.25	0/1107
46	W2	0.10	0/675	0.25	0/905
47	X1	0.15	0/1025	0.29	0/1377
48	X2	0.13	0/1053	0.31	0/1412
49	Y1	0.16	0/537	0.29	0/714
50	Y2	0.12	0/1131	0.28	0/1507
51	Z1	0.13	0/957	0.25	0/1292
52	Z2	0.10	0/1018	0.28	0/1361
53	a1	0.14	0/972	0.30	0/1304
54	a2	0.11	0/569	0.24	0/760
55	b1	0.14	0/1130	0.28	0/1511
56	b2	0.15	0/805	0.42	2/1073 (0.2%)
57	c1	0.17	0/1197	0.30	0/1608
58	c2	0.11	0/623	0.31	0/842
59	d1	0.13	0/528	0.28	0/697
60	d2	0.11	0/493	0.29	0/661
61	e1	0.13	0/689	0.24	0/925
62	e2	0.12	0/455	0.30	0/605
63	f1	0.15	0/869	0.26	0/1164
64	f2	0.10	0/353	0.27	0/471
65	g1	0.18	0/990	0.30	0/1319
66	g2	0.13	0/332	0.45	0/443
67	h1	0.17	0/874	0.32	0/1176
68	h2	0.12	0/2486	0.35	0/3378
69	i1	0.15	0/865	0.25	0/1158
70	j1	0.11	0/976	0.24	0/1295
71	k1	0.11	0/766	0.24	0/1016
72	l1	0.17	0/704	0.33	0/933
73	m1	0.11	0/591	0.30	0/786
74	n1	0.15	0/445	0.34	0/592
75	o1	0.13	0/401	0.28	0/528

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
76	p1	0.13	0/236	0.25	0/300
77	q1	0.15	0/841	0.31	0/1113
78	r1	0.15	0/655	0.29	0/873
79	s1	0.14	0/1134	0.30	0/1523
80	t1	0.10	0/1811	0.22	0/2821
80	u1	0.10	0/1811	0.21	0/2821
82	w1	0.15	0/373	0.42	0/574
All	All	0.14	0/217468	0.28	9/319404 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
13	G1	0	1
18	I2	0	1
67	h1	0	1
72	l1	0	1
All	All	0	4

There are no bond length outliers.

The worst 5 of 9 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
27	N1	202	ALA	CA-C-N	8.26	136.57	121.70
27	N1	202	ALA	C-N-CA	8.26	136.57	121.70
56	b2	58	VAL	CA-C-N	6.93	134.18	121.70
56	b2	58	VAL	C-N-CA	6.93	134.18	121.70
12	F2	54	TYR	CA-C-N	6.29	133.03	121.70

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
13	G1	177	PRO	Peptide
18	I2	46	PRO	Peptide
67	h1	105	TYR	Peptide
72	l1	39	TYR	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A1	66761	0	33624	809	0
2	A2	37713	0	19004	592	0
3	B1	2554	0	1295	35	0
4	B2	1635	0	1641	41	0
5	C1	3360	0	1696	57	0
6	C2	1706	0	1788	41	0
7	D1	1855	0	1916	39	0
8	D2	1612	0	1718	37	0
9	E1	3058	0	3173	53	0
10	E2	1750	0	1800	39	0
11	F1	2727	0	2851	50	0
12	F2	2048	0	2127	52	0
13	G1	2423	0	2384	36	0
14	G2	1586	0	1628	29	0
15	H1	1521	0	1604	26	0
16	H2	1782	0	1886	38	0
17	I1	2016	0	2125	32	0
18	I2	1514	0	1594	55	0
19	J1	1882	0	2053	36	0
20	J2	1464	0	1463	39	0
21	K1	1504	0	1578	15	0
22	K2	1420	0	1527	42	0
23	L1	1751	0	1799	31	0
24	L2	753	0	743	25	0
25	M1	1341	0	1382	21	0
26	M2	1068	0	1104	17	0
27	N1	1675	0	1768	24	0
28	N2	907	0	928	30	0
29	O1	1109	0	1188	8	0
30	O2	1179	0	1260	22	0
31	P1	1702	0	1776	34	0
32	P2	938	0	970	25	0
33	Q1	1595	0	1683	17	0
34	Q2	1007	0	1066	28	0
35	R1	1322	0	1365	19	0
36	R2	1089	0	1160	19	0
37	S1	1445	0	1553	21	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
38	S2	1005	0	1053	33	0
39	T1	1563	0	1660	32	0
40	T2	1139	0	1192	33	0
41	U1	1429	0	1496	24	0
42	U2	1124	0	1139	18	0
43	V1	1276	0	1352	19	0
44	V2	786	0	862	19	0
45	W1	816	0	861	13	0
46	W2	668	0	667	22	0
47	X1	1007	0	1061	17	0
48	X2	1035	0	1074	16	0
49	Y1	525	0	540	7	0
50	Y2	1113	0	1178	19	0
51	Z1	941	0	1004	13	0
52	Z2	1003	0	1067	24	0
53	a1	961	0	1027	13	0
54	a2	565	0	612	18	0
55	b1	1108	0	1172	24	0
56	b2	793	0	845	24	0
57	c1	1166	0	1196	24	0
58	c2	611	0	636	12	0
59	d1	518	0	535	4	0
60	d2	491	0	525	9	0
61	e1	681	0	728	9	0
62	e2	446	0	440	12	0
63	f1	854	0	894	10	0
64	f2	346	0	368	6	0
65	g1	973	0	1034	26	0
66	g2	328	0	325	9	0
67	h1	853	0	880	14	0
68	h2	2429	0	2375	61	0
69	i1	853	0	920	7	0
70	j1	967	0	1072	15	0
71	k1	760	0	847	6	0
72	l1	691	0	724	17	0
73	m1	585	0	644	13	0
74	n1	435	0	471	12	0
75	o1	395	0	438	4	0
76	p1	235	0	286	4	0
77	q1	827	0	891	10	0
78	r1	647	0	693	8	0
79	s1	1118	0	1178	24	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
80	t1	1621	0	822	22	0
80	u1	1621	0	822	20	0
81	v1	20	0	6	0	0
82	w1	340	0	171	7	0
83	A1	20	0	23	1	0
84	A1	10	0	19	1	0
85	A1	180	0	0	0	0
85	A2	74	0	0	0	0
85	F1	1	0	0	0	0
85	F2	1	0	0	0	0
85	V1	1	0	0	0	0
85	Y2	1	0	0	0	0
85	i1	1	0	0	0	0
85	u1	1	0	0	0	0
All	All	202730	0	150045	2725	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

The worst 5 of 2725 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A2:1584:G:H1	2:A2:1604:U:H3	1.04	0.96
2:A2:974:G:H1	2:A2:1021:A:HO2'	1.14	0.95
80:t1:5:U:H3	80:t1:68:G:H1	1.02	0.94
80:u1:5:U:H3	80:u1:68:G:H1	1.15	0.94
2:A2:1349:C:H42	2:A2:1370:U:H3	1.16	0.93

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
4	B2	207/290 (71%)	200 (97%)	7 (3%)	0	100	100
6	C2	210/256 (82%)	201 (96%)	9 (4%)	0	100	100
7	D1	243/254 (96%)	226 (93%)	17 (7%)	0	100	100
8	D2	208/265 (78%)	197 (95%)	11 (5%)	0	100	100
9	E1	383/392 (98%)	370 (97%)	13 (3%)	0	100	100
10	E2	222/262 (85%)	213 (96%)	8 (4%)	1 (0%)	24	48
11	F1	358/361 (99%)	340 (95%)	18 (5%)	0	100	100
12	F2	254/261 (97%)	240 (94%)	14 (6%)	0	100	100
13	G1	298/301 (99%)	287 (96%)	11 (4%)	0	100	100
14	G2	200/213 (94%)	192 (96%)	8 (4%)	0	100	100
15	H1	190/202 (94%)	170 (90%)	20 (10%)	0	100	100
16	H2	220/239 (92%)	208 (94%)	12 (6%)	0	100	100
17	I1	245/248 (99%)	226 (92%)	18 (7%)	1 (0%)	30	54
18	I2	185/202 (92%)	177 (96%)	8 (4%)	0	100	100
19	J1	234/262 (89%)	221 (94%)	12 (5%)	1 (0%)	30	54
20	J2	179/202 (89%)	176 (98%)	3 (2%)	0	100	100
21	K1	188/193 (97%)	174 (93%)	14 (7%)	0	100	100
22	K2	172/190 (90%)	167 (97%)	5 (3%)	0	100	100
23	L1	215/221 (97%)	205 (95%)	10 (5%)	0	100	100
24	L2	88/163 (54%)	87 (99%)	1 (1%)	0	100	100
25	M1	163/174 (94%)	159 (98%)	4 (2%)	0	100	100
26	M2	127/161 (79%)	119 (94%)	8 (6%)	0	100	100
27	N1	211/214 (99%)	206 (98%)	5 (2%)	0	100	100
28	N2	114/147 (78%)	113 (99%)	1 (1%)	0	100	100
29	O1	139/142 (98%)	134 (96%)	5 (4%)	0	100	100
30	O2	148/151 (98%)	143 (97%)	5 (3%)	0	100	100
31	P1	200/203 (98%)	187 (94%)	13 (6%)	0	100	100
32	P2	124/150 (83%)	120 (97%)	4 (3%)	0	100	100
33	Q1	197/231 (85%)	193 (98%)	4 (2%)	0	100	100
34	Q2	125/152 (82%)	119 (95%)	5 (4%)	1 (1%)	16	37
35	R1	164/186 (88%)	155 (94%)	9 (6%)	0	100	100
36	R2	137/142 (96%)	133 (97%)	4 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
37	S1	180/183 (98%)	174 (97%)	6 (3%)	0	100	100
38	S2	120/146 (82%)	115 (96%)	5 (4%)	0	100	100
39	T1	189/192 (98%)	187 (99%)	2 (1%)	0	100	100
40	T2	139/156 (89%)	127 (91%)	12 (9%)	0	100	100
41	U1	171/174 (98%)	163 (95%)	8 (5%)	0	100	100
42	U2	141/149 (95%)	137 (97%)	4 (3%)	0	100	100
43	V1	157/160 (98%)	153 (98%)	2 (1%)	2 (1%)	9	25
44	V2	97/117 (83%)	95 (98%)	2 (2%)	0	100	100
45	W1	99/126 (79%)	99 (100%)	0	0	100	100
46	W2	84/87 (97%)	80 (95%)	4 (5%)	0	100	100
47	X1	134/139 (96%)	125 (93%)	9 (7%)	0	100	100
48	X2	127/130 (98%)	119 (94%)	8 (6%)	0	100	100
49	Y1	59/156 (38%)	56 (95%)	3 (5%)	0	100	100
50	Y2	142/145 (98%)	139 (98%)	3 (2%)	0	100	100
51	Z1	116/156 (74%)	111 (96%)	5 (4%)	0	100	100
52	Z2	122/136 (90%)	117 (96%)	5 (4%)	0	100	100
53	a1	119/136 (88%)	114 (96%)	5 (4%)	0	100	100
54	a2	69/97 (71%)	68 (99%)	1 (1%)	0	100	100
55	b1	133/135 (98%)	127 (96%)	6 (4%)	0	100	100
56	b2	97/119 (82%)	92 (95%)	5 (5%)	0	100	100
57	c1	146/149 (98%)	130 (89%)	16 (11%)	0	100	100
58	c2	79/82 (96%)	73 (92%)	6 (8%)	0	100	100
59	d1	62/65 (95%)	62 (100%)	0	0	100	100
60	d2	60/68 (88%)	59 (98%)	1 (2%)	0	100	100
61	e1	89/109 (82%)	89 (100%)	0	0	100	100
62	e2	53/56 (95%)	52 (98%)	1 (2%)	0	100	100
63	f1	102/122 (84%)	97 (95%)	5 (5%)	0	100	100
64	f2	41/63 (65%)	40 (98%)	1 (2%)	0	100	100
65	g1	119/131 (91%)	113 (95%)	6 (5%)	0	100	100
66	g2	39/154 (25%)	37 (95%)	2 (5%)	0	100	100
67	h1	106/109 (97%)	100 (94%)	5 (5%)	1 (1%)	14	35

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
68	h2	308/316 (98%)	292 (95%)	16 (5%)	0	100	100
69	i1	106/117 (91%)	103 (97%)	3 (3%)	0	100	100
70	j1	114/125 (91%)	110 (96%)	4 (4%)	0	100	100
71	k1	94/104 (90%)	91 (97%)	3 (3%)	0	100	100
72	l1	86/92 (94%)	78 (91%)	8 (9%)	0	100	100
73	m1	71/80 (89%)	67 (94%)	3 (4%)	1 (1%)	9	23
74	n1	48/51 (94%)	45 (94%)	2 (4%)	1 (2%)	5	15
75	o1	47/52 (90%)	46 (98%)	1 (2%)	0	100	100
76	p1	23/25 (92%)	23 (100%)	0	0	100	100
77	q1	103/106 (97%)	97 (94%)	6 (6%)	0	100	100
78	r1	83/92 (90%)	79 (95%)	4 (5%)	0	100	100
79	s1	147/150 (98%)	139 (95%)	8 (5%)	0	100	100
All	All	10969/12287 (89%)	10478 (96%)	482 (4%)	9 (0%)	49	73

5 of 9 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
43	V1	69	LYS
43	V1	157	GLU
67	h1	22	ARG
10	E2	48	VAL
73	m1	71	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
4	B2	172/225 (76%)	172 (100%)	0	100	100
6	C2	187/224 (84%)	187 (100%)	0	100	100
7	D1	188/196 (96%)	188 (100%)	0	100	100
8	D2	176/211 (83%)	176 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
9	E1	323/328 (98%)	323 (100%)	0	100	100
10	E2	188/209 (90%)	188 (100%)	0	100	100
11	F1	281/282 (100%)	280 (100%)	1 (0%)	84	93
12	F2	219/222 (99%)	219 (100%)	0	100	100
13	G1	244/245 (100%)	244 (100%)	0	100	100
14	G2	171/179 (96%)	171 (100%)	0	100	100
15	H1	162/168 (96%)	162 (100%)	0	100	100
16	H2	188/202 (93%)	188 (100%)	0	100	100
17	I1	216/217 (100%)	216 (100%)	0	100	100
18	I2	167/178 (94%)	167 (100%)	0	100	100
19	J1	201/219 (92%)	201 (100%)	0	100	100
20	J2	146/163 (90%)	146 (100%)	0	100	100
21	K1	168/171 (98%)	168 (100%)	0	100	100
22	K2	151/161 (94%)	151 (100%)	0	100	100
23	L1	181/184 (98%)	181 (100%)	0	100	100
24	L2	80/127 (63%)	80 (100%)	0	100	100
25	M1	143/151 (95%)	143 (100%)	0	100	100
26	M2	114/139 (82%)	114 (100%)	0	100	100
27	N1	172/173 (99%)	172 (100%)	0	100	100
28	N2	99/125 (79%)	99 (100%)	0	100	100
29	O1	115/116 (99%)	115 (100%)	0	100	100
30	O2	131/132 (99%)	131 (100%)	0	100	100
31	P1	178/179 (99%)	178 (100%)	0	100	100
32	P2	96/115 (84%)	96 (100%)	0	100	100
33	Q1	164/192 (85%)	164 (100%)	0	100	100
34	Q2	109/130 (84%)	109 (100%)	0	100	100
35	R1	131/146 (90%)	130 (99%)	1 (1%)	73	88
36	R2	112/114 (98%)	112 (100%)	0	100	100
37	S1	152/153 (99%)	152 (100%)	0	100	100
38	S2	112/132 (85%)	112 (100%)	0	100	100
39	T1	159/160 (99%)	159 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
40	T2	123/136 (90%)	123 (100%)	0	100	100
41	U1	153/154 (99%)	153 (100%)	0	100	100
42	U2	117/123 (95%)	117 (100%)	0	100	100
43	V1	134/135 (99%)	134 (100%)	0	100	100
44	V2	90/105 (86%)	90 (100%)	0	100	100
45	W1	89/109 (82%)	89 (100%)	0	100	100
46	W2	71/72 (99%)	71 (100%)	0	100	100
47	X1	104/106 (98%)	104 (100%)	0	100	100
48	X2	112/113 (99%)	112 (100%)	0	100	100
49	Y1	55/125 (44%)	55 (100%)	0	100	100
50	Y2	116/117 (99%)	116 (100%)	0	100	100
51	Z1	104/128 (81%)	104 (100%)	0	100	100
52	Z2	109/118 (92%)	109 (100%)	0	100	100
53	a1	110/122 (90%)	110 (100%)	0	100	100
54	a2	63/81 (78%)	63 (100%)	0	100	100
55	b1	122/122 (100%)	122 (100%)	0	100	100
56	b2	87/103 (84%)	87 (100%)	0	100	100
57	c1	116/117 (99%)	116 (100%)	0	100	100
58	c2	70/71 (99%)	70 (100%)	0	100	100
59	d1	54/55 (98%)	54 (100%)	0	100	100
60	d2	55/61 (90%)	55 (100%)	0	100	100
61	e1	74/89 (83%)	74 (100%)	0	100	100
62	e2	48/49 (98%)	48 (100%)	0	100	100
63	f1	90/105 (86%)	90 (100%)	0	100	100
64	f2	37/51 (72%)	37 (100%)	0	100	100
65	g1	104/113 (92%)	104 (100%)	0	100	100
66	g2	34/138 (25%)	34 (100%)	0	100	100
67	h1	88/89 (99%)	88 (100%)	0	100	100
68	h2	272/276 (99%)	272 (100%)	0	100	100
69	i1	93/101 (92%)	93 (100%)	0	100	100
70	j1	103/109 (94%)	103 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
71	k1	78/82 (95%)	78 (100%)	0	100	100
72	l1	73/75 (97%)	73 (100%)	0	100	100
73	m1	64/70 (91%)	64 (100%)	0	100	100
74	n1	45/46 (98%)	45 (100%)	0	100	100
75	o1	44/47 (94%)	44 (100%)	0	100	100
76	p1	23/23 (100%)	23 (100%)	0	100	100
77	q1	87/88 (99%)	87 (100%)	0	100	100
78	r1	68/75 (91%)	68 (100%)	0	100	100
79	s1	112/113 (99%)	112 (100%)	0	100	100
All	All	9387/10280 (91%)	9385 (100%)	2 (0%)	100	100

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
11	F1	311	ASN
35	R1	111	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 67 such sidechains are listed below:

Mol	Chain	Res	Type
58	c2	65	GLN
68	h2	222	ASN
75	o1	14	ASN
22	K2	129	GLN
21	K1	76	ASN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	A1	3119/3338 (93%)	419 (13%)	12 (0%)
2	A2	1765/1796 (98%)	244 (13%)	0
3	B1	119/120 (99%)	9 (7%)	0
5	C1	157/158 (99%)	21 (13%)	1 (0%)
80	t1	75/76 (98%)	12 (16%)	0
80	u1	75/76 (98%)	9 (12%)	0
82	w1	16/17 (94%)	6 (37%)	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
All	All	5326/5581 (95%)	720 (13%)	13 (0%)

5 of 720 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	A1	6	A
1	A1	22	G
1	A1	26	A
1	A1	40	A
1	A1	43	A

5 of 13 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	A1	1136	A
1	A1	1211	A
5	C1	84	A
1	A1	2803	U
1	A1	3080	U

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 262 ligands modelled in this entry, 260 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
83	3HE	A1	8001	-	21,21,21	4.43	8 (38%)	23,30,30	4.85	12 (52%)
84	SPD	A1	8002	-	9,9,9	0.31	0	8,8,8	0.57	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
83	3HE	A1	8001	-	-	5/8/36/36	0/2/2/2
84	SPD	A1	8002	-	-	2/7/7/7	-

The worst 5 of 8 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
83	A1	8001	3HE	O-C4	12.16	1.40	1.21
83	A1	8001	3HE	O1-C11	8.25	1.39	1.23
83	A1	8001	3HE	O2-C12	7.93	1.39	1.23
83	A1	8001	3HE	C12-N	7.81	1.50	1.37
83	A1	8001	3HE	C11-N	6.72	1.48	1.37

The worst 5 of 12 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
83	A1	8001	3HE	C11-N-C12	-10.92	112.71	125.87
83	A1	8001	3HE	O-C4-C5	-8.88	110.28	123.22
83	A1	8001	3HE	O2-C12-N	-8.18	107.69	120.30
83	A1	8001	3HE	O-C4-C3	-8.14	110.20	122.11
83	A1	8001	3HE	O2-C12-C13	-7.49	108.33	122.62

There are no chirality outliers.

5 of 7 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
83	A1	8001	3HE	C6-C5-C7-C8
83	A1	8001	3HE	C6-C5-C7-O3
84	A1	8002	SPD	C3-C4-C5-N6
83	A1	8001	3HE	C7-C8-C9-C10
83	A1	8001	3HE	C7-C8-C9-C13

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
83	A1	8001	3HE	1	0
84	A1	8002	SPD	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-24307. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 192




Y Index: 192




Z Index: 192


6.2.2 Raw map



X Index: 192



Y Index: 192




Z Index: 192


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 180




Y Index: 207




Z Index: 228


6.3.2 Raw map



X Index: 177



Y Index: 207




Z Index: 229


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.5. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_24307_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 752 nm³; this corresponds to an approximate mass of 679 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.370 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.370 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.70	-	-
Author-provided FSC curve	2.69	2.99	2.73
Unmasked-calculated*	3.21	4.10	3.27

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.21 differs from the reported value 2.7 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-24307 and PDB model 7R81. Per-residue inclusion information can be found in [section 3](#) on [page 21](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.5 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.5).

9.4 Atom inclusion [i](#)



At the recommended contour level, 70% of all backbone atoms, 66% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.5) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.6570	 0.5390
A1	 0.8440	 0.5780
A2	 0.6060	 0.4900
B1	 0.8620	 0.5770
B2	 0.3200	 0.4800
C1	 0.8170	 0.5650
C2	 0.3500	 0.4980
D1	 0.8180	 0.6080
D2	 0.4520	 0.5170
E1	 0.7680	 0.5980
E2	 0.2690	 0.4600
F1	 0.7330	 0.5830
F2	 0.2660	 0.4850
G1	 0.5690	 0.5380
G2	 0.3560	 0.4860
H1	 0.5220	 0.5380
H2	 0.1850	 0.4520
I1	 0.7180	 0.5720
I2	 0.1580	 0.4150
J1	 0.6050	 0.5430
J2	 0.5020	 0.5280
K1	 0.6210	 0.5620
K2	 0.3240	 0.4670
L1	 0.6650	 0.5600
L2	 0.1860	 0.4420
M1	 0.5000	 0.5250
M2	 0.5720	 0.5500
N1	 0.6800	 0.5600
N2	 0.0000	 0.2160
O1	 0.6280	 0.5590
O2	 0.4370	 0.5140
P1	 0.8440	 0.6110
P2	 0.5250	 0.5260
Q1	 0.7700	 0.5930
Q2	 0.2300	 0.4520



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
R1	 0.7760	 0.5900
R2	 0.3780	 0.5090
S1	 0.7750	 0.6000
S2	 0.2370	 0.4420
T1	 0.6460	 0.5410
T2	 0.3040	 0.4770
U1	 0.7470	 0.5910
U2	 0.3050	 0.4810
V1	 0.7030	 0.5780
V2	 0.2730	 0.4500
W1	 0.0470	 0.4640
W2	 0.3500	 0.4830
X1	 0.7330	 0.5950
X2	 0.4930	 0.5250
Y1	 0.7510	 0.5960
Y2	 0.5900	 0.5640
Z1	 0.6680	 0.5750
Z2	 0.2030	 0.4480
a1	 0.7000	 0.5720
a2	 0.1770	 0.4400
b1	 0.6470	 0.5570
b2	 0.5820	 0.5280
c1	 0.7840	 0.6000
c2	 0.2430	 0.4600
d1	 0.7020	 0.5730
d2	 0.3230	 0.5020
e1	 0.6770	 0.5710
e2	 0.4590	 0.5160
f1	 0.7570	 0.5890
f2	 0.3250	 0.4860
g1	 0.7790	 0.5980
g2	 0.0000	 0.2560
h1	 0.7960	 0.6070
h2	 0.0810	 0.4240
i1	 0.7650	 0.5960
j1	 0.6320	 0.5570
k1	 0.6760	 0.5650
l1	 0.8260	 0.6030
m1	 0.3960	 0.5020
n1	 0.7030	 0.5700
o1	 0.7510	 0.5940
p1	 0.6820	 0.5940

Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
q1	 0.7180	 0.5780
r1	 0.7630	 0.5870
s1	 0.5930	 0.5610
t1	 0.4300	 0.4890
u1	 0.5320	 0.5080
v1	 0.2000	 0.5090
w1	 0.4790	 0.4360