



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 12:03 PM UTC

PDB ID : 2R98 / pdb_00002r98
Title : Crystal Structure of N-acetylglutamate synthase (selenoMet substituted) from
Neisseria gonorrhoeae
Authors : Shi, D.; Sagar, V.; Jin, Z.; Yu, X.; Caldovic, L.; Morizono, H.; Allewell, N.M.;
Tuchman, M.
Deposited on : 2007-09-12
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	456	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	ACO	A	1	X	-	-	-

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 3370 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Putative acetylglutamate synthase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	424	Total	C	N	O	S	Se	0	0	0
			3227	2012	595	611	5	4			

There are 23 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MSE	-	expression tag	UNP Q5FAK7
A	-18	GLY	-	expression tag	UNP Q5FAK7
A	-17	SER	-	expression tag	UNP Q5FAK7
A	-16	SER	-	expression tag	UNP Q5FAK7
A	-15	HIS	-	expression tag	UNP Q5FAK7
A	-14	HIS	-	expression tag	UNP Q5FAK7
A	-13	HIS	-	expression tag	UNP Q5FAK7
A	-12	HIS	-	expression tag	UNP Q5FAK7
A	-11	HIS	-	expression tag	UNP Q5FAK7
A	-10	HIS	-	expression tag	UNP Q5FAK7
A	-9	SER	-	expression tag	UNP Q5FAK7
A	-8	SER	-	expression tag	UNP Q5FAK7
A	-7	GLY	-	expression tag	UNP Q5FAK7
A	-6	LEU	-	expression tag	UNP Q5FAK7
A	-5	VAL	-	expression tag	UNP Q5FAK7
A	-4	PRO	-	expression tag	UNP Q5FAK7
A	-3	ARG	-	expression tag	UNP Q5FAK7
A	-2	GLY	-	expression tag	UNP Q5FAK7
A	-1	SER	-	expression tag	UNP Q5FAK7
A	0	HIS	-	expression tag	UNP Q5FAK7
A	312	ILE	VAL	engineered mutation	UNP Q5FAK7
A	336	ASN	ASP	engineered mutation	UNP Q5FAK7
A	427	SER	PRO	engineered mutation	UNP Q5FAK7

- Molecule 2 is ACETYL COENZYME *A (CCD ID: ACO) (formula: $C_{23}H_{38}N_7O_{17}P_3S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	51	23	7	17	3	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	92	Total O 92 92	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Putative acetylglutamate synthase



4 Data and refinement statistics

Property	Value	Source
Space group	P 3 1 2	Depositor
Cell constants a, b, c, α , β , γ	98.97Å 98.97Å 89.29Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	20.00 – 2.40 20.00 – 2.40	Depositor EDS
% Data completeness (in resolution range)	99.5 (20.00-2.40) 99.5 (20.00-2.40)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.06 (at 2.41Å)	Xtriage
Refinement program	REFMAC 5.2.0005, CNS 1.1	Depositor
R, R_{free}	0.194 , 0.244 (Not available) , 0.212	Depositor DCC
R_{free} test set	953 reflections (4.84%)	wwPDB-VP
Wilson B-factor (Å ²)	57.0	Xtriage
Anisotropy	0.267	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 45.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.041 for -h,-k,l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	3370	wwPDB-VP
Average B, all atoms (Å ²)	45.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.56% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ACO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.65	2/3276 (0.1%)	1.34	26/4421 (0.6%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	5

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	297	ILE	CA-CB	5.15	1.57	1.54
1	A	319	GLU	C-O	5.05	1.30	1.24

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	316	ARG	N-CA-C	8.74	123.76	109.96
1	A	215	ASP	N-CA-C	8.65	123.41	111.55
1	A	376	ILE	N-CA-C	8.25	120.03	110.62
1	A	360	SER	CA-C-N	7.26	127.11	119.05
1	A	360	SER	C-N-CA	7.26	127.11	119.05
1	A	431	VAL	CB-CA-C	-6.55	100.21	110.69
1	A	269	GLN	N-CA-C	6.12	118.03	111.36
1	A	193	VAL	N-CA-C	6.11	116.77	110.36
1	A	131	LEU	CA-C-N	-5.89	114.87	123.00
1	A	131	LEU	C-N-CA	-5.89	114.87	123.00
1	A	10	HIS	N-CA-C	5.88	117.36	111.07

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	385	ILE	N-CA-C	5.85	117.27	109.37
1	A	77	THR	CA-C-N	5.84	125.60	119.76
1	A	77	THR	C-N-CA	5.84	125.60	119.76
1	A	168	VAL	N-CA-C	5.78	117.07	108.23
1	A	254	HIS	N-CA-C	-5.74	105.39	112.90
1	A	396	GLY	N-CA-C	5.58	119.64	112.83
1	A	22	ARG	N-CA-C	5.51	118.31	110.10
1	A	74	GLN	OE1-CD-NE2	5.46	128.06	122.60
1	A	188	GLN	N-CA-C	5.38	119.91	113.23
1	A	12	ARG	NE-CZ-NH1	-5.37	116.13	121.50
1	A	153	THR	CB-CA-C	5.35	119.05	110.16
1	A	206	THR	N-CA-C	-5.22	101.50	109.65
1	A	412	LEU	CA-C-N	-5.19	114.61	119.90
1	A	412	LEU	C-N-CA	-5.19	114.61	119.90
1	A	134	ARG	N-CA-C	-5.09	101.55	108.11

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	122	SER	Peptide
1	A	283	LYS	Peptide
1	A	37	GLY	Peptide
1	A	390	ALA	Mainchain
1	A	431	VAL	Mainchain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3227	0	3208	170	0
2	A	51	0	34	7	0
3	A	92	0	0	14	0
All	All	3370	0	3242	173	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 27.

All (173) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:377:ILE:CD1	1:A:381:ARG:HH21	1.53	1.21
1:A:435:HIS:HB2	3:A:514:HOH:O	1.46	1.13
1:A:377:ILE:HD11	1:A:381:ARG:HH21	1.10	1.12
1:A:112:GLY:O	1:A:113:SER:HB2	1.47	1.09
1:A:291:GLN:HG2	3:A:480:HOH:O	1.54	1.07
1:A:377:ILE:HD11	1:A:381:ARG:NH2	1.70	1.06
1:A:24:THR:HG23	3:A:491:HOH:O	1.53	1.05
1:A:239:ARG:HH21	1:A:243:SER:HB2	1.18	1.05
1:A:393:THR:HG23	1:A:394:ASN:ND2	1.72	1.05
1:A:370:GLU:OE2	1:A:402:ARG:HD3	1.58	1.04
1:A:103:ARG:NH2	1:A:127:SER:HB3	1.71	1.04
1:A:103:ARG:HH21	1:A:127:SER:HB3	0.90	1.03
1:A:91:SER:HA	1:A:94:GLN:HE21	1.26	1.00
1:A:277:ILE:HD12	1:A:277:ILE:N	1.76	0.98
1:A:151:ARG:HG3	1:A:151:ARG:HH11	1.25	0.98
1:A:231:ALA:HB1	1:A:239:ARG:HD2	1.46	0.95
1:A:393:THR:CG2	1:A:394:ASN:ND2	2.29	0.95
1:A:98:PHE:O	1:A:101:THR:HG22	1.67	0.94
1:A:405:GLN:HE22	1:A:433:ARG:NH1	1.65	0.94
1:A:103:ARG:HH21	1:A:127:SER:CB	1.80	0.94
1:A:287:VAL:HG21	1:A:371:ARG:HD3	1.49	0.94
1:A:277:ILE:HD12	1:A:277:ILE:H	1.27	0.93
1:A:245:ALA:HB1	1:A:256:VAL:HG21	1.51	0.92
1:A:71:ALA:O	1:A:76:ARG:O	1.92	0.87
1:A:151:ARG:HG3	1:A:151:ARG:NH1	1.86	0.86
1:A:397:GLU:OE2	2:A:1:ACO:C2A	2.24	0.85
1:A:397:GLU:OE2	2:A:1:ACO:N1A	2.09	0.85
1:A:377:ILE:CD1	1:A:381:ARG:NH2	2.35	0.84
1:A:123:VAL:CG1	1:A:167:ILE:HD12	2.09	0.82
1:A:151:ARG:HH11	1:A:151:ARG:CG	1.92	0.81
1:A:218:LEU:HD23	1:A:219:ALA:N	1.96	0.80
1:A:84:LEU:HD13	1:A:136:ILE:CD1	2.11	0.80
1:A:228:GLN:NE2	1:A:239:ARG:HH12	1.79	0.79
1:A:123:VAL:HG12	1:A:167:ILE:HD12	1.63	0.79
1:A:397:GLU:OE2	2:A:1:ACO:H2A	1.83	0.77
1:A:33:ARG:CZ	1:A:207:LEU:HD22	2.15	0.77
1:A:218:LEU:HD23	1:A:218:LEU:C	2.08	0.77
1:A:239:ARG:NH2	1:A:243:SER:HB2	1.98	0.76
1:A:36:GLU:HG2	1:A:105:ARG:HH22	1.50	0.75
1:A:376:ILE:HD11	1:A:388:LEU:HD11	1.68	0.75

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:21:MSE:O	1:A:24:THR:HB	1.87	0.74
1:A:377:ILE:HD12	1:A:381:ARG:HH21	1.49	0.74
1:A:123:VAL:HG11	1:A:167:ILE:CD1	2.18	0.74
1:A:123:VAL:CG1	1:A:167:ILE:CD1	2.66	0.74
1:A:393:THR:HG23	1:A:394:ASN:CG	2.13	0.73
1:A:31:ASP:OD2	1:A:33:ARG:HD3	1.89	0.72
1:A:36:GLU:HG2	1:A:105:ARG:NH2	2.05	0.72
1:A:270:GLU:HG2	1:A:277:ILE:CD1	2.20	0.71
1:A:213:ARG:HB3	1:A:214:PRO:HD2	1.71	0.71
1:A:200:GLU:HA	1:A:254:HIS:CD2	2.26	0.71
1:A:231:ALA:CB	1:A:239:ARG:HH11	2.03	0.71
1:A:84:LEU:HD13	1:A:136:ILE:HD13	1.74	0.70
1:A:405:GLN:HE22	1:A:433:ARG:HH12	1.38	0.70
1:A:76:ARG:HH22	1:A:90:THR:HB	1.57	0.69
1:A:218:LEU:C	1:A:218:LEU:CD2	2.67	0.68
1:A:123:VAL:HG11	1:A:167:ILE:HD11	1.74	0.68
1:A:228:GLN:HE22	1:A:239:ARG:HH12	1.40	0.68
1:A:287:VAL:HG12	1:A:289:ILE:HG13	1.76	0.67
1:A:81:CYS:O	1:A:82:ARG:HB3	1.93	0.66
1:A:258:ILE:C	1:A:259:LEU:HD23	2.20	0.66
1:A:35:LEU:HD13	1:A:102:VAL:CG1	2.26	0.66
1:A:90:THR:O	1:A:94:GLN:HG3	1.96	0.65
1:A:105:ARG:NH1	3:A:495:HOH:O	2.30	0.64
1:A:259:LEU:HD21	1:A:270:GLU:HG3	1.79	0.64
1:A:408:SER:HB2	1:A:411:GLU:OE1	1.98	0.63
1:A:101:THR:HG23	1:A:102:VAL:N	2.13	0.63
1:A:354:ILE:HD12	1:A:376:ILE:HG12	1.80	0.63
1:A:270:GLU:HG2	1:A:277:ILE:HD11	1.81	0.62
1:A:377:ILE:HG13	1:A:378:ASP:N	2.13	0.62
1:A:231:ALA:HB3	1:A:239:ARG:HH11	1.63	0.62
1:A:223:SER:HB2	1:A:284:GLU:OE1	2.00	0.62
1:A:66:PHE:HD1	1:A:69:ARG:HH21	1.47	0.61
1:A:277:ILE:N	1:A:277:ILE:CD1	2.51	0.61
1:A:113:SER:C	3:A:456:HOH:O	2.43	0.61
1:A:284:GLU:O	1:A:284:GLU:HG2	2.00	0.61
1:A:409:GLU:O	1:A:417:ARG:HD3	2.00	0.60
1:A:245:ALA:CB	1:A:256:VAL:HG21	2.28	0.60
1:A:21:MSE:HE1	1:A:26:LEU:HD12	1.83	0.59
1:A:405:GLN:NE2	1:A:433:ARG:NH1	2.45	0.59
1:A:82:ARG:O	1:A:82:ARG:HG3	2.01	0.59
1:A:37:GLY:O	3:A:474:HOH:O	2.17	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:24:THR:CG2	3:A:491:HOH:O	2.27	0.58
1:A:35:LEU:HD13	1:A:102:VAL:HG11	1.86	0.58
1:A:82:ARG:CG	3:A:492:HOH:O	2.52	0.58
1:A:112:GLY:O	1:A:113:SER:CB	2.31	0.58
1:A:33:ARG:NH2	1:A:207:LEU:HD22	2.20	0.57
1:A:33:ARG:HD2	1:A:65:HIS:CG	2.40	0.57
1:A:38:GLY:HA2	3:A:474:HOH:O	2.05	0.56
1:A:91:SER:HA	1:A:94:GLN:NE2	2.09	0.56
1:A:327:GLU:HB2	1:A:343:LEU:O	2.06	0.56
1:A:395:THR:HG22	1:A:395:THR:O	2.06	0.56
1:A:254:HIS:HB3	3:A:498:HOH:O	2.05	0.56
1:A:389:PHE:HD1	1:A:429:ILE:CD1	2.19	0.55
1:A:405:GLN:NE2	1:A:433:ARG:HH12	2.01	0.55
1:A:304:ILE:HG13	1:A:313:LEU:CD1	2.35	0.55
1:A:412:LEU:HD21	1:A:429:ILE:HD13	1.87	0.55
1:A:317:SER:HB3	1:A:320:TYR:CD1	2.42	0.54
1:A:259:LEU:CD2	1:A:270:GLU:HG3	2.37	0.54
1:A:257:GLN:OE1	1:A:280:SER:HB2	2.07	0.54
1:A:15:ALA:HB3	1:A:16:PRO:HD3	1.90	0.53
1:A:324:HIS:O	1:A:327:GLU:HG2	2.08	0.53
1:A:101:THR:CG2	1:A:102:VAL:N	2.72	0.53
1:A:82:ARG:HG2	3:A:492:HOH:O	2.07	0.52
1:A:239:ARG:HH21	1:A:243:SER:CB	2.07	0.52
1:A:83:GLY:HA3	1:A:240:ARG:NE	2.24	0.52
1:A:318:ARG:O	1:A:322:GLU:HG3	2.10	0.52
1:A:30:ILE:HG12	1:A:205:LEU:HD12	1.91	0.52
1:A:35:LEU:HD13	1:A:102:VAL:HG13	1.93	0.51
1:A:228:GLN:HE22	1:A:239:ARG:NH1	2.08	0.51
1:A:317:SER:HB3	1:A:320:TYR:CE1	2.46	0.51
1:A:286:PHE:O	1:A:287:VAL:HG23	2.12	0.51
1:A:35:LEU:O	1:A:36:GLU:HG3	2.12	0.50
1:A:185:ASP:OD1	1:A:188:GLN:HG2	2.11	0.50
2:A:1:ACO:O6A	2:A:1:ACO:OAP	2.30	0.50
1:A:144:MSE:HB3	1:A:147:ALA:HB3	1.95	0.49
1:A:403:GLY:O	1:A:432:ARG:HG3	2.12	0.49
1:A:320:TYR:O	1:A:324:HIS:CD2	2.65	0.49
1:A:66:PHE:HD1	1:A:69:ARG:NH2	2.09	0.49
1:A:103:ARG:NH2	1:A:127:SER:CB	2.54	0.48
1:A:70:LEU:HD23	1:A:70:LEU:HA	1.57	0.48
1:A:123:VAL:HG13	1:A:124:PRO:HD2	1.96	0.47
1:A:314:LEU:O	1:A:315:HIS:C	2.57	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:286:PHE:O	1:A:287:VAL:CG2	2.62	0.47
1:A:330:ILE:HB	1:A:337:LEU:HD22	1.97	0.47
1:A:155:THR:HG22	1:A:159:ARG:HH21	1.78	0.47
1:A:297:ILE:HD13	1:A:322:GLU:HG2	1.96	0.47
1:A:207:LEU:HD12	1:A:207:LEU:N	2.29	0.47
1:A:228:GLN:NE2	1:A:239:ARG:NH1	2.56	0.47
1:A:132:THR:HG23	3:A:477:HOH:O	2.15	0.46
1:A:213:ARG:HB3	1:A:214:PRO:CD	2.41	0.46
1:A:299:HIS:HB3	1:A:337:LEU:HG	1.96	0.46
1:A:409:GLU:OE2	1:A:421:ARG:NE	2.48	0.46
1:A:98:PHE:O	1:A:101:THR:CG2	2.50	0.45
1:A:218:LEU:HD23	1:A:219:ALA:C	2.41	0.45
1:A:82:ARG:HG3	3:A:492:HOH:O	2.14	0.45
1:A:259:LEU:HD21	1:A:270:GLU:CG	2.46	0.45
1:A:36:GLU:HA	1:A:105:ARG:NH2	2.31	0.45
1:A:130:PHE:HB2	1:A:170:MSE:CE	2.46	0.45
1:A:301:ALA:O	1:A:305:ARG:HG3	2.17	0.45
1:A:98:PHE:C	1:A:101:THR:HG22	2.38	0.45
1:A:66:PHE:CD1	1:A:69:ARG:NH2	2.84	0.45
1:A:218:LEU:CD2	1:A:219:ALA:C	2.89	0.45
1:A:60:ILE:HD12	1:A:190:ALA:HA	1.98	0.44
1:A:87:THR:O	1:A:146:TYR:HB2	2.17	0.44
1:A:136:ILE:O	1:A:136:ILE:HG22	2.17	0.44
1:A:155:THR:HG22	1:A:159:ARG:NH2	2.33	0.44
1:A:286:PHE:C	1:A:287:VAL:HG23	2.42	0.44
1:A:360:SER:HA	1:A:361:PRO:HD3	1.79	0.44
1:A:259:LEU:CD2	1:A:270:GLU:CG	2.96	0.43
1:A:357:LEU:O	2:A:1:ACO:N4P	2.42	0.43
1:A:312:ILE:HA	1:A:394:ASN:HD22	1.83	0.43
1:A:98:PHE:HA	1:A:101:THR:HG22	2.00	0.43
2:A:1:ACO:H8A	3:A:487:HOH:O	2.17	0.43
1:A:311:GLY:O	1:A:393:THR:HG21	2.19	0.43
1:A:416:ARG:HA	1:A:416:ARG:HD2	1.78	0.43
1:A:74:GLN:HE21	1:A:76:ARG:HD3	1.84	0.42
1:A:343:LEU:HD13	1:A:376:ILE:HD13	2.01	0.42
1:A:43:LEU:HD22	1:A:47:ILE:HD11	2.01	0.42
1:A:339:GLY:HA3	1:A:372:LEU:HD11	2.01	0.42
1:A:175:HIS:CE1	1:A:181:THR:HG23	2.55	0.42
1:A:150:ILE:HG21	1:A:153:THR:HG22	2.01	0.42
1:A:43:LEU:HD22	1:A:47:ILE:CD1	2.49	0.42
1:A:124:PRO:HB2	1:A:166:ASN:HD22	1.85	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:78:PRO:HB2	1:A:80:TYR:HE1	1.85	0.41
1:A:318:ARG:HE	1:A:318:ARG:HB2	1.43	0.41
1:A:418:LYS:HD2	1:A:418:LYS:HA	1.69	0.41
1:A:68:ASP:N	1:A:68:ASP:OD1	2.54	0.41
1:A:134:ARG:O	1:A:134:ARG:HG3	2.20	0.41
1:A:219:ALA:O	1:A:279:THR:HG23	2.21	0.41
1:A:231:ALA:CB	1:A:239:ARG:NH1	2.79	0.41
1:A:399:PHE:C	1:A:404:PHE:HB2	2.46	0.40
2:A:1:ACO:H62	2:A:1:ACO:O9P	2.21	0.40
1:A:373:LEU:O	1:A:377:ILE:HG23	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	420/456 (92%)	390 (93%)	25 (6%)	5 (1%)	10 16

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	275	ASN
1	A	288	SER
1	A	284	GLU
1	A	333	HIS
1	A	287	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	330/349 (95%)	265 (80%)	65 (20%)	1 2

All (65) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	5	ASP
1	A	11	PHE
1	A	24	THR
1	A	33	ARG
1	A	40	LEU
1	A	42	LYS
1	A	43	LEU
1	A	49	LEU
1	A	69	ARG
1	A	74	GLN
1	A	76	ARG
1	A	79	HIS
1	A	87	THR
1	A	92	LEU
1	A	102	VAL
1	A	110	LEU
1	A	113	SER
1	A	126	VAL
1	A	139	ILE
1	A	149	VAL
1	A	151	ARG
1	A	153	THR
1	A	155	THR
1	A	181	THR
1	A	183	ASN
1	A	185	ASP
1	A	215	ASP
1	A	217	THR
1	A	218	LEU
1	A	228	GLN
1	A	238	THR
1	A	256	VAL
1	A	257	GLN
1	A	267	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	268	LEU
1	A	274	ARG
1	A	277	ILE
1	A	280	SER
1	A	290	ARG
1	A	291	GLN
1	A	304	ILE
1	A	308	GLU
1	A	314	LEU
1	A	317	SER
1	A	318	ARG
1	A	330	ILE
1	A	332	GLU
1	A	337	LEU
1	A	344	LYS
1	A	362	GLN
1	A	364	GLN
1	A	365	ASP
1	A	370	GLU
1	A	376	ILE
1	A	377	ILE
1	A	388	LEU
1	A	393	THR
1	A	397	GLU
1	A	402	ARG
1	A	408	SER
1	A	409	GLU
1	A	418	LYS
1	A	429	ILE
1	A	431	VAL
1	A	436	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	74	GLN
1	A	94	GLN
1	A	161	GLN
1	A	166	ASN
1	A	198	GLN
1	A	225	GLN
1	A	228	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	233	HIS
1	A	254	HIS
1	A	257	GLN
1	A	275	ASN
1	A	293	HIS
1	A	324	HIS
1	A	362	GLN
1	A	364	GLN
1	A	394	ASN
1	A	405	GLN
1	A	423	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	ACO	A	1	-	51,53,53	1.43	5 (9%)	73,79,79	1.86	19 (26%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ACO	A	1	-	1/1/12/14	12/51/67/67	0/3/3/3

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1	ACO	P1A-O3A	4.52	1.64	1.59
2	A	1	ACO	P3B-O7A	4.31	1.63	1.50
2	A	1	ACO	C5A-N7A	-3.42	1.32	1.39
2	A	1	ACO	CH3-C	-2.47	1.40	1.50
2	A	1	ACO	C4A-N9A	-2.01	1.33	1.37

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1	ACO	C5A-C4A-N3A	-5.49	119.16	126.72
2	A	1	ACO	OAP-CAP-CBP	-4.59	99.55	110.18
2	A	1	ACO	N3A-C2A-N1A	-4.57	121.66	128.58
2	A	1	ACO	O8A-P3B-O3B	-3.88	90.72	105.85
2	A	1	ACO	C2A-N3A-C4A	3.39	120.10	111.83
2	A	1	ACO	N3A-C4A-N9A	3.34	132.85	127.17
2	A	1	ACO	C6P-C5P-N4P	-3.33	110.27	116.34
2	A	1	ACO	C2B-C1B-N9A	-3.27	105.19	113.30
2	A	1	ACO	O4B-C1B-C2B	-3.24	99.68	106.62
2	A	1	ACO	C7P-N8P-C9P	-3.00	117.15	122.55
2	A	1	ACO	O6A-CCP-CBP	2.90	115.22	110.55
2	A	1	ACO	C4A-C5A-N7A	-2.83	107.35	110.58
2	A	1	ACO	O9A-P3B-O3B	2.32	114.90	105.85
2	A	1	ACO	C2A-N1A-C6A	2.19	122.33	118.73
2	A	1	ACO	N9A-C8A-N7A	-2.19	110.84	113.94
2	A	1	ACO	O5P-C5P-C6P	2.16	125.93	122.02
2	A	1	ACO	O3B-C3B-C2B	-2.13	104.02	111.68
2	A	1	ACO	O4B-C1B-N9A	2.04	112.00	108.09
2	A	1	ACO	CDP-CBP-CAP	2.03	112.22	108.77

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	A	1	ACO	CAP

All (12) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	1	ACO	C5B-O5B-P1A-O2A
2	A	1	ACO	C9P-CAP-CBP-CCP
2	A	1	ACO	C9P-CAP-CBP-CDP
2	A	1	ACO	C4B-C3B-O3B-P3B
2	A	1	ACO	C2B-C3B-O3B-P3B
2	A	1	ACO	C6P-C7P-N8P-C9P
2	A	1	ACO	C9P-CAP-CBP-CEP
2	A	1	ACO	C5B-O5B-P1A-O1A
2	A	1	ACO	C5B-O5B-P1A-O3A
2	A	1	ACO	OAP-CAP-CBP-CDP
2	A	1	ACO	P2A-O3A-P1A-O1A
2	A	1	ACO	P2A-O3A-P1A-O2A

There are no ring outliers.

1 monomer is involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1	ACO	7	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	420/456 (92%)	-0.25	2 (0%) 87 85	27, 43, 61, 78	0

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	69	ARG	2.4
1	A	239	ARG	2.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	ACO	A	1	51/51	0.95	0.07	38,53,64,67	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.