



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 08:10 AM UTC

PDB ID : 8R9U / pdb_00008r9u
Title : A soakable crystal form of human CDK7 in complex with AMP-PNP
Authors : Mukherjee, M.; Cleasby, A.
Deposited on : 2023-11-30
Resolution : 1.94 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.94 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1452 (1.94-1.94)
Clashscore	190562	1494 (1.94-1.94)
Ramachandran outliers	187476	1479 (1.94-1.94)
Sidechain outliers	187428	1479 (1.94-1.94)
RSRZ outliers	180081	1453 (1.94-1.94)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	371	25% 64% 10% •• 24%
1	B	371	38% 64% 12% • 24%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 5025 atoms, of which 54 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cyclin-dependent kinase 7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	282	Total	C	N	O	S	0	8	0
			2302	1494	387	408	13			
1	B	282	Total	C	N	O	S	0	9	0
			2307	1498	387	408	14			

There are 56 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-24	MET	-	initiating methionine	UNP P50613
A	-23	SER	-	expression tag	UNP P50613
A	-22	TYR	-	expression tag	UNP P50613
A	-21	TYR	-	expression tag	UNP P50613
A	-20	HIS	-	expression tag	UNP P50613
A	-19	HIS	-	expression tag	UNP P50613
A	-18	HIS	-	expression tag	UNP P50613
A	-17	HIS	-	expression tag	UNP P50613
A	-16	HIS	-	expression tag	UNP P50613
A	-15	HIS	-	expression tag	UNP P50613
A	-14	ASP	-	expression tag	UNP P50613
A	-13	TYR	-	expression tag	UNP P50613
A	-12	ASP	-	expression tag	UNP P50613
A	-11	ILE	-	expression tag	UNP P50613
A	-10	PRO	-	expression tag	UNP P50613
A	-9	THR	-	expression tag	UNP P50613
A	-8	THR	-	expression tag	UNP P50613
A	-7	GLU	-	expression tag	UNP P50613
A	-6	ASN	-	expression tag	UNP P50613
A	-5	LEU	-	expression tag	UNP P50613
A	-4	TYR	-	expression tag	UNP P50613
A	-3	PHE	-	expression tag	UNP P50613
A	-2	GLN	-	expression tag	UNP P50613
A	-1	GLY	-	expression tag	UNP P50613
A	0	SER	-	expression tag	UNP P50613

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	132	ARG	TRP	engineered mutation	UNP P50613
A	164	ASP	SER	engineered mutation	UNP P50613
A	170	GLU	THR	engineered mutation	UNP P50613
B	-24	MET	-	initiating methionine	UNP P50613
B	-23	SER	-	expression tag	UNP P50613
B	-22	TYR	-	expression tag	UNP P50613
B	-21	TYR	-	expression tag	UNP P50613
B	-20	HIS	-	expression tag	UNP P50613
B	-19	HIS	-	expression tag	UNP P50613
B	-18	HIS	-	expression tag	UNP P50613
B	-17	HIS	-	expression tag	UNP P50613
B	-16	HIS	-	expression tag	UNP P50613
B	-15	HIS	-	expression tag	UNP P50613
B	-14	ASP	-	expression tag	UNP P50613
B	-13	TYR	-	expression tag	UNP P50613
B	-12	ASP	-	expression tag	UNP P50613
B	-11	ILE	-	expression tag	UNP P50613
B	-10	PRO	-	expression tag	UNP P50613
B	-9	THR	-	expression tag	UNP P50613
B	-8	THR	-	expression tag	UNP P50613
B	-7	GLU	-	expression tag	UNP P50613
B	-6	ASN	-	expression tag	UNP P50613
B	-5	LEU	-	expression tag	UNP P50613
B	-4	TYR	-	expression tag	UNP P50613
B	-3	PHE	-	expression tag	UNP P50613
B	-2	GLN	-	expression tag	UNP P50613
B	-1	GLY	-	expression tag	UNP P50613
B	0	SER	-	expression tag	UNP P50613
B	132	ARG	TRP	engineered mutation	UNP P50613
B	164	ASP	SER	engineered mutation	UNP P50613
B	170	GLU	THR	engineered mutation	UNP P50613

- Molecule 2 is 7-dimethylphosphoryl-3-[2-[[[(3 {S})-6,6-dimethylpiperidin-3-yl]amino]-5-(trifluoromethyl)pyrimidin-4-yl]-1 {H}-indole-6-carbonitrile (CCD ID: YNK) (formula: C₂₃H₂₆F₃N₆OP) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms							ZeroOcc	AltConf
2	A	1	Total	C	F	H	N	O	P	0	0
			61	23	3	27	6	1	1		
2	B	1	Total	C	F	H	N	O	P	0	0
			61	23	3	27	6	1	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	159	Total	O	0	0
			159	159		
3	B	135	Total	O	0	0
			135	135		


3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Cyclin-dependent kinase 7



• Molecule 1: Cyclin-dependent kinase 7





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	40.30Å 127.71Å 142.68Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	71.34 – 1.94 71.34 – 1.94	Depositor EDS
% Data completeness (in resolution range)	50.6 (71.34-1.94) 50.6 (71.34-1.94)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.12 (at 1.94Å)	Xtriage
Refinement program	BUSTER 2.11.8 (16-JUL-2021)	Depositor
R, R_{free}	0.275 , 0.340 0.270 , 0.331	Depositor DCC
R_{free} test set	1386 reflections (1.92%)	wwPDB-VP
Wilson B-factor (Å ²)	27.2	Xtriage
Anisotropy	0.046	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 66.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.42$, $\langle L^2 \rangle = 0.24$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.86	EDS
Total number of atoms	5025	wwPDB-VP
Average B, all atoms (Å ²)	40.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 24.56 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 3.7457e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: YNK

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.08	4/2362 (0.2%)	1.15	1/3199 (0.0%)
1	B	1.05	3/2370 (0.1%)	1.16	5/3209 (0.2%)
All	All	1.06	7/4732 (0.1%)	1.15	6/6408 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	196	MET	SD-CE	-9.85	1.54	1.79
1	A	196	MET	SD-CE	-9.29	1.56	1.79
1	B	94	MET	SD-CE	-7.17	1.61	1.79
1	B	71	HIS	CG-ND1	-5.55	1.32	1.38
1	A	59	ALA	CA-C	5.48	1.59	1.53
1	A	308	PRO	C-N	5.16	1.38	1.33
1	A	174	VAL	CA-C	5.09	1.59	1.52

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	23	PHE	CA-CB-CG	10.95	124.75	113.80
1	B	146	ASP	CA-CB-CG	7.71	120.31	112.60
1	B	65	LEU	N-CA-C	7.07	120.79	111.75
1	B	23	PHE	CA-CB-CG	6.28	120.08	113.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	56	ASN	CA-CB-CG	5.71	118.31	112.60
1	B	91	PHE	CA-CB-CG	5.38	119.18	113.80

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	61	ARG	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2302	0	2348	27	0
1	B	2307	0	2356	21	0
2	A	34	27	0	0	0
2	B	34	27	0	2	0
3	A	159	0	0	4	0
3	B	135	0	0	2	0
All	All	4971	54	4704	47	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (47) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:188[A]:ARG:HD3	3:B:594:HOH:O	1.87	0.75
1:B:152:LYS:HD3	3:B:534:HOH:O	2.02	0.58
1:B:196:MET:HE2	1:B:196:MET:HA	1.86	0.58
1:A:64:LYS:HA	3:A:587:HOH:O	2.02	0.58
1:A:98:LEU:HD12	1:A:143:LEU:HD12	1.87	0.56
1:A:125:LEU:HD13	1:A:196:MET:HE1	1.87	0.56
1:A:196:MET:HA	1:A:196:MET:HE2	1.88	0.56
1:B:98:LEU:HD12	1:B:143:LEU:HD12	1.88	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:184:LEU:O	1:B:219:LEU:HD12	2.06	0.55
1:B:125:LEU:HD13	1:B:196:MET:CE	2.36	0.55
1:A:173:VAL:HG22	1:A:179:ARG:HD2	1.89	0.54
1:A:174:VAL:HG22	1:A:175:THR:N	2.22	0.54
1:A:133[B]:ILE:HD11	1:A:159:ALA:HB1	1.88	0.53
2:B:401:YNK:C22	2:B:401:YNK:C30	2.88	0.52
1:B:132:ARG:O	1:B:161:SER:HA	2.08	0.52
1:B:26:VAL:HG21	2:B:401:YNK:C20	2.41	0.51
1:A:311:ASN:ND2	3:A:506:HOH:O	2.41	0.50
1:A:125:LEU:HD13	1:A:196:MET:CE	2.42	0.50
1:A:75[B]:ILE:HG12	1:A:153:LEU:O	2.12	0.49
1:A:65:LEU:HD13	1:A:133[B]:ILE:CD1	2.43	0.49
1:A:173:VAL:O	1:A:173:VAL:HG13	2.12	0.48
1:A:173:VAL:HG23	1:A:183:LEU:HD13	1.96	0.47
1:A:144:LEU:O	1:A:151:LEU:HA	2.15	0.46
1:B:125:LEU:HD23	1:B:128:LEU:HD12	1.97	0.46
1:A:65:LEU:O	1:A:69:LEU:HG	2.16	0.46
1:B:104:ASP:OD2	1:B:310:PRO:HB3	2.14	0.46
1:B:114:ILE:O	1:B:118[B]:MET:HG2	2.16	0.46
1:A:129:HIS:HE1	1:A:196:MET:HE3	1.81	0.46
1:B:125:LEU:CD1	1:B:196:MET:CE	2.94	0.45
1:B:174:VAL:HG22	1:B:175:THR:N	2.32	0.45
1:A:183:LEU:HD11	1:A:194:VAL:HG13	1.99	0.44
1:A:129:HIS:CE1	1:A:192[A]:VAL:HG23	2.52	0.44
1:A:65:LEU:HD13	1:A:133[B]:ILE:HD11	1.99	0.44
1:A:65:LEU:HD21	3:A:507:HOH:O	2.18	0.44
1:B:183:LEU:HD11	1:B:194:VAL:HG13	2.00	0.44
1:B:143:LEU:HD11	1:B:202:ILE:HD13	2.01	0.43
1:B:177:TRP:CD1	1:B:214:PRO:HA	2.53	0.43
1:A:143:LEU:HD11	1:A:202:ILE:HD13	2.00	0.43
1:A:114:ILE:O	1:A:118[B]:MET:HG2	2.19	0.42
1:A:41:LYS:NZ	3:A:510:HOH:O	2.52	0.42
1:A:177:TRP:CD1	1:A:214:PRO:HA	2.54	0.42
1:A:219:LEU:HD13	1:B:245:ASP:O	2.19	0.42
1:B:43:ILE:O	1:B:43:ILE:HG22	2.19	0.42
1:B:125:LEU:CD1	1:B:196:MET:HE1	2.50	0.41
1:A:151:LEU:C	1:A:151:LEU:HD23	2.44	0.41
1:B:11:ARG:NH2	1:B:12:TYR:OH	2.53	0.41
1:B:186:GLY:O	1:B:244:PRO:HG2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	282/371 (76%)	267 (95%)	13 (5%)	2 (1%)	18	9
1	B	283/371 (76%)	259 (92%)	22 (8%)	2 (1%)	18	9
All	All	565/742 (76%)	526 (93%)	35 (6%)	4 (1%)	18	9

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	174	VAL
1	B	42	LYS
1	A	23	PHE
1	B	161	SER

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	254/323 (79%)	240 (94%)	14 (6%)	19	7
1	B	255/323 (79%)	242 (95%)	13 (5%)	21	8
All	All	509/646 (79%)	482 (95%)	27 (5%)	21	7

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	23	PHE
1	A	41	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	58	THR
1	A	61	ARG
1	A	64	LYS
1	A	67	GLN
1	A	92	ASP
1	A	127	TYR
1	A	145	LEU
1	A	160	LYS
1	A	227	GLU
1	A	234	GLU
1	A	266	ASP
1	A	311	ASN
1	B	23	PHE
1	B	67	GLN
1	B	92	ASP
1	B	120[A]	MET
1	B	120[B]	MET
1	B	192[A]	VAL
1	B	192[B]	VAL
1	B	227	GLU
1	B	234	GLU
1	B	249	PHE
1	B	266	ASP
1	B	293	LYS
1	B	311	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	22	GLN
1	A	311	ASN
1	B	86	ASN
1	B	105	ASN
1	B	288	GLN
1	B	311	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	YNK	A	401	-	32,37,37	1.01	2 (6%)	47,58,58	1.10	4 (8%)
2	YNK	B	401	-	32,37,37	0.99	3 (9%)	47,58,58	1.50	6 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	YNK	A	401	-	-	0/22/34/34	0/4/4/4
2	YNK	B	401	-	-	2/22/34/34	0/4/4/4

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	401	YNK	C26-C16	-3.42	1.39	1.47
2	A	401	YNK	C26-C16	-2.81	1.41	1.47
2	A	401	YNK	C7-N8	2.56	1.49	1.47
2	B	401	YNK	C7-N8	2.33	1.49	1.47
2	B	401	YNK	C26-C19	-2.27	1.38	1.41

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	401	YNK	C16-C17-N18	-4.68	107.44	110.46
2	B	401	YNK	C26-C16-C17	4.47	108.78	105.98
2	B	401	YNK	C16-C14-N15	-4.43	112.04	115.17
2	A	401	YNK	C16-C17-N18	-3.43	108.25	110.46
2	A	401	YNK	C26-C16-C17	3.29	108.04	105.98
2	A	401	YNK	C14-C16-C17	-2.50	123.92	127.60
2	B	401	YNK	C20-C19-N18	2.47	130.63	129.48
2	B	401	YNK	C4-C2-N8	-2.37	107.20	111.40
2	A	401	YNK	C4-C2-N8	-2.28	107.36	111.40
2	B	401	YNK	C13-C14-C16	2.12	127.22	122.94

There are no chirality outliers.

All (2) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
2	B	401	YNK	C20-C21-C22-N23
2	B	401	YNK	C21-C20-P27-C29

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	401	YNK	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	282/371 (76%)	1.63	93 (32%) 1 0	11, 33, 63, 75	8 (2%)
1	B	282/371 (76%)	2.18	140 (49%) 0 0	12, 42, 74, 93	9 (3%)
All	All	564/742 (76%)	1.91	233 (41%) 0 0	11, 38, 70, 93	17 (3%)

All (233) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	12	TYR	7.4
1	B	247	VAL	6.6
1	B	246	TYR	6.3
1	B	173	VAL	6.3
1	A	237	TRP	5.9
1	B	174	VAL	5.8
1	B	15	LEU	5.7
1	A	244	PRO	5.7
1	A	310	PRO	5.4
1	B	39	ALA	5.4
1	B	187	ALA	5.4
1	A	166	ASN	5.4
1	B	87	ILE	5.4
1	B	164	ASP	5.4
1	B	237	TRP	5.3
1	A	163	GLY	5.2
1	B	82	GLY	5.2
1	A	246	TYR	5.2
1	A	60	LEU	5.1
1	A	173	VAL	5.0
1	B	14	LYS	5.0
1	B	243	LEU	5.0
1	A	27	TYR	5.0
1	A	23	PHE	5.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	188[A]	ARG	4.9
1	A	87	ILE	4.9
1	B	230	GLY	4.9
1	B	35	ASN	4.7
1	B	92	ASP	4.6
1	B	18	LEU	4.5
1	B	190	TYR	4.4
1	A	58	THR	4.4
1	A	188[A]	ARG	4.4
1	B	26	VAL	4.3
1	A	59	ALA	4.3
1	B	37	ILE	4.3
1	B	219	LEU	4.2
1	B	34	THR	4.2
1	B	185	PHE	4.2
1	B	27	TYR	4.2
1	B	258	HIS	4.2
1	B	241	CYS	4.2
1	B	59	ALA	4.2
1	B	281	CYS	4.1
1	B	43	ILE	4.1
1	A	15	LEU	4.1
1	A	18	LEU	4.1
1	B	17	PHE	4.0
1	B	22	GLN	4.0
1	B	253	PRO	4.0
1	B	36	GLN	3.9
1	A	242	SER	3.9
1	B	25	THR	3.9
1	B	245	ASP	3.9
1	B	89	LEU	3.9
1	B	81	PHE	3.9
1	A	311	ASN	3.9
1	B	233	THR	3.9
1	A	81	PHE	3.9
1	A	249	PHE	3.9
1	B	264	ALA	3.8
1	B	240	MET	3.8
1	B	236	GLN	3.8
1	B	252	PHE	3.8
1	B	229	LEU	3.8
1	B	165	PRO	3.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	238	PRO	3.7
1	A	234	GLU	3.7
1	B	260	ILE	3.7
1	B	192[A]	VAL	3.7
1	B	16	ASP	3.7
1	B	216	ASP	3.7
1	B	218	ASP	3.6
1	B	249	PHE	3.6
1	B	242	SER	3.6
1	B	60	LEU	3.6
1	B	226	PHE	3.6
1	B	309	ARG	3.6
1	B	23	PHE	3.5
1	B	162	PHE	3.5
1	B	69	LEU	3.5
1	A	80	ALA	3.5
1	A	66	LEU	3.5
1	B	24	ALA	3.5
1	B	263	ALA	3.5
1	B	101[A]	ILE	3.4
1	A	65	LEU	3.4
1	B	310	PRO	3.4
1	B	163	GLY	3.4
1	A	243	LEU	3.4
1	A	232	PRO	3.4
1	A	238	PRO	3.4
1	B	244	PRO	3.4
1	B	280	PRO	3.4
1	B	90	VAL	3.3
1	A	57	ARG	3.3
1	B	213	LEU	3.3
1	A	12	TYR	3.3
1	B	158	LEU	3.2
1	A	16	ASP	3.2
1	A	241	CYS	3.2
1	A	10	LYS	3.1
1	A	304	GLY	3.1
1	B	175	THR	3.1
1	B	248	THR	3.1
1	B	254	GLY	3.1
1	B	31	ASP	3.1
1	B	41	LYS	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	26	VAL	3.1
1	B	166	ASN	3.1
1	B	189	MET	3.1
1	A	236	GLN	3.0
1	B	33	ASN	3.0
1	B	29	ALA	3.0
1	B	257	LEU	3.0
1	A	192[A]	VAL	3.0
1	A	17	PHE	3.0
1	B	250	LYS	3.0
1	B	30	ARG	3.0
1	B	156	PHE	2.9
1	A	235	GLU	2.9
1	B	207	LEU	2.8
1	B	255	ILE	2.8
1	B	21	GLY	2.8
1	A	251	SER	2.8
1	A	89	LEU	2.8
1	B	269	LEU	2.8
1	B	10	LYS	2.8
1	B	256	PRO	2.8
1	B	239	ASP	2.8
1	A	219	LEU	2.8
1	B	272	ILE	2.8
1	A	68	GLU	2.7
1	B	223	THR	2.7
1	A	269	LEU	2.7
1	B	271	LEU	2.7
1	B	38	VAL	2.7
1	B	57	ARG	2.7
1	A	56	ASN	2.7
1	A	245	ASP	2.7
1	A	252	PHE	2.7
1	B	85	SER	2.7
1	A	189[A]	MET	2.6
1	A	190	TYR	2.6
1	A	67	GLN	2.6
1	B	232	PRO	2.6
1	B	11	ARG	2.6
1	A	61	ARG	2.5
1	A	19	GLY	2.5
1	A	86	ASN	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	86	ASN	2.5
1	B	63	ILE	2.5
1	B	116	ALA	2.5
1	A	247	VAL	2.5
1	A	308	PRO	2.5
1	B	311	ASN	2.4
1	B	295	PHE	2.4
1	A	240	MET	2.4
1	A	248	THR	2.4
1	A	165	PRO	2.4
1	B	224	ARG	2.4
1	B	184	LEU	2.4
1	B	42	LYS	2.4
1	B	284[A]	ILE	2.4
1	B	58	THR	2.4
1	A	130	GLN	2.4
1	B	134	LEU	2.4
1	B	20	GLU	2.4
1	A	174	VAL	2.4
1	A	296	SER	2.4
1	A	109	LEU	2.3
1	B	205	GLU	2.3
1	A	43	ILE	2.3
1	B	191	GLY	2.3
1	A	271	LEU	2.3
1	B	98	LEU	2.3
1	B	261	PHE	2.3
1	B	19	GLY	2.3
1	B	262	SER	2.3
1	B	104	ASP	2.3
1	A	99	GLU	2.3
1	B	147	GLU	2.3
1	A	22	GLN	2.3
1	A	226	PHE	2.3
1	A	254	GLY	2.3
1	A	309	ARG	2.3
1	B	193	GLY	2.3
1	B	56	ASN	2.3
1	B	148	ASN	2.3
1	B	259	HIS	2.3
1	B	80	ALA	2.2
1	B	234	GLU	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	64	LYS	2.2
1	A	128	LEU	2.2
1	A	183	LEU	2.2
1	B	66	LEU	2.2
1	B	119	LEU	2.2
1	A	29	ALA	2.2
1	B	225	ILE	2.2
1	A	199	VAL	2.2
1	A	21	GLY	2.2
1	A	79	ASP	2.2
1	A	82	GLY	2.2
1	A	124	GLY	2.2
1	A	233	THR	2.2
1	A	155	ASP	2.2
1	A	239	ASP	2.2
1	A	200	GLY	2.2
1	A	257	LEU	2.2
1	B	125	LEU	2.2
1	A	108	VAL	2.1
1	B	231	THR	2.1
1	A	298	ARG	2.1
1	B	151[A]	LEU	2.1
1	B	160	LYS	2.1
1	A	143	LEU	2.1
1	A	299	PRO	2.1
1	A	185	PHE	2.1
1	A	74	ILE	2.1
1	B	117	TYR	2.1
1	B	28	LYS	2.1
1	A	38	VAL	2.1
1	A	253	PRO	2.1
1	B	214	PRO	2.1
1	A	281	CYS	2.1
1	B	268	LEU	2.1
1	A	161	SER	2.0
1	B	217	SER	2.0
1	B	228	THR	2.0
1	A	230	GLY	2.0
1	B	208	LEU	2.0
1	B	40	ILE	2.0
1	B	285	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	YNK	A	401	34/34	0.88	0.10	23,28,31,32	0
2	YNK	B	401	34/34	0.89	0.11	26,29,30,34	61

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around YNK A 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around YNK B 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.