



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 02:14 AM UTC

PDB ID : 1RCB / pdb_00001rcb
Title : CRYSTAL STRUCTURE OF HUMAN RECOMBINANT INTERLEUKIN-4
AT 2.25 ANGSTROMS RESOLUTION
Authors : Wlodawer, A.; Pavlovsky, A.; Gustchina, A.
Deposited on : 1992-08-26
Resolution : 2.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	2005 (2.26-2.26)
Ramachandran outliers	187476	1965 (2.26-2.26)
Sidechain outliers	187428	1966 (2.26-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	129	17% 40% 29% 14%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 1081 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called INTERLEUKIN-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	129	Total	C	N	O	S	0	0	0
			1048	653	192	196	7			

- Molecule 2 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	33	Total	O	0	0
			33	33		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: INTERLEUKIN-4



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	91.80 Å 91.80 Å 46.40 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	10.00 – 2.25	Depositor
% Data completeness (in resolution range)	(Not available) (10.00-2.25)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	PROLSQ	Depositor
R, R_{free}	0.218 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	1081	wwPDB-VP
Average B, all atoms (Å ²)	34.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.49	3/1063 (0.3%)	3.28	170/1426 (11.9%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	4

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	39	THR	CA-CB	6.86	1.64	1.53
1	A	85	ARG	CZ-NH2	5.43	1.40	1.33
1	A	39	THR	N-CA	-5.12	1.39	1.46

All (170) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	85	ARG	CD-NE-CZ	18.97	150.96	124.40
1	A	97	ASN	CA-CB-CG	18.55	131.15	112.60
1	A	53	ARG	CB-CG-CD	17.09	150.61	111.30
1	A	53	ARG	CD-NE-CZ	15.54	146.15	124.40
1	A	53	ARG	NE-CZ-NH2	14.04	131.84	119.20
1	A	39	THR	N-CA-C	13.40	131.33	112.04
1	A	38	ASN	CA-C-N	13.06	150.02	121.80
1	A	38	ASN	C-N-CA	13.06	150.02	121.80
1	A	53	ARG	NH1-CZ-NH2	-12.55	102.99	119.30
1	A	3	CYS	N-CA-C	12.24	126.40	112.57
1	A	45	PHE	CA-CB-CG	11.51	125.31	113.80
1	A	87	ASP	CA-CB-CG	-11.32	101.28	112.60
1	A	53	ARG	CG-CD-NE	10.72	135.58	112.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	67	GLY	CA-C-N	10.14	140.36	121.81
1	A	67	GLY	C-N-CA	10.14	140.36	121.81
1	A	85	ARG	NE-CZ-NH1	9.79	131.29	121.50
1	A	128	SER	CA-C-N	9.73	139.22	121.70
1	A	128	SER	C-N-CA	9.73	139.22	121.70
1	A	41	GLU	CA-C-N	9.69	133.04	120.44
1	A	41	GLU	C-N-CA	9.69	133.04	120.44
1	A	71	GLN	CB-CG-CD	9.39	128.57	112.60
1	A	121	ARG	CA-C-N	9.33	133.13	120.44
1	A	121	ARG	C-N-CA	9.33	133.13	120.44
1	A	97	ASN	OD1-CG-ND2	-9.19	113.41	122.60
1	A	82	PHE	CA-C-O	-9.13	111.30	120.70
1	A	89	ASN	CA-CB-CG	9.01	121.61	112.60
1	A	53	ARG	CA-C-O	8.98	129.94	120.42
1	A	114	GLU	CA-C-N	8.96	133.01	120.29
1	A	114	GLU	C-N-CA	8.96	133.01	120.29
1	A	114	GLU	CB-CG-CD	8.90	127.73	112.60
1	A	31	ASP	CA-C-O	-8.83	111.67	122.36
1	A	58	HIS	CA-CB-CG	-8.81	104.99	113.80
1	A	60	GLU	CA-CB-CG	8.79	131.67	114.10
1	A	21	LYS	N-CA-C	-8.44	98.36	110.59
1	A	44	THR	O-C-N	8.34	130.96	122.12
1	A	15	ASN	CA-CB-CG	8.31	120.91	112.60
1	A	120	MET	CA-C-O	-8.05	110.29	119.79
1	A	19	GLU	CB-CG-CD	8.00	126.20	112.60
1	A	53	ARG	O-C-N	-7.96	113.08	122.15
1	A	44	THR	CA-CB-OG1	-7.92	97.72	109.60
1	A	21	LYS	O-C-N	7.90	131.92	122.68
1	A	53	ARG	CA-CB-CG	7.78	129.66	114.10
1	A	51	VAL	CB-CA-C	7.51	121.88	112.04
1	A	53	ARG	N-CA-C	-7.41	103.28	111.36
1	A	81	ARG	CA-C-N	7.38	130.48	120.44
1	A	81	ARG	C-N-CA	7.38	130.48	120.44
1	A	99	CYS	N-CA-C	7.34	122.95	107.91
1	A	104	ALA	CA-C-N	-7.27	108.58	120.87
1	A	104	ALA	C-N-CA	-7.27	108.58	120.87
1	A	101	VAL	CB-CA-C	7.24	123.39	111.59
1	A	85	ARG	CA-CB-CG	7.21	128.52	114.10
1	A	36	SER	CA-C-N	7.20	135.28	121.54
1	A	36	SER	C-N-CA	7.20	135.28	121.54
1	A	63	THR	CA-C-O	-7.18	112.88	120.63
1	A	85	ARG	CA-C-O	-7.10	113.36	120.82

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	89	ASN	CA-C-O	-7.10	113.02	120.55
1	A	10	ILE	O-C-N	7.08	128.74	121.87
1	A	44	THR	N-CA-C	-7.05	103.59	111.28
1	A	96	LEU	CA-C-O	-7.04	113.10	120.99
1	A	65	CYS	N-CA-CB	-7.03	101.25	110.59
1	A	30	THR	CA-CB-OG1	-7.02	99.06	109.60
1	A	116	LEU	N-CA-C	-7.02	103.68	111.82
1	A	27	LEU	N-CA-C	-7.00	101.80	110.41
1	A	114	GLU	CA-CB-CG	6.93	127.96	114.10
1	A	65	CYS	N-CA-C	6.89	122.35	113.88
1	A	122	GLU	CB-CG-CD	6.79	124.15	112.60
1	A	64	ARG	NE-CZ-NH2	-6.71	113.16	119.20
1	A	85	ARG	NH1-CZ-NH2	-6.68	110.61	119.30
1	A	1	HIS	CA-CB-CG	6.66	120.46	113.80
1	A	96	LEU	N-CA-C	-6.64	98.56	108.99
1	A	121	ARG	NE-CZ-NH2	6.50	125.05	119.20
1	A	14	LEU	CB-CA-C	6.43	123.01	110.67
1	A	108	THR	N-CA-CB	-6.41	101.09	110.26
1	A	71	GLN	N-CA-C	-6.40	104.23	111.14
1	A	2	LYS	CA-C-O	-6.40	111.36	120.51
1	A	81	ARG	CD-NE-CZ	6.39	133.35	124.40
1	A	21	LYS	CA-C-O	-6.39	114.42	121.89
1	A	26	GLU	N-CA-C	-6.37	105.27	114.12
1	A	75	ARG	CD-NE-CZ	6.35	133.29	124.40
1	A	84	LYS	CA-C-N	6.33	128.67	120.44
1	A	84	LYS	C-N-CA	6.33	128.67	120.44
1	A	117	LYS	CB-CA-C	6.33	121.30	110.79
1	A	30	THR	OG1-CB-CG2	6.32	121.95	109.30
1	A	64	ARG	NH1-CZ-NH2	6.31	127.51	119.30
1	A	105	ASN	CA-C-N	6.31	133.37	122.64
1	A	105	ASN	C-N-CA	6.31	133.37	122.64
1	A	43	GLU	CB-CG-CD	-6.30	101.89	112.60
1	A	81	ARG	CG-CD-NE	6.28	125.81	112.00
1	A	19	GLU	CA-CB-CG	6.25	126.61	114.10
1	A	116	LEU	CA-C-O	6.22	127.13	119.97
1	A	28	THR	CA-C-N	6.17	133.04	122.67
1	A	28	THR	C-N-CA	6.17	133.04	122.67
1	A	73	PHE	CA-CB-CG	-6.15	107.65	113.80
1	A	19	GLU	N-CA-CB	6.14	118.83	110.10
1	A	46	CYS	CA-C-O	6.12	126.90	120.42
1	A	76	HIS	N-CA-CB	6.10	118.86	110.01
1	A	23	LEU	CA-C-N	6.10	132.39	121.66

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	23	LEU	C-N-CA	6.10	132.39	121.66
1	A	64	ARG	CB-CA-C	-6.09	97.58	110.31
1	A	76	HIS	CA-CB-CG	6.08	119.88	113.80
1	A	19	GLU	N-CA-C	-6.02	101.71	111.04
1	A	38	ASN	N-CA-C	5.99	123.57	110.80
1	A	50	THR	CB-CA-C	5.99	120.19	110.96
1	A	85	ARG	CG-CD-NE	5.99	125.17	112.00
1	A	38	ASN	CA-C-O	5.95	129.02	120.51
1	A	122	GLU	O-C-N	-5.90	115.72	122.09
1	A	17	LEU	N-CA-CB	-5.89	101.48	110.26
1	A	23	LEU	CA-CB-CG	5.89	136.91	116.30
1	A	82	PHE	N-CA-CB	5.85	118.55	110.07
1	A	118	THR	N-CA-CB	5.83	118.44	109.98
1	A	95	GLY	N-CA-C	-5.79	104.92	114.76
1	A	24	CYS	N-CA-CB	-5.78	101.42	110.44
1	A	105	ASN	CA-CB-CG	5.73	118.33	112.60
1	A	20	GLN	O-C-N	5.72	130.50	122.77
1	A	105	ASN	CB-CA-C	5.72	121.48	109.65
1	A	85	ARG	N-CA-CB	5.68	118.25	110.01
1	A	91	TRP	O-C-N	5.68	130.04	122.43
1	A	84	LYS	O-C-N	5.67	130.41	122.36
1	A	122	GLU	CA-CB-CG	5.64	125.39	114.10
1	A	54	GLN	O-C-N	5.59	127.84	122.03
1	A	86	LEU	CA-C-O	5.53	126.28	120.42
1	A	96	LEU	O-C-N	5.52	129.57	123.33
1	A	45	PHE	N-CA-CB	5.51	118.32	110.16
1	A	81	ARG	O-C-N	5.49	127.72	122.07
1	A	40	THR	CA-CB-OG1	-5.48	101.38	109.60
1	A	67	GLY	N-CA-C	-5.47	105.79	112.68
1	A	20	GLN	CA-CB-CG	-5.46	103.19	114.10
1	A	91	TRP	N-CA-CB	5.46	119.45	110.39
1	A	98	SER	CA-C-N	-5.44	115.27	122.56
1	A	98	SER	C-N-CA	-5.44	115.27	122.56
1	A	111	ASN	CA-C-N	5.42	127.49	120.44
1	A	111	ASN	C-N-CA	5.42	127.49	120.44
1	A	90	LEU	CA-C-O	-5.41	115.14	120.82
1	A	43	GLU	OE1-CD-OE2	5.40	135.85	122.90
1	A	33	PHE	CA-CB-CG	5.38	119.18	113.80
1	A	98	SER	N-CA-C	5.38	117.01	108.67
1	A	83	LEU	O-C-N	-5.37	116.08	122.20
1	A	20	GLN	CB-CA-C	-5.33	102.56	110.67
1	A	2	LYS	O-C-N	5.33	129.68	122.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	93	LEU	N-CA-C	-5.33	105.05	112.45
1	A	69	THR	N-CA-CB	5.32	118.05	110.44
1	A	89	ASN	CB-CA-C	5.32	119.62	110.79
1	A	16	SER	CA-C-O	5.26	125.85	119.38
1	A	3	CYS	CA-C-N	5.26	130.54	120.97
1	A	3	CYS	C-N-CA	5.26	130.54	120.97
1	A	40	THR	CA-CB-CG2	5.25	119.42	110.50
1	A	50	THR	CA-C-N	5.24	127.92	120.53
1	A	50	THR	C-N-CA	5.24	127.92	120.53
1	A	73	PHE	CA-C-N	5.24	127.25	120.44
1	A	73	PHE	C-N-CA	5.24	127.25	120.44
1	A	20	GLN	OE1-CD-NE2	5.21	127.81	122.60
1	A	81	ARG	N-CA-C	-5.21	105.50	111.07
1	A	51	VAL	CA-CB-CG1	5.20	119.24	110.40
1	A	49	ALA	N-CA-C	-5.18	105.53	111.07
1	A	88	ARG	CA-C-O	5.17	126.43	120.90
1	A	50	THR	CA-CB-CG2	5.13	119.22	110.50
1	A	84	LYS	CA-C-O	-5.13	113.60	119.60
1	A	99	CYS	CA-CB-SG	-5.13	102.61	114.40
1	A	37	LYS	CA-C-N	5.13	131.33	121.54
1	A	37	LYS	C-N-CA	5.13	131.33	121.54
1	A	84	LYS	CB-CG-CD	-5.12	99.53	111.30
1	A	99	CYS	CA-C-N	5.12	126.23	119.84
1	A	99	CYS	C-N-CA	5.12	126.23	119.84
1	A	76	HIS	O-C-N	5.11	127.33	122.07
1	A	71	GLN	N-CA-CB	5.11	117.48	110.07
1	A	115	ARG	NE-CZ-NH1	-5.09	116.41	121.50
1	A	27	LEU	CB-CA-C	5.06	121.22	110.19
1	A	54	GLN	CB-CA-C	-5.06	103.17	110.96
1	A	115	ARG	CD-NE-CZ	5.04	131.46	124.40
1	A	63	THR	CA-CB-OG1	-5.01	102.09	109.60

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	115	ARG	Sidechain
1	A	121	ARG	Sidechain
1	A	47	ARG	Sidechain
1	A	88	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1048	0	1063	78	0
2	A	33	0	0	4	0
All	All	1081	0	1063	78	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 37.

All (78) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:60:GLU:O	1:A:61:LYS:HD3	1.44	1.18
1:A:45:PHE:HE1	1:A:120:MET:HE1	1.16	1.07
1:A:45:PHE:CE1	1:A:120:MET:HE1	1.94	1.02
1:A:60:GLU:O	1:A:76:HIS:HE1	1.46	0.97
1:A:105:ASN:HB3	2:A:230:HOH:O	1.72	0.90
1:A:20:GLN:HG3	1:A:20:GLN:O	1.72	0.86
1:A:126:LYS:HD2	2:A:202:HOH:O	1.74	0.86
1:A:43:GLU:O	1:A:47:ARG:HG3	1.79	0.81
1:A:61:LYS:HD2	1:A:66:LEU:HD21	1.64	0.80
1:A:71:GLN:HG2	1:A:72:GLN:N	2.00	0.75
1:A:80:ILE:O	1:A:84:LYS:HG3	1.88	0.73
1:A:125:SER:O	1:A:129:SER:HB3	1.89	0.72
1:A:67:GLY:HA3	1:A:72:GLN:HB3	1.71	0.72
1:A:37:LYS:HG2	1:A:38:ASN:N	2.05	0.71
1:A:102:LYS:HB3	1:A:102:LYS:HZ2	1.55	0.71
1:A:38:ASN:N	1:A:38:ASN:HD22	1.87	0.70
1:A:60:GLU:O	1:A:76:HIS:CE1	2.37	0.70
1:A:60:GLU:C	1:A:61:LYS:HD3	2.16	0.69
1:A:38:ASN:HD22	1:A:38:ASN:H	1.41	0.68
1:A:39:THR:O	1:A:40:THR:HB	1.93	0.67
1:A:62:ASP:OD2	1:A:64:ARG:NH1	2.27	0.67
1:A:35:ALA:HB2	1:A:103:GLU:OE2	1.95	0.66
1:A:14:LEU:HD21	1:A:116:LEU:HD13	1.76	0.66
1:A:39:THR:O	1:A:40:THR:CB	2.44	0.66
1:A:100:PRO:O	1:A:102:LYS:NZ	2.29	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:54:GLN:O	1:A:58:HIS:ND1	2.31	0.63
1:A:61:LYS:CD	1:A:66:LEU:HD21	2.28	0.63
1:A:83:LEU:O	1:A:87:ASP:HB2	2.01	0.61
1:A:96:LEU:HD22	1:A:98:SER:H	1.64	0.61
1:A:119:ILE:HG22	1:A:120:MET:HE2	1.84	0.58
1:A:14:LEU:O	1:A:18:THR:HG23	2.03	0.58
1:A:16:SER:O	1:A:20:GLN:HG2	2.04	0.57
1:A:100:PRO:O	1:A:102:LYS:HG2	2.04	0.57
1:A:37:LYS:NZ	1:A:102:LYS:HD2	2.21	0.56
1:A:20:GLN:NE2	1:A:79:LEU:HD23	2.21	0.55
1:A:39:THR:O	1:A:40:THR:HG22	2.07	0.55
1:A:45:PHE:CE2	1:A:93:LEU:HD23	2.41	0.54
1:A:1:HIS:O	1:A:2:LYS:C	2.51	0.53
1:A:102:LYS:HZ2	1:A:102:LYS:CB	2.21	0.53
1:A:38:ASN:N	1:A:38:ASN:ND2	2.54	0.53
1:A:20:GLN:O	1:A:20:GLN:CG	2.52	0.52
1:A:80:ILE:CG2	1:A:84:LYS:NZ	2.73	0.52
1:A:1:HIS:HB2	1:A:93:LEU:HD12	1.92	0.51
1:A:80:ILE:HG22	1:A:84:LYS:HZ3	1.76	0.51
1:A:51:VAL:HG11	1:A:112:PHE:CE2	2.46	0.51
1:A:103:GLU:OE1	1:A:103:GLU:N	2.44	0.51
1:A:100:PRO:HB2	1:A:102:LYS:NZ	2.27	0.50
1:A:37:LYS:HE2	1:A:47:ARG:HH12	1.76	0.50
1:A:31:ASP:HB2	1:A:107:SER:OG	2.11	0.50
1:A:27:LEU:O	1:A:108:THR:HA	2.12	0.49
1:A:32:ILE:HG22	1:A:101:VAL:HG13	1.93	0.49
1:A:80:ILE:HG22	1:A:84:LYS:NZ	2.28	0.49
1:A:29:VAL:HG21	1:A:112:PHE:CD2	2.48	0.48
1:A:37:LYS:HE2	1:A:47:ARG:NH1	2.29	0.48
1:A:116:LEU:O	1:A:120:MET:HG2	2.14	0.47
1:A:29:VAL:HG21	1:A:112:PHE:CG	2.50	0.47
1:A:39:THR:O	1:A:40:THR:CG2	2.62	0.47
1:A:98:SER:O	1:A:99:CYS:SG	2.73	0.47
1:A:104:ALA:O	1:A:105:ASN:C	2.54	0.46
1:A:121:ARG:O	1:A:124:TYR:HB3	2.16	0.46
1:A:31:ASP:CB	1:A:107:SER:OG	2.64	0.45
1:A:24:CYS:CA	2:A:216:HOH:O	2.63	0.45
1:A:24:CYS:C	1:A:26:GLU:H	2.24	0.44
1:A:102:LYS:NZ	1:A:102:LYS:CB	2.79	0.44
1:A:100:PRO:HB2	1:A:102:LYS:HZ1	1.81	0.44
1:A:20:GLN:HE22	1:A:79:LEU:HD23	1.83	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:55:PHE:O	1:A:56:TYR:C	2.61	0.43
1:A:60:GLU:HA	1:A:80:ILE:HD12	2.00	0.42
1:A:80:ILE:CG2	1:A:84:LYS:HZ1	2.33	0.42
1:A:47:ARG:HG2	1:A:99:CYS:SG	2.60	0.41
1:A:116:LEU:HD23	1:A:116:LEU:HA	1.78	0.41
1:A:29:VAL:O	1:A:106:GLN:HA	2.21	0.41
1:A:71:GLN:O	1:A:75:ARG:HG3	2.20	0.41
1:A:42:LYS:HD3	1:A:96:LEU:HB2	2.03	0.41
1:A:28:THR:HB	1:A:106:GLN:HB3	2.04	0.40
1:A:39:THR:HG23	1:A:43:GLU:HB2	2.02	0.40
1:A:32:ILE:HG23	1:A:51:VAL:HG21	2.04	0.40
1:A:24:CYS:HA	2:A:216:HOH:O	2.20	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	127/129 (98%)	111 (87%)	10 (8%)	6 (5%)	2 0

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	2	LYS
1	A	40	THR
1	A	38	ASN
1	A	103	GLU
1	A	94	ALA
1	A	100	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	118/118 (100%)	85 (72%)	33 (28%)	0 0

All (33) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	HIS
1	A	5	ILE
1	A	12	LYS
1	A	14	LEU
1	A	17	LEU
1	A	23	LEU
1	A	24	CYS
1	A	36	SER
1	A	37	LYS
1	A	38	ASN
1	A	39	THR
1	A	42	LYS
1	A	44	THR
1	A	51	VAL
1	A	52	LEU
1	A	53	ARG
1	A	54	GLN
1	A	64	ARG
1	A	71	GLN
1	A	79	LEU
1	A	83	LEU
1	A	85	ARG
1	A	86	LEU
1	A	96	LEU
1	A	100	PRO
1	A	102	LYS
1	A	103	GLU
1	A	107	SER
1	A	110	GLU
1	A	114	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	116	LEU
1	A	121	ARG
1	A	123	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	20	GLN
1	A	38	ASN
1	A	76	HIS
1	A	78	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.