



Full wwPDB NMR Structure Validation Report ⓘ

Mar 6, 2026 – 04:07 PM UTC

PDB ID : 1RCS / pdb_00001rcs
Title : NMR STUDY OF TRP REPRESSOR-OPERATOR DNA COMPLEX
Authors : Zhao, D.; Zheng, Z.
Deposited on : 1995-05-12

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
wwPDB-RCI	:	v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV	:	Wang et al. (2010)
wwPDB-ShiftChecker	:	v1.2
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment was not calculated.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	229148	14424
Ramachandran outliers	224038	12848
Sidechain outliers	223484	12823

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	E	20	70% 30%
1	F	20	75% 20% 5%
2	A	105	13% 49% 19% . 15% .
2	B	105	15% 44% 24% . 15% .

2 Ensemble composition and analysis

This entry contains 15 models. Model 1 is the overall representative, medoid model (most similar to other models).

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:18-A:105, B:518-B:605 (176)	0.70	1

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 1 clusters and 2 single-model clusters were found.

Cluster number	Models
1	1, 2, 3, 4, 6, 7, 8, 9, 10, 11, 12, 13, 14
Single-model clusters	5; 15

3 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 4704 atoms, of which 2188 are hydrogens and 0 are deuteriums.


- Molecule 1 is a DNA chain called DNA (5'-D(*CP*GP*TP*AP*CP*TP*AP*GP*TP*TP*AP*AP*CP*TP*AP*GP*TP*AP*CP*G)-3').

Mol	Chain	Residues	Atoms						Trace
1	E	20	Total	C	H	N	O	P	0
			635	196	228	74	118	19	
1	F	20	Total	C	H	N	O	P	0
			635	196	228	74	118	19	

- Molecule 2 is a protein called TRP REPRESSOR.

Mol	Chain	Residues	Atoms						Trace
2	A	104	Total	C	H	N	O	S	0
			1690	524	854	152	157	3	
2	B	104	Total	C	H	N	O	S	0
			1690	524	854	152	157	3	

- Molecule 3 is TRYPTOPHAN (CCD ID: TRP) (formula: $C_{11}H_{12}N_2O_2$).



Mol	Chain	Residues	Atoms				
3	A	1	Total	C	H	N	O
			27	11	12	2	2
3	B	1	Total	C	H	N	O
			27	11	12	2	2


4 Residue-property plots

4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.


- Molecule 1: DNA (5'-D(*CP*GP*TP*AP*CP*TP*AP*GP*TP*TP*AP*AP*CP*TP*AP*GP*TP*AP*CP*G)-3')

Chain E: 




- Molecule 1: DNA (5'-D(*CP*GP*TP*AP*CP*TP*AP*GP*TP*TP*AP*AP*CP*TP*AP*GP*TP*AP*CP*G)-3')

Chain F: 




- Molecule 2: TRP REPRESSOR

Chain A: 



- Molecule 2: TRP REPRESSOR

Chain B: 



4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.

4.2.1 Score per residue for model 1 (medoid)

- Molecule 1: DNA (5'-D(*CP*GP*TP*AP*CP*TP*AP*GP*TP*TP*AP*AP*CP*TP*AP*GP*TP*AP*CP*G)-3')

Chain E:

C1 G2 T3 A4 C5 T6 A7 G8 T9 T10 A11 A12 C13 T14 A15 G16 T17 A18 C19 G20

- Molecule 1: DNA (5'-D(*CP*GP*TP*AP*CP*TP*AP*GP*TP*TP*AP*AP*CP*TP*AP*GP*TP*AP*CP*G)-3')

Chain F:

C1 G2 T3 A4 C5 T6 A7 G8 T9 T10 A11 A12 C13 T14 A15 G16 T17 A18 C19 G20

- Molecule 2: TRP REPRESSOR

Chain A:

Q4 S5 P6 Y7 S8 A9 A10 A11 A12 A13 Q14 R15 H16 Q17 E18 W19 A20 L20 R21 R22 V23 D24 L25 L26 L27 K28 N29 A30 Y30 Q31 N32 D33 L34 H35 L36 P37 L38 L39 R40 R41 M42 L43 L44 T44 P45 D46 E47 R48 L51 G52 T53 R54 V55 R56 V57 V58 E59 F60 L61 L62 R63 G64

E65 R66 S67 Q68 R69 E70 L71 K72 W73 E74 L75 G76 A77 G78 L79 A80 L80 T81 R82 T83 R84 G85 S86 N87 S88 L89 K90 A91 G92 L96 Q98 W99 L100 E101 E102 V103 L104 L105 K106 S107 ASP

- Molecule 2: TRP REPRESSOR

Chain B:


Q504 S505 P506 Y507 S508 A509 A510 A511 A512 E513 Q514 R515 H516 Q517 E518 W519 A520 L520 R521 R522 V523 D524 L525 L526 L527 K528 N529 A530 Y530 Q531 N532 D533 L534 H535 L538 L539 L604 L605 L541 N540 N542 L543 L544 T544 P545 D546 E547 R548 E549 A550 L551 G552 T553 R554 V555 R556 V557 V558 E559 F560 L561 L562 R563 G564

E565 R566 S567 Q568 R569 E570 L571 K572 W573 E574 L578 A580 T581 R582 T583 R584 G585 S586 N587 S588 L589 K590 A591 G592 R597 Q598 W599 L600 E601 E602 V603 L604 L605 K606 S607 ASP



4.2.2 Score per residue for model 2

- Molecule 1: DNA (5'-D(*CP*GP*TP*AP*CP*TP*AP*GP*TP*TP*AP*AP*CP*TP*AP*GP*TP*AP*CP*G)-3')


Chain E:



- Molecule 1: DNA (5'-D(*CP*GP*TP*AP*CP*TP*AP*GP*TP*TP*AP*AP*CP*TP*AP*GP*TP*AP*CP*G)-3')



- Molecule 2: TRP REPRESSOR




- Molecule 2: TRP REPRESSOR





4.2.3 Score per residue for model 3


- Molecule 1: DNA (5'-D(*CP*GP*TP*AP*CP*TP*AP*GP*TP*TP*AP*AP*CP*TP*AP*GP*TP*AP*CP*G)-3')




- Molecule 1: DNA (5'-D(*CP*GP*TP*AP*CP*TP*AP*GP*TP*TP*AP*AP*CP*TP*AP*GP*TP*AP*CP*G)-3')



- Molecule 2: TRP REPRESSOR




• Molecule 2: TRP REPRESSOR




4.2.4 Score per residue for model 4


• Molecule 1: DNA (5'-D(*CP*GP*TP*AP*CP*TP*AP*GP*TP*TP*AP*AP*CP*TP*AP*GP*TP*AP*CP*G)-3')




• Molecule 1: DNA (5'-D(*CP*GP*TP*AP*CP*TP*AP*GP*TP*TP*AP*AP*CP*TP*AP*GP*TP*AP*CP*G)-3')



• Molecule 2: TRP REPRESSOR



• Molecule 2: TRP REPRESSOR






4.2.5 Score per residue for model 5


- Molecule 1: DNA (5'-D(*CP*GP*TP*AP*CP*TP*AP*GP*TP*TP*AP*AP*CP*TP*AP*GP*TP*AP*CP*G)-3')

Chain E: 70% 20% 10%




- Molecule 1: DNA (5'-D(*CP*GP*TP*AP*CP*TP*AP*GP*TP*TP*AP*AP*CP*TP*AP*GP*TP*AP*CP*G)-3')

Chain F: 75% 25%




- Molecule 2: TRP REPRESSOR

Chain A: 16% 50% 14% 15%




- Molecule 2: TRP REPRESSOR


Chain B: 16% 42% 18% 8% 15%




4.2.6 Score per residue for model 6


- Molecule 1: DNA (5'-D(*CP*GP*TP*AP*CP*TP*AP*GP*TP*TP*AP*AP*CP*TP*AP*GP*TP*AP*CP*G)-3')

Chain E: 





- Molecule 1: DNA (5'-D(*CP*GP*TP*AP*CP*TP*AP*GP*TP*TP*AP*AP*CP*TP*AP*GP*TP*AP*CP*G)-3')

Chain F: 




- Molecule 2: TRP REPRESSOR

Chain A: 




- Molecule 2: TRP REPRESSOR


Chain B: 




4.2.7 Score per residue for model 7


- Molecule 1: DNA (5'-D(*CP*GP*TP*AP*CP*TP*AP*GP*TP*TP*AP*AP*CP*TP*AP*GP*TP*AP*CP*G)-3')

Chain E: 




- Molecule 1: DNA (5'-D(*CP*GP*TP*AP*CP*TP*AP*GP*TP*TP*AP*AP*CP*TP*AP*GP*TP*AP*CP*G)-3')


Chain F: 



- Molecule 2: TRP REPRESSOR




- Molecule 2: TRP REPRESSOR




4.2.8 Score per residue for model 8


- Molecule 1: DNA (5'-D(*CP*GP*TP*AP*CP*TP*AP*GP*TP*TP*AP*AP*CP*TP*AP*GP*TP*AP*CP*G)-3')



- Molecule 1: DNA (5'-D(*CP*GP*TP*AP*CP*TP*AP*GP*TP*TP*AP*AP*CP*TP*AP*GP*TP*AP*CP*G)-3')




- Molecule 2: TRP REPRESSOR



- Molecule 2: TRP REPRESSOR






4.2.9 Score per residue for model 9


- Molecule 1: DNA (5'-D(*CP*GP*TP*AP*CP*TP*AP*GP*TP*TP*AP*AP*CP*TP*AP*GP*TP*AP*CP*G)-3')

Chain E: 70% 25% 5%




- Molecule 1: DNA (5'-D(*CP*GP*TP*AP*CP*TP*AP*GP*TP*TP*AP*AP*CP*TP*AP*GP*TP*AP*CP*G)-3')

Chain F: 80% 15% 5%




- Molecule 2: TRP REPRESSOR

Chain A: 14% 53% 12% 15%




- Molecule 2: TRP REPRESSOR


Chain B: 17% 40% 23% 15%



4.2.10 Score per residue for model 10


- Molecule 1: DNA (5'-D(*CP*GP*TP*AP*CP*TP*AP*GP*TP*TP*AP*AP*CP*TP*AP*GP*TP*AP*CP*G)-3')

Chain E:  70% 30%





- Molecule 1: DNA (5'-D(*CP*GP*TP*AP*CP*TP*AP*GP*TP*TP*AP*AP*CP*TP*AP*GP*TP*AP*CP*G)-3')

Chain F:  60% 35% 5%





- Molecule 2: TRP REPRESSOR

Chain A:  19% 41% 21% 15% .



- Molecule 2: TRP REPRESSOR

Chain B:  17% 43% 18% 6% 15% .




4.2.11 Score per residue for model 11


- Molecule 1: DNA (5'-D(*CP*GP*TP*AP*CP*TP*AP*GP*TP*TP*AP*AP*CP*TP*AP*GP*TP*AP*CP*G)-3')

Chain E:  70% 25% 5%




- Molecule 1: DNA (5'-D(*CP*GP*TP*AP*CP*TP*AP*GP*TP*TP*AP*AP*CP*TP*AP*GP*TP*AP*CP*G)-3')

Chain F:  80% 15% 5%





- Molecule 2: TRP REPRESSOR

Chain A: 




- Molecule 2: TRP REPRESSOR


Chain B: 




4.2.12 Score per residue for model 12


- Molecule 1: DNA (5'-D(*CP*GP*TP*AP*CP*TP*AP*GP*TP*TP*AP*AP*CP*TP*AP*GP*TP*AP*CP*G)-3')

Chain E: 




- Molecule 1: DNA (5'-D(*CP*GP*TP*AP*CP*TP*AP*GP*TP*TP*AP*AP*CP*TP*AP*GP*TP*AP*CP*G)-3')

Chain F: 





- Molecule 2: TRP REPRESSOR

Chain A: 




- Molecule 2: TRP REPRESSOR

Chain B: 





4.2.13 Score per residue for model 13



- Molecule 1: DNA (5'-D(*CP*GP*TP*AP*CP*TP*AP*GP*TP*TP*AP*AP*CP*TP*AP*GP*TP*AP*CP*G)-3')





- Molecule 1: DNA (5'-D(*CP*GP*TP*AP*CP*TP*AP*GP*TP*TP*AP*AP*CP*TP*AP*GP*TP*AP*CP*G)-3')



- Molecule 2: TRP REPRESSOR





- Molecule 2: TRP REPRESSOR




4.2.14 Score per residue for model 14


- Molecule 1: DNA (5'-D(*CP*GP*TP*AP*CP*TP*AP*GP*TP*TP*AP*AP*CP*TP*AP*GP*TP*AP*CP*G)-3')

Chain E: 





- Molecule 1: DNA (5'-D(*CP*GP*TP*AP*CP*TP*AP*GP*TP*TP*AP*AP*CP*TP*AP*GP*TP*AP*CP*G)-3')

Chain F: 




- Molecule 2: TRP REPRESSOR

Chain A: 



- Molecule 2: TRP REPRESSOR


Chain B: 




4.2.15 Score per residue for model 15


- Molecule 1: DNA (5'-D(*CP*GP*TP*AP*CP*TP*AP*GP*TP*TP*AP*AP*CP*TP*AP*GP*TP*AP*CP*G)-3')

Chain E: 




- Molecule 1: DNA (5'-D(*CP*GP*TP*AP*CP*TP*AP*GP*TP*TP*AP*AP*CP*TP*AP*GP*TP*AP*CP*G)-3')



Chain F: 



• Molecule 2: TRP REPRESSOR

Chain A: 

• Molecule 2: TRP REPRESSOR

Chain B: 

5 Refinement protocol and experimental data overview

Of the ? calculated structures, 15 were deposited, based on the following criterion: ?.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
X-PLOR	refinement	

No chemical shift data was provided.

6 Model quality

6.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the (average) root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#Z>5	RMSZ	#Z>5
1	E	2.28±0.02	37±2/456 (8.1± 0.4%)	3.06±0.02	85±2/702 (12.1± 0.3%)
1	F	2.27±0.01	38±1/456 (8.4± 0.3%)	3.06±0.02	85±2/702 (12.1± 0.3%)
2	A	2.67±0.02	65±3/720 (9.0± 0.4%)	1.33±0.02	3±1/975 (0.3± 0.1%)
2	B	2.67±0.03	67±3/720 (9.3± 0.4%)	1.33±0.02	2±1/975 (0.2± 0.1%)
All	All	2.52	3098/35280 (8.8%)	2.22	2623/50310 (5.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	Chirality	Planarity
1	E	1.3±0.5	1.9±0.6
1	F	1.1±0.2	2.3±0.6
2	A	0.0±0.0	2.2±1.3
2	B	0.0±0.0	1.9±0.9
All	All	36	126

All unique bond outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)	Models	
								Worst	Total
2	B	543	LEU	CA-C	12.11	1.58	1.52	9	1
2	B	544	THR	N-CA	10.67	1.56	1.46	8	15
2	A	23	VAL	N-CA	9.68	1.58	1.46	12	15
2	B	523	VAL	N-CA	8.79	1.56	1.46	11	15
2	A	44	THR	N-CA	8.68	1.58	1.46	8	15
2	A	42	MET	N-CA	8.57	1.56	1.46	13	15
2	A	103	VAL	N-CA	8.48	1.54	1.46	4	15
2	A	39	LEU	N-CA	8.47	1.56	1.46	12	15
2	B	578	GLY	N-CA	8.44	1.53	1.45	6	14
2	A	78	GLY	N-CA	8.20	1.52	1.45	9	14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)	Models	
								Worst	Total
2	A	33	ASP	N-CA	8.12	1.56	1.46	2	15
2	A	72	LYS	N-CA	8.07	1.56	1.46	13	15
2	A	43	LEU	CA-C	7.99	1.57	1.52	7	3
2	B	533	ASP	N-CA	7.99	1.56	1.46	14	15
2	B	519	TRP	N-CA	7.93	1.55	1.46	7	15
2	B	572	LYS	N-CA	7.78	1.56	1.46	6	15
2	A	67	SER	N-CA	7.74	1.53	1.46	15	8
2	B	542	MET	N-CA	7.62	1.54	1.46	15	14
2	A	105	LEU	N-CA	7.57	1.55	1.46	10	15
2	B	603	VAL	N-CA	7.49	1.53	1.46	6	15
2	B	597	ARG	N-CA	7.47	1.55	1.46	12	15
2	B	524	ASP	N-CA	7.47	1.55	1.46	11	15
2	A	58	VAL	N-CA	7.46	1.55	1.46	7	15
2	A	24	ASP	N-CA	7.46	1.55	1.46	12	15
2	B	590	LYS	N-CA	7.34	1.55	1.46	12	15
2	B	586	SER	N-CA	7.28	1.55	1.46	5	15
2	B	587	ASN	N-CA	7.28	1.55	1.46	2	15
2	B	554	ARG	N-CA	7.27	1.55	1.46	9	15
2	A	88	SER	N-CA	7.25	1.55	1.46	7	15
2	A	21	ARG	N-CA	7.24	1.55	1.46	9	15
2	A	81	THR	N-CA	7.24	1.55	1.46	1	15
2	B	558	VAL	N-CA	7.24	1.55	1.46	8	15
2	B	584	ARG	N-CA	7.23	1.55	1.46	5	15
2	A	46	ASP	N-CA	7.22	1.55	1.46	15	14
1	F	7	DA	C3'-C2'	-7.17	1.38	1.52	14	15
2	B	575	LEU	N-CA	7.17	1.53	1.46	15	13
2	B	546	ASP	N-CA	7.16	1.55	1.46	11	14
2	A	102	GLU	N-CA	7.12	1.55	1.46	7	15
2	A	87	ASN	N-CA	7.10	1.55	1.46	1	15
2	A	97	ARG	N-CA	7.10	1.55	1.46	15	15
2	A	100	LEU	N-CA	7.07	1.55	1.46	7	15
2	B	562	LEU	N-CA	7.07	1.55	1.46	4	15
2	A	40	ASN	N-CA	7.06	1.54	1.46	4	14
2	B	561	LEU	N-CA	7.05	1.55	1.46	10	15
2	B	588	SER	N-CA	7.03	1.54	1.46	10	15
2	B	600	LEU	N-CA	7.03	1.54	1.46	3	15
2	B	602	GLU	N-CA	7.02	1.55	1.46	9	15
2	A	101	GLU	N-CA	7.00	1.54	1.46	5	15
2	B	521	ARG	N-CA	7.00	1.55	1.46	12	15
2	A	68	GLN	N-CA	6.99	1.53	1.46	11	14
2	B	574	GLU	N-CA	6.99	1.54	1.46	12	13

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)	Models	
								Worst	Total
2	A	62	LEU	N-CA	6.96	1.54	1.46	2	14
2	A	74	GLU	N-CA	6.94	1.54	1.46	7	15
2	A	84	ARG	N-CA	6.92	1.54	1.46	15	15
2	B	605	LEU	N-CA	6.92	1.54	1.46	6	14
2	A	82	ILE	N-CA	6.91	1.55	1.46	8	15
2	B	601	GLU	N-CA	6.90	1.54	1.46	13	15
2	A	66	MET	N-CA	6.88	1.53	1.46	3	4
2	B	549	GLU	N-CA	6.87	1.54	1.46	2	14
2	A	86	SER	N-CA	6.86	1.54	1.46	15	15
2	A	61	LEU	N-CA	6.86	1.54	1.46	2	15
2	A	92	ALA	N-CA	6.84	1.55	1.46	13	14
2	A	19	TRP	N-CA	6.82	1.54	1.46	12	15
1	E	7	DA	C3'-C2'	-6.80	1.39	1.52	12	15
2	B	573	ASN	N-CA	6.80	1.54	1.46	7	15
2	B	581	THR	N-CA	6.78	1.54	1.46	3	15
2	A	90	LYS	N-CA	6.78	1.54	1.46	15	15
2	B	551	LEU	N-CA	6.77	1.54	1.46	5	12
2	A	99	TRP	N-CA	6.75	1.54	1.46	11	15
2	A	31	GLN	N-CA	6.75	1.54	1.46	2	15
2	A	73	ASN	N-CA	6.72	1.54	1.46	14	15
2	A	51	LEU	N-CA	6.72	1.54	1.46	10	15
2	B	528	ASN	N-CA	6.70	1.54	1.46	6	15
2	B	599	TRP	N-CA	6.69	1.54	1.46	10	15
2	B	553	THR	N-CA	6.65	1.54	1.46	7	15
1	F	5	DC	O4'-C1'	6.63	1.55	1.41	7	15
2	A	28	ASN	N-CA	6.63	1.54	1.46	5	15
1	E	5	DC	O4'-C1'	6.60	1.55	1.41	5	15
2	B	531	GLN	N-CA	6.58	1.54	1.46	11	15
2	B	568	GLN	N-CA	6.58	1.53	1.46	11	11
2	A	25	LEU	N-CA	6.58	1.54	1.46	5	14
2	B	576	GLY	N-CA	6.57	1.55	1.45	15	7
2	B	540	ASN	N-CA	6.55	1.54	1.46	15	12
2	A	49	GLU	N-CA	6.55	1.54	1.46	13	9
2	A	54	ARG	N-CA	6.54	1.54	1.46	9	15
1	F	14	DT	O4'-C1'	6.53	1.54	1.41	3	15
2	B	557	ILE	CA-CB	6.50	1.62	1.54	1	12
2	B	569	ARG	N-CA	6.49	1.54	1.46	8	14
1	E	9	DT	O4'-C1'	6.48	1.54	1.41	12	15
2	B	538	LEU	N-CA	6.47	1.54	1.46	5	14
2	B	539	LEU	N-CA	6.47	1.54	1.46	9	15
2	B	592	ALA	N-CA	6.46	1.55	1.46	15	13

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)	Models	
								Worst	Total
1	F	1	DC	O4'-C1'	6.46	1.54	1.41	2	15
1	E	14	DT	O4'-C1'	6.45	1.54	1.41	9	15
2	B	555	VAL	N-CA	6.45	1.55	1.46	1	15
1	E	2	DG	O4'-C1'	6.44	1.54	1.41	15	15
2	A	89	LEU	N-CA	6.40	1.54	1.46	9	14
2	B	582	ILE	N-CA	6.38	1.54	1.46	6	15
1	F	9	DT	O4'-C1'	6.37	1.54	1.41	3	15
1	F	12	DA	O4'-C1'	6.37	1.54	1.41	2	15
2	B	544	THR	CA-C	6.37	1.60	1.52	13	10
2	B	525	LEU	N-CA	6.36	1.54	1.46	9	15
1	E	3	DT	O4'-C1'	6.36	1.54	1.41	5	15
1	F	3	DT	O4'-C1'	6.36	1.54	1.41	9	15
1	E	17	DT	O4'-C1'	6.35	1.54	1.41	11	15
2	A	48	ARG	N-CA	6.35	1.54	1.46	8	15
2	A	53	THR	N-CA	6.34	1.54	1.46	7	15
2	B	566	MET	N-CA	6.34	1.54	1.46	4	3
1	F	10	DT	O4'-C1'	6.34	1.54	1.41	5	15
2	B	520	LEU	N-CA	6.33	1.54	1.46	1	15
2	B	589	LEU	N-CA	6.33	1.54	1.46	5	13
1	E	1	DC	O4'-C1'	6.32	1.54	1.41	7	15
1	F	6	DT	C3'-C2'	-6.31	1.40	1.52	5	15
1	F	19	DC	O4'-C1'	6.31	1.54	1.41	11	15
2	A	59	GLU	N-CA	6.31	1.54	1.46	13	15
2	A	38	LEU	N-CA	6.30	1.54	1.46	12	8
1	E	11	DA	O4'-C1'	6.29	1.54	1.41	2	15
1	E	6	DT	C3'-C2'	-6.28	1.40	1.52	15	15
1	F	6	DT	O4'-C1'	6.27	1.54	1.41	8	15
1	E	5	DC	C3'-C2'	-6.25	1.40	1.52	1	15
1	F	17	DT	O4'-C1'	6.24	1.54	1.41	7	15
2	B	542	MET	CA-C	6.24	1.61	1.52	4	1
1	F	2	DG	O4'-C1'	6.23	1.54	1.41	7	15
2	B	559	GLU	N-CA	6.23	1.54	1.46	13	14
2	B	534	LEU	N-CA	6.23	1.53	1.46	13	14
1	E	12	DA	C3'-C2'	-6.23	1.40	1.52	1	15
2	A	47	GLU	N-CA	6.23	1.54	1.46	15	10
2	B	530	TYR	N-CA	6.22	1.54	1.46	2	15
1	F	11	DA	O4'-C1'	6.22	1.54	1.41	7	15
2	A	18	GLU	N-CA	6.21	1.52	1.46	15	10
1	E	12	DA	O4'-C1'	6.21	1.54	1.41	10	15
2	A	55	VAL	N-CA	6.21	1.54	1.46	11	15
1	F	4	DA	O4'-C1'	6.20	1.54	1.41	12	15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)	Models	
								Worst	Total
1	F	16	DG	O4'-C1'	6.20	1.54	1.41	1	15
2	A	34	LEU	N-CA	6.19	1.53	1.46	15	15
1	E	19	DC	O4'-C1'	6.17	1.54	1.41	2	15
1	F	10	DT	C3'-C2'	-6.16	1.40	1.52	15	15
1	E	18	DA	O4'-C1'	6.16	1.54	1.41	2	15
1	E	14	DT	C3'-C2'	-6.15	1.40	1.52	3	15
1	E	10	DT	O4'-C1'	6.15	1.54	1.41	11	15
1	E	11	DA	C3'-C2'	-6.13	1.40	1.52	10	15
1	F	12	DA	C3'-C2'	-6.13	1.40	1.52	15	15
2	B	604	LEU	N-CA	6.13	1.53	1.46	4	7
1	E	10	DT	C3'-C2'	-6.13	1.40	1.52	2	15
2	A	30	TYR	N-CA	6.12	1.54	1.46	3	15
2	B	571	LEU	N-CA	6.11	1.53	1.46	7	14
1	F	13	DC	C3'-C2'	-6.11	1.40	1.52	11	11
2	A	41	LEU	N-CA	6.10	1.53	1.45	1	11
1	E	4	DA	O4'-C1'	6.09	1.54	1.41	7	15
2	B	569	ARG	CD-NE	6.09	1.54	1.46	5	7
2	B	543	LEU	N-CA	6.08	1.54	1.46	15	14
2	B	544	THR	C-N	6.08	1.41	1.33	5	3
1	F	2	DG	C3'-C2'	-6.07	1.40	1.52	7	15
2	B	563	ARG	N-CA	6.06	1.53	1.46	7	12
1	F	7	DA	C4'-C3'	-6.05	1.40	1.52	12	9
1	E	8	DG	O4'-C1'	6.05	1.53	1.41	13	15
1	F	18	DA	O4'-C1'	6.03	1.53	1.41	14	15
1	F	14	DT	C3'-C2'	-6.02	1.41	1.52	15	15
1	E	15	DA	O4'-C1'	6.01	1.53	1.41	13	15
1	E	6	DT	O4'-C1'	6.01	1.53	1.41	15	15
2	A	56	ARG	N-CA	5.99	1.53	1.46	1	14
2	B	522	PHE	C-N	5.96	1.40	1.34	14	14
2	A	75	LEU	N-CA	5.96	1.54	1.46	6	14
1	E	16	DG	O4'-C1'	5.96	1.53	1.41	1	15
2	B	565	GLU	N-CA	5.96	1.53	1.46	8	12
1	F	3	DT	C3'-C2'	-5.94	1.41	1.52	14	15
2	A	104	LEU	N-CA	5.93	1.53	1.46	4	6
1	F	8	DG	O4'-C1'	5.93	1.53	1.41	13	15
1	E	9	DT	C3'-C2'	-5.92	1.41	1.52	4	14
1	F	13	DC	O4'-C1'	5.92	1.53	1.41	13	14
2	B	548	ARG	N-CA	5.92	1.53	1.46	6	15
1	F	11	DA	C3'-C2'	-5.91	1.41	1.52	14	15
1	F	15	DA	O4'-C1'	5.91	1.53	1.41	1	15
1	E	13	DC	O4'-C1'	5.91	1.53	1.41	11	10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)	Models	
								Worst	Total
2	A	69	ARG	N-CA	5.91	1.53	1.46	8	15
1	E	18	DA	C3'-C2'	-5.90	1.41	1.52	12	15
1	E	13	DC	C3'-C2'	-5.90	1.41	1.52	6	9
2	A	22	PHE	C-N	5.89	1.40	1.34	7	8
2	B	541	LEU	N-CA	5.89	1.53	1.46	4	3
1	F	5	DC	C3'-C2'	-5.88	1.41	1.52	13	15
2	B	584	ARG	CD-NE	5.86	1.54	1.46	5	6
1	F	19	DC	C3'-C2'	-5.86	1.41	1.52	14	15
1	F	9	DT	C3'-C2'	-5.83	1.41	1.52	4	15
2	A	85	GLY	N-CA	5.82	1.53	1.45	15	12
2	A	84	ARG	CD-NE	5.82	1.54	1.46	7	9
2	A	71	LEU	N-CA	5.81	1.53	1.46	5	15
2	B	580	ALA	N-CA	5.81	1.53	1.46	11	13
1	E	19	DC	C3'-C2'	-5.80	1.41	1.52	11	14
2	A	63	ARG	N-CA	5.80	1.53	1.46	4	13
2	A	27	LYS	N-CA	5.80	1.53	1.46	2	8
1	E	17	DT	C3'-C2'	-5.79	1.41	1.52	9	15
1	F	8	DG	C3'-C2'	-5.78	1.41	1.52	2	14
2	B	568	GLN	CA-C	5.78	1.56	1.52	11	2
2	A	26	LEU	N-CA	5.76	1.53	1.46	1	6
2	B	567	SER	N-CA	5.76	1.52	1.46	2	2
2	A	57	ILE	N-CA	5.76	1.53	1.46	4	10
2	B	518	GLU	N-CA	5.76	1.53	1.46	1	8
2	B	585	GLY	N-CA	5.75	1.53	1.45	2	10
1	E	3	DT	C3'-C2'	-5.75	1.41	1.52	11	14
2	B	547	GLU	N-CA	5.74	1.53	1.46	15	11
1	E	1	DC	C3'-C2'	-5.73	1.41	1.52	5	13
2	B	591	ALA	N-CA	5.73	1.53	1.46	9	4
2	A	43	LEU	N-CA	5.72	1.53	1.46	15	2
2	A	20	LEU	N-CA	5.71	1.53	1.46	5	8
1	E	2	DG	C3'-C2'	-5.71	1.41	1.52	14	14
2	A	65	GLU	N-CA	5.71	1.52	1.46	8	12
2	B	557	ILE	N-CA	5.70	1.54	1.46	12	7
2	A	103	VAL	CA-CB	5.67	1.60	1.54	12	5
1	E	4	DA	C3'-C2'	-5.64	1.41	1.52	13	15
1	F	1	DC	C3'-C2'	-5.63	1.41	1.52	7	15
2	B	521	ARG	CD-NE	5.63	1.54	1.46	1	2
1	E	8	DG	C3'-C2'	-5.62	1.41	1.52	5	12
1	E	16	DG	C3'-C2'	-5.61	1.41	1.52	1	14
2	B	560	GLU	N-CA	5.60	1.53	1.46	2	13
1	E	15	DA	C3'-C2'	-5.60	1.41	1.52	4	10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)	Models	
								Worst	Total
1	F	16	DG	C3'-C2'	-5.60	1.41	1.52	13	15
1	F	17	DT	C3'-C2'	-5.60	1.41	1.52	13	15
2	B	556	ARG	N-CA	5.59	1.53	1.46	7	10
1	F	18	DA	C3'-C2'	-5.59	1.41	1.52	7	15
2	B	577	ALA	N-CA	5.54	1.54	1.46	15	8
2	B	548	ARG	CD-NE	5.54	1.54	1.46	5	2
2	A	54	ARG	CD-NE	5.53	1.53	1.46	3	5
1	F	15	DA	C3'-C2'	-5.53	1.41	1.52	3	9
1	F	4	DA	C3'-C2'	-5.53	1.42	1.52	5	14
2	A	77	ALA	N-CA	5.53	1.52	1.46	9	7
2	B	603	VAL	CA-CB	5.52	1.60	1.54	1	7
2	B	566	MET	CA-CB	5.51	1.57	1.53	10	2
2	A	60	GLU	N-CA	5.49	1.53	1.46	7	11
2	B	597	ARG	CD-NE	5.46	1.53	1.46	8	1
2	A	76	GLY	N-CA	5.44	1.53	1.45	1	10
2	A	57	ILE	CA-CB	5.43	1.61	1.54	3	5
2	B	554	ARG	CD-NE	5.41	1.53	1.46	2	2
2	B	603	VAL	CA-C	5.40	1.59	1.52	11	4
2	A	80	ALA	N-CA	5.40	1.53	1.46	11	7
2	B	544	THR	CA-CB	5.39	1.61	1.53	12	4
2	A	21	ARG	CD-NE	5.39	1.53	1.46	12	3
2	A	68	GLN	CA-C	5.37	1.56	1.52	13	2
2	A	97	ARG	CD-NE	5.37	1.53	1.46	8	2
2	A	48	ARG	CD-NE	5.36	1.53	1.46	8	2
2	B	564	GLY	N-CA	5.36	1.53	1.45	6	6
2	B	598	GLN	N-CA	5.32	1.52	1.46	2	7
2	A	91	ALA	N-CA	5.32	1.52	1.46	9	3
1	F	13	DC	C3'-O3'	5.31	1.58	1.42	6	2
2	B	527	LYS	N-CA	5.31	1.53	1.46	5	2
2	B	536	LEU	C-N	5.30	1.40	1.34	12	2
2	B	594	VAL	N-CA	5.30	1.52	1.46	15	2
2	B	541	LEU	CA-C	5.29	1.57	1.52	9	1
2	A	103	VAL	CA-C	5.28	1.59	1.52	14	3
2	B	579	ILE	CA-CB	5.27	1.60	1.54	10	3
2	A	22	PHE	CA-C	5.25	1.59	1.52	2	1
2	A	94	VAL	N-CA	5.25	1.52	1.46	7	3
2	B	563	ARG	CD-NE	5.24	1.53	1.46	12	3
2	A	79	ILE	N-CA	5.24	1.53	1.46	1	1
2	A	64	GLY	N-CA	5.23	1.52	1.45	13	3
1	E	13	DC	C3'-O3'	5.23	1.58	1.42	5	1
2	B	556	ARG	CD-NE	5.23	1.53	1.46	11	2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)	Models	
								Worst	Total
2	A	63	ARG	CD-NE	5.22	1.53	1.46	11	2
1	E	9	DT	C3'-O3'	5.22	1.58	1.42	10	6
2	A	44	THR	CA-C	5.22	1.59	1.52	13	2
1	E	17	DT	C3'-O3'	5.20	1.58	1.42	9	5
1	F	5	DC	C3'-O3'	5.20	1.58	1.42	15	8
1	E	8	DG	C3'-O3'	5.19	1.58	1.42	11	2
2	A	69	ARG	CD-NE	5.19	1.53	1.46	2	2
2	A	70	GLU	N-CA	5.19	1.52	1.46	2	1
2	A	95	GLU	N-CA	5.19	1.52	1.46	7	1
1	E	5	DC	C3'-O3'	5.18	1.58	1.42	13	6
2	A	42	MET	CA-C	5.18	1.60	1.52	15	1
2	A	56	ARG	CD-NE	5.16	1.53	1.46	15	3
2	A	98	GLN	N-CA	5.14	1.52	1.46	5	1
1	F	20	DG	O4'-C1'	5.13	1.52	1.41	6	4
2	A	79	ILE	CA-CB	5.12	1.60	1.54	1	1
2	B	526	LEU	N-CA	5.12	1.52	1.46	4	5
2	B	583	THR	N-CA	5.12	1.52	1.45	12	1
2	B	542	MET	CA-CB	5.11	1.60	1.52	4	1
2	B	579	ILE	N-CA	5.08	1.53	1.46	1	2
1	E	7	DA	O4'-C1'	5.08	1.52	1.41	4	1
2	B	570	GLU	N-CA	5.08	1.52	1.46	5	2
2	B	545	PRO	N-CA	5.07	1.54	1.47	5	1
1	F	2	DG	C3'-O3'	5.07	1.57	1.42	2	4
1	F	9	DT	C3'-O3'	5.06	1.57	1.42	6	2
1	E	20	DG	O4'-C1'	5.05	1.51	1.41	7	1
2	A	36	LEU	C-N	5.03	1.40	1.34	7	1
1	F	7	DA	C3'-O3'	5.01	1.57	1.42	10	1
2	A	18	GLU	CA-C	5.01	1.56	1.52	15	1
2	B	532	ASN	N-CA	5.00	1.52	1.46	7	1
2	B	533	ASP	CA-C	5.00	1.59	1.52	11	1
2	B	556	ARG	C-N	5.00	1.39	1.34	5	1

All unique angle outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	F	7	DA	N9-C1'-C2'	15.07	136.11	113.50	10	15
1	E	13	DC	N1-C1'-C2'	13.66	133.98	113.50	15	15
1	E	7	DA	N9-C1'-C2'	13.02	133.02	113.50	1	15
1	E	5	DC	C2'-C3'-O3'	-11.79	93.81	111.50	1	15
1	F	9	DT	C2'-C3'-O3'	-11.24	94.64	111.50	4	15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	F	10	DT	C2'-C3'-O3'	-11.14	94.78	111.50	9	15
1	E	11	DA	C2'-C3'-O3'	-11.12	94.83	111.50	10	15
1	E	9	DT	C2'-C3'-O3'	-10.95	95.07	111.50	5	15
1	E	8	DG	C2'-C3'-O3'	-10.89	95.16	111.50	10	12
1	F	19	DC	C2'-C3'-O3'	-10.82	95.27	111.50	8	15
1	F	5	DC	C2'-C3'-O3'	-10.71	95.43	111.50	12	15
1	F	13	DC	N1-C1'-C2'	10.63	129.44	113.50	15	15
1	F	13	DC	O4'-C1'-N1	10.51	124.17	108.40	15	15
1	E	20	DG	C4'-C3'-O3'	10.48	125.73	110.00	3	15
1	F	20	DG	C4'-C3'-O3'	10.40	125.60	110.00	8	15
1	F	20	DG	C2'-C3'-O3'	10.37	127.06	111.50	6	15
1	E	10	DT	C2'-C3'-O3'	-10.21	96.18	111.50	15	15
1	E	13	DC	O4'-C1'-N1	10.19	123.68	108.40	2	15
1	F	13	DC	C2'-C3'-O3'	-10.06	96.40	111.50	11	14
1	F	8	DG	C2'-C3'-O3'	-10.06	96.41	111.50	2	15
1	E	3	DT	C4'-C3'-C2'	10.05	117.48	102.40	5	15
1	E	20	DG	C2'-C3'-O3'	10.01	126.52	111.50	3	15
1	E	13	DC	C2'-C3'-O3'	-9.99	96.52	111.50	2	12
1	F	9	DT	C4'-C3'-C2'	9.96	117.34	102.40	2	15
1	F	4	DA	C4'-C3'-C2'	9.94	117.31	102.40	12	15
1	E	2	DG	C4'-C3'-C2'	9.93	117.30	102.40	15	15
1	E	9	DT	C4'-C3'-C2'	9.93	117.29	102.40	1	15
1	F	19	DC	C4'-C3'-C2'	9.92	117.28	102.40	7	15
1	E	1	DC	C4'-C3'-C2'	9.90	117.25	102.40	7	15
1	F	12	DA	C4'-C3'-C2'	9.88	117.23	102.40	1	15
1	E	12	DA	C4'-C3'-C2'	9.88	117.22	102.40	12	15
1	E	19	DC	C2'-C3'-O3'	-9.88	96.68	111.50	11	15
1	E	5	DC	C4'-C3'-C2'	9.86	117.19	102.40	10	15
1	F	17	DT	C4'-C3'-C2'	9.82	117.13	102.40	7	15
1	E	14	DT	C4'-C3'-C2'	9.82	117.12	102.40	12	15
1	F	10	DT	C4'-C3'-C2'	9.82	117.12	102.40	4	15
1	F	1	DC	C4'-C3'-C2'	9.79	117.09	102.40	6	15
1	F	14	DT	C4'-C3'-C2'	9.79	117.08	102.40	8	15
1	E	10	DT	C4'-C3'-C2'	9.77	117.05	102.40	11	15
1	E	19	DC	C4'-C3'-C2'	9.75	117.02	102.40	12	15
1	E	11	DA	C4'-C3'-C2'	9.74	117.02	102.40	3	15
1	F	3	DT	C4'-C3'-C2'	9.71	116.96	102.40	9	15
1	F	18	DA	C2'-C3'-O3'	-9.70	96.95	111.50	7	15
1	E	8	DG	C4'-C3'-O3'	-9.69	95.46	110.00	3	11
1	F	13	DC	C4'-C3'-C2'	9.65	116.87	102.40	12	15
1	E	4	DA	C4'-C3'-C2'	9.63	116.84	102.40	1	15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	E	17	DT	C4'-C3'-C2'	9.61	116.81	102.40	8	15
1	F	5	DC	C4'-C3'-C2'	9.60	116.80	102.40	3	15
1	E	13	DC	C4'-C3'-C2'	9.59	116.79	102.40	11	15
1	E	6	DT	C4'-C3'-C2'	9.52	116.68	102.40	1	15
1	F	18	DA	C4'-C3'-C2'	9.51	116.67	102.40	6	15
1	F	11	DA	C4'-C3'-C2'	9.49	116.63	102.40	8	15
1	F	2	DG	C4'-C3'-C2'	9.46	116.59	102.40	14	15
1	F	6	DT	C4'-C3'-C2'	9.40	116.50	102.40	1	15
1	F	10	DT	C4'-C3'-O3'	-9.31	96.03	110.00	7	2
1	E	15	DA	C4'-C3'-C2'	9.23	116.25	102.40	3	15
1	E	18	DA	C4'-C3'-C2'	9.21	116.22	102.40	9	15
1	E	8	DG	C4'-C3'-C2'	9.19	116.19	102.40	4	15
1	E	11	DA	C4'-C3'-O3'	-9.19	96.22	110.00	13	9
1	F	16	DG	C4'-C3'-C2'	9.19	116.19	102.40	11	15
1	F	8	DG	C4'-C3'-C2'	9.19	116.18	102.40	9	15
1	F	15	DA	C4'-C3'-C2'	9.19	116.18	102.40	15	15
1	E	16	DG	C4'-C3'-C2'	9.11	116.06	102.40	12	15
1	E	11	DA	O4'-C1'-N9	8.98	121.88	108.40	13	15
1	F	7	DA	C4'-C3'-C2'	8.90	115.75	102.40	10	15
1	E	2	DG	C2'-C3'-O3'	-8.81	98.28	111.50	5	15
1	E	12	DA	C4'-C3'-O3'	-8.80	96.80	110.00	2	8
1	E	18	DA	C4'-C3'-O3'	-8.79	96.81	110.00	10	15
1	F	14	DT	C2'-C3'-O3'	-8.78	98.33	111.50	10	15
1	F	11	DA	O4'-C1'-N9	8.76	121.53	108.40	9	15
1	E	7	DA	C2'-C3'-O3'	-8.75	98.37	111.50	5	15
1	F	7	DA	C2'-C3'-O3'	-8.73	98.41	111.50	14	15
1	F	2	DG	C2'-C3'-O3'	-8.70	98.45	111.50	3	15
1	E	17	DT	C2'-C3'-O3'	-8.69	98.46	111.50	9	15
1	E	14	DT	C2'-C3'-O3'	-8.68	98.48	111.50	14	15
1	E	10	DT	C4'-C3'-O3'	-8.60	97.10	110.00	5	6
1	F	12	DA	C2'-C3'-O3'	-8.54	98.69	111.50	1	15
1	E	4	DA	C4'-C3'-O3'	-8.53	97.20	110.00	11	14
1	E	13	DC	C4'-C3'-O3'	-8.49	97.26	110.00	11	5
1	E	15	DA	C4'-C3'-O3'	-8.46	97.31	110.00	2	15
1	F	17	DT	C2'-C3'-O3'	-8.46	98.81	111.50	13	15
1	E	6	DT	C4'-C3'-O3'	-8.43	97.35	110.00	9	7
1	E	12	DA	C2'-C3'-O3'	-8.42	98.87	111.50	13	15
1	E	16	DG	C4'-C3'-O3'	-8.41	97.38	110.00	8	15
1	F	4	DA	O4'-C1'-N9	8.36	120.94	108.40	15	15
1	F	11	DA	C4'-C3'-O3'	-8.36	97.47	110.00	7	13
1	F	15	DA	C2'-C3'-O3'	-8.34	98.99	111.50	6	15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	F	9	DT	C4'-C3'-O3'	-8.32	97.52	110.00	5	4
1	E	2	DG	O4'-C1'-N9	8.31	120.86	108.40	3	15
1	E	18	DA	C2'-C3'-O3'	-8.31	99.04	111.50	11	15
1	E	18	DA	O4'-C1'-N9	8.26	120.78	108.40	1	15
2	A	97	ARG	N-CA-C	-8.26	102.36	111.36	11	15
1	E	12	DA	O4'-C1'-N9	8.24	120.77	108.40	15	15
1	F	19	DC	O4'-C1'-N1	8.23	120.75	108.40	10	15
1	E	19	DC	O4'-C1'-N1	8.22	120.73	108.40	11	15
1	E	1	DC	C2'-C3'-O3'	-8.21	99.18	111.50	5	15
1	F	15	DA	C4'-C3'-O3'	-8.21	97.69	110.00	2	15
1	F	3	DT	C2'-C3'-O3'	-8.19	99.21	111.50	13	15
1	F	8	DG	C4'-C3'-O3'	-8.18	97.73	110.00	13	14
2	B	597	ARG	N-CA-C	-8.17	102.34	111.82	10	15
1	E	6	DT	C2'-C3'-O3'	-8.17	99.25	111.50	15	15
1	E	4	DA	C2'-C3'-O3'	-8.14	99.29	111.50	2	15
1	F	18	DA	O4'-C1'-N9	8.14	120.61	108.40	3	15
1	E	15	DA	C2'-C3'-O3'	-8.13	99.31	111.50	4	15
1	F	13	DC	P-O3'-C3'	8.11	132.37	120.20	6	10
1	E	4	DA	O4'-C1'-N9	8.11	120.56	108.40	11	15
1	F	3	DT	O4'-C1'-N1	8.09	120.53	108.40	13	15
1	F	6	DT	C2'-C3'-O3'	-8.09	99.37	111.50	15	15
1	E	3	DT	C2'-C3'-O3'	-8.08	99.38	111.50	2	15
1	F	4	DA	C2'-C3'-O3'	-8.08	99.37	111.50	4	15
1	F	11	DA	C2'-C3'-O3'	-8.08	99.38	111.50	15	15
1	E	16	DG	C2'-C3'-O3'	-8.07	99.39	111.50	12	15
1	E	9	DT	C4'-C3'-O3'	-8.06	97.92	110.00	7	2
1	F	9	DT	O4'-C1'-N1	8.05	120.48	108.40	4	15
1	F	12	DA	O4'-C1'-N9	8.05	120.47	108.40	9	15
1	E	8	DG	O4'-C1'-N9	8.04	120.46	108.40	13	15
1	F	6	DT	C4'-C3'-O3'	-8.04	97.95	110.00	11	5
1	E	16	DG	O4'-C1'-N9	8.03	120.44	108.40	13	15
1	F	20	DG	O4'-C1'-N9	7.98	120.38	108.40	8	15
1	F	8	DG	O4'-C1'-N9	7.97	120.36	108.40	10	15
1	F	16	DG	C2'-C3'-O3'	-7.97	99.54	111.50	11	15
1	E	3	DT	O4'-C1'-N1	7.96	120.35	108.40	6	15
1	E	5	DC	O4'-C1'-N1	7.96	120.35	108.40	1	15
1	F	1	DC	C2'-C3'-O3'	-7.96	99.55	111.50	2	15
1	E	17	DT	O4'-C1'-N1	7.96	120.34	108.40	7	15
1	E	6	DT	O4'-C1'-N1	7.95	120.33	108.40	14	15
1	F	16	DG	C4'-C3'-O3'	-7.95	98.07	110.00	1	15
1	E	17	DT	C4'-C3'-O3'	-7.95	98.07	110.00	3	5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	E	15	DA	O4'-C1'-N9	7.93	120.29	108.40	1	15
1	E	7	DA	C4'-C3'-C2'	7.92	114.28	102.40	10	15
1	E	20	DG	O4'-C1'-N9	7.89	120.24	108.40	9	15
1	F	6	DT	O4'-C1'-N1	7.89	120.24	108.40	6	15
1	F	16	DG	O4'-C1'-N9	7.87	120.20	108.40	4	15
1	F	15	DA	O4'-C1'-N9	7.86	120.19	108.40	10	15
1	F	1	DC	C4'-C3'-O3'	-7.85	98.22	110.00	3	10
1	E	10	DT	O4'-C1'-N1	7.84	120.17	108.40	3	15
1	E	9	DT	O4'-C1'-N1	7.83	120.14	108.40	5	15
1	F	3	DT	C4'-C3'-O3'	-7.81	98.28	110.00	5	14
1	F	14	DT	O4'-C1'-N1	7.80	120.10	108.40	15	15
1	E	1	DC	O4'-C1'-N1	7.74	120.01	108.40	12	15
1	F	2	DG	O4'-C1'-N9	7.68	119.93	108.40	15	15
1	F	12	DA	C4'-C3'-O3'	-7.67	98.49	110.00	5	7
1	E	14	DT	O4'-C1'-N1	7.65	119.87	108.40	1	15
1	F	5	DC	N1-C1'-C2'	7.62	124.94	113.50	12	12
1	E	5	DC	C4'-C3'-O3'	-7.62	98.56	110.00	4	4
1	F	9	DT	P-O3'-C3'	7.62	131.63	120.20	13	8
1	F	19	DC	C4'-C3'-O3'	-7.58	98.62	110.00	12	8
1	E	3	DT	C4'-C3'-O3'	-7.56	98.66	110.00	15	11
1	F	4	DA	C4'-C3'-O3'	-7.55	98.67	110.00	14	11
1	F	2	DG	C4'-C3'-O3'	-7.55	98.67	110.00	11	4
1	F	1	DC	O4'-C1'-N1	7.54	119.72	108.40	4	15
1	F	5	DC	C4'-C3'-O3'	-7.53	98.71	110.00	6	5
1	F	10	DT	O4'-C1'-N1	7.51	119.66	108.40	2	15
1	E	10	DT	N1-C1'-C2'	7.50	124.76	113.50	15	7
1	F	5	DC	O4'-C1'-N1	7.50	119.64	108.40	13	15
1	E	8	DG	P-O3'-C3'	7.48	131.42	120.20	14	6
1	F	14	DT	C4'-C3'-O3'	-7.45	98.82	110.00	7	8
1	F	13	DC	C4'-C3'-O3'	-7.44	98.84	110.00	3	6
1	E	13	DC	P-O3'-C3'	7.43	131.34	120.20	5	9
1	F	10	DT	N1-C1'-C2'	7.43	124.64	113.50	9	9
1	F	17	DT	O4'-C1'-N1	7.43	119.54	108.40	7	15
1	F	18	DA	C4'-C3'-O3'	-7.41	98.88	110.00	15	14
2	B	542	MET	N-CA-C	-7.38	101.44	111.55	4	1
1	E	19	DC	C4'-C3'-O3'	-7.35	98.97	110.00	1	14
1	F	17	DT	C4'-C3'-O3'	-7.30	99.04	110.00	10	14
1	E	1	DC	C4'-C3'-O3'	-7.30	99.05	110.00	13	12
1	F	18	DA	N9-C1'-C2'	7.26	124.38	113.50	7	1
1	E	14	DT	C4'-C3'-O3'	-7.14	99.30	110.00	8	8
1	E	2	DG	C4'-C3'-O3'	-7.08	99.38	110.00	11	13

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	E	5	DC	N1-C1'-C2'	6.98	123.97	113.50	7	14
1	E	8	DG	N9-C1'-C2'	6.92	123.88	113.50	10	8
1	E	9	DT	N1-C1'-C2'	6.90	123.85	113.50	11	13
1	F	8	DG	N9-C1'-C2'	6.86	123.79	113.50	14	8
1	F	2	DG	P-O3'-C3'	6.64	130.16	120.20	9	12
1	E	10	DT	P-O3'-C3'	6.64	130.16	120.20	2	9
1	F	19	DC	N1-C1'-C2'	6.58	123.37	113.50	6	9
1	E	6	DT	N1-C1'-C2'	6.54	123.31	113.50	10	14
2	B	549	GLU	N-CA-C	-6.51	102.66	112.04	7	2
1	F	9	DT	N1-C1'-C2'	6.46	123.20	113.50	1	11
1	F	5	DC	P-O3'-C3'	6.39	129.78	120.20	9	10
1	F	6	DT	N1-C1'-C2'	6.29	122.94	113.50	11	12
1	F	16	DG	N9-C1'-C2'	6.28	122.92	113.50	12	14
1	E	9	DT	P-O3'-C3'	6.25	129.58	120.20	10	9
1	F	10	DT	P-O3'-C3'	6.24	129.56	120.20	9	11
1	E	5	DC	P-O3'-C3'	6.22	129.53	120.20	13	10
1	F	12	DA	P-O3'-C3'	6.22	129.53	120.20	15	4
1	E	17	DT	P-O3'-C3'	6.17	129.46	120.20	9	8
1	F	15	DA	N9-C1'-C2'	6.09	122.64	113.50	3	8
2	A	42	MET	N-CA-C	-6.03	104.05	112.25	15	1
1	E	16	DG	N9-C1'-C2'	6.00	122.50	113.50	11	10
2	A	51	LEU	N-CA-C	-5.96	105.50	112.89	13	4
1	E	12	DA	N9-C1'-C2'	5.95	122.43	113.50	2	6
1	E	14	DT	N1-C1'-C2'	5.93	122.40	113.50	15	6
1	F	12	DA	N9-C1'-C2'	5.86	122.29	113.50	3	6
1	E	12	DA	P-O3'-C3'	5.85	128.97	120.20	1	5
1	E	15	DA	N9-C1'-C2'	5.82	122.23	113.50	2	9
1	F	4	DA	P-O3'-C3'	5.78	128.87	120.20	9	3
1	E	17	DT	N1-C1'-C2'	5.78	122.17	113.50	3	4
2	B	521	ARG	N-CA-C	-5.72	105.41	112.38	15	12
1	E	6	DT	P-O3'-C3'	5.71	128.76	120.20	12	8
2	A	37	PRO	N-CA-C	-5.70	106.10	113.57	7	13
1	F	1	DC	N1-C1'-C2'	5.66	121.99	113.50	14	4
1	E	4	DA	P-O3'-C3'	5.66	128.68	120.20	1	1
2	A	84	ARG	N-CA-C	-5.63	105.52	112.90	8	2
1	F	6	DT	P-O3'-C3'	5.63	128.64	120.20	12	10
1	E	4	DA	N9-C1'-C2'	5.62	121.94	113.50	13	8
1	F	1	DC	P-O3'-C3'	5.57	128.56	120.20	7	5
1	E	2	DG	P-O3'-C3'	5.55	128.52	120.20	15	2
2	A	21	ARG	N-CA-C	-5.54	105.33	111.71	9	2
1	F	2	DG	N9-C1'-C2'	5.53	121.80	113.50	11	3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
2	A	104	LEU	N-CA-C	-5.52	104.18	111.96	6	2
2	A	78	GLY	CA-C-O	-5.52	118.64	122.22	14	1
1	E	11	DA	P-O3'-C3'	5.50	128.45	120.20	5	4
1	E	2	DG	N9-C1'-C2'	5.50	121.75	113.50	11	3
1	E	3	DT	N1-C1'-C2'	5.48	121.72	113.50	1	2
2	B	604	LEU	N-CA-C	-5.45	104.67	112.13	10	2
1	F	18	DA	P-O3'-C3'	5.38	128.27	120.20	6	1
1	E	1	DC	N1-C1'-C2'	5.33	121.50	113.50	5	2
1	F	14	DT	N1-C1'-C2'	5.33	121.49	113.50	7	1
2	A	49	GLU	N-CA-C	-5.33	105.92	112.90	15	1
1	F	20	DG	N9-C1'-C2'	5.31	121.47	113.50	1	1
1	F	4	DA	N9-C1'-C2'	5.31	121.46	113.50	9	3
1	E	3	DT	P-O3'-C3'	5.28	128.12	120.20	11	3
2	B	537	PRO	N-CA-C	-5.25	106.69	113.57	12	3
1	F	7	DA	N7-C8-N9	5.20	121.60	113.80	10	1
1	E	19	DC	N1-C1'-C2'	5.18	121.27	113.50	11	3
1	F	14	DT	P-O3'-C3'	5.13	127.90	120.20	14	2
1	F	11	DA	P-O3'-C3'	5.12	127.89	120.20	14	1
1	F	7	DA	C4'-C3'-O3'	-5.12	102.32	110.00	4	4
1	F	15	DA	N7-C8-N9	5.10	121.46	113.80	13	4
1	E	14	DT	P-O3'-C3'	5.09	127.84	120.20	2	2
1	F	19	DC	P-O3'-C3'	5.08	127.83	120.20	7	1
1	E	15	DA	N7-C8-N9	5.08	121.42	113.80	12	3
1	E	1	DC	P-O3'-C3'	5.07	127.80	120.20	1	1
1	E	11	DA	N9-C1'-C2'	5.04	121.07	113.50	10	1
1	F	17	DT	N1-C1'-C2'	5.04	121.05	113.50	12	1
1	F	3	DT	P-O3'-C3'	5.02	127.73	120.20	9	1

All unique chiral outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Models (Total)
1	E	7	DA	C1'	15
1	F	7	DA	C1'	15
1	E	13	DC	C1'	5
1	F	13	DC	C1'	1

All unique planar outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Group	Models (Total)
1	E	16	DG	Sidechain	15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group	Models (Total)
1	F	16	DG	Sidechain	15
2	A	69	ARG	Sidechain	11
2	B	569	ARG	Sidechain	10
1	F	4	DA	Sidechain	9
2	A	54	ARG	Sidechain	7
2	A	63	ARG	Sidechain	6
1	E	4	DA	Sidechain	6
1	F	13	DC	Sidechain	5
2	B	554	ARG	Sidechain	5
2	B	563	ARG	Sidechain	5
1	F	7	DA	Sidechain	5
1	E	13	DC	Sidechain	4
1	E	7	DA	Sidechain	4
2	B	597	ARG	Sidechain	4
2	A	21	ARG	Sidechain	4
2	A	56	ARG	Sidechain	3
2	B	548	ARG	Sidechain	2
2	B	521	ARG	Sidechain	2
2	A	48	ARG	Sidechain	1
2	A	97	ARG	Sidechain	1
2	B	556	ARG	Sidechain	1
1	F	2	DG	Sidechain	1

6.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	E	407	228	228	6±1
1	F	407	228	228	5±1
2	A	710	734	734	19±2
2	B	710	734	734	23±3
3	B	15	12	9	0±1
3	A	15	12	9	0±1
All	All	33960	29220	29130	538

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
2:A:19:TRP:CE3	2:B:551:LEU:HD22	0.82	2.09	6	7
1:E:15:DA:H62	2:A:80:ALA:HB2	0.80	1.37	5	15
1:F:15:DA:H62	2:B:580:ALA:HB2	0.79	1.38	12	15
1:E:4:DA:H62	2:B:579:ILE:HG21	0.78	1.38	15	2
1:F:14:DT:H72	2:B:580:ALA:HB3	0.74	1.60	2	12
2:B:571:LEU:HD23	2:B:582:ILE:HD11	0.74	1.59	9	11
1:E:14:DT:H72	2:A:80:ALA:HB3	0.73	1.60	14	13
1:E:4:DA:N6	2:B:579:ILE:HG21	0.71	2.00	5	11
1:F:7:DA:H2''	1:F:8:DG:H5''	0.68	1.65	10	3
2:B:538:LEU:HD21	2:B:542:MET:HE3	0.68	1.65	8	3
2:A:19:TRP:O	2:A:23:VAL:HG23	0.65	1.92	2	3
2:A:39:LEU:HD22	2:B:519:TRP:CE2	0.65	2.27	6	9
2:A:38:LEU:HD11	2:A:42:MET:HE2	0.64	1.69	4	1
2:A:39:LEU:HD11	2:B:519:TRP:CE2	0.64	2.27	14	5
2:A:96:LEU:HD21	2:B:534:LEU:HD22	0.63	1.71	11	2
2:A:36:LEU:HA	2:A:39:LEU:HD23	0.60	1.74	9	8
2:A:41:LEU:HD11	2:B:592:ALA:HB2	0.60	1.71	15	1
2:A:39:LEU:HD21	2:B:519:TRP:CZ2	0.59	2.32	13	1
2:A:19:TRP:N	2:B:551:LEU:HD11	0.59	2.13	1	3
1:E:7:DA:H2''	1:E:8:DG:C5'	0.59	2.27	2	14
1:E:7:DA:H2''	1:E:8:DG:H5'	0.59	1.75	2	13
2:A:19:TRP:CZ3	2:B:551:LEU:HD22	0.59	2.32	10	10
1:E:14:DT:H71	2:A:80:ALA:HB3	0.58	1.75	13	2
2:B:534:LEU:O	2:B:538:LEU:HD13	0.58	1.97	5	1
2:B:538:LEU:HD11	2:B:542:MET:HE2	0.58	1.75	2	1
2:B:551:LEU:HD13	2:B:552:GLY:N	0.58	2.14	1	3
3:A:898:TRP:HB2	2:B:544:THR:HG23	0.58	1.75	2	3
2:A:22:PHE:CD1	2:B:551:LEU:HD21	0.58	2.34	6	1
1:F:15:DA:N6	2:B:580:ALA:HB2	0.57	2.14	12	11
2:A:44:THR:HG23	3:B:998:TRP:HB2	0.57	1.76	2	4
2:A:71:LEU:HD23	2:A:82:ILE:HG21	0.57	1.76	15	11
2:A:39:LEU:HD11	2:B:519:TRP:NE1	0.57	2.14	10	4
2:B:541:LEU:HD13	2:B:542:MET:N	0.57	2.14	15	10
2:A:29:ALA:HB2	2:B:599:TRP:CZ2	0.57	2.35	9	14
1:F:14:DT:C7	2:B:580:ALA:HB3	0.56	2.31	15	9
2:A:99:TRP:CH2	2:B:529:ALA:HB2	0.56	2.35	8	10
1:F:4:DA:N6	2:A:79:ILE:HG21	0.56	2.15	12	15
2:A:39:LEU:HD22	2:B:519:TRP:NE1	0.56	2.16	7	7
2:A:96:LEU:CD2	2:B:534:LEU:HD22	0.56	2.31	11	8
2:A:99:TRP:CZ2	2:B:529:ALA:HB2	0.56	2.36	15	14
2:B:543:LEU:O	2:B:544:THR:HG23	0.55	2.01	1	4
2:B:579:ILE:HD13	2:B:582:ILE:CG2	0.55	2.31	1	2

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
2:B:520:LEU:HD22	2:B:520:LEU:N	0.55	2.17	2	14
2:A:41:LEU:HD13	2:A:42:MET:N	0.55	2.16	6	6
2:B:551:LEU:HD22	2:B:551:LEU:C	0.54	2.28	1	3
2:A:58:VAL:HG11	2:B:541:LEU:HD21	0.54	1.78	5	1
2:A:41:LEU:O	2:A:41:LEU:HD22	0.54	2.02	12	2
2:A:42:MET:HE2	2:A:43:LEU:HD13	0.53	1.80	6	1
1:F:4:DA:H62	2:A:79:ILE:HG21	0.53	1.62	12	1
2:B:571:LEU:CD2	2:B:582:ILE:HD11	0.53	2.32	11	4
2:A:99:TRP:CZ3	2:B:538:LEU:HD21	0.53	2.38	5	1
1:E:14:DT:C7	2:A:80:ALA:HB3	0.53	2.34	1	11
1:F:7:DA:H2''	1:F:8:DG:C5'	0.53	2.34	10	2
2:B:529:ALA:HB1	2:B:535:HIS:N	0.52	2.18	8	14
2:B:538:LEU:HD11	2:B:542:MET:HE3	0.52	1.81	11	1
2:A:99:TRP:CZ3	2:B:538:LEU:HD11	0.52	2.40	5	1
2:B:551:LEU:HD22	2:B:551:LEU:O	0.51	2.05	2	3
2:A:22:PHE:CG	2:B:551:LEU:HD21	0.51	2.40	6	6
1:E:15:DA:N6	2:A:80:ALA:HB2	0.51	2.21	13	8
2:A:34:LEU:HD22	2:B:596:LEU:CD2	0.51	2.36	10	7
2:A:20:LEU:HD22	2:A:20:LEU:N	0.49	2.22	1	9
1:E:4:DA:H62	2:B:579:ILE:CG2	0.49	2.18	15	1
2:B:572:LYS:NZ	2:B:579:ILE:HD13	0.49	2.22	10	1
2:A:99:TRP:CH2	2:B:538:LEU:HD21	0.48	2.43	5	1
2:B:527:LYS:HA	2:B:530:TYR:HB2	0.48	1.85	6	1
2:A:58:VAL:HG11	2:B:541:LEU:HD11	0.48	1.85	15	2
2:B:519:TRP:HA	2:B:522:PHE:CD2	0.48	2.43	5	13
2:A:19:TRP:CE3	2:B:551:LEU:HG	0.48	2.44	7	1
2:B:571:LEU:HD23	2:B:582:ILE:HG21	0.48	1.86	12	3
1:F:5:DC:H41	2:A:80:ALA:HA	0.47	1.69	6	2
2:B:599:TRP:O	2:B:603:VAL:HG22	0.47	2.09	7	15
2:A:29:ALA:HB1	2:A:35:HIS:N	0.47	2.24	1	11
2:A:39:LEU:HD21	2:B:519:TRP:CH2	0.47	2.45	13	1
1:F:14:DT:OP2	2:B:581:THR:HG21	0.47	2.09	5	1
2:B:520:LEU:H	2:B:520:LEU:HD13	0.47	1.70	7	1
2:A:42:MET:HE3	2:A:47:GLU:OE1	0.47	2.10	15	1
2:A:99:TRP:O	2:A:103:VAL:HG22	0.47	2.10	5	15
2:B:538:LEU:CD1	2:B:542:MET:HE3	0.47	2.40	11	1
2:A:27:LYS:HA	2:A:30:TYR:HB2	0.46	1.86	3	1
2:A:50:ALA:HB1	2:A:54:ARG:NH1	0.46	2.25	4	1
2:B:522:PHE:O	2:B:526:LEU:HD23	0.46	2.10	8	6
2:B:557:ILE:O	2:B:561:LEU:HD13	0.46	2.11	3	1
1:E:5:DC:H41	2:B:580:ALA:HA	0.46	1.71	7	2

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
2:B:551:LEU:O	2:B:555:VAL:HG23	0.46	2.11	14	3
2:A:23:VAL:HG11	2:B:535:HIS:NE2	0.45	2.26	8	1
2:A:38:LEU:HD21	2:A:42:MET:HE2	0.45	1.87	11	1
2:A:22:PHE:CZ	2:A:26:LEU:HD21	0.44	2.48	5	1
2:B:557:ILE:HD13	2:B:558:VAL:N	0.44	2.28	5	2
2:A:29:ALA:HB2	2:B:599:TRP:CH2	0.44	2.48	2	3
2:B:579:ILE:HD13	2:B:582:ILE:HG21	0.44	1.90	3	2
2:B:557:ILE:HB	2:B:582:ILE:HG22	0.44	1.90	14	1
2:B:553:THR:O	2:B:557:ILE:HG23	0.43	2.13	1	1
2:A:51:LEU:HD23	2:B:519:TRP:CE3	0.43	2.48	7	1
2:A:41:LEU:HD21	2:B:558:VAL:CG1	0.43	2.43	12	1
2:A:22:PHE:CE2	2:A:42:MET:HE1	0.43	2.49	15	1
1:F:14:DT:H71	2:B:580:ALA:HB3	0.43	1.91	3	2
2:B:571:LEU:CG	2:B:582:ILE:HD11	0.43	2.43	10	1
2:A:55:VAL:HG22	2:B:542:MET:CE	0.43	2.44	12	1
2:A:81:THR:HG22	3:A:898:TRP:CZ2	0.43	2.49	12	1
2:A:22:PHE:O	2:A:26:LEU:HB2	0.43	2.14	15	1
1:E:13:DC:H2''	1:E:14:DT:O5'	0.43	2.13	4	3
2:A:35:HIS:HA	2:A:38:LEU:HB3	0.43	1.91	10	1
2:B:538:LEU:CD2	2:B:542:MET:HE3	0.43	2.43	12	1
2:A:38:LEU:HD21	2:A:42:MET:CE	0.43	2.44	11	1
2:B:582:ILE:CG2	2:B:583:THR:HG23	0.43	2.44	11	1
1:E:14:DT:OP2	2:A:81:THR:HG21	0.43	2.13	14	1
2:A:43:LEU:O	2:A:44:THR:HG23	0.43	2.13	6	3
2:A:18:GLU:O	2:B:551:LEU:HD21	0.42	2.13	2	1
2:A:58:VAL:CG1	2:B:541:LEU:HD21	0.42	2.44	5	1
2:B:557:ILE:HD11	3:B:998:TRP:CZ3	0.42	2.49	8	1
2:B:520:LEU:N	2:B:520:LEU:CD2	0.42	2.83	1	10
2:A:34:LEU:HD22	2:B:596:LEU:HD21	0.42	1.91	10	1
1:F:9:DT:H4'	1:F:10:DT:OP1	0.42	2.15	13	1
2:A:51:LEU:HG	2:B:522:PHE:CD2	0.41	2.50	1	3
1:F:16:DG:O6	2:B:579:ILE:HB	0.41	2.16	15	1
2:B:538:LEU:CD1	2:B:542:MET:HE2	0.41	2.45	1	2
2:A:55:VAL:HG22	2:B:542:MET:HE1	0.41	1.91	12	1
2:B:519:TRP:O	2:B:523:VAL:HG23	0.41	2.16	2	1
2:B:541:LEU:HD22	2:B:541:LEU:O	0.41	2.15	5	1
2:A:57:ILE:HB	2:A:82:ILE:HG22	0.41	1.93	9	1
2:A:20:LEU:N	2:A:20:LEU:CD2	0.40	2.84	6	1
2:B:579:ILE:HA	2:B:582:ILE:HG22	0.40	1.94	5	1
2:A:19:TRP:CA	2:B:551:LEU:HD11	0.40	2.46	7	1
2:A:19:TRP:CE3	2:B:551:LEU:CD2	0.40	3.03	9	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
2:A:51:LEU:O	2:A:55:VAL:HG23	0.40	2.16	12	1

6.3 Torsion angles [i](#)

6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	A	88/105 (84%)	73±3 (83±3%)	12±3 (14±3%)	3±1 (3±1%)	5	35
2	B	88/105 (84%)	73±1 (83±2%)	12±2 (13±2%)	3±1 (4±1%)	4	32
All	All	2640/3150 (84%)	2189 (83%)	359 (14%)	92 (3%)	4	33

All 18 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
2	A	33	ASP	15
2	B	533	ASP	15
2	A	44	THR	14
2	B	544	THR	10
2	B	578	GLY	9
2	A	78	GLY	9
2	B	565	GLU	4
2	B	547	GLU	2
2	A	66	MET	2
2	B	576	GLY	2
2	B	564	GLY	2
2	B	572	LYS	2
2	B	519	TRP	1
2	B	543	LEU	1
2	B	566	MET	1
2	A	64	GLY	1
2	A	43	LEU	1
2	A	76	GLY	1

6.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	A	77/91 (85%)	61±2 (80±3%)	16±2 (20±3%)	3	32
2	B	77/91 (85%)	62±2 (80±3%)	15±2 (20±3%)	3	33
All	All	2310/2730 (85%)	1848 (80%)	462 (20%)	3	33

All 71 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
2	A	26	LEU	15
2	A	57	ILE	15
2	A	58	VAL	15
2	A	79	ILE	15
2	A	103	VAL	15
2	B	557	ILE	15
2	B	558	VAL	15
2	B	597	ARG	15
2	B	603	VAL	15
2	B	538	LEU	14
2	A	39	LEU	13
2	B	579	ILE	13
2	A	41	LEU	12
2	B	541	LEU	12
2	A	100	LEU	11
2	A	30	TYR	11
2	A	97	ARG	11
2	A	22	PHE	11
2	B	530	TYR	10
2	B	602	GLU	10
2	A	38	LEU	10
2	A	102	GLU	9
2	B	569	ARG	9
2	B	581	THR	9
2	A	82	ILE	9
2	A	90	LYS	8
2	B	600	LEU	8
2	B	526	LEU	8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
2	B	543	LEU	8
2	B	605	LEU	8
2	A	104	LEU	7
2	B	590	LYS	7
2	B	582	ILE	7
2	A	25	LEU	6
2	B	604	LEU	6
2	A	43	LEU	5
2	A	44	THR	5
2	B	544	THR	5
2	A	81	THR	5
2	B	598	GLN	4
2	B	525	LEU	4
2	B	521	ARG	4
2	A	56	ARG	3
2	B	551	LEU	3
2	A	21	ARG	3
2	B	572	LYS	3
2	A	63	ARG	2
2	A	72	LYS	2
2	B	563	ARG	2
2	A	62	LEU	2
2	B	588	SER	2
2	B	575	LEU	2
2	A	42	MET	2
2	A	75	LEU	2
2	B	561	LEU	2
2	A	98	GLN	2
2	B	547	GLU	2
2	B	554	ARG	1
2	A	88	SER	1
2	B	568	GLN	1
2	B	556	ARG	1
2	A	60	GLU	1
2	B	520	LEU	1
2	B	562	LEU	1
2	A	105	LEU	1
2	A	69	ARG	1
2	B	560	GLU	1
2	A	61	LEU	1
2	A	47	GLU	1
2	A	54	ARG	1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
2	B	574	GLU	1

6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds for which Mogul statistics could be retrieved, the number of bonds that are observed in the model and the number of bonds that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length is the number of standard deviations the observed value is removed from the expected value. A bond length with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the average root-mean-square of all Z scores of the bond lengths.

Mol	Type	Chain	Res	Link	Bond lengths		
					Counts	RMSZ	#Z>2
3	TRP	A	898	-	15,16,16	1.21±0.09	2±0 (12±1%)
3	TRP	B	998	-	15,16,16	1.13±0.08	2±0 (12±1%)

In the following table, the Counts columns list the number of angles for which Mogul statistics could be retrieved, the number of angles that are observed in the model and the number of angles that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond angle is the number of standard deviations the observed value is removed from the expected value. A bond angle with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the average root-mean-square of all Z scores of the bond angles.

Mol	Type	Chain	Res	Link	Bond angles		
					Counts	RMSZ	#Z>2
3	TRP	A	898	-	18,22,22	1.59±0.08	4±0 (21±2%)
3	TRP	B	998	-	18,22,22	1.56±0.07	4±1 (21±4%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	TRP	A	898	-	-	0±0,8,8,8	0±0,2,2,2
3	TRP	B	998	-	-	0±0,8,8,8	0±0,2,2,2

All unique bond outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)	Models	
								Worst	Total
3	A	898	TRP	CD2-CG	3.24	1.49	1.44	15	14
3	B	998	TRP	CD2-CG	3.20	1.49	1.44	5	14
3	A	898	TRP	OXT-C	2.66	1.22	1.30	4	15
3	B	998	TRP	OXT-C	2.63	1.22	1.30	7	15

All unique angle outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
3	A	898	TRP	CE2-NE1-CD1	3.47	112.16	109.08	10	15
3	A	898	TRP	CD2-CE2-NE1	3.43	104.66	107.52	9	15
3	B	998	TRP	CD2-CE2-NE1	3.43	104.66	107.52	7	15
3	B	998	TRP	CE2-NE1-CD1	3.39	112.09	109.08	5	15
3	B	998	TRP	CB-CG-CD2	3.36	133.16	126.70	13	13
3	A	898	TRP	CB-CG-CD2	3.32	133.07	126.70	2	14
3	B	998	TRP	CB-CG-CD1	3.10	120.92	126.97	13	13
3	A	898	TRP	CB-CG-CD1	3.02	121.08	126.97	8	14
3	B	998	TRP	CE3-CD2-CE2	2.02	116.75	118.84	5	1

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

7 Chemical shift validation

No chemical shift data were provided