



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 02:39 AM UTC

PDB ID : 4RC6 / pdb_00004rc6
Title : Crystal structure of cyanobacterial aldehyde-deformylating oxygenase 122F mutant
Authors : Jia, C.J.; Li, M.; Li, J.J.; Zhang, J.J.; Zhang, H.M.; Cao, P.; Pan, X.W.; Lu, X.F.; Chang, W.R.
Deposited on : 2014-09-14
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2481 (2.90-2.90)
Clashscore	190562	2690 (2.90-2.90)
Ramachandran outliers	187476	2623 (2.90-2.90)
Sidechain outliers	187428	2625 (2.90-2.90)
RSRZ outliers	180081	2481 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	215	5% 62% 35% .
2	B	212	22% 59% 36% ..

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 3495 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Aldehyde decarboxylase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	215	Total	C	N	O	S	0	0	0
			1727	1092	294	328	13			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	122	PHE	TYR	engineered mutation	UNP Q54764

- Molecule 2 is a protein called Aldehyde decarboxylase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	212	Total	C	N	O	S	0	0	0
			1703	1079	290	321	13			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	122	PHE	TYR	engineered mutation	UNP Q54764

- Molecule 3 is FE (II) ION (CCD ID: FE2) (formula: Fe).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	2	Total	Fe	0	0
			2	2		
3	B	2	Total	Fe	0	0
			2	2		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	40	Total	O	0	0
			40	40		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	21	Total	O	0	0
			21	21		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Aldehyde decarboxylase



• Molecule 2: Aldehyde decarboxylase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	61.63Å 61.84Å 125.31Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	41.22 – 2.90 41.22 – 2.90	Depositor EDS
% Data completeness (in resolution range)	79.7 (41.22-2.90) 80.1 (41.22-2.90)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.40 (at 2.90Å)	Xtriage
Refinement program	REFMAC 5.8.0049	Depositor
R, R_{free}	0.270 , 0.297 0.265 , 0.289	Depositor DCC
R_{free} test set	432 reflections (3.86%)	wwPDB-VP
Wilson B-factor (Å ²)	41.7	Xtriage
Anisotropy	0.254	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 44.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.025 for k,h,-l	Xtriage
F_o, F_c correlation	0.85	EDS
Total number of atoms	3495	wwPDB-VP
Average B, all atoms (Å ²)	44.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.13% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FE2

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.87	0/1758	1.12	7/2364 (0.3%)
2	B	0.78	0/1734	1.20	10/2332 (0.4%)
All	All	0.83	0/3492	1.16	17/4696 (0.4%)

There are no bond length outliers.

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	57	ALA	N-CA-C	10.02	123.24	111.02
2	B	184	VAL	CB-CA-C	-9.07	100.16	112.04
2	B	17	TYR	N-CA-C	-7.61	102.99	111.28
1	A	131	ALA	N-CA-C	7.32	120.19	111.33
1	A	184	VAL	CB-CA-C	-7.26	100.91	112.16
2	B	173	ASN	N-CA-CB	-6.33	102.48	110.90
1	A	126	ILE	CA-C-N	-6.25	113.24	119.56
1	A	126	ILE	C-N-CA	-6.25	113.24	119.56
2	B	76	VAL	N-CA-C	6.23	117.74	108.46
1	A	76	VAL	N-CA-C	6.14	116.96	108.12
1	A	110	GLN	N-CA-C	6.04	118.77	111.40
2	B	184	VAL	N-CA-C	6.00	117.47	110.62
2	B	58	LYS	N-CA-C	-5.89	105.19	112.90
2	B	173	ASN	N-CA-C	5.38	121.26	114.31
1	A	130	ASP	N-CA-C	-5.19	102.80	110.48
2	B	126	ILE	CA-C-N	-5.09	114.42	119.56
2	B	126	ILE	C-N-CA	-5.09	114.42	119.56

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1727	0	1680	76	0
2	B	1703	0	1661	86	0
3	A	2	0	0	0	0
3	B	2	0	0	0	0
4	A	40	0	0	10	0
4	B	21	0	0	4	0
All	All	3495	0	3341	153	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 23.

All (153) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:95:LYS:HD2	4:B:414:HOH:O	1.68	0.92
2:B:59:MET:O	2:B:62:ARG:HB2	1.75	0.87
1:A:181:LEU:O	1:A:184:VAL:HG22	1.76	0.83
2:B:58:LYS:HB2	2:B:58:LYS:NZ	1.93	0.83
2:B:56:LEU:HD22	2:B:147:HIS:HD2	1.47	0.80
1:A:33:GLN:HG2	4:A:433:HOH:O	1.84	0.78
2:B:33:GLN:O	2:B:34:GLU:C	2.29	0.73
1:A:152:GLU:HA	1:A:213:ILE:HD11	1.70	0.72
2:B:43:ALA:HA	2:B:53:LEU:HD13	1.72	0.72
1:A:115:GLU:OE2	1:A:147:HIS:HB2	1.90	0.72
2:B:178:TRP:HZ3	2:B:199:VAL:HG13	1.54	0.71
1:A:184:VAL:HG23	1:A:185:ALA:N	2.05	0.71
2:B:146:LEU:O	2:B:149:ASN:HB3	1.92	0.70
1:A:29:ILE:HG21	1:A:80:MET:HE1	1.72	0.69
2:B:184:VAL:HG12	2:B:188:ALA:HB2	1.73	0.69
2:B:56:LEU:HD22	2:B:147:HIS:CD2	2.28	0.69
2:B:58:LYS:HB2	2:B:58:LYS:HZ2	1.56	0.68
1:A:29:ILE:HD11	1:A:64:MET:HG3	1.75	0.67
2:B:177:VAL:HA	2:B:180:MET:HE2	1.76	0.66
2:B:58:LYS:O	2:B:61:GLN:CB	2.43	0.65
1:A:26:ALA:O	1:A:29:ILE:HG22	1.97	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:56:LEU:HD22	1:A:147:HIS:CD2	2.32	0.65
2:B:70:CYS:SG	2:B:136:ILE:HG21	2.36	0.65
2:B:169:ALA:O	2:B:173:ASN:ND2	2.29	0.64
1:A:163:LYS:NZ	1:A:219:GLU:OE2	2.23	0.64
2:B:33:GLN:O	2:B:36:PHE:N	2.31	0.64
1:A:181:LEU:O	1:A:184:VAL:CG2	2.46	0.63
2:B:70:CYS:HB3	2:B:133:ALA:HB2	1.79	0.63
2:B:71:GLY:O	2:B:75:SER:N	2.31	0.63
2:B:178:TRP:HH2	2:B:203:MET:SD	2.21	0.63
2:B:58:LYS:O	2:B:59:MET:C	2.37	0.62
2:B:39:TYR:O	2:B:43:ALA:N	2.28	0.62
1:A:85:LYS:HA	1:A:88:GLU:HG2	1.82	0.61
1:A:173:ASN:HA	1:A:176:LEU:HD12	1.82	0.60
2:B:152:GLU:HA	2:B:213:ILE:HD11	1.83	0.60
1:A:209:ALA:O	1:A:213:ILE:HG12	2.02	0.60
1:A:142:ARG:CD	4:A:419:HOH:O	2.50	0.59
2:B:19:ASP:O	2:B:22:SER:CB	2.51	0.59
2:B:38:ASN:O	2:B:42:LEU:HB2	2.03	0.59
2:B:49:GLN:CD	2:B:52:GLU:HB3	2.27	0.59
1:A:171:ARG:HB2	4:A:408:HOH:O	2.03	0.59
2:B:35:ALA:HA	2:B:110:GLN:HE21	1.69	0.56
2:B:35:ALA:HA	2:B:110:GLN:NE2	2.20	0.56
2:B:43:ALA:O	2:B:46:LEU:O	2.25	0.55
2:B:58:LYS:O	2:B:61:GLN:HB2	2.07	0.55
2:B:212:ASN:HB3	4:B:409:HOH:O	2.06	0.55
1:A:142:ARG:HD3	4:A:419:HOH:O	2.07	0.55
1:A:184:VAL:CG2	1:A:185:ALA:N	2.70	0.55
2:B:195:ARG:HA	2:B:198:LEU:HD12	1.88	0.55
2:B:58:LYS:O	2:B:61:GLN:N	2.37	0.54
1:A:29:ILE:CD1	1:A:64:MET:HG3	2.38	0.54
1:A:33:GLN:HG3	1:A:64:MET:SD	2.48	0.53
2:B:159:PHE:CE2	2:B:163:LYS:HD2	2.43	0.53
1:A:171:ARG:NH2	4:A:412:HOH:O	2.41	0.53
1:A:96:ALA:O	1:A:100:GLU:HG3	2.09	0.53
1:A:23:ARG:NH1	1:A:187:ASP:OD2	2.42	0.52
1:A:218:ARG:NH1	2:B:208:GLU:OE2	2.42	0.51
2:B:72:LYS:C	2:B:75:SER:H	2.18	0.51
1:A:168:GLU:OE2	1:A:171:ARG:NH1	2.44	0.50
1:A:104:VAL:HB	1:A:165:GLU:CD	2.37	0.50
1:A:113:ILE:CG2	1:A:177:VAL:HG21	2.42	0.50
2:B:95:LYS:CD	4:B:414:HOH:O	2.43	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:17:TYR:CE2	1:A:191:LEU:HD22	2.47	0.50
2:B:59:MET:HE2	2:B:143:ASP:HB3	1.91	0.50
2:B:108:LEU:O	2:B:113:ILE:HG12	2.12	0.50
1:A:115:GLU:OE2	1:A:147:HIS:CB	2.60	0.50
1:A:218:ARG:CZ	2:B:208:GLU:CD	2.85	0.50
1:A:226:TYR:CD2	4:A:408:HOH:O	2.55	0.49
1:A:89:ARG:HB3	1:A:176:LEU:HD22	1.94	0.49
2:B:209:ALA:O	2:B:213:ILE:HG12	2.11	0.49
2:B:86:PHE:CZ	2:B:180:MET:HB3	2.48	0.49
1:A:86:PHE:CZ	1:A:180:MET:HB3	2.48	0.49
1:A:74:LEU:O	1:A:75:SER:HB2	2.11	0.49
2:B:184:VAL:CG1	2:B:188:ALA:HB2	2.41	0.49
2:B:19:ASP:O	2:B:22:SER:HB3	2.13	0.48
2:B:29:ILE:HG23	2:B:64:MET:HG3	1.95	0.48
2:B:173:ASN:O	2:B:176:LEU:HG	2.14	0.48
2:B:178:TRP:CZ3	2:B:199:VAL:HG13	2.42	0.48
2:B:58:LYS:O	2:B:61:GLN:HB3	2.13	0.47
1:A:218:ARG:NH1	2:B:208:GLU:OE1	2.47	0.47
2:B:133:ALA:O	2:B:136:ILE:HG22	2.14	0.47
1:A:85:LYS:HB3	1:A:85:LYS:HE2	1.73	0.47
2:B:52:GLU:HA	2:B:55:LYS:HG3	1.96	0.47
1:A:90:LEU:HD12	1:A:176:LEU:HD13	1.97	0.47
2:B:178:TRP:CH2	2:B:203:MET:SD	3.06	0.47
1:A:59:MET:HE3	1:A:147:HIS:HE2	1.79	0.47
1:A:122:PHE:O	1:A:125:TYR:N	2.46	0.47
1:A:182:ASN:OD1	1:A:195:ARG:NH2	2.27	0.47
1:A:42:LEU:HD23	1:A:45:MET:CE	2.45	0.47
1:A:29:ILE:HG21	1:A:80:MET:CE	2.41	0.47
2:B:49:GLN:NE2	2:B:52:GLU:HB3	2.31	0.46
2:B:63:HIS:HD1	2:B:140:VAL:HG13	1.79	0.46
1:A:110:GLN:O	1:A:114:ILE:HB	2.16	0.46
1:A:90:LEU:HD22	1:A:180:MET:HE1	1.98	0.46
2:B:54:HIS:HB3	4:B:420:HOH:O	2.15	0.46
1:A:51:ASP:HA	1:A:54:HIS:HB2	1.97	0.46
1:A:218:ARG:NH1	2:B:208:GLU:CD	2.74	0.46
2:B:55:LYS:O	2:B:59:MET:HB2	2.15	0.46
1:A:142:ARG:HD2	4:A:419:HOH:O	2.13	0.45
2:B:58:LYS:HB2	2:B:58:LYS:HZ3	1.79	0.45
2:B:176:LEU:O	2:B:180:MET:HG3	2.16	0.45
2:B:184:VAL:O	2:B:185:ALA:C	2.59	0.45
1:A:204:ILE:HD11	2:B:222:ARG:CG	2.47	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:42:LEU:HD23	1:A:45:MET:HE3	1.99	0.44
2:B:58:LYS:NZ	2:B:58:LYS:CB	2.73	0.44
1:A:204:ILE:HD11	2:B:222:ARG:HG2	1.98	0.44
1:A:61:GLN:HG2	1:A:64:MET:HE2	1.99	0.44
2:B:46:LEU:HD23	2:B:46:LEU:HA	1.84	0.44
1:A:123:ASN:OD1	1:A:141:VAL:HG21	2.18	0.44
1:A:56:LEU:O	1:A:60:GLU:HG2	2.18	0.44
2:B:18:LYS:HE3	2:B:18:LYS:H	1.83	0.44
1:A:33:GLN:CG	4:A:433:HOH:O	2.53	0.43
1:A:181:LEU:O	1:A:181:LEU:HD23	2.18	0.43
2:B:149:ASN:OD1	2:B:149:ASN:C	2.61	0.43
1:A:83:ALA:O	1:A:86:PHE:HB3	2.18	0.43
1:A:139:GLY:HA2	1:A:142:ARG:HH21	1.83	0.43
2:B:146:LEU:C	2:B:149:ASN:HB3	2.44	0.43
1:A:104:VAL:HB	1:A:165:GLU:OE2	2.18	0.43
1:A:218:ARG:NH2	2:B:208:GLU:OE1	2.52	0.43
2:B:30:GLU:O	2:B:34:GLU:HG3	2.19	0.43
1:A:45:MET:HE1	1:A:106:CYS:SG	2.59	0.43
2:B:155:LEU:HB2	2:B:213:ILE:HD12	2.01	0.43
1:A:47:PRO:O	1:A:50:ARG:HB2	2.19	0.42
1:A:225:ALA:O	2:B:200:GLU:HG2	2.18	0.42
2:B:86:PHE:HD1	2:B:87:PHE:CD1	2.37	0.42
1:A:184:VAL:O	1:A:185:ALA:C	2.62	0.42
2:B:28:VAL:O	2:B:32:GLU:HG2	2.19	0.42
1:A:113:ILE:HG21	1:A:177:VAL:HG21	2.02	0.42
2:B:28:VAL:O	2:B:32:GLU:N	2.46	0.42
2:B:133:ALA:HA	2:B:136:ILE:HG22	2.02	0.42
1:A:55:LYS:HD2	1:A:55:LYS:HA	1.79	0.41
1:A:54:HIS:O	1:A:58:LYS:HD3	2.20	0.41
1:A:156:LYS:HE2	4:A:436:HOH:O	2.19	0.41
1:A:163:LYS:HE3	1:A:167:GLU:OE2	2.20	0.41
1:A:194:GLU:OE1	4:A:409:HOH:O	2.21	0.41
2:B:126:ILE:HD13	2:B:126:ILE:HA	1.72	0.41
2:B:174:LEU:HG	2:B:178:TRP:HE1	1.85	0.41
2:B:152:GLU:OE2	2:B:209:ALA:HA	2.21	0.41
2:B:216:THR:HG23	2:B:219:GLU:OE1	2.21	0.41
1:A:181:LEU:C	1:A:184:VAL:HG22	2.43	0.41
2:B:23:ARG:CZ	2:B:187:ASP:OD2	2.69	0.41
2:B:25:ASN:OD1	2:B:29:ILE:HD11	2.21	0.41
2:B:33:GLN:O	2:B:36:PHE:HB3	2.20	0.41
2:B:72:LYS:HA	2:B:75:SER:HA	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:124:ILE:O	2:B:127:PRO:HD2	2.21	0.41
1:A:218:ARG:CZ	2:B:208:GLU:OE2	2.69	0.40
2:B:63:HIS:ND1	2:B:140:VAL:HG13	2.35	0.40
1:A:203:MET:HB3	1:A:203:MET:HE2	1.69	0.40
1:A:30:GLU:O	1:A:34:GLU:HG3	2.21	0.40
1:A:110:GLN:O	1:A:110:GLN:NE2	2.54	0.40
1:A:175:PRO:HG3	1:A:226:TYR:O	2.21	0.40
1:A:94:PHE:CE1	1:A:106:CYS:HB3	2.56	0.40
2:B:175:PRO:HA	2:B:178:TRP:HD1	1.85	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	213/215 (99%)	207 (97%)	6 (3%)	0	100	100
2	B	210/212 (99%)	206 (98%)	4 (2%)	0	100	100
All	All	423/427 (99%)	413 (98%)	10 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	178/178 (100%)	171 (96%)	7 (4%)	28	63
2	B	175/175 (100%)	162 (93%)	13 (7%)	13	38
All	All	353/353 (100%)	333 (94%)	20 (6%)	18	49

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	28	VAL
1	A	33	GLN
1	A	84	GLN
1	A	103	VAL
1	A	124	ILE
1	A	126	ILE
1	A	191	LEU
2	B	23	ARG
2	B	45	MET
2	B	46	LEU
2	B	48	ASP
2	B	58	LYS
2	B	85	LYS
2	B	88	GLU
2	B	110	GLN
2	B	124	ILE
2	B	126	ILE
2	B	149	ASN
2	B	176	LEU
2	B	181	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	40	ASN
2	B	49	GLN
2	B	147	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	215/215 (100%)	0.74	10 (4%)	36 28	11, 31, 50, 81	0
2	B	212/212 (100%)	1.43	47 (22%)	2 2	19, 57, 86, 104	0
All	All	427/427 (100%)	1.09	57 (13%)	7 6	11, 39, 81, 104	0

All (57) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	69	ALA	5.6
2	B	226	TYR	5.3
2	B	35	ALA	5.2
2	B	201	ASP	4.7
2	B	182	ASN	4.3
2	B	49	GLN	4.3
2	B	58	LYS	4.3
2	B	22	SER	3.7
2	B	131	ALA	3.4
2	B	72	LYS	3.4
2	B	143	ASP	3.1
2	B	18	LYS	3.1
2	B	146	LEU	3.1
2	B	166	LEU	3.0
2	B	84	GLN	2.9
1	A	227	GLY	2.9
2	B	137	THR	2.9
2	B	139	GLY	2.7
2	B	97	ALA	2.7
2	B	17	TYR	2.7
2	B	118	ALA	2.6
1	A	62	ARG	2.6
2	B	76	VAL	2.6
2	B	129	ALA	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	36	PHE	2.6
2	B	187	ASP	2.5
2	B	106	CYS	2.5
2	B	32	GLU	2.4
2	B	53	LEU	2.4
2	B	23	ARG	2.4
2	B	134	ARG	2.4
2	B	95	LYS	2.4
2	B	61	GLN	2.4
2	B	190	GLU	2.4
2	B	21	TYR	2.4
2	B	149	ASN	2.3
1	A	35	ALA	2.3
2	B	157	ALA	2.3
2	B	79	ASP	2.3
2	B	194	GLU	2.3
2	B	16	SER	2.2
1	A	30	GLU	2.2
2	B	192	GLY	2.2
2	B	77	THR	2.2
2	B	20	ALA	2.2
1	A	187	ASP	2.1
2	B	39	TYR	2.1
1	A	53	LEU	2.1
2	B	116	CYS	2.1
1	A	48	ASP	2.1
2	B	159	PHE	2.0
1	A	15	GLU	2.0
2	B	208	GLU	2.0
2	B	80	MET	2.0
2	B	121	ALA	2.0
1	A	34	GLU	2.0
1	A	178	TRP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	FE2	A	301	1/1	0.92	0.08	30,30,30,30	0
3	FE2	B	302	1/1	0.95	0.04	57,57,57,57	0
3	FE2	B	301	1/1	0.96	0.05	48,48,48,48	0
3	FE2	A	302	1/1	0.98	0.06	29,29,29,29	0

6.5 Other polymers [i](#)

There are no such residues in this entry.