



wwPDB EM Validation Summary Report ⓘ

Jun 17, 2026 – 09:14 pm BST

PDB ID : 8RCT / pdb_00008rct
EMDB ID : EMD-19059
Title : Escherichia coli paused disome complex (Rotated disome interface class 2)
Authors : Fluegel, T.; Schacherl, M.
Deposited on : 2023-12-07
Resolution : 5.32 Å(reported)
Based on initial model : 7N1P

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev132
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDb archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 5.32 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.











Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	506 (4.82 - 5.82)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	12	78	 5% 67% 31%
2	32	59	 20% 59% 39%
3	4	70	 20% 63% 33%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	41	70	
4	62	65	
5	71	2904	
5	72	2904	
6	82	120	
7	A1	1542	
7	A2	1542	
8	B	241	
8	B2	241	
9	C1	233	
9	C2	233	
10	D1	206	
10	D2	206	
11	E1	167	
11	E2	167	
12	F1	135	
12	F2	135	
13	G1	179	
13	G2	179	
14	H1	130	
14	H2	130	
15	I1	130	
15	I2	130	
16	J1	103	
16	J2	103	




Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
17	K1	129	
17	K2	129	
18	L1	124	
18	L2	124	
19	M1	118	
19	M2	118	
20	N1	101	
20	N2	101	
21	O1	89	
21	O2	89	
22	P1	82	
23	Q1	84	
23	Q2	84	
24	R1	75	
24	R2	75	
25	S1	92	
25	S2	92	
26	T1	87	
27	U1	71	
27	U2	71	
28	V2	59	
29	W	76	
30	W1	76	
31	Y	76	
32	Y1	76	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
33	Z1	557	
34	a2	234	
35	b2	273	
36	e2	179	
37	g2	55	
38	h2	136	
39	i2	149	
40	l2	46	
41	o2	144	
42	p	10	
43	r2	117	
44	z2	85	

2 Entry composition

There are 48 unique types of molecules in this entry. The entry contains 187381 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	12	77	Total	C	N	O	S	0	0
			625	388	129	106	2		

- Molecule 2 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	32	58	Total	C	N	O	S	0	0
			449	281	87	79	2		

- Molecule 3 is a protein called Large ribosomal subunit protein bL31A.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	4	68	Total	C	N	O	S	0	0
			533	330	101	96	6		
3	41	14	Total	C	N	O		0	0
			118	74	26	18			

- Molecule 4 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	62	64	Total	C	N	O	S	0	0
			504	323	105	74	2		

- Molecule 5 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	71	19	Total	C	N	O	P	0	0
			406	182	73	132	19		
5	72	2904	Total	C	N	O	P	0	0
			62355	27824	11468	20159	2904		

- Molecule 6 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	82	120	Total	C	N	O	P	0	0
			2569	1144	468	837	120		

- Molecule 7 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	A1	1542	Total	C	N	O	P	0	0
			33092	14767	6064	10719	1542		
7	A2	1537	Total	C	N	O	P	0	0
			32990	14721	6049	10683	1537		

- Molecule 8 is a protein called Small ribosomal subunit protein uS2.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	B	233	Total	C	N	O	S	0	0
			1815	1145	325	337	8		
8	B2	227	Total	C	N	O	S	0	0
			1776	1123	318	327	8		

- Molecule 9 is a protein called Small ribosomal subunit protein uS3.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	C1	213	Total	C	N	O	S	0	0
			1665	1054	312	295	4		
9	C2	212	Total	C	N	O	S	0	0
			1658	1049	311	294	4		

- Molecule 10 is a protein called Small ribosomal subunit protein uS4.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	D1	205	Total	C	N	O	S	0	0
			1643	1026	315	298	4		
10	D2	205	Total	C	N	O	S	0	0
			1643	1026	315	298	4		

- Molecule 11 is a protein called Small ribosomal subunit protein uS5.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	E1	158	Total	C	N	O	S	0	0
			1166	725	220	215	6		
11	E2	158	Total	C	N	O	S	0	0
			1166	725	220	215	6		

- Molecule 12 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	F1	106	Total	C	N	O	S	0	0
			862	545	156	154	7		
12	F2	106	Total	C	N	O	S	0	0
			862	545	156	154	7		

- Molecule 13 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	G1	155	Total	C	N	O	S	0	0
			1228	767	237	220	4		
13	G2	154	Total	C	N	O	S	0	0
			1214	756	235	219	4		

- Molecule 14 is a protein called Small ribosomal subunit protein uS8.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	H1	129	Total	C	N	O	S	0	0
			979	616	173	184	6		
14	H2	129	Total	C	N	O	S	0	0
			979	616	173	184	6		

- Molecule 15 is a protein called Small ribosomal subunit protein uS9.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	I1	127	Total	C	N	O	S	0	0
			1022	634	206	179	3		
15	I2	129	Total	C	N	O	S	0	0
			1036	642	208	183	3		

- Molecule 16 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	J1	102	Total	C	N	O	S	0	0
			817	509	157	150	1		
16	J2	100	Total	C	N	O	S	0	0
			803	502	154	146	1		

- Molecule 17 is a protein called Small ribosomal subunit protein uS11.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	K1	115	Total	C	N	O	S	0	0
			857	528	168	158	3		
17	K2	118	Total	C	N	O	S	0	0
			884	545	175	161	3		

- Molecule 18 is a protein called Small ribosomal subunit protein uS12.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	L1	123	Total	C	N	O	S	0	0
			955	590	196	165	4		
18	L2	123	Total	C	N	O	S	0	0
			955	590	196	165	4		

- Molecule 19 is a protein called Small ribosomal subunit protein uS13.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	M1	115	Total	C	N	O	S	0	0
			891	552	179	157	3		
19	M2	117	Total	C	N	O	S	0	0
			910	564	183	160	3		

- Molecule 20 is a protein called Small ribosomal subunit protein uS14.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	N1	100	Total	C	N	O	S	0	0
			805	499	164	139	3		
20	N2	100	Total	C	N	O	S	0	0
			805	499	164	139	3		

- Molecule 21 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	O1	88	Total	C	N	O	S	0	0
			714	439	144	130	1		
21	O2	88	Total	C	N	O	S	0	0
			714	439	144	130	1		

- Molecule 22 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	P1	82	Total	C	N	O	S	0	0
			649	406	128	114	1		

- Molecule 23 is a protein called Small ribosomal subunit protein uS17.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	Q1	80	Total	C	N	O	S	0	0
			648	411	121	113	3		
23	Q2	80	Total	C	N	O	S	0	0
			648	411	121	113	3		

- Molecule 24 is a protein called Small ribosomal subunit protein bS18.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	R1	74	Total	C	N	O	S	0	0
			624	395	122	105	2		
24	R2	74	Total	C	N	O	S	0	0
			626	395	123	107	1		

- Molecule 25 is a protein called Small ribosomal subunit protein uS19.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	S1	83	Total	C	N	O	S	0	0
			663	424	126	111	2		
25	S2	83	Total	C	N	O	S	0	0
			663	424	126	111	2		

- Molecule 26 is a protein called Small ribosomal subunit protein bS20.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	T1	86	Total	C	N	O	S	0	0
			670	414	138	115	3		

- Molecule 27 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	U1	70	Total	C	N	O	S	0	0
			590	366	125	98	1		
27	U2	70	Total	C	N	O	S	0	0
			590	366	125	98	1		

- Molecule 28 is a RNA chain called messenger RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	V2	59	Total	C	N	O	P	0	0
			1272	569	242	402	59		

- Molecule 29 is a RNA chain called tRNA-Trp (P/E-site).

Mol	Chain	Residues	Atoms						AltConf	Trace
29	W	76	Total	C	N	O	P	S	0	0
			1630	730	286	536	76	2		

- Molecule 30 is a RNA chain called tRNA-Phe (P/E-site).

Mol	Chain	Residues	Atoms						AltConf	Trace
30	W1	36	Total	C	N	O	P	S	0	0
			781	352	143	248	36	2		

- Molecule 31 is a RNA chain called tRNA-Ala (A/P-site).

Mol	Chain	Residues	Atoms						AltConf	Trace
31	Y	76	Total	C	N	O	P		0	0
			1628	726	293	533	76			

- Molecule 32 is a RNA chain called tRNA-Val (A/P-site).

Mol	Chain	Residues	Atoms						AltConf	Trace
32	Y1	36	Total	C	N	O	P		0	0
			778	348	142	252	36			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Y1	34	CM0	U	variant	GB 1847302804

- Molecule 33 is a protein called 30S ribosomal protein S1.

Mol	Chain	Residues	Atoms				AltConf	Trace
33	Z1	9	Total	C	N	O	0	0
			75	49	10	16		

- Molecule 34 is a protein called Large ribosomal subunit protein uL1.

Mol	Chain	Residues	Atoms						AltConf	Trace
34	a2	223	Total	C	N	O	S		0	0
			1661	1039	302	314	6			

- Molecule 35 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	b2	271	Total	C	N	O	S	0	0
			2082	1288	423	364	7		

- Molecule 36 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	e2	178	Total	C	N	O	S	0	0
			1420	905	251	258	6		

- Molecule 37 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
37	g2	52	Total	C	N	O	0	0
			427	275	78	74		

- Molecule 38 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	h2	136	Total	C	N	O	S	1	0
			1085	692	209	178	6		

- Molecule 39 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	i2	149	Total	C	N	O	S	0	0
			1111	699	197	214	1		

- Molecule 40 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	l2	46	Total	C	N	O	S	0	0
			377	228	90	57	2		

- Molecule 41 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	o2	51	Total	C	N	O	S	0	0
			377	231	83	62	1		

- Molecule 42 is a protein called Nascent chain.

Mol	Chain	Residues	Atoms				AltConf	Trace
42	p	10	Total	C	N	O	0	0
			76	47	18	11		

- Molecule 43 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms				AltConf	Trace
43	r2	116	Total	C	N	O	0	0
			891	552	178	161		


- Molecule 44 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	z2	76	Total	C	N	O	S	0	0
			582	360	117	104	1		

- Molecule 45 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		AltConf
45	4	1	Total	Zn	0
			1	1	
45	B	1	Total	Zn	0
			1	1	

- Molecule 46 is 1,4-DIAMINOBTUTANE (CCD ID: PUT) (formula: C₄H₁₂N₂).



Mol	Chain	Residues	Atoms			AltConf
46	72	1	Total	C	N	0
			6	4	2	
46	72	1	Total	C	N	0
			6	4	2	

- Molecule 47 is SPERMIDINE (CCD ID: SPD) (formula: $C_7H_{19}N_3$).



Mol	Chain	Residues	Atoms			AltConf
47	72	1	Total	C	N	0
			10	7	3	


- Molecule 48 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
48	72	163	Total	Mg	0
			163	163	
48	A1	60	Total	Mg	0
			60	60	
48	A2	42	Total	Mg	0
			42	42	
48	Y	2	Total	Mg	0
			2	2	
48	h2	1	Total	Mg	0
			1	1	


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 50S ribosomal protein L28




- Molecule 2: 50S ribosomal protein L30




- Molecule 3: Large ribosomal subunit protein bL31A



- Molecule 3: Large ribosomal subunit protein bL31A



- Molecule 4: 50S ribosomal protein L35





C	A	U	A	A	G	U	A	A	C	G	A	U	A	A	A	G	G	G	G	U	G	A	A	A	G	C	C	C	G	C	U	C	G	C	C	G	A	A	C	A	A	G	G	G	U	U	C	C	G	U	C	G
A	A	C	G	U	U	A	A	U	C	G	G	G	C	A	A	G	G	U	G	A	G	U	C	G	A	A	C	C	C	U	A	A	G	C	G	A	A	A	G	C	G	U	U	A	G	C	A	U	G	A	U	G
G	G	A	A	A	C	A	G	G	U	U	A	A	U	U	C	C	U	G	U	A	C	U	U	G	U	G	C	C	U	A	C	U	G	C	G	A	A	G	G	G	G	A	A	C	C	A	G	C	U	A	U	
G	U	U	G	G	C	C	G	G	G	C	G	A	C	G	U	U	G	U	C	C	U	U	G	A	A	G	C	C	U	A	G	U	G	G	U	U	U	C	A	A	G	C	A	A	C	C	U	C	G	A	U	G
G	A	A	A	A	U	C	A	A	G	G	C	U	G	A	G	G	C	G	U	A	C	G	A	C	A	C	C	U	A	C	A	G	U	G	C	U	G	A	A	A	C	A	A	A	U	G	C	C	U	C	G	
C	U	C	C	A	G	G	A	A	A	A	A	C	C	U	C	C	A	A	A	A	C	A	G	G	A	A	C	C	U	C	A	A	U	C	C	A	A	A	A	A	A	C	A	A	C	C	U	C	G	A	U	G
U	G	G	U	C	A	G	G	U	A	A	G	A	A	A	A	C	A	A	A	G	A	C	A	A	G	A	C	C	U	G	A	A	A	G	G	U	A	A	C	C	A	A	C	U	A	A	A	A	U	G	A	U
G	G	U	G	C	C	G	U	A	A	C	G	G	A	A	A	G	A	A	A	G	C	C	U	G	A	A	U	U	G	A	A	G	U	A	G	U	C	C	C	A	A	C	C	G	U	G	A	A	G	A	G	
C	U	G	A	A	A	U	C	A	A	G	U	C	A	A	G	A	A	C	A	A	A	C	G	U	G	C	C	U	A	C	A	C	U	U	U	U	A	A	A	A	A	C	A	A	C	A	C	U	G	U	C	
A	A	A	C	A	C	G	A	A	A	G	U	G	A	C	C	A	A	C	A	C	U	C	U	G	A	A	C	C	U	C	C	C	C	C	G	G	U	G	C	C	A	A	A	A	U	G	A	U	G			
G	G	U	U	A	A	C	C	A	A	A	C	C	G	A	A	A	A	C	C	U	U	A	A	G	A	A	C	C	U	U	U	U	A	A	A	A	A	A	A	A	A	C	A	A	C	A	C	U	G	U	C	
A	A	G	C	A	C	G	A	A	A	G	U	G	A	U	C	C	A	A	C	A	C	U	G	A	A	C	C	U	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
G	G	U	U	A	A	C	C	A	A	A	C	C	G	A	A	A	A	C	C	U	U	A	A	G	A	A	C	C	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	
A	A	G	C	U	U	C	C	A	A	A	C	C	G	A	A	A	A	C	C	U	U	A	A	G	A	A	C	C	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U		
A	A	G	C	U	U	C	C	A	A	A	C	C	G	A	A	A	A	C	C	U	U	A	A	G	A	A	C	C	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U		
C	G	C	A	A	G	U	U	A	A	A	C	C	G	A	A	A	A	C	C	U	U	A	A	G	A	A	C	C	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U		
G	A	U	G	U	U	A	A	G	U	U	A	A	G	U	U	A	A	G	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U				
U	G	A	A	A	A	C	C	A	A	C	C	U	U	U	A	A	C	C	U	U	A	A	G	A	A	C	C	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U		
A	G	U	G	U	C	U	G	G	U	G	U	A	A	G	U	U	G	A	A	C	C	U	U	G	A	A	C	C	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U			
A	A	G	G	U	U	G	G	A	A	C	C	U	U	G	U	C	G	A	A	C	C	U	U	G	A	A	C	C	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U		
C	U	G	C	G	A	G	G	U	U	C	G	G	C	G	G	A	G	U	U	G	C	A	A	G	A	C	C	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U		
A	U	G	G	A	A	G	G	C	C	A	U	C	G	C	C	A	A	C	C	G	G	A	A	C	C	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U		
C	A	A	G	U	U	C	C	A	A	C	C	G	G	C	C	A	A	C	C	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U			
C	U	G	C	G	A	G	G	U	U	C	G	G	C	G	G	A	G	U	U	G	C	A	A	G	A	C	C	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U		
A	U	G	G	A	A	G	G	C	C	A	U	C	G	C	C	A	A	C	C	G	G	A	A	C	C	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U		
C	A	A	G	U	U	C	C	A	A	C	C	G	G	C	C	A	A	C	C	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U			
C	U	G	C	G	A	G	G	U	U	C	G	G	C	G	G	A	G	U	U	G	C	A	A	G	A	C	C	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U		
A	U	G	G	A	A	G	G	C	C	A	U	C	G	C	C	A	A	C	C	G	G	A	A	C	C	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U		
C	A	A	G	U	U	C	C	A	A	C	C	G	G	C	C	A	A	C	C	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U			
C	U	G	C	G	A	G	G	U	U	C	G	G	C	G	G	A	G	U	U	G	C	A	A	G	A	C	C	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U		
C	U	G	C	G	A	G	G	U	U	C	G	G	C	G	G	A	G	U	U	G	C	A	A	G	A	C	C	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U		
C	U	G	C	G	A	G	G	U	U	C	G	G	C	G	G	A	G	U	U	G	C	A	A	G	A	C	C	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U		
C	U	G	C	G	A	G	G	U	U	C	G	G	C	G	G	A	G	U	U	G	C	A	A	G	A	C	C	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U		
C	U	G	C	G	A	G	G	U	U	C	G	G	C	G	G	A	G	U	U	G	C	A	A	G	A	C	C	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U		
C	U	G	C	G	A	G	G	U	U	C	G	G	C	G	G	A	G	U	U	G	C	A	A	G	A	C	C	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U		
C	U	G	C	G	A	G	G	U	U	C	G	G	C	G	G	A	G	U	U	G	C	A	A	G	A	C	C	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U		
C	U	G	C	G	A	G	G	U	U	C	G	G	C	G	G	A	G	U	U	G	C	A	A	G	A	C	C	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U		
C	U	G	C	G	A	G	G	U	U	C	G	G	C	G	G	A	G	U	U	G	C	A	A	G	A	C	C	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U		
C	U	G	C	G	A	G	G	U	U	C	G	G	C	G	G	A	G	U	U	G	C	A	A	G	A	C	C	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U		
C	U	G	C	G	A	G	G	U	U	C	G	G	C	G	G	A	G	U	U	G	C	A	A	G	A	C	C	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U		
C	U	G	C	G	A	G	G	U	U	C	G	G	C	G	G	A	G	U	U	G	C	A	A	G	A	C	C	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U		
C	U	G	C	G	A	G	G	U	U	C	G	G	C	G	G	A	G	U	U	G	C	A	A	G	A	C	C	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U		
C	U	G	C	G	A	G	G	U	U	C	G	G	C	G	G	A	G	U	U	G	C	A	A	G	A	C	C	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U		
C	U	G	C	G	A	G	G	U	U	C	G	G																																								

A	G	A	A	C	C	G	U	U	C	G	G	G	A	G	A	A	PSU	PSU	C
U	G	C	C	U	C	C	C	U	U	C	G	C	G	A	C	A	A	C	C
U	G	C	C	A	C	C	U	U	C	G	C	C	C	U	A	A	A	C	C
C	U	U	C	C	C	U	C	G	A	G	A	G	A	G	A	C	A	A	A
C	G	A	C	C	G	U	U	U	U	A	G	A	G	A	C	A	A	A	A
A	C	C	G	U	U	U	U	U	U	U	A	A	C	C	A	A	U	U	U

● Molecule 5: 23S ribosomal RNA




G1025	U929	A845	G748	G638	C542	A415	G298	G1
G1026	G930	U846	A749	U639	G543	C418	A299	G2
A1027	U931	U847	U754	C640	A547	U427	G307	A10
A1028	U932	C848	G760	U642	G548	A643	G308	A13
A1029	A933	A849	A761	A643	G549	A453	A309	A14
C1030	U934	U850	C765	C645	U554	A454	A311	G15
U1033	C935	C851	A764	C645	G555	C455	G319	U34
G939	G939	U852	C765	U646	A563	C456	G319	U34
G940	A941	G858	U773	G647	U566	A457	A324	U34
G1034		G859	G774		U566	G458	A324	U34
G1036	C946	G864	G775	G651		G463	A329	G43
A1039		C865	G776	A654	U569	A466	A330	A44
A1040	G954	A866	U779	A655	G570	G467	A339	A45
C1043	U955	C867	G780	G656	U571	A468	A345	G46
C1044		U868	A781	U657	A572	G469	A346	C47
C1045	U958	G869	A782	A668	U573	A470	A352	G48
A1046	A959	U872	G783	G669	A574	A471	A353	A49
G1047	A960	C873	A784	A670	A575	A472	C353	G55
A1048	C961	G873	G785	A670	G578	G473	A354	G58
	G962	A877	C786	C671		G474	U355	U65
C1053	U963	A878	C787	A676	C581	C475	G356	U65
A1054	C964	C879	A788	G682	A586	G476	G359	G68
G1055	G969	G880	A789		C587	A477	U360	C69
G1056	U970	G881	U790	A685	U591	A478	A361	G70
U1060	G971	C882	C791	C687	G591	A479	A362	A71
		U883	A792	U686	A592	A480	A371	A73
C1064	C974	C884	A793	C687	U593	A481	G372	A74
U1065	A979	A885	A794	G700	U594	A482	U373	G75
A1066	A980	U887	C795	G701	C595	G488	A374	G79
U1067	A981	C888	C796					
G1068	A982	C889	G797	G704	U598	G491	C383	
A1069	A983	C890	A802	A705	A599	A492	A384	A83
G1071	C987	G891	G805	A706	G600	G500	C385	A84
	A988			G707	C601	A501	G386	
		U895			A602	A502	U387	G98
C1075	C995	A896	G809	G713	A603	A503	G388	
U1076	A996	C897	U810	U714	G604	A504	G389	A101
A1077		U897	U811	A715	G605	A505	U390	U102
U1081	U999	C898	C812	A716	U606	G506	A395	A103
U1082	A1000	A899		C717	U607	A507	G396	G110
U1083		C901	A819	A718		A508		G110
A1084	G1003	G902	A825	U724	A613	C509	G400	A118
A1085	C1005	C903	U826	G725	A614	C510	A400	A119
A1086		G904	U827	G726	U615	U511	A402	U120
G1087			U828		G620	G512	U403	A125
A1088	A1010	G907	A829		A627	A513	A404	A125
A1089	G1011		G830	G729	G628	A514	U405	G134
A1090	C1013	A910	G831	A730	G629	C527	G407	U135
			U832	C737	G630	A532		G283
U1094	U1019	G916	U833	G738	G630	A538	G411	U284
	A1020	A917	G834		A633		A412	G285
U1097	A1021	U919			A637		C413	U386
C1102	G1024	A927	U839	G745			C414	G141
				U746				G297
U1105				U747				


G106	G110	G111	G112	G115	G116	G123	G124	G125	G126	G127	G130	G131	G132	G133	G134	G135	G136	G137	G138	G139	G140	G141	G142	G143	G144	G149	G153	G161	G165	G166	G167	G168	G169	G172	G173	G174	G175	G176	G177	G178	G179	G180	G181	G182	G183	G184	G190	G191																																		
A1205	U1209	G1210	G1211	G1212	G1213	G1214	A1230	G1231	G1232	G1233	G1234	G1235	G1236	G1237	A1247	G1248	G1249	G1250	A1253	G1256	A1262	A1265	G1266	G1271	A1272	G1273	A1274	A1275	G1278	G1279	G1283	A1286	G1287	G1288	G1295	G1296	G1297	G1298	G1299	G1300	A1301	A1302	A1308	G1309	G1311																																					
G1315	U1318	G1319	G1320	G1321	G1322	G1323	G1324	G1325	G1326	G1327	G1328	G1329	G1330	G1331	G1332	G1338	G1343	G1344	G1345	G1351	U1352	G1357	G1358	A1359	G1360	G1363	G1364	A1365	G1368	G1371	G1372	G1378	U1379	G1380	G1383	A1384	A1385	G1386	A1387	A1392	A1393	U1394	A1395	U1396	G1416	G1417																																				
G1418	A1419	A1420	G1421	C1428	G1432	A1433	G1434	G1435	C1447	G1452	G1453	A1454	C1461	A1469	A1470	G1475	G1476	A1477	G1478	G1482	U1486	U1487	C1488	C1489	A1490	G1491	G1492	G1493	A1494	U1497	A1503	A1504	A1505	A1508	A1509	U1513	G1514	A1515	G1524	A1528	U1532	G1536	G1537	G1538																																						
U1539	G1540	C1541	G1542	G1543	A1544	A1548	A1549	A1566	G1567	G1568	A1569	A1570	A1571	U1578	A1579	A1580	G1581	C1582	A1583	U1584	G1585	A1586	G1587	U1594	G1595	A1596	A1597	A1598	A1603	G1604	G1605	G1606	G1607	A1608	A1609	A1610	A1618	G1619	A1632	G1638	G1639	A1640	G1645	G1646	U1647	U1648	G1649	A1664																																		
G1674	A1677	A1678	G1682	U1688	U1689	U1693	U1699	G1700	C1708	U1709	G1710	G1715	G1727	C1728	U1729	G1730	G1731	U1738	A1744	A1745	G1753	A1754	G1755	G1756	G1769	A1773	U1779	U1782	A1783	A1784	A1785	A1786	A1789	U1791	A1794	C1795	U1796	U1797	G1798	G1799	A1801	G1807	A1808	A1809	C1816	G1817	U1818	A1819	U1820	G1821	U1825	G1826	U1827	G1835	G1836	G1837	G1846	A1847	A1848	A1853	U1859	G1860	U1864	G1865	G1866	C1870	A1871	A1872	G1873	U1880	C1881	U1882	A1889	A1890	G1891	G1892	A1899	A1900	A1901	C1905	G1906	G1907
G1910	U1911	A1912	A1913	G1914	3TD1915	A1916	U1917	A1918	A1919	A1920	G1921	G1922	U1923	C1924	G1925	U1926	A1927	A1928	G1929	G1930	U1931	A1932	G1933	G1934	G1935	A1936	A1937	A1938	U1939	U1940	C1941	U1942	U1943	A1952	A1953	G1954	U1955	U1956	G1957	G1958	A1960	C1961	C1962	U1963	G1964	G1965	A1966	C1967	A1970	U1971	U1972	G1975	U1982																													
U1991	G1992	U1993	G1994	C1996	C1997	G2010	A2013	A2014	U2022	C2023	G2024	C2025	A2030	A2031	G2032	A2033	U2034	U2039	G2040	C2043	C2047	C2055	G2056	G2057	A2058	A2059	A2060	G2061	A2062	C2063	G2069	A2070	A2071	C2072	G2087	A2088	U2092	G2093	A2094	A2095	C2096	A2097	U2098	U2099	G2100	A2101	G2102																																			
C2103	C2104	U2105	U2106	G2107	U2109	G2110	G2111	G2112	G2113	G2114	G2115	G2116	A2117	U2118	A2119	G2120	G2121	U2122	G2123	G2124	G2125	A2126	G2127	G2128	G2129	U2130	U2131	U2132	G2133	A2134	A2135	G2136	U2137	G2138	G2141	A2142	G2143	G2144	G2145	C2146	A2147	U2151	G2152	C2153	A2154	G2157	A2158	G2159	C2160	C2161	A2162	A2163	C2164	C2165	U2166																											
U2167	G2168	A2169	A2170	A2171	G2172	A2173	C2174	C2175	C2176	C2177	U2181	U2182	U2185	G2186	U2189	C2196	U2197	A2198	A2199	G2200	G2201	U2202	U2203	G2204	C2208	A2211	A2212	U2213	U2220	G2221	A2225	G2230	U2231	G2232	U2233	G2234	G2238	G2239	U2240	A2241	G2242	U2243	G2251																																							
C2258	U2262	C2263	C2264	A2267	A2268	A2269	A2270	G2271	U2272	A2273	A2274	A2278	G2279	C2283	A2284	C2285	A2286	A2287	U2291	U2292	A2298	G2303	G2304	U2305	G2308	A2309	G2310	A2311	U2312	C2313	A2314	G2315	G2316	A2317	G2318	G2319	U2320	U2321	A2322	G2325	A2328	U2329	G2330	G2331	A2332	G2333	A2336																																			
C2339	A2340	G2345	A2346	C2347	C2350	G2357	G2360	G2361	G2362	G2363	A2369	G2370	G2371	U2372	A2377	A2378	G2379	G2380	A2381	G2382	G2383	U2384	G2385	A2386	U2387	A2388	G2389	U2390	G2391	A2392	U2393	C2394	G2395	G2396	U2402	A2403	U2404	A2405	A2406	G2410	A2411	U2423	A2424	A2425	A2426	C2427	G2428	G2429	A2430	U2431																																
U2441	C2442	G2445	G2446	G2447	A2448	U2449	A2450	A2451	U2457	A2461	C2462	C2463	G2464	A2469	G2470	A2471	G2472	U2473	U2474	C2475	A2476	U2477	A2478	G2481	A2482	C2483	G2484	G2485	C2486	U2491	U2492	U2493	G2494	C2498	C2499	U2500	G2501	U2504	G2505	U2506	C2507	C2512	A2513	U2514	C2515	A2518																																				




• Molecule 6: 5S ribosomal RNA




• Molecule 7: 16S ribosomal RNA










• Molecule 7: 16S ribosomal RNA








• Molecule 9: Small ribosomal subunit protein uS3




• Molecule 9: Small ribosomal subunit protein uS3





• Molecule 10: Small ribosomal subunit protein uS4









- Molecule 10: Small ribosomal subunit protein uS4




- Molecule 11: Small ribosomal subunit protein uS5




- Molecule 11: Small ribosomal subunit protein uS5




- Molecule 12: 30S ribosomal protein S6




- Molecule 12: 30S ribosomal protein S6




- Molecule 13: 30S ribosomal protein S7




- Molecule 13: 30S ribosomal protein S7




- Molecule 14: Small ribosomal subunit protein uS8




- Molecule 14: Small ribosomal subunit protein uS8



- Molecule 15: Small ribosomal subunit protein uS9




- Molecule 15: Small ribosomal subunit protein uS9




- Molecule 16: 30S ribosomal protein S10






- Molecule 16: 30S ribosomal protein S10

Chain J2:




- Molecule 17: Small ribosomal subunit protein uS11

Chain K1:



- Molecule 17: Small ribosomal subunit protein uS11

Chain K2:



- Molecule 18: Small ribosomal subunit protein uS12




Chain L1:





- Molecule 18: Small ribosomal subunit protein uS12





- Molecule 19: Small ribosomal subunit protein uS13



- Molecule 19: Small ribosomal subunit protein uS13




- Molecule 20: Small ribosomal subunit protein uS14




- Molecule 20: Small ribosomal subunit protein uS14









- Molecule 21: 30S ribosomal protein S15




- Molecule 21: 30S ribosomal protein S15





- Molecule 22: 30S ribosomal protein S16




- Molecule 23: Small ribosomal subunit protein uS17




- Molecule 23: Small ribosomal subunit protein uS17




- Molecule 24: Small ribosomal subunit protein bS18







- Molecule 24: Small ribosomal subunit protein bS18




- Molecule 25: Small ribosomal subunit protein uS19





- Molecule 25: Small ribosomal subunit protein uS19




- Molecule 26: Small ribosomal subunit protein bS20




- Molecule 27: 30S ribosomal protein S21





- Molecule 27: 30S ribosomal protein S21





- Molecule 28: messenger RNA




- Molecule 29: tRNA-Trp (P/E-site)



- Molecule 30: tRNA-Phe (P/E-site)



- Molecule 31: tRNA-Ala (A/P-site)




- Molecule 32: tRNA-Val (A/P-site)



U C A C C C A C A


• Molecule 33: 30S ribosomal protein S1

Chain Z1: 98%




• Molecule 34: Large ribosomal subunit protein uL1


Chain a2: 48% 77% 18% 5%




• Molecule 35: 50S ribosomal protein L2




• Molecule 36: 50S ribosomal protein L5




• Molecule 37: 50S ribosomal protein L33




• Molecule 38: 50S ribosomal protein L16





• Molecule 39: 50S ribosomal protein L9






- Molecule 40: 50S ribosomal protein L34




- Molecule 41: 50S ribosomal protein L15



- Molecule 42: Nascent chain



- Molecule 43: 50S ribosomal protein L18



- Molecule 44: 50S ribosomal protein L27



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	6999	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	45	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	81000	Depositor
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	18.085	Depositor
Minimum map value	-5.504	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.940	Depositor
Recommended contour level	4	Depositor
Map size (Å)	744.12, 744.12, 744.12	wwPDB
Map dimensions	468, 468, 468	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.59, 1.59, 1.59	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: OMU, 3TD, MG, 1MG, OMG, 4SU, CM0, H2U, 2MG, PUT, 2MA, 4OC, UR3, ZN, 5MU, MA6, MIA, PSU, SPD, 7MG, 5MC, G7M, OMC, 6MZ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	12	0.12	0/635	0.37	0/848
2	32	0.09	0/453	0.30	0/605
3	4	0.15	0/543	0.49	0/726
3	41	0.11	0/120	0.38	0/158
4	62	0.09	0/513	0.31	0/676
5	71	0.09	0/429	0.22	0/664
5	72	0.11	0/69306	0.23	6/108116 (0.0%)
6	82	0.11	0/2872	0.25	0/4478
7	A1	0.16	0/36794	0.32	0/57392
7	A2	0.15	0/36681	0.30	3/57217 (0.0%)
8	B	0.14	0/1846	0.46	0/2488
8	B2	0.13	0/1807	0.41	0/2435
9	C1	0.15	0/1692	0.44	0/2280
9	C2	0.15	0/1685	0.41	0/2270
10	D1	0.18	0/1665	0.42	0/2227
10	D2	0.09	0/1665	0.30	0/2227
11	E1	0.11	0/1179	0.31	0/1584
11	E2	0.11	0/1179	0.32	0/1584
12	F1	0.09	0/881	0.27	0/1189
12	F2	0.13	0/881	0.41	0/1189
13	G1	0.10	0/1246	0.32	0/1672
13	G2	0.14	0/1230	0.44	0/1649
14	H1	0.10	0/989	0.31	0/1326
14	H2	0.10	0/989	0.30	0/1326
15	I1	0.12	0/1034	0.36	0/1375
15	I2	0.10	0/1048	0.33	0/1394
16	J1	0.15	0/827	0.46	0/1117
16	J2	0.13	0/813	0.44	0/1100
17	K1	0.11	0/873	0.33	0/1180
17	K2	0.12	0/900	0.34	0/1215
18	L1	0.11	0/969	0.33	0/1300

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
18	L2	0.11	0/969	0.34	0/1300
19	M1	0.10	0/900	0.29	0/1204
19	M2	0.11	0/919	0.32	0/1226
20	N1	0.13	0/817	0.42	0/1088
20	N2	0.10	0/817	0.38	0/1088
21	O1	0.09	0/722	0.30	0/964
21	O2	0.11	0/722	0.35	0/964
22	P1	0.11	0/659	0.32	0/884
23	Q1	0.12	0/657	0.37	0/881
23	Q2	0.12	0/657	0.39	0/881
24	R1	0.11	0/635	0.33	0/849
24	R2	0.14	0/637	0.46	0/851
25	S1	0.11	0/680	0.33	0/915
25	S2	0.12	0/680	0.35	0/915
26	T1	0.15	0/676	0.41	0/895
27	U1	0.13	0/598	0.40	0/792
27	U2	0.11	0/598	0.36	0/792
28	V2	0.21	0/1427	0.45	0/2224
29	W	0.27	0/1604	0.69	5/2496 (0.2%)
30	W1	0.32	1/747 (0.1%)	0.51	0/1161
31	Y	0.20	0/1725	0.33	0/2687
32	Y1	0.15	0/786	0.39	0/1216
33	Z1	0.09	0/76	0.24	0/101
34	a2	0.10	0/1676	0.32	0/2259
35	b2	0.11	0/2121	0.33	0/2852
36	e2	0.10	0/1444	0.28	0/1937
37	g2	0.12	0/434	0.32	0/576
38	h2	0.09	0/1104	0.28	0/1474
39	i2	0.19	0/1122	0.50	0/1515
40	l2	0.07	0/380	0.23	0/498
41	o2	0.11	0/383	0.38	0/501
42	p	0.87	0/77	0.94	0/104
43	r2	0.10	0/901	0.34	0/1209
44	z2	0.07	0/589	0.26	0/779
All	All	0.14	1/202683 (0.0%)	0.31	14/305085 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	12	0	1

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
3	4	0	1
10	D1	0	1
10	D2	0	1
13	G2	0	3
16	J1	0	1
16	J2	0	2
17	K1	0	1
21	O2	0	1
22	P1	0	1
34	a2	0	1
39	i2	0	3
42	p	0	1
All	All	0	18

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
30	W1	46	G7M	O3'-P	5.06	1.61	1.56

The worst 5 of 14 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
29	W	43	G	OP1-P-OP2	-13.79	78.24	119.60
29	W	42	G	OP1-P-O3'	-11.71	72.88	108.00
29	W	43	G	O5'-P-OP2	-10.32	77.05	108.00
29	W	42	G	OP2-P-O3'	9.68	137.04	108.00
5	72	1916	A	P-O3'-C3'	-7.70	108.65	120.20

There are no chirality outliers.

5 of 18 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	12	74	ARG	Sidechain
3	4	56	ARG	Sidechain
10	D1	104	ARG	Sidechain
10	D2	104	ARG	Sidechain
13	G2	3	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	12	625	0	652	22	0
2	32	449	0	491	16	0
3	4	533	0	530	25	0
3	41	118	0	118	3	0
4	62	504	0	572	15	0
5	71	406	0	208	5	0
5	72	62355	0	31380	581	0
6	82	2569	0	1301	28	0
7	A1	33092	0	16674	863	0
7	A2	32990	0	16621	662	0
8	B	1815	0	1836	67	0
8	B2	1776	0	1802	56	0
9	C1	1665	0	1741	55	0
9	C2	1658	0	1732	72	0
10	D1	1643	0	1707	54	0
10	D2	1643	0	1707	37	0
11	E1	1166	0	1212	31	0
11	E2	1166	0	1212	35	0
12	F1	862	0	864	19	0
12	F2	862	0	864	27	0
13	G1	1228	0	1277	30	0
13	G2	1214	0	1267	38	0
14	H1	979	0	1031	33	0
14	H2	979	0	1031	33	0
15	I1	1022	0	1070	38	0
15	I2	1036	0	1081	32	0
16	J1	817	0	853	41	0
16	J2	803	0	842	31	0
17	K1	857	0	861	28	0
17	K2	884	0	896	23	0
18	L1	955	0	1016	22	0
18	L2	955	0	1016	32	0
19	M1	891	0	952	24	0
19	M2	910	0	978	15	0
20	N1	805	0	844	38	0
20	N2	805	0	844	35	0
21	O1	714	0	734	11	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
21	O2	714	0	734	18	0
22	P1	649	0	666	22	0
23	Q1	648	0	691	16	0
23	Q2	648	0	691	13	0
24	R1	624	0	652	21	0
24	R2	626	0	648	18	0
25	S1	663	0	688	20	0
25	S2	663	0	688	18	0
26	T1	670	0	719	22	0
27	U1	590	0	629	12	0
27	U2	590	0	629	19	0
28	V2	1272	0	639	45	0
29	W	1630	0	841	49	0
30	W1	781	0	405	30	0
31	Y	1628	0	828	19	0
32	Y1	778	0	399	18	0
33	Z1	75	0	65	1	0
34	a2	1661	0	1750	27	0
35	b2	2082	0	2154	54	0
36	e2	1420	0	1457	44	0
37	g2	427	0	464	6	0
38	h2	1085	0	1169	18	0
39	i2	1111	0	1148	42	0
40	l2	377	0	418	6	0
41	o2	377	0	389	20	0
42	p	76	0	75	13	0
43	r2	891	0	923	23	0
44	z2	582	0	599	13	0
45	4	1	0	0	0	0
45	B	1	0	0	0	0
46	72	12	0	24	0	0
47	72	10	0	19	0	0
48	72	163	0	0	0	0
48	A1	60	0	0	0	0
48	A2	42	0	0	0	0
48	Y	2	0	0	0	0
48	h2	1	0	0	0	0
All	All	187381	0	121018	3316	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

The worst 5 of 3316 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:72:2062:A:N1	42:p:30:VAL:HG12	1.38	1.39
5:72:2062:A:N6	42:p:31:ARG:O	1.72	1.19
5:72:2062:A:C6	42:p:30:VAL:HG12	1.79	1.17
5:72:2062:A:N1	42:p:30:VAL:CG1	2.17	1.08
16:J1:31:ARG:NH1	16:J1:32:THR:OG1	1.88	1.06

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	12	75/78 (96%)	72 (96%)	3 (4%)	0	100	100
2	32	56/59 (95%)	52 (93%)	3 (5%)	1 (2%)	6	32
3	4	66/70 (94%)	57 (86%)	9 (14%)	0	100	100
3	41	12/70 (17%)	10 (83%)	2 (17%)	0	100	100
4	62	62/65 (95%)	58 (94%)	4 (6%)	0	100	100
8	B	231/241 (96%)	193 (84%)	34 (15%)	4 (2%)	7	34
8	B2	225/241 (93%)	189 (84%)	36 (16%)	0	100	100
9	C1	211/233 (91%)	178 (84%)	26 (12%)	7 (3%)	3	20
9	C2	210/233 (90%)	185 (88%)	25 (12%)	0	100	100
10	D1	203/206 (98%)	183 (90%)	19 (9%)	1 (0%)	24	63
10	D2	203/206 (98%)	200 (98%)	3 (2%)	0	100	100
11	E1	156/167 (93%)	152 (97%)	4 (3%)	0	100	100
11	E2	156/167 (93%)	152 (97%)	4 (3%)	0	100	100
12	F1	104/135 (77%)	104 (100%)	0	0	100	100
12	F2	104/135 (77%)	80 (77%)	23 (22%)	1 (1%)	12	47
13	G1	153/179 (86%)	151 (99%)	2 (1%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
13	G2	152/179 (85%)	121 (80%)	24 (16%)	7 (5%)	2	16
14	H1	127/130 (98%)	127 (100%)	0	0	100	100
14	H2	127/130 (98%)	127 (100%)	0	0	100	100
15	I1	125/130 (96%)	103 (82%)	22 (18%)	0	100	100
15	I2	127/130 (98%)	116 (91%)	11 (9%)	0	100	100
16	J1	100/103 (97%)	92 (92%)	8 (8%)	0	100	100
16	J2	98/103 (95%)	86 (88%)	9 (9%)	3 (3%)	3	21
17	K1	113/129 (88%)	97 (86%)	15 (13%)	1 (1%)	14	49
17	K2	116/129 (90%)	101 (87%)	14 (12%)	1 (1%)	14	49
18	L1	121/124 (98%)	115 (95%)	5 (4%)	1 (1%)	16	52
18	L2	121/124 (98%)	116 (96%)	5 (4%)	0	100	100
19	M1	113/118 (96%)	109 (96%)	4 (4%)	0	100	100
19	M2	115/118 (98%)	108 (94%)	7 (6%)	0	100	100
20	N1	98/101 (97%)	84 (86%)	14 (14%)	0	100	100
20	N2	98/101 (97%)	95 (97%)	3 (3%)	0	100	100
21	O1	86/89 (97%)	83 (96%)	3 (4%)	0	100	100
21	O2	86/89 (97%)	84 (98%)	2 (2%)	0	100	100
22	P1	80/82 (98%)	75 (94%)	5 (6%)	0	100	100
23	Q1	78/84 (93%)	76 (97%)	2 (3%)	0	100	100
23	Q2	78/84 (93%)	75 (96%)	2 (3%)	1 (1%)	9	40
24	R1	72/75 (96%)	65 (90%)	6 (8%)	1 (1%)	9	38
24	R2	72/75 (96%)	53 (74%)	17 (24%)	2 (3%)	4	23
25	S1	81/92 (88%)	79 (98%)	2 (2%)	0	100	100
25	S2	81/92 (88%)	79 (98%)	2 (2%)	0	100	100
26	T1	84/87 (97%)	79 (94%)	3 (4%)	2 (2%)	4	25
27	U1	68/71 (96%)	58 (85%)	10 (15%)	0	100	100
27	U2	68/71 (96%)	60 (88%)	8 (12%)	0	100	100
33	Z1	7/557 (1%)	7 (100%)	0	0	100	100
34	a2	221/234 (94%)	201 (91%)	15 (7%)	5 (2%)	5	26
35	b2	269/273 (98%)	264 (98%)	5 (2%)	0	100	100
36	e2	176/179 (98%)	172 (98%)	4 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
37	g2	50/55 (91%)	50 (100%)	0	0	100	100
38	h2	135/136 (99%)	135 (100%)	0	0	100	100
39	i2	147/149 (99%)	115 (78%)	26 (18%)	6 (4%)	2	17
40	l2	44/46 (96%)	43 (98%)	1 (2%)	0	100	100
41	o2	49/144 (34%)	45 (92%)	4 (8%)	0	100	100
42	p	8/10 (80%)	5 (62%)	2 (25%)	1 (12%)	0	4
43	r2	114/117 (97%)	110 (96%)	4 (4%)	0	100	100
44	z2	74/85 (87%)	74 (100%)	0	0	100	100
All	All	6206/7310 (85%)	5700 (92%)	461 (7%)	45 (1%)	20	55

5 of 45 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
9	C1	15	VAL
13	G2	18	PHE
13	G2	35	LYS
13	G2	54	SER
13	G2	146	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	12	67/68 (98%)	67 (100%)	0	100	100
2	32	48/49 (98%)	48 (100%)	0	100	100
3	4	60/62 (97%)	60 (100%)	0	100	100
3	41	12/62 (19%)	12 (100%)	0	100	100
4	62	51/52 (98%)	51 (100%)	0	100	100
8	B	192/199 (96%)	192 (100%)	0	100	100
8	B2	189/199 (95%)	189 (100%)	0	100	100
9	C1	173/190 (91%)	173 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
9	C2	172/190 (90%)	172 (100%)	0	100	100
10	D1	172/173 (99%)	171 (99%)	1 (1%)	78	81
10	D2	172/173 (99%)	172 (100%)	0	100	100
11	E1	120/126 (95%)	120 (100%)	0	100	100
11	E2	120/126 (95%)	120 (100%)	0	100	100
12	F1	92/116 (79%)	92 (100%)	0	100	100
12	F2	92/116 (79%)	92 (100%)	0	100	100
13	G1	128/147 (87%)	128 (100%)	0	100	100
13	G2	127/147 (86%)	127 (100%)	0	100	100
14	H1	104/105 (99%)	104 (100%)	0	100	100
14	H2	104/105 (99%)	104 (100%)	0	100	100
15	I1	105/107 (98%)	105 (100%)	0	100	100
15	I2	106/107 (99%)	106 (100%)	0	100	100
16	J1	89/90 (99%)	89 (100%)	0	100	100
16	J2	88/90 (98%)	88 (100%)	0	100	100
17	K1	88/99 (89%)	88 (100%)	0	100	100
17	K2	91/99 (92%)	91 (100%)	0	100	100
18	L1	103/104 (99%)	103 (100%)	0	100	100
18	L2	103/104 (99%)	103 (100%)	0	100	100
19	M1	93/96 (97%)	93 (100%)	0	100	100
19	M2	95/96 (99%)	95 (100%)	0	100	100
20	N1	83/84 (99%)	83 (100%)	0	100	100
20	N2	83/84 (99%)	83 (100%)	0	100	100
21	O1	76/77 (99%)	76 (100%)	0	100	100
21	O2	76/77 (99%)	76 (100%)	0	100	100
22	P1	65/65 (100%)	65 (100%)	0	100	100
23	Q1	74/78 (95%)	74 (100%)	0	100	100
23	Q2	74/78 (95%)	74 (100%)	0	100	100
24	R1	64/65 (98%)	64 (100%)	0	100	100
24	R2	64/65 (98%)	64 (100%)	0	100	100
25	S1	72/79 (91%)	72 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
25	S2	72/79 (91%)	72 (100%)	0	100	100
26	T1	65/66 (98%)	65 (100%)	0	100	100
27	U1	60/61 (98%)	60 (100%)	0	100	100
27	U2	60/61 (98%)	60 (100%)	0	100	100
33	Z1	8/461 (2%)	8 (100%)	0	100	100
34	a2	174/181 (96%)	174 (100%)	0	100	100
35	b2	216/218 (99%)	216 (100%)	0	100	100
36	e2	149/150 (99%)	149 (100%)	0	100	100
37	g2	47/49 (96%)	47 (100%)	0	100	100
38	h2	110/109 (101%)	110 (100%)	0	100	100
39	i2	114/114 (100%)	114 (100%)	0	100	100
40	l2	38/38 (100%)	38 (100%)	0	100	100
41	o2	35/103 (34%)	35 (100%)	0	100	100
42	p	5/5 (100%)	4 (80%)	1 (20%)	1	8
43	r2	86/87 (99%)	86 (100%)	0	100	100
44	z2	58/63 (92%)	58 (100%)	0	100	100
All	All	5184/5994 (86%)	5182 (100%)	2 (0%)	100	100

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
10	D1	15	GLU
42	p	34	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 39 such sidechains are listed below:

Mol	Chain	Res	Type
17	K2	119	ASN
35	b2	260	ASN
18	L2	29	GLN
27	U2	9	ASN
38	h2	13	HIS

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
28	V2	58/59 (98%)	40 (68%)	9 (15%)
29	W	75/76 (98%)	29 (38%)	3 (4%)
30	W1	35/76 (46%)	10 (28%)	2 (5%)
31	Y	75/76 (98%)	21 (28%)	2 (2%)
32	Y1	34/76 (44%)	6 (17%)	2 (5%)
5	71	18/2904 (0%)	1 (5%)	0
5	72	2903/2904 (99%)	466 (16%)	38 (1%)
6	82	119/120 (99%)	21 (17%)	3 (2%)
7	A1	1541/1542 (99%)	448 (29%)	36 (2%)
7	A2	1536/1542 (99%)	397 (25%)	30 (1%)
All	All	6394/9375 (68%)	1439 (22%)	125 (1%)

5 of 1439 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
5	71	1907	G
5	72	10	A
5	72	15	G
5	72	34	U
5	72	44	A

5 of 125 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
7	A1	575	G
28	V2	35	A
7	A1	1335	U
28	V2	31	U
29	W	48	U

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

64 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	PSU	72	2504	5	18,21,22	4.69	8 (44%)	22,30,33	1.83	5 (22%)
31	H2U	Y	17	31	18,21,22	3.08	5 (27%)	21,30,33	2.02	5 (23%)
7	UR3	A1	1498	7	19,22,23	2.78	8 (42%)	26,32,35	1.28	2 (7%)
7	4OC	A2	1402	7	20,23,24	3.26	8 (40%)	26,32,35	0.90	1 (3%)
7	MA6	A2	1519	7	23,26,27	1.35	3 (13%)	34,38,41	3.28	14 (41%)
31	5MU	Y	54	31	19,22,23	4.14	14 (73%)	28,32,35	4.14	12 (42%)
5	1MG	72	745	5	22,26,27	2.73	5 (22%)	33,39,42	2.27	8 (24%)
31	PSU	Y	55	31	18,21,22	0.87	1 (5%)	22,30,33	0.58	0
5	PSU	72	746	5	18,21,22	0.89	1 (5%)	22,30,33	0.61	0
5	3TD	72	1915	5	19,22,23	0.82	1 (5%)	21,32,35	0.66	0
32	CM0	Y1	34	32	23,26,27	3.71	6 (26%)	27,37,40	1.58	3 (11%)
31	G7M	Y	46	31	23,26,27	2.85	9 (39%)	35,39,42	1.74	7 (20%)
29	H2U	W	20	29	18,21,22	3.07	5 (27%)	21,30,33	2.02	5 (23%)
29	MIA	W	37	29	28,31,32	2.40	5 (17%)	40,44,47	3.11	19 (47%)
29	PSU	W	55	29	18,21,22	0.87	1 (5%)	22,30,33	0.58	0
7	5MC	A1	967	7	18,22,23	4.06	7 (38%)	26,32,35	1.02	2 (7%)
30	PSU	W1	39	30	18,21,22	4.68	8 (44%)	22,30,33	1.82	5 (22%)
7	5MC	A1	1407	7	18,22,23	4.06	7 (38%)	26,32,35	0.96	2 (7%)
7	2MG	A1	1207	7	23,26,27	3.11	8 (34%)	32,38,41	2.51	11 (34%)
7	2MG	A1	1516	7	23,26,27	3.13	8 (34%)	32,38,41	2.52	11 (34%)
5	OMC	72	2498	5,48	19,22,23	3.30	8 (42%)	26,31,34	0.77	0
29	PSU	W	32	29	18,21,22	4.67	8 (44%)	22,30,33	1.91	5 (22%)
5	PSU	72	955	5	18,21,22	4.67	8 (44%)	22,30,33	1.86	5 (22%)
29	5MU	W	54	29	19,22,23	4.09	14 (73%)	28,32,35	4.01	13 (46%)
7	5MC	A2	1407	7	18,22,23	4.04	7 (38%)	26,32,35	0.97	2 (7%)
5	H2U	72	2449	5,48	18,21,22	3.06	5 (27%)	21,30,33	2.04	5 (23%)
5	2MG	72	1835	5	23,26,27	3.08	8 (34%)	32,38,41	2.56	12 (37%)
29	G7M	W	46	29	23,26,27	2.86	9 (39%)	35,39,42	1.86	7 (20%)
7	MA6	A2	1518	7	23,26,27	1.35	3 (13%)	34,38,41	3.29	14 (41%)
5	PSU	72	2604	5	18,21,22	4.66	8 (44%)	22,30,33	1.86	5 (22%)
5	OMG	72	2251	5,31	23,26,27	2.59	6 (26%)	33,38,41	2.40	10 (30%)
7	UR3	A2	1498	7	19,22,23	2.79	8 (42%)	26,32,35	1.32	3 (11%)
5	5MU	72	747	5	19,22,23	0.27	0	28,32,35	0.52	0
5	OMU	72	2552	5	19,22,23	3.22	8 (42%)	26,31,34	1.69	5 (19%)
7	4OC	A1	1402	7	20,23,24	3.25	8 (40%)	26,32,35	0.89	1 (3%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	G7M	72	2069	5	23,26,27	2.84	9 (39%)	35,39,42	1.73	9 (25%)
5	PSU	72	2580	5	18,21,22	4.66	8 (44%)	22,30,33	1.84	6 (27%)
30	4SU	W1	8	30	18,21,22	3.81	7 (38%)	26,30,33	2.24	4 (15%)
7	MA6	A1	1519	7	23,26,27	1.34	3 (13%)	34,38,41	3.33	14 (41%)
7	G7M	A1	527	7	23,26,27	2.83	9 (39%)	35,39,42	1.72	9 (25%)
32	7MG	Y1	46	32	22,26,27	3.90	10 (45%)	29,39,42	2.04	9 (31%)
7	5MC	A2	967	7	18,22,23	4.03	7 (38%)	26,32,35	0.99	2 (7%)
5	6MZ	72	2030	5	22,25,26	2.82	5 (22%)	30,36,39	2.43	11 (36%)
7	2MG	A2	1207	7	23,26,27	3.12	8 (34%)	32,38,41	2.51	11 (34%)
5	6MZ	72	1618	5	22,25,26	2.77	4 (18%)	30,36,39	2.50	11 (36%)
32	6MZ	Y1	37	32	22,25,26	2.82	4 (18%)	30,36,39	2.49	12 (40%)
5	5MU	72	1939	5	19,22,23	4.14	15 (78%)	28,32,35	4.12	12 (42%)
30	PSU	W1	32	30	18,21,22	4.65	8 (44%)	22,30,33	1.83	5 (22%)
30	MIA	W1	37	30	28,31,32	2.44	5 (17%)	40,44,47	2.84	16 (40%)
5	2MG	72	2445	5	23,26,27	3.11	8 (34%)	32,38,41	2.53	11 (34%)
7	G7M	A2	527	7	23,26,27	2.84	9 (39%)	35,39,42	1.71	8 (22%)
7	MA6	A1	1518	7	23,26,27	1.35	4 (17%)	34,38,41	3.30	14 (41%)
5	PSU	72	2605	5	18,21,22	4.66	8 (44%)	22,30,33	1.81	5 (22%)
29	4SU	W	8	29	18,21,22	3.81	7 (38%)	26,30,33	2.26	4 (15%)
7	2MG	A1	966	7	23,26,27	3.09	8 (34%)	32,38,41	2.58	12 (37%)
5	3TD	71	1915	5	19,22,23	4.08	7 (36%)	21,32,35	1.69	2 (9%)
7	2MG	A2	1516	7	23,26,27	3.11	8 (34%)	32,38,41	2.48	11 (34%)
30	G7M	W1	46	30	23,26,27	2.85	8 (34%)	35,39,42	1.95	8 (22%)
7	2MG	A2	966	7	23,26,27	3.12	8 (34%)	32,38,41	2.51	11 (34%)
5	2MA	72	2503	5,48	22,25,26	4.11	8 (36%)	33,37,40	3.57	10 (30%)
5	PSU	72	2457	5	18,21,22	4.67	8 (44%)	22,30,33	1.87	5 (22%)
5	5MC	72	1962	5	18,22,23	4.03	7 (38%)	26,32,35	1.07	2 (7%)
29	H2U	W	16	29	18,21,22	3.04	5 (27%)	21,30,33	1.99	5 (23%)
29	H2U	W	17	29	18,21,22	3.06	5 (27%)	21,30,33	2.02	5 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	PSU	72	2504	5	-	0/7/25/26	0/2/2/2
31	H2U	Y	17	31	-	7/7/38/39	0/2/2/2
7	UR3	A1	1498	7	-	2/7/25/26	0/2/2/2
7	4OC	A2	1402	7	-	1/9/29/30	0/2/2/2
7	MA6	A2	1519	7	-	2/11/29/30	0/3/3/3
31	5MU	Y	54	31	-	0/7/25/26	0/2/2/2
5	1MG	72	745	5	-	0/7/25/26	0/3/3/3
31	PSU	Y	55	31	-	0/7/25/26	0/2/2/2
5	PSU	72	746	5	-	4/7/25/26	0/2/2/2
5	3TD	72	1915	5	-	0/7/25/26	0/2/2/2
32	CM0	Y1	34	32	-	4/12/30/31	0/2/2/2
31	G7M	Y	46	31	-	2/7/25/26	0/3/3/3
29	H2U	W	20	29	-	3/7/38/39	0/2/2/2
29	MIA	W	37	29	-	6/15/33/34	0/3/3/3
29	PSU	W	55	29	-	0/7/25/26	0/2/2/2
7	5MC	A1	967	7	-	1/7/25/26	0/2/2/2
30	PSU	W1	39	30	-	0/7/25/26	0/2/2/2
7	5MC	A1	1407	7	-	0/7/25/26	0/2/2/2
7	2MG	A1	1207	7	-	0/9/27/28	0/3/3/3
7	2MG	A1	1516	7	-	0/9/27/28	0/3/3/3
5	OMC	72	2498	5,48	-	2/9/27/28	0/2/2/2
29	PSU	W	32	29	-	5/7/25/26	0/2/2/2
5	PSU	72	955	5	-	0/7/25/26	0/2/2/2
29	5MU	W	54	29	-	3/7/25/26	0/2/2/2
7	5MC	A2	1407	7	-	0/7/25/26	0/2/2/2
5	H2U	72	2449	5,48	-	0/7/38/39	0/2/2/2
5	2MG	72	1835	5	-	0/9/27/28	0/3/3/3
29	G7M	W	46	29	-	2/7/25/26	0/3/3/3
7	MA6	A2	1518	7	-	2/11/29/30	0/3/3/3
5	PSU	72	2604	5	-	0/7/25/26	0/2/2/2
5	OMG	72	2251	5,31	-	3/9/27/28	0/3/3/3
7	UR3	A2	1498	7	-	2/7/25/26	0/2/2/2
5	5MU	72	747	5	-	2/7/25/26	0/2/2/2
5	OMU	72	2552	5	-	0/9/27/28	0/2/2/2
7	4OC	A1	1402	7	-	1/9/29/30	0/2/2/2
5	G7M	72	2069	5	-	2/7/25/26	0/3/3/3
5	PSU	72	2580	5	-	0/7/25/26	0/2/2/2
30	4SU	W1	8	30	-	2/7/25/26	0/2/2/2
7	MA6	A1	1519	7	-	3/11/29/30	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	G7M	A1	527	7	-	1/7/25/26	0/3/3/3
32	7MG	Y1	46	32	-	1/7/37/38	0/3/3/3
7	5MC	A2	967	7	-	1/7/25/26	0/2/2/2
5	6MZ	72	2030	5	-	3/9/27/28	0/3/3/3
7	2MG	A2	1207	7	-	0/9/27/28	0/3/3/3
5	6MZ	72	1618	5	-	4/9/27/28	0/3/3/3
32	6MZ	Y1	37	32	-	2/9/27/28	0/3/3/3
5	5MU	72	1939	5	-	3/7/25/26	0/2/2/2
30	PSU	W1	32	30	-	0/7/25/26	0/2/2/2
30	MIA	W1	37	30	-	5/15/33/34	0/3/3/3
5	2MG	72	2445	5	-	0/9/27/28	0/3/3/3
7	G7M	A2	527	7	-	3/7/25/26	0/3/3/3
7	MA6	A1	1518	7	-	3/11/29/30	0/3/3/3
5	PSU	72	2605	5	-	0/7/25/26	0/2/2/2
29	4SU	W	8	29	-	0/7/25/26	0/2/2/2
7	2MG	A1	966	7	-	0/9/27/28	0/3/3/3
5	3TD	71	1915	5	-	1/7/25/26	0/2/2/2
7	2MG	A2	1516	7	-	0/9/27/28	0/3/3/3
30	G7M	W1	46	30	-	4/7/25/26	0/3/3/3
7	2MG	A2	966	7	-	0/9/27/28	0/3/3/3
5	2MA	72	2503	5,48	-	0/7/25/26	0/3/3/3
5	PSU	72	2457	5	-	0/7/25/26	0/2/2/2
5	5MC	72	1962	5	-	0/7/25/26	0/2/2/2
29	H2U	W	16	29	-	1/7/38/39	0/2/2/2
29	H2U	W	17	29	-	2/7/38/39	0/2/2/2

The worst 5 of 436 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	71	1915	3TD	C6-C5	12.66	1.50	1.35
32	Y1	34	CM0	C6-C5	12.62	1.48	1.34
5	72	2503	2MA	C4-N3	12.46	1.50	1.34
5	72	2504	PSU	C6-C5	12.23	1.49	1.35
5	72	955	PSU	C6-C5	12.20	1.49	1.35

The worst 5 of 443 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	72	2503	2MA	C1'-N9-C8	-12.91	97.98	127.14
7	A1	1519	MA6	N1-C6-N6	-12.03	103.93	117.08

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A1	1518	MA6	N1-C6-N6	-11.84	104.14	117.08
7	A2	1519	MA6	N1-C6-N6	-11.78	104.21	117.08
7	A2	1518	MA6	N1-C6-N6	-11.62	104.38	117.08

There are no chirality outliers.

5 of 95 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	A1	1402	4OC	C1'-C2'-O2'-CM2
7	A1	1518	MA6	C5-C6-N6-C9
7	A1	1518	MA6	C5-C6-N6-C10
7	A1	1519	MA6	C3'-C4'-C5'-O5'
7	A2	1402	4OC	C1'-C2'-O2'-CM2

There are no ring outliers.

37 monomers are involved in 61 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	72	2504	PSU	1	0
7	A1	1498	UR3	1	0
7	A2	1402	4OC	3	0
7	A2	1519	MA6	2	0
31	Y	54	5MU	3	0
31	Y	55	PSU	4	0
5	72	1915	3TD	2	0
32	Y1	34	CM0	5	0
31	Y	46	G7M	1	0
29	W	37	MIA	3	0
29	W	55	PSU	2	0
7	A1	1207	2MG	2	0
29	W	32	PSU	2	0
29	W	54	5MU	1	0
5	72	2449	H2U	1	0
5	72	1835	2MG	1	0
5	72	2604	PSU	2	0
5	72	2251	OMG	1	0
7	A2	1498	UR3	1	0
5	72	747	5MU	1	0
7	A1	1402	4OC	2	0
32	Y1	46	7MG	1	0
7	A2	967	5MC	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	72	2030	6MZ	2	0
5	72	1939	5MU	1	0
30	W1	32	PSU	1	0
30	W1	37	MIA	3	0
7	A1	1518	MA6	2	0
5	72	2605	PSU	3	0
29	W	8	4SU	2	0
7	A1	966	2MG	1	0
7	A2	1516	2MG	1	0
30	W1	46	G7M	2	0
7	A2	966	2MG	1	0
5	72	2457	PSU	1	0
5	72	1962	5MC	2	0
29	W	16	H2U	2	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 273 ligands modelled in this entry, 270 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
47	SPD	72	3003	-	9,9,9	0.32	0	8,8,8	0.84	0
46	PUT	72	3002	-	5,5,5	0.26	0	4,4,4	0.54	0
46	PUT	72	3001	-	5,5,5	0.26	0	4,4,4	0.52	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
47	SPD	72	3003	-	-	0/7/7/7	-
46	PUT	72	3002	-	-	0/3/3/3	-
46	PUT	72	3001	-	-	1/3/3/3	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
46	72	3001	PUT	C1-C2-C3-C4

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-19059. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 234




Y Index: 234




Z Index: 234


6.2.2 Raw map



X Index: 234



Y Index: 234




Z Index: 234


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 234




Y Index: 206




Z Index: 280


6.3.2 Raw map



X Index: 0



Y Index: 0




Z Index: 0


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 4.0. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_19059_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 4704 nm^3 ; this corresponds to an approximate mass of 4250 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.188 $\text{\AA}^{-1}$

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.188 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	5.32	-	-
Author-provided FSC curve	5.32	7.96	5.75
Unmasked-calculated*	14.73	21.74	15.82

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 14.73 differs from the reported value 5.32 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-19059 and PDB model 8RCT. Per-residue inclusion information can be found in section 3 on page 15.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 4.0 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (4).

9.4 Atom inclusion [i](#)



At the recommended contour level, 88% of all backbone atoms, 87% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (4) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8670	 0.1810
12	 0.7490	 0.1540
32	 0.8240	 0.1270
4	 0.6620	 0.1440
41	 0.6070	 0.1250
62	 0.7920	 0.1240
71	 0.9680	 0.1820
72	 0.9680	 0.2000
82	 0.9620	 0.1910
A1	 0.9220	 0.1660
A2	 0.9740	 0.2300
B	 0.4180	 0.1370
B2	 0.6540	 0.1740
C1	 0.4850	 0.1320
C2	 0.7250	 0.1760
D1	 0.5790	 0.1370
D2	 0.6250	 0.1610
E1	 0.5240	 0.1440
E2	 0.7440	 0.1870
F1	 0.3400	 0.0990
F2	 0.5650	 0.1730
G1	 0.5660	 0.0960
G2	 0.7310	 0.1630
H1	 0.7080	 0.1330
H2	 0.7470	 0.1710
I1	 0.6370	 0.0860
I2	 0.8040	 0.1540
J1	 0.4500	 0.0600
J2	 0.7010	 0.1570
K1	 0.5220	 0.0940
K2	 0.6490	 0.1990
L1	 0.7580	 0.1590
L2	 0.7770	 0.1880
M1	 0.5400	 0.0750
M2	 0.7400	 0.1640



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
N1	 0.4690	 0.0900
N2	 0.8270	 0.1660
O1	 0.7220	 0.1240
O2	 0.7450	 0.1640
P1	 0.8050	 0.1520
Q1	 0.6680	 0.1060
Q2	 0.7560	 0.1570
R1	 0.4900	 0.1000
R2	 0.5120	 0.1450
S1	 0.6180	 0.0540
S2	 0.8350	 0.1430
T1	 0.7050	 0.1130
U1	 0.5090	 0.1220
U2	 0.6020	 0.1790
V2	 0.5850	 0.1300
W	 0.9500	 0.2080
W1	 0.8490	 0.1170
Y	 0.4220	 0.1580
Y1	 0.6320	 0.1260
Z1	 0.0000	 0.0470
a2	 0.4200	 0.0860
b2	 0.7190	 0.1560
e2	 0.7350	 0.1280
g2	 0.7800	 0.1320
h2	 0.7750	 0.1620
i2	 0.3920	 0.1630
l2	 0.8820	 0.1320
o2	 0.8830	 0.1090
p	 0.3240	 0.0570
r2	 0.7970	 0.1130
z2	 0.8680	 0.1120