



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 09:30 AM UTC

PDB ID : 2RD6 / pdb_00002rd6
Title : PARP complexed with A861695
Authors : Park, C.H.
Deposited on : 2007-09-21
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	350	

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 2939 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Poly [ADP-ribose] polymerase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	350	Total	C	N	O	S	0	0	0
			2752	1750	465	526	11			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	101	ALA	VAL	conflict	UNP P09874

- Molecule 2 is (2R)-2-(7-carbamoyl-1H-benzimidazol-2-yl)-2-methylpyrrolidinium (CCD ID: 78P) (formula: C₁₃H₁₆N₄O).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			18	13	4	1		

- Molecule 3 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	169	Total 169	O 169	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: Poly [ADP-ribose] polymerase 1



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 3 2 1	Depositor
Cell constants a, b, c, α , β , γ	94.54 Å 94.54 Å 68.50 Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	19.94 – 2.30	Depositor
% Data completeness (in resolution range)	88.7 (19.94-2.30)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	0.08	Depositor
Refinement program	CNX 2002	Depositor
R, R_{free}	0.228 , 0.308	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	2939	wwPDB-VP
Average B, all atoms (Å ²)	40.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 78P

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.42	0/2804	0.97	12/3783 (0.3%)

There are no bond length outliers.

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	167	ALA	N-CA-C	-8.14	103.07	113.16
1	A	208	PHE	N-CA-C	6.54	119.41	111.82
1	A	79	ILE	CA-C-N	6.14	127.52	119.84
1	A	79	ILE	C-N-CA	6.14	127.52	119.84
1	A	191	LYS	N-CA-C	-5.80	105.09	111.82
1	A	177	LYS	N-CA-C	-5.28	101.11	109.76
1	A	253	ASP	CA-C-N	5.27	126.30	120.45
1	A	253	ASP	C-N-CA	5.27	126.30	120.45
1	A	336	VAL	N-CA-C	5.24	115.50	108.17
1	A	326	ASN	N-CA-C	-5.15	103.73	110.53
1	A	140	ILE	N-CA-C	5.08	115.22	108.11
1	A	209	ALA	N-CA-C	-5.05	105.67	111.07

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2752	0	2794	120	1
2	A	18	0	16	0	0
3	A	169	0	0	11	0
All	All	2939	0	2810	120	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 22.

All (120) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:217:ARG:HH11	1:A:217:ARG:HB2	1.28	0.99
1:A:277:ILE:CD1	1:A:278:SER:H	1.86	0.89
1:A:130:ASP:O	1:A:134:GLU:HG3	1.84	0.77
1:A:303:LEU:HD22	1:A:303:LEU:O	1.85	0.77
1:A:239:MET:HE3	1:A:295:PRO:HG3	1.68	0.75
1:A:217:ARG:HB2	1:A:217:ARG:NH1	1.99	0.74
1:A:163:THR:HA	1:A:166:ASN:HB2	1.70	0.74
1:A:78:LEU:O	1:A:80:PRO:HD3	1.88	0.72
1:A:204:ARG:HG2	3:A:1058:HOH:O	1.90	0.72
1:A:43:ARG:NE	1:A:43:ARG:H	1.88	0.70
1:A:277:ILE:HD13	1:A:278:SER:H	1.58	0.69
1:A:277:ILE:HD12	1:A:278:SER:H	1.56	0.69
1:A:171:GLU:HG3	3:A:1004:HOH:O	1.92	0.68
1:A:277:ILE:C	1:A:279:LYS:H	2.00	0.68
1:A:143:VAL:HB	1:A:175:ILE:HG23	1.76	0.67
1:A:108:LEU:O	1:A:112:VAL:HG23	1.95	0.67
1:A:349:LYS:O	1:A:349:LYS:HD3	1.94	0.67
1:A:199:LEU:HD12	1:A:263:VAL:HG11	1.79	0.65
1:A:279:LYS:NZ	1:A:279:LYS:HB3	2.13	0.64
1:A:302:SER:O	1:A:303:LEU:HB3	1.98	0.64
1:A:35:MET:HE1	1:A:44:GLN:HE22	1.64	0.63
1:A:43:ARG:H	1:A:43:ARG:HE	1.46	0.63
1:A:25:MET:HE1	1:A:37:LEU:HG	1.82	0.62
1:A:85:MET:C	1:A:87:LYS:H	2.09	0.60
1:A:108:LEU:O	1:A:108:LEU:HD23	2.02	0.60
1:A:319:ASN:C	1:A:321:THR:H	2.10	0.60
1:A:22:LYS:O	1:A:26:VAL:HG23	2.02	0.58
1:A:65:ASP:O	1:A:67:GLN:N	2.32	0.58
1:A:5:PRO:HG2	1:A:8:VAL:HG23	1.85	0.58
1:A:7:PRO:HG2	1:A:142:VAL:HG21	1.86	0.58
1:A:282:LYS:HD2	1:A:282:LYS:N	2.20	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:43:ARG:NE	1:A:43:ARG:N	2.53	0.57
1:A:138:THR:HA	1:A:180:ARG:HA	1.87	0.56
1:A:303:LEU:HA	3:A:1066:HOH:O	2.05	0.56
1:A:279:LYS:HB3	1:A:279:LYS:HZ3	1.71	0.56
1:A:25:MET:CE	1:A:37:LEU:HG	2.35	0.56
1:A:179:GLU:HB2	3:A:944:HOH:O	2.05	0.55
1:A:42:LYS:HB2	1:A:43:ARG:CZ	2.36	0.54
1:A:160:THR:HB	1:A:239:MET:HA	1.89	0.54
1:A:5:PRO:HG2	1:A:8:VAL:CG2	2.38	0.53
1:A:14:MET:HE1	1:A:255:ILE:HD11	1.89	0.53
1:A:350:THR:HG22	1:A:350:THR:OXT	2.09	0.53
1:A:277:ILE:HD12	1:A:278:SER:N	2.24	0.53
1:A:277:ILE:O	1:A:279:LYS:HE2	2.09	0.52
1:A:92:ASN:HD22	1:A:92:ASN:C	2.17	0.52
1:A:108:LEU:HD23	1:A:108:LEU:C	2.34	0.52
1:A:229:MET:HE1	1:A:323:LEU:HD11	1.92	0.52
1:A:148:GLU:O	1:A:152:ILE:HG12	2.10	0.52
1:A:131:VAL:HG12	1:A:135:LYS:HE3	1.92	0.51
1:A:6:LYS:N	1:A:7:PRO:HD2	2.25	0.51
1:A:337:ASN:HD22	1:A:337:ASN:C	2.18	0.51
1:A:185:GLN:HE21	1:A:185:GLN:HA	1.76	0.51
1:A:14:MET:HE1	1:A:343:LYS:HD2	1.93	0.51
1:A:277:ILE:CD1	1:A:278:SER:N	2.67	0.51
1:A:98:GLN:HE21	1:A:226:THR:HG22	1.76	0.50
1:A:234:ILE:HD11	1:A:333:ILE:HG22	1.92	0.50
1:A:35:MET:CE	1:A:44:GLN:HE22	2.23	0.50
1:A:85:MET:SD	1:A:85:MET:N	2.85	0.50
1:A:7:PRO:CG	1:A:142:VAL:HG21	2.42	0.49
1:A:173:ILE:HD11	1:A:345:LYS:HB2	1.94	0.49
1:A:333:ILE:HD12	3:A:977:HOH:O	2.11	0.49
1:A:191:LYS:NZ	1:A:196:ARG:NH2	2.60	0.49
1:A:277:ILE:C	1:A:279:LYS:HG2	2.37	0.49
1:A:277:ILE:C	1:A:279:LYS:N	2.69	0.49
1:A:349:LYS:HD3	1:A:349:LYS:C	2.37	0.49
1:A:35:MET:HE1	1:A:44:GLN:NE2	2.27	0.48
1:A:116:LEU:O	1:A:135:LYS:HD3	2.14	0.47
1:A:28:TYR:O	1:A:29:GLU:HB2	2.13	0.47
1:A:337:ASN:O	1:A:339:LYS:HG2	2.14	0.47
1:A:109:ASP:HB2	1:A:207:ASN:OD1	2.13	0.47
1:A:165:HIS:CE1	1:A:324:LEU:HD21	2.49	0.47
1:A:199:LEU:HD12	1:A:263:VAL:CG1	2.44	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:190:PHE:O	1:A:193:LEU:HB3	2.14	0.47
1:A:280:LEU:HA	1:A:281:PRO:HD3	1.76	0.47
1:A:74:ARG:NH1	3:A:978:HOH:O	2.47	0.47
1:A:3:LYS:HD2	1:A:3:LYS:N	2.30	0.46
1:A:31:ASP:HB2	1:A:82:ASP:HB2	1.97	0.46
1:A:163:THR:HG22	1:A:163:THR:O	2.14	0.46
1:A:65:ASP:O	1:A:66:SER:HB3	2.16	0.45
1:A:303:LEU:HD22	1:A:303:LEU:C	2.41	0.45
1:A:25:MET:HE2	1:A:110:ILE:HG21	1.98	0.45
1:A:8:VAL:O	1:A:12:ILE:HG12	2.16	0.45
1:A:157:VAL:HG22	1:A:200:TRP:CH2	2.52	0.44
1:A:204:ARG:HB2	1:A:207:ASN:ND2	2.31	0.44
1:A:2:SER:OG	1:A:4:LEU:HB2	2.17	0.44
1:A:125:SER:HA	3:A:1023:HOH:O	2.17	0.44
1:A:168:TYR:HA	1:A:347:ASN:O	2.17	0.44
1:A:191:LYS:C	1:A:193:LEU:H	2.26	0.44
1:A:235:TYR:CD1	1:A:235:TYR:N	2.86	0.44
1:A:190:PHE:CE2	1:A:334:ALA:HB3	2.52	0.44
1:A:329:ILE:HD12	1:A:329:ILE:N	2.33	0.44
1:A:144:ASP:HA	3:A:1045:HOH:O	2.16	0.44
1:A:303:LEU:C	1:A:305:GLY:H	2.26	0.44
1:A:154:ARG:HG2	3:A:989:HOH:O	2.18	0.43
1:A:188:LYS:HB3	1:A:189:PRO:HD3	2.00	0.43
1:A:168:TYR:C	1:A:168:TYR:CD1	2.97	0.43
1:A:258:ILE:HG21	1:A:344:LEU:HD11	2.00	0.43
1:A:301:ILE:HG22	1:A:308:VAL:HB	1.99	0.43
1:A:143:VAL:HB	1:A:175:ILE:CG2	2.46	0.43
1:A:296:ASP:HA	1:A:297:PRO:HD2	1.89	0.42
1:A:47:ALA:HB3	1:A:78:LEU:HD21	2.01	0.42
1:A:175:ILE:HG22	3:A:1014:HOH:O	2.19	0.42
1:A:86:LYS:O	1:A:87:LYS:HB2	2.19	0.42
1:A:191:LYS:HZ2	1:A:196:ARG:NH2	2.18	0.42
1:A:253:ASP:OD1	1:A:255:ILE:HG23	2.19	0.42
1:A:267:ASN:HB2	1:A:283:GLY:O	2.20	0.42
1:A:147:SER:O	1:A:151:GLU:HG3	2.21	0.41
1:A:78:LEU:HD12	1:A:78:LEU:HA	1.80	0.41
1:A:98:GLN:NE2	1:A:226:THR:HG22	2.35	0.41
1:A:65:ASP:C	1:A:67:GLN:N	2.79	0.41
1:A:323:LEU:HD12	1:A:323:LEU:N	2.35	0.41
1:A:37:LEU:O	1:A:40:LEU:HG	2.21	0.41
1:A:68:ILE:HD11	3:A:967:HOH:O	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:14:MET:CE	1:A:255:ILE:HD11	2.50	0.41
1:A:92:ASN:C	1:A:92:ASN:ND2	2.78	0.41
1:A:165:HIS:NE2	1:A:324:LEU:HD21	2.36	0.40
1:A:165:HIS:O	1:A:167:ALA:N	2.54	0.40
1:A:197:ARG:HG3	1:A:265:LEU:HD12	2.03	0.40
1:A:108:LEU:C	1:A:108:LEU:CD2	2.95	0.40
1:A:86:LYS:O	1:A:87:LYS:CB	2.70	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:192:GLN:NE2	1:A:192:GLN:NE2[4_556]	1.67	0.53

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	348/350 (99%)	317 (91%)	25 (7%)	6 (2%)	 

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	280	LEU
1	A	303	LEU
1	A	65	ASP
1	A	166	ASN
1	A	320	ASP
1	A	80	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	307/307 (100%)	287 (94%)	20 (6%)	15	22

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4	LEU
1	A	19	GLU
1	A	41	SER
1	A	43	ARG
1	A	71	LEU
1	A	92	ASN
1	A	105	ASP
1	A	123	ASP
1	A	148	GLU
1	A	170	LEU
1	A	185	GLN
1	A	217	ARG
1	A	263	VAL
1	A	277	ILE
1	A	279	LYS
1	A	280	LEU
1	A	301	ILE
1	A	303	LEU
1	A	320	ASP
1	A	345	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	44	GLN
1	A	46	GLN
1	A	92	ASN
1	A	98	GLN
1	A	159	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	185	GLN
1	A	192	GLN
1	A	248	HIS
1	A	276	HIS
1	A	285	HIS
1	A	300	ASN
1	A	337	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	78P	A	900	-	19,20,20	1.51	3 (15%)	20,30,30	1.43	3 (15%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	78P	A	900	-	-	0/4/19/19	0/3/3/3

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	900	78P	C4-C3	4.58	1.45	1.40
2	A	900	78P	C1-C6	2.48	1.43	1.38
2	A	900	78P	C6-C5	2.10	1.43	1.39

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	900	78P	C4-C3-N7	-3.85	107.28	109.91
2	A	900	78P	O12-C10-C5	2.77	123.50	120.24
2	A	900	78P	O12-C10-N11	-2.33	119.25	122.62

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.