



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 04:25 PM UTC

PDB ID : 6RF5 / pdb_00006rf5
Title : Crystal structure of the light-driven sodium pump KR2 in the monomeric form, pH 6.0
Authors : Kovalev, K.; Polovinkin, V.; Gushchin, I.; Borshchevskiy, V.; Gordeliy, V.
Deposited on : 2019-04-12
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	288	 2% 81% 11% 7%

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 2468 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Sodium pumping rhodopsin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	269	Total	C	N	O	S	0	1	0
			2125	1427	321	368	9			


There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	281	LEU	-	expression tag	UNP N0DKS8
A	282	GLU	-	expression tag	UNP N0DKS8
A	283	HIS	-	expression tag	UNP N0DKS8
A	284	HIS	-	expression tag	UNP N0DKS8
A	285	HIS	-	expression tag	UNP N0DKS8
A	286	HIS	-	expression tag	UNP N0DKS8
A	287	HIS	-	expression tag	UNP N0DKS8
A	288	HIS	-	expression tag	UNP N0DKS8

- Molecule 2 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Na	0	0
			1	1		

- Molecule 3 is EICOSANE (CCD ID: LFA) (formula: C₂₀H₄₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C 16 16	0	0
3	A	1	Total C 8 8	0	0
3	A	1	Total C 9 9	0	0
3	A	1	Total C 6 6	0	0
3	A	1	Total C 5 5	0	0
3	A	1	Total C 13 13	0	0
3	A	1	Total C 10 10	0	0
3	A	1	Total C 8 8	0	0
3	A	1	Total C 8 8	0	0
3	A	1	Total C 12 12	0	0
3	A	1	Total C 16 16	0	0
3	A	1	Total C 5 5	0	0
3	A	1	Total C 10 10	0	0
3	A	1	Total C 5 5	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C 5 5	0	0
3	A	1	Total C 11 11	0	0
3	A	1	Total C 12 12	0	0
3	A	1	Total C 10 10	0	0
3	A	1	Total C 6 6	0	0
3	A	1	Total C 5 5	0	0
3	A	1	Total C 6 6	0	0
3	A	1	Total C 4 4	0	0
3	A	1	Total C 6 6	0	0
3	A	1	Total C 6 6	0	0
3	A	1	Total C 10 10	0	0
3	A	1	Total C 7 7	0	0
3	A	1	Total C 3 3	0	0
3	A	1	Total C 5 5	0	0
3	A	1	Total C 11 11	0	0
3	A	1	Total C 4 4	0	0
3	A	1	Total C 5 5	0	0
3	A	1	Total C 10 10	0	0
3	A	1	Total C 12 12	0	0

- Molecule 4 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		

- Molecule 5 is RETINAL (CCD ID: RET) (formula: $C_{20}H_{28}O$).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	C	0	0
			20	20		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	47	Total 47	O 47	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Sodium pumping rhodopsin



4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	40.33Å 81.25Å 233.36Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.30 20.00 – 2.30	Depositor EDS
% Data completeness (in resolution range)	99.3 (20.00-2.30) 99.3 (20.00-2.30)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.94 (at 2.29Å)	Xtriage
Refinement program	REFMAC 5.8.0230	Depositor
R, R_{free}	0.202 , 0.259 0.216 , 0.264	Depositor DCC
R_{free} test set	832 reflections (4.71%)	wwPDB-VP
Wilson B-factor (Å ²)	40.2	Xtriage
Anisotropy	0.689	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 48.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	2468	wwPDB-VP
Average B, all atoms (Å ²)	47.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.09% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, LFA, NA, RET

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.48	0/2183	0.91	0/2970

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	109	ARG	Sidechain
1	A	243	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2125	0	2089	23	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	1	0	0	0	0
3	A	269	0	487	5	0
4	A	6	0	8	0	0
5	A	20	0	27	5	0
6	A	47	0	0	3	0
All	All	2468	0	2611	30	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (30) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:336:RET:H161	5:A:336:RET:H8	1.49	0.93
1:A:270:SER:OG	6:A:401:HOH:O	1.88	0.90
3:A:315:LFA:C2	3:A:316:LFA:C6	2.63	0.77
1:A:244:GLN:HG2	6:A:410:HOH:O	1.87	0.73
5:A:336:RET:H161	5:A:336:RET:C8	2.19	0.64
1:A:139:ARG:HH11	3:A:325:LFA:C6	2.17	0.57
1:A:106:ASN:ND2	6:A:402:HOH:O	2.22	0.57
1:A:189:ILE:HD13	1:A:208:TRP:HB2	1.88	0.56
1:A:224:MET:HB3	1:A:225:PRO:HD3	1.91	0.53
1:A:5:LEU:HD12	1:A:13:PHE:HA	1.91	0.53
1:A:102:ASP:O	1:A:103:LEU:HB2	2.09	0.52
1:A:9:ASN:OD1	1:A:9:ASN:C	2.54	0.50
5:A:336:RET:H8	5:A:336:RET:H171	1.95	0.49
1:A:66:VAL:CG1	1:A:119:MET:HE1	2.46	0.46
1:A:228:THR:O	1:A:232:GLY:HA3	2.14	0.46
1:A:160:GLU:OE1	1:A:243:ARG:NH2	2.48	0.45
1:A:218:TYR:N	1:A:219:PRO:HD2	2.32	0.44
1:A:224:MET:N	1:A:225:PRO:CD	2.80	0.44
1:A:241:MET:HE2	1:A:241:MET:HB2	1.79	0.43
1:A:117:VAL:N	1:A:118:PRO:CD	2.82	0.43
1:A:182:LEU:HD23	1:A:211:PHE:HE2	1.84	0.43
5:A:336:RET:C8	5:A:336:RET:H171	2.49	0.42
3:A:305:LFA:H11	3:A:326:LFA:C10	2.49	0.42
1:A:234:LEU:O	1:A:239:GLY:HA3	2.20	0.42
5:A:336:RET:H181	5:A:336:RET:H7	1.73	0.41
1:A:256:VAL:O	1:A:260:VAL:HG23	2.21	0.41
1:A:102:ASP:O	1:A:103:LEU:CB	2.67	0.41
1:A:143:TRP:CZ2	3:A:333:LFA:H22	2.55	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:230:VAL:HG23	3:A:309:LFA:C8	2.51	0.40
1:A:8:ALA:O	1:A:9:ASN:CG	2.64	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	266/288 (92%)	258 (97%)	8 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	218/248 (88%)	210 (96%)	8 (4%)	30	45

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	5	LEU
1	A	9	ASN
1	A	31	ILE
1	A	85	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	119	MET
1	A	230	VAL
1	A	233	PHE
1	A	241	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	3	GLN
1	A	106	ASN
1	A	141	GLN
1	A	157	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 36 ligands modelled in this entry, 1 is monoatomic - leaving 35 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	LFA	A	305	-	5,5,19	0.27	0	4,4,18	0.39	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	LFA	A	307	-	12,12,19	0.22	0	11,11,18	0.59	0
3	LFA	A	330	-	10,10,19	0.26	0	9,9,18	0.49	0
3	LFA	A	322	-	5,5,19	0.29	0	4,4,18	0.34	0
3	LFA	A	324	-	5,5,19	0.28	0	4,4,18	0.36	0
3	LFA	A	329	-	4,4,19	0.31	0	3,3,18	0.38	0
3	LFA	A	318	-	11,11,19	0.27	0	10,10,18	0.50	0
3	LFA	A	316	-	4,4,19	0.32	0	3,3,18	0.37	0
3	LFA	A	328	-	2,2,19	0.19	0	1,1,18	0.01	0
5	RET	A	336	1	20,20,21	0.69	0	27,27,28	1.59	7 (25%)
3	LFA	A	323	-	3,3,19	0.34	0	2,2,18	0.63	0
3	LFA	A	332	-	4,4,19	0.32	0	3,3,18	0.36	0
3	LFA	A	315	-	4,4,19	0.30	0	3,3,18	0.38	0
3	LFA	A	310	-	7,7,19	0.27	0	6,6,18	0.45	0
3	LFA	A	320	-	5,5,19	0.25	0	4,4,18	0.42	0
3	LFA	A	308	-	9,9,19	0.26	0	8,8,18	0.49	0
3	LFA	A	302	-	15,15,19	0.28	0	14,14,18	0.49	0
3	LFA	A	325	-	5,5,19	0.26	0	4,4,18	0.40	0
3	LFA	A	331	-	3,3,19	0.33	0	2,2,18	0.64	0
3	LFA	A	304	-	8,8,19	0.27	0	7,7,18	0.52	0
3	LFA	A	319	-	9,9,19	0.26	0	8,8,18	0.51	0
3	LFA	A	326	-	9,9,19	0.25	0	8,8,18	0.51	0
3	LFA	A	334	-	11,11,19	0.27	0	10,10,18	0.50	0
3	LFA	A	311	-	11,11,19	0.28	0	10,10,18	0.46	0
3	LFA	A	321	-	4,4,19	0.29	0	3,3,18	0.35	0
3	LFA	A	327	-	6,6,19	0.27	0	5,5,18	0.42	0
3	LFA	A	333	-	9,9,19	0.27	0	8,8,18	0.48	0
3	LFA	A	313	-	4,4,19	0.30	0	3,3,18	0.34	0
3	LFA	A	303	-	7,7,19	0.26	0	6,6,18	0.48	0
3	LFA	A	306	-	4,4,19	0.29	0	3,3,18	0.36	0
3	LFA	A	314	-	9,9,19	0.27	0	8,8,18	0.51	0
3	LFA	A	317	-	10,10,19	0.32	0	9,9,18	0.45	0
3	LFA	A	312	-	15,15,19	0.26	0	14,14,18	0.54	0
3	LFA	A	309	-	7,7,19	0.26	0	6,6,18	0.46	0
4	GOL	A	335	-	5,5,5	0.36	0	5,5,5	0.35	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	LFA	A	305	-	-	0/3/3/17	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	LFA	A	307	-	-	5/10/10/17	-
3	LFA	A	330	-	-	7/8/8/17	-
3	LFA	A	322	-	-	2/3/3/17	-
3	LFA	A	324	-	-	2/3/3/17	-
3	LFA	A	329	-	-	0/2/2/17	-
3	LFA	A	318	-	-	4/9/9/17	-
3	LFA	A	316	-	-	0/2/2/17	-
5	RET	A	336	1	-	0/13/30/31	0/1/1/1
3	LFA	A	323	-	-	0/1/1/17	-
3	LFA	A	332	-	-	0/2/2/17	-
3	LFA	A	315	-	-	0/2/2/17	-
3	LFA	A	310	-	-	0/5/5/17	-
3	LFA	A	320	-	-	0/3/3/17	-
3	LFA	A	308	-	-	2/7/7/17	-
3	LFA	A	302	-	-	5/13/13/17	-
3	LFA	A	325	-	-	1/3/3/17	-
3	LFA	A	331	-	-	0/1/1/17	-
3	LFA	A	304	-	-	0/6/6/17	-
3	LFA	A	319	-	-	3/7/7/17	-
3	LFA	A	326	-	-	2/7/7/17	-
3	LFA	A	334	-	-	5/9/9/17	-
3	LFA	A	311	-	-	7/9/9/17	-
3	LFA	A	321	-	-	1/2/2/17	-
3	LFA	A	327	-	-	2/4/4/17	-
3	LFA	A	333	-	-	4/7/7/17	-
3	LFA	A	313	-	-	1/2/2/17	-
3	LFA	A	303	-	-	4/5/5/17	-
3	LFA	A	306	-	-	0/2/2/17	-
3	LFA	A	314	-	-	4/7/7/17	-
3	LFA	A	317	-	-	3/8/8/17	-
3	LFA	A	312	-	-	6/13/13/17	-
3	LFA	A	309	-	-	1/5/5/17	-
4	GOL	A	335	-	-	2/4/4/4	-

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	336	RET	C18-C5-C6	-3.91	120.22	124.48
5	A	336	RET	C7-C8-C9	-3.04	121.74	126.23
5	A	336	RET	C11-C10-C9	-3.01	123.06	127.28
5	A	336	RET	C20-C13-C12	2.51	121.92	118.09
5	A	336	RET	C8-C7-C6	-2.19	121.14	127.00
5	A	336	RET	C10-C11-C12	-2.13	117.02	123.20
5	A	336	RET	C19-C9-C8	2.09	121.28	118.09

There are no chirality outliers.

All (73) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	335	GOL	O1-C1-C2-C3
3	A	311	LFA	C3-C4-C5-C6
3	A	327	LFA	C2-C3-C4-C5
3	A	303	LFA	C2-C3-C4-C5
3	A	307	LFA	C4-C5-C6-C7
3	A	314	LFA	C4-C5-C6-C7
3	A	330	LFA	C6-C7-C8-C9
4	A	335	GOL	O1-C1-C2-O2
3	A	312	LFA	C11-C10-C9-C8
3	A	326	LFA	C3-C4-C5-C6
3	A	334	LFA	C5-C6-C7-C8
3	A	330	LFA	C4-C5-C6-C7
3	A	330	LFA	C5-C6-C7-C8
3	A	333	LFA	C2-C3-C4-C5
3	A	330	LFA	C7-C8-C9-C10
3	A	307	LFA	C9-C10-C11-C12
3	A	334	LFA	C2-C3-C4-C5
3	A	319	LFA	C5-C6-C7-C8
3	A	318	LFA	C7-C8-C9-C10
3	A	322	LFA	C2-C3-C4-C5
3	A	312	LFA	C9-C10-C11-C12
3	A	311	LFA	C5-C6-C7-C8
3	A	318	LFA	C3-C4-C5-C6
3	A	302	LFA	C11-C10-C9-C8
3	A	312	LFA	C11-C12-C13-C14
3	A	324	LFA	C2-C3-C4-C5
3	A	333	LFA	C5-C6-C7-C8
3	A	303	LFA	C5-C6-C7-C8
3	A	303	LFA	C3-C4-C5-C6
3	A	318	LFA	C11-C10-C9-C8
3	A	333	LFA	C6-C7-C8-C9

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	A	309	LFA	C5-C6-C7-C8
3	A	327	LFA	C3-C4-C5-C6
3	A	314	LFA	C5-C6-C7-C8
3	A	334	LFA	C1-C2-C3-C4
3	A	314	LFA	C2-C3-C4-C5
3	A	334	LFA	C4-C5-C6-C7
3	A	333	LFA	C1-C2-C3-C4
3	A	330	LFA	C1-C2-C3-C4
3	A	308	LFA	C7-C8-C9-C10
3	A	318	LFA	C6-C7-C8-C9
3	A	311	LFA	C6-C7-C8-C9
3	A	311	LFA	C2-C3-C4-C5
3	A	326	LFA	C5-C6-C7-C8
3	A	324	LFA	C1-C2-C3-C4
3	A	302	LFA	C10-C11-C12-C13
3	A	313	LFA	C2-C3-C4-C5
3	A	317	LFA	C9-C10-C11-C12
3	A	330	LFA	C11-C10-C9-C8
3	A	302	LFA	C2-C3-C4-C5
3	A	330	LFA	C2-C3-C4-C5
3	A	311	LFA	C7-C8-C9-C10
3	A	334	LFA	C6-C7-C8-C9
3	A	317	LFA	C6-C7-C8-C9
3	A	321	LFA	C1-C2-C3-C4
3	A	319	LFA	C3-C4-C5-C6
3	A	311	LFA	C11-C10-C9-C8
3	A	307	LFA	C11-C10-C9-C8
3	A	312	LFA	C6-C7-C8-C9
3	A	311	LFA	C9-C10-C11-C12
3	A	325	LFA	C3-C4-C5-C6
3	A	303	LFA	C4-C5-C6-C7
3	A	312	LFA	C2-C3-C4-C5
3	A	314	LFA	C7-C8-C9-C10
3	A	317	LFA	C3-C4-C5-C6
3	A	307	LFA	C1-C2-C3-C4
3	A	308	LFA	C5-C6-C7-C8
3	A	302	LFA	C3-C4-C5-C6
3	A	312	LFA	C3-C4-C5-C6
3	A	307	LFA	C7-C8-C9-C10
3	A	322	LFA	C3-C4-C5-C6
3	A	319	LFA	C1-C2-C3-C4
3	A	302	LFA	C11-C12-C13-C14


There are no ring outliers.




8 monomers are involved in 10 short contacts:




Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	305	LFA	1	0
3	A	316	LFA	1	0
5	A	336	RET	5	0
3	A	315	LFA	1	0
3	A	325	LFA	1	0
3	A	326	LFA	1	0
3	A	333	LFA	1	0
3	A	309	LFA	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.






















5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	269/288 (93%)	-0.07	6 (2%) 62 64	22, 40, 68, 100	2 (0%)

All (6) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	230	VAL	3.4
1	A	179[A]	PHE	2.8
1	A	183	TRP	2.7
1	A	5	LEU	2.5
1	A	8	ALA	2.3
1	A	231	ASP	2.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	LFA	A	331	4/20	0.40	0.29	93,96,98,100	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	LFA	A	329	5/20	0.56	0.27	71,73,80,86	0
3	LFA	A	332	5/20	0.57	0.20	76,86,90,91	0
3	LFA	A	316	5/20	0.58	0.21	72,77,84,86	0
3	LFA	A	323	4/20	0.60	0.24	62,68,68,74	0
3	LFA	A	317	11/20	0.60	0.20	60,90,108,115	0
3	LFA	A	324	6/20	0.61	0.24	89,96,99,99	0
4	GOL	A	335	6/6	0.61	0.19	78,82,91,95	0
3	LFA	A	325	6/20	0.62	0.26	79,106,107,108	0
3	LFA	A	328	3/20	0.62	0.26	73,73,78,86	0
3	LFA	A	306	5/20	0.62	0.17	69,73,79,79	0
3	LFA	A	321	5/20	0.66	0.20	74,76,81,82	0
3	LFA	A	308	10/20	0.67	0.18	57,69,90,98	0
3	LFA	A	322	6/20	0.69	0.24	80,83,90,92	0
3	LFA	A	311	12/20	0.73	0.19	63,89,101,101	0
3	LFA	A	310	8/20	0.74	0.15	63,73,74,74	0
3	LFA	A	326	10/20	0.74	0.15	80,82,95,97	0
3	LFA	A	330	11/20	0.74	0.22	69,83,97,98	0
3	LFA	A	302	16/20	0.75	0.18	55,63,85,93	0
3	LFA	A	315	5/20	0.75	0.20	71,71,77,81	0
3	LFA	A	327	7/20	0.76	0.17	66,72,78,81	0
3	LFA	A	319	10/20	0.77	0.20	65,93,112,114	0
3	LFA	A	313	5/20	0.78	0.17	51,58,63,67	0
3	LFA	A	334	12/20	0.78	0.18	70,80,88,89	0
3	LFA	A	312	16/20	0.78	0.14	58,74,102,103	0
3	LFA	A	318	12/20	0.79	0.20	73,86,97,97	0
3	LFA	A	333	10/20	0.79	0.17	73,78,91,94	0
3	LFA	A	320	6/20	0.80	0.17	66,74,77,84	0
3	LFA	A	314	10/20	0.80	0.18	57,77,91,93	0
3	LFA	A	309	8/20	0.81	0.15	49,60,69,70	0
3	LFA	A	304	9/20	0.83	0.14	59,63,74,74	0
3	LFA	A	305	6/20	0.86	0.12	60,65,67,69	0
2	NA	A	301	1/1	0.87	0.09	58,58,58,58	0
3	LFA	A	307	13/20	0.88	0.14	49,58,72,73	0
3	LFA	A	303	8/20	0.90	0.11	41,48,52,53	8
5	RET	A	336	20/21	0.93	0.09	28,35,39,41	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around LFA A 317:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA A 324:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA A 325:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA A 321:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA A 308:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA A 322:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA A 311:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA A 326:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA A 330:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA A 302:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA A 327:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA A 319:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA A 313:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA A 334:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA A 312:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA A 318:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA A 333:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA A 314:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA A 309:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA A 307:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA A 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around RET A 336:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.