



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 12, 2026 – 06:36 PM UTC

PDB ID : 6RFC / pdb_00006rfc
Title : Crystal structure of the potassium-pumping G263F mutant of the light-driven sodium pump KR2 in the monomeric form, pH 4.3
Authors : Kovalev, K.; Polovinkin, V.; Gushchin, I.; Borshchevskiy, V.; Gordeliy, V.
Deposited on : 2019-04-12
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	288	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	LFA	A	335	-	-	X	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	GOL	A	333	-	-	X	-

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 2573 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Sodium pumping rhodopsin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	271	Total	C	N	O	S	0	2	0
			2161	1452	325	375	9			


There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	263	PHE	GLY	engineered mutation	UNP N0DKS8
A	281	LEU	-	expression tag	UNP N0DKS8
A	282	GLU	-	expression tag	UNP N0DKS8
A	283	HIS	-	expression tag	UNP N0DKS8
A	284	HIS	-	expression tag	UNP N0DKS8
A	285	HIS	-	expression tag	UNP N0DKS8
A	286	HIS	-	expression tag	UNP N0DKS8
A	287	HIS	-	expression tag	UNP N0DKS8
A	288	HIS	-	expression tag	UNP N0DKS8

- Molecule 2 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Na	0	0
			1	1		

- Molecule 3 is EICOSANE (CCD ID: LFA) (formula: C₂₀H₄₂).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	C	0	0
			16	16		
3	A	1	Total	C	0	0
			9	9		
3	A	1	Total	C	0	0
			6	6		
3	A	1	Total	C	0	0
			5	5		
3	A	1	Total	C	0	0
			13	13		
3	A	1	Total	C	0	0
			8	8		
3	A	1	Total	C	0	0
			8	8		
3	A	1	Total	C	0	0
			12	12		
3	A	1	Total	C	0	0
			10	10		
3	A	1	Total	C	0	0
			5	5		
3	A	1	Total	C	0	0
			5	5		
3	A	1	Total	C	0	0
			11	11		
3	A	1	Total	C	0	0
			12	12		
3	A	1	Total	C	0	0
			10	10		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C 6 6	0	0
3	A	1	Total C 5 5	0	0
3	A	1	Total C 6 6	0	0
3	A	1	Total C 6 6	0	0
3	A	1	Total C 10 10	0	0
3	A	1	Total C 7 7	0	0
3	A	1	Total C 5 5	0	0
3	A	1	Total C 11 11	0	0
3	A	1	Total C 4 4	0	0
3	A	1	Total C 5 5	0	0
3	A	1	Total C 10 10	0	0
3	A	1	Total C 12 12	0	0
3	A	1	Total C 14 14	0	0
3	A	1	Total C 18 18	0	0
3	A	1	Total C 8 8	0	0

- Molecule 4 is (2R)-2,3-dihydroxypropyl (9Z)-octadec-9-enoate (CCD ID: OLC) (formula: C₂₁H₄₀O₄).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			25	21	4		
4	A	1	Total	C	O	0	0
			25	21	4		
4	A	1	Total	C	O	0	0
			12	8	4		

- Molecule 5 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			6	3	3		
5	A	1	Total	C	O	0	0
			6	3	3		

- Molecule 6 is RETINAL (CCD ID: RET) (formula: $C_{20}H_{28}O$).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total	C	0	0
			20	20		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	54	Total	O	0	0
			54	54		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Sodium pumping rhodopsin



4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	40.77Å 81.96Å 232.93Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.00 20.00 – 2.00	Depositor EDS
% Data completeness (in resolution range)	99.1 (20.00-2.00) 99.1 (20.00-2.00)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.89 (at 2.00Å)	Xtriage
Refinement program	REFMAC 5.8.0222	Depositor
R, R_{free}	0.177 , 0.228 (Not available) , 0.231	Depositor DCC
R_{free} test set	1306 reflections (4.15%)	wwPDB-VP
Wilson B-factor (Å ²)	32.3	Xtriage
Anisotropy	0.597	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 55.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	2573	wwPDB-VP
Average B, all atoms (Å ²)	44.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.50% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: OLC, LFA, NA, RET, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.54	0/2228	0.84	0/3030

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	109	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2161	0	2128	71	0
2	A	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	257	0	467	36	0
4	A	62	0	93	2	0
5	A	18	0	24	13	3
6	A	20	0	27	7	0
7	A	54	0	0	3	0
All	All	2573	0	2739	79	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (79) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:179[A]:PHE:CE1	3:A:335:LFA:H142	1.61	1.32
1:A:183[B]:TRP:HE3	3:A:335:LFA:C13	1.42	1.31
1:A:183[B]:TRP:CE3	3:A:335:LFA:C13	2.17	1.27
1:A:179[A]:PHE:CZ	3:A:335:LFA:H142	1.71	1.24
1:A:183[B]:TRP:CE3	3:A:335:LFA:H132	1.77	1.14
1:A:183[B]:TRP:CE3	3:A:335:LFA:H131	1.82	1.13
1:A:61:ASN:ND2	7:A:401:HOH:O	1.82	1.08
1:A:183[B]:TRP:HE3	3:A:335:LFA:H132	1.03	1.06
1:A:179[A]:PHE:CE1	3:A:335:LFA:C14	2.49	0.96
1:A:16:ALA:O	5:A:333:GOL:O2	1.87	0.93
1:A:271:LYS:HG2	1:A:272:ASN:ND2	1.88	0.89
1:A:271:LYS:HG2	1:A:272:ASN:HD22	1.38	0.88
3:A:314:LFA:H11	3:A:316:LFA:C6	2.05	0.87
1:A:230:VAL:HG23	3:A:307:LFA:C8	2.08	0.83
1:A:179[A]:PHE:CD1	3:A:335:LFA:H142	2.15	0.81
1:A:183[B]:TRP:CZ3	3:A:335:LFA:H112	2.18	0.78
1:A:233:PHE:CE2	1:A:238:ASP:OD2	2.39	0.75
1:A:179[A]:PHE:CZ	3:A:335:LFA:H122	2.23	0.74
6:A:337:RET:H161	6:A:337:RET:H8	1.69	0.73
1:A:179[A]:PHE:CZ	3:A:335:LFA:C14	2.65	0.71
1:A:186:LYS:CE	3:A:335:LFA:H92	2.24	0.68
1:A:16:ALA:HA	5:A:333:GOL:H11	1.78	0.65
1:A:244:GLN:HG2	7:A:402:HOH:O	1.95	0.65
1:A:179[A]:PHE:CE2	3:A:335:LFA:H142	2.29	0.65
1:A:272:ASN:HD22	1:A:272:ASN:N	1.94	0.64
1:A:183[B]:TRP:CZ3	3:A:335:LFA:H131	2.32	0.64
1:A:183[B]:TRP:HZ3	3:A:335:LFA:H112	1.61	0.64
1:A:179[A]:PHE:CD1	3:A:335:LFA:C14	2.79	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:183[A]:TRP:HB2	3:A:335:LFA:H132	1.81	0.62
1:A:5:LEU:HD12	5:A:333:GOL:H32	1.85	0.59
1:A:183[B]:TRP:CE3	3:A:335:LFA:C11	2.86	0.58
1:A:183[B]:TRP:HB2	3:A:335:LFA:H132	1.85	0.58
1:A:263:PHE:CE2	1:A:267:ILE:HD11	2.40	0.57
3:A:314:LFA:C1	3:A:316:LFA:C6	2.81	0.57
6:A:337:RET:H161	6:A:337:RET:C8	2.35	0.56
1:A:183[B]:TRP:CE3	3:A:335:LFA:H112	2.40	0.56
1:A:179[A]:PHE:CE2	3:A:335:LFA:H122	2.41	0.56
1:A:59:MET:HE2	3:A:315:LFA:H71	1.87	0.56
1:A:179[A]:PHE:CE1	3:A:335:LFA:C15	2.92	0.52
1:A:139:ARG:HH11	3:A:319:LFA:C6	2.23	0.52
1:A:183[B]:TRP:CD2	3:A:335:LFA:H132	2.40	0.52
1:A:16:ALA:HA	5:A:333:GOL:C1	2.39	0.51
6:A:337:RET:H8	6:A:337:RET:H171	1.93	0.51
1:A:183[B]:TRP:HE3	3:A:335:LFA:C12	2.15	0.51
1:A:5:LEU:HD12	5:A:333:GOL:C3	2.40	0.51
1:A:139:ARG:HD2	1:A:143:TRP:CH2	2.48	0.48
1:A:179[A]:PHE:CE2	3:A:335:LFA:C12	2.97	0.48
1:A:97:LEU:HB3	5:A:333:GOL:H12	1.96	0.48
1:A:179[A]:PHE:CZ	3:A:335:LFA:C12	2.96	0.48
1:A:180:HIS:ND1	3:A:335:LFA:H171	2.29	0.48
1:A:5:LEU:CD1	5:A:333:GOL:H32	2.44	0.48
1:A:172:ALA:HB2	4:A:329:OLC:H11A	1.96	0.47
1:A:113:TRP:CD1	6:A:337:RET:H14	2.50	0.47
1:A:263:PHE:CZ	1:A:267:ILE:HD11	2.50	0.46
1:A:183[B]:TRP:HE3	3:A:335:LFA:C11	2.26	0.46
1:A:224:MET:N	1:A:225:PRO:CD	2.79	0.46
1:A:189:ILE:HD13	1:A:208:TRP:HB2	1.96	0.46
1:A:183[B]:TRP:CG	3:A:335:LFA:H161	2.51	0.45
1:A:228:THR:O	1:A:232:GLY:HA3	2.17	0.45
1:A:244:GLN:NE2	7:A:402:HOH:O	2.09	0.45
1:A:233:PHE:HE2	1:A:238:ASP:OD2	1.95	0.45
1:A:5:LEU:HB2	5:A:333:GOL:C3	2.48	0.43
1:A:235:TYR:O	5:A:331:GOL:C1	2.67	0.43
1:A:224:MET:HB3	1:A:225:PRO:HD3	2.02	0.42
1:A:16:ALA:HB1	5:A:333:GOL:O2	2.20	0.42
1:A:5:LEU:HD23	1:A:5:LEU:HA	1.83	0.42
1:A:117:VAL:HB	1:A:118:PRO:HD3	2.02	0.42
6:A:337:RET:H181	6:A:337:RET:H7	1.65	0.42
1:A:118:PRO:O	1:A:122:PHE:HB2	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:230:VAL:O	1:A:230:VAL:CG1	2.67	0.41
1:A:272:ASN:ND2	1:A:272:ASN:N	2.66	0.41
1:A:234:LEU:O	1:A:239:GLY:HA3	2.19	0.41
6:A:337:RET:C8	6:A:337:RET:H171	2.50	0.41
1:A:16:ALA:C	5:A:333:GOL:O2	2.61	0.41
1:A:233:PHE:HZ	4:A:330:OLC:H2A	1.85	0.41
1:A:183[B]:TRP:CE3	3:A:335:LFA:C10	3.04	0.40
6:A:337:RET:H11	6:A:337:RET:H191	1.89	0.40
1:A:5:LEU:HD12	5:A:333:GOL:O3	2.21	0.40
1:A:18:GLU:OE2	5:A:331:GOL:O1	2.26	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:333:GOL:O1	5:A:333:GOL:O1[3_555]	1.60	0.60
5:A:333:GOL:O2	5:A:333:GOL:O2[3_555]	1.87	0.33
5:A:333:GOL:C2	5:A:333:GOL:O2[3_555]	2.08	0.12

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	270/288 (94%)	263 (97%)	7 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	224/249 (90%)	218 (97%)	6 (3%)	39	42

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	157	GLN
1	A	230	VAL
1	A	233	PHE
1	A	270	SER
1	A	271	LYS
1	A	272	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	3	GLN
1	A	106	ASN
1	A	112	ASN
1	A	157	GLN
1	A	206	ASN
1	A	272	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 37 ligands modelled in this entry, 1 is monoatomic - leaving 36 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	LFA	A	336	-	7,7,19	0.24	0	6,6,18	0.47	0
3	LFA	A	327	-	11,11,19	0.25	0	10,10,18	0.53	0
3	LFA	A	305	-	4,4,19	0.29	0	3,3,18	0.36	0
3	LFA	A	316	-	5,5,19	0.26	0	4,4,18	0.39	0
4	OLC	A	330	-	11,11,24	1.39	1 (9%)	12,12,25	1.16	1 (8%)
5	GOL	A	332	-	5,5,5	0.28	0	5,5,5	0.26	0
3	LFA	A	309	-	11,11,19	0.29	0	10,10,18	0.44	0
3	LFA	A	311	-	4,4,19	0.29	0	3,3,18	0.39	0
5	GOL	A	331	-	5,5,5	0.29	0	5,5,5	0.23	0
6	RET	A	337	1	20,20,21	0.64	0	27,27,28	1.65	5 (18%)
3	LFA	A	308	-	7,7,19	0.25	0	6,6,18	0.47	0
4	OLC	A	329	-	24,24,24	0.95	1 (4%)	25,25,25	0.90	2 (8%)
3	LFA	A	318	-	5,5,19	0.29	0	4,4,18	0.34	0
3	LFA	A	312	-	4,4,19	0.32	0	3,3,18	0.36	0
3	LFA	A	320	-	9,9,19	0.23	0	8,8,18	0.55	0
3	LFA	A	322	-	4,4,19	0.29	0	3,3,18	0.40	0
3	LFA	A	335	-	17,17,19	0.27	0	16,16,18	0.51	0
3	LFA	A	323	-	10,10,19	0.25	0	9,9,18	0.50	0
3	LFA	A	315	-	9,9,19	0.26	0	8,8,18	0.50	0
3	LFA	A	321	-	6,6,19	0.27	0	5,5,18	0.39	0
3	LFA	A	307	-	7,7,19	0.24	0	6,6,18	0.50	0
3	LFA	A	304	-	5,5,19	0.28	0	4,4,18	0.37	0
3	LFA	A	306	-	12,12,19	0.22	0	11,11,18	0.61	0
3	LFA	A	303	-	8,8,19	0.30	0	7,7,18	0.44	0
3	LFA	A	319	-	5,5,19	0.24	0	4,4,18	0.44	0
3	LFA	A	302	-	15,15,19	0.28	0	14,14,18	0.46	0
3	LFA	A	326	-	9,9,19	0.29	0	8,8,18	0.44	0
3	LFA	A	313	-	10,10,19	0.30	0	9,9,18	0.47	0
3	LFA	A	325	-	4,4,19	0.33	0	3,3,18	0.33	0
5	GOL	A	333	-	5,5,5	0.31	0	5,5,5	0.24	0
3	LFA	A	310	-	9,9,19	0.29	0	8,8,18	0.44	0
3	LFA	A	334	-	13,13,19	0.26	0	12,12,18	0.53	0
3	LFA	A	317	-	4,4,19	0.26	0	3,3,18	0.37	0
3	LFA	A	324	-	3,3,19	0.33	0	2,2,18	0.65	0
3	LFA	A	314	-	11,11,19	0.27	0	10,10,18	0.49	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	OLC	A	328	-	24,24,24	0.91	1 (4%)	25,25,25	0.79	1 (4%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	LFA	A	336	-	-	3/5/5/17	-
3	LFA	A	327	-	-	7/9/9/17	-
3	LFA	A	305	-	-	0/2/2/17	-
3	LFA	A	316	-	-	0/3/3/17	-
4	OLC	A	330	-	-	7/11/11/24	-
5	GOL	A	332	-	-	0/4/4/4	-
3	LFA	A	309	-	-	7/9/9/17	-
3	LFA	A	311	-	-	0/2/2/17	-
5	GOL	A	331	-	-	1/4/4/4	-
6	RET	A	337	1	-	0/13/30/31	0/1/1/1
3	LFA	A	308	-	-	4/5/5/17	-
4	OLC	A	329	-	-	17/24/24/24	-
3	LFA	A	318	-	-	2/3/3/17	-
3	LFA	A	312	-	-	0/2/2/17	-
3	LFA	A	320	-	-	2/7/7/17	-
3	LFA	A	322	-	-	0/2/2/17	-
3	LFA	A	335	-	-	8/15/15/17	-
3	LFA	A	323	-	-	7/8/8/17	-
3	LFA	A	315	-	-	4/7/7/17	-
3	LFA	A	321	-	-	3/4/4/17	-
3	LFA	A	307	-	-	2/5/5/17	-
3	LFA	A	304	-	-	0/3/3/17	-
3	LFA	A	306	-	-	6/10/10/17	-
3	LFA	A	303	-	-	3/6/6/17	-
3	LFA	A	319	-	-	1/3/3/17	-
3	LFA	A	302	-	-	8/13/13/17	-
3	LFA	A	326	-	-	5/7/7/17	-
3	LFA	A	313	-	-	3/8/8/17	-
3	LFA	A	325	-	-	0/2/2/17	-
5	GOL	A	333	-	-	4/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	LFA	A	310	-	-	5/7/7/17	-
3	LFA	A	334	-	-	5/11/11/17	-
3	LFA	A	317	-	-	1/2/2/17	-
3	LFA	A	324	-	-	1/1/1/17	-
3	LFA	A	314	-	-	4/9/9/17	-
4	OLC	A	328	-	-	14/24/24/24	-

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	330	OLC	O20-C1	4.46	1.46	1.33
4	A	329	OLC	O20-C1	4.40	1.46	1.33
4	A	328	OLC	O20-C1	4.20	1.45	1.33

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	337	RET	C18-C5-C6	-3.81	120.32	124.48
6	A	337	RET	C7-C8-C9	-3.20	121.50	126.23
6	A	337	RET	C10-C11-C12	-3.16	114.03	123.20
4	A	330	OLC	O20-C1-C2	2.92	120.75	111.83
4	A	329	OLC	O20-C1-C2	2.92	120.73	111.83
6	A	337	RET	C11-C10-C9	-2.86	123.26	127.28
4	A	328	OLC	O20-C1-C2	2.37	119.07	111.83
6	A	337	RET	C19-C9-C8	2.04	121.20	118.09
4	A	329	OLC	O20-C1-O19	-2.02	118.57	123.63

There are no chirality outliers.

All (134) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	329	OLC	C21-C22-C24-O25
4	A	329	OLC	O20-C21-C22-C24
5	A	333	GOL	C1-C2-C3-O3
4	A	328	OLC	O19-C1-O20-C21
4	A	329	OLC	O19-C1-O20-C21
4	A	328	OLC	C2-C1-O20-C21
4	A	329	OLC	C2-C1-O20-C21
4	A	329	OLC	O20-C21-C22-O23
5	A	333	GOL	O2-C2-C3-O3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	A	334	LFA	C9-C10-C11-C12
4	A	328	OLC	C1-C2-C3-C4
4	A	330	OLC	O20-C21-C22-C24
4	A	330	OLC	O20-C21-C22-O23
5	A	333	GOL	O1-C1-C2-C3
3	A	320	LFA	C3-C4-C5-C6
3	A	327	LFA	C6-C7-C8-C9
3	A	309	LFA	C3-C4-C5-C6
3	A	310	LFA	C6-C7-C8-C9
3	A	314	LFA	C3-C4-C5-C6
3	A	315	LFA	C3-C4-C5-C6
4	A	329	OLC	O23-C22-C24-O25
5	A	333	GOL	O1-C1-C2-O2
3	A	306	LFA	C9-C10-C11-C12
3	A	323	LFA	C5-C6-C7-C8
3	A	303	LFA	C6-C7-C8-C9
4	A	329	OLC	C1-C2-C3-C4
3	A	336	LFA	C14-C15-C16-C17
3	A	321	LFA	C2-C3-C4-C5
3	A	335	LFA	C6-C7-C8-C9
3	A	310	LFA	C5-C6-C7-C8
3	A	327	LFA	C4-C5-C6-C7
4	A	329	OLC	C5-C6-C7-C8
3	A	309	LFA	C2-C3-C4-C5
3	A	321	LFA	C3-C4-C5-C6
3	A	335	LFA	C9-C10-C11-C12
3	A	327	LFA	C2-C3-C4-C5
3	A	326	LFA	C5-C6-C7-C8
3	A	323	LFA	C4-C5-C6-C7
3	A	313	LFA	C6-C7-C8-C9
3	A	323	LFA	C2-C3-C4-C5
3	A	309	LFA	C5-C6-C7-C8
3	A	323	LFA	C7-C8-C9-C10
3	A	326	LFA	C2-C3-C4-C5
3	A	335	LFA	C2-C3-C4-C5
3	A	336	LFA	C15-C16-C17-C18
3	A	310	LFA	C2-C3-C4-C5
3	A	335	LFA	C11-C10-C9-C8
4	A	328	OLC	C12-C13-C14-C15
3	A	309	LFA	C6-C7-C8-C9
3	A	309	LFA	C11-C10-C9-C8
3	A	315	LFA	C6-C7-C8-C9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	A	329	OLC	C3-C4-C5-C6
3	A	306	LFA	C6-C7-C8-C9
3	A	318	LFA	C2-C3-C4-C5
3	A	315	LFA	C5-C6-C7-C8
4	A	330	OLC	C2-C1-O20-C21
4	A	328	OLC	C6-C7-C8-C9
4	A	328	OLC	C14-C15-C16-C17
3	A	326	LFA	C6-C7-C8-C9
3	A	314	LFA	C11-C10-C9-C8
3	A	310	LFA	C4-C5-C6-C7
3	A	302	LFA	C10-C11-C12-C13
3	A	306	LFA	C4-C5-C6-C7
4	A	330	OLC	O19-C1-O20-C21
3	A	313	LFA	C9-C10-C11-C12
3	A	313	LFA	C11-C10-C9-C8
3	A	308	LFA	C1-C2-C3-C4
4	A	330	OLC	C2-C3-C4-C5
3	A	327	LFA	C5-C6-C7-C8
3	A	310	LFA	C7-C8-C9-C10
3	A	335	LFA	C15-C16-C17-C18
3	A	306	LFA	C11-C10-C9-C8
5	A	331	GOL	O2-C2-C3-O3
3	A	336	LFA	C13-C14-C15-C16
3	A	323	LFA	C6-C7-C8-C9
3	A	327	LFA	C1-C2-C3-C4
4	A	328	OLC	C15-C16-C17-C18
3	A	326	LFA	C1-C2-C3-C4
4	A	329	OLC	C14-C15-C16-C17
3	A	327	LFA	C9-C10-C11-C12
3	A	334	LFA	C11-C12-C13-C14
4	A	328	OLC	O20-C21-C22-O23
3	A	314	LFA	C7-C8-C9-C10
3	A	335	LFA	C7-C8-C9-C10
3	A	334	LFA	C15-C16-C17-C18
3	A	323	LFA	C11-C10-C9-C8
4	A	329	OLC	C15-C16-C17-C18
3	A	308	LFA	C2-C3-C4-C5
4	A	329	OLC	C11-C12-C13-C14
3	A	302	LFA	C2-C3-C4-C5
3	A	307	LFA	C5-C6-C7-C8
4	A	328	OLC	C11-C12-C13-C14
3	A	307	LFA	C1-C2-C3-C4

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	A	303	LFA	C5-C6-C7-C8
3	A	314	LFA	C6-C7-C8-C9
3	A	302	LFA	C12-C13-C14-C15
4	A	328	OLC	C2-C3-C4-C5
4	A	329	OLC	C6-C7-C8-C9
3	A	308	LFA	C4-C5-C6-C7
3	A	306	LFA	C10-C11-C12-C13
3	A	302	LFA	C11-C10-C9-C8
3	A	302	LFA	C13-C14-C15-C16
3	A	324	LFA	C1-C2-C3-C4
3	A	317	LFA	C2-C3-C4-C5
3	A	309	LFA	C9-C10-C11-C12
4	A	329	OLC	C12-C13-C14-C15
4	A	328	OLC	C5-C6-C7-C8
3	A	315	LFA	C7-C8-C9-C10
4	A	330	OLC	C1-C2-C3-C4
3	A	319	LFA	C3-C4-C5-C6
3	A	302	LFA	C11-C12-C13-C14
3	A	323	LFA	C1-C2-C3-C4
3	A	326	LFA	C3-C4-C5-C6
3	A	335	LFA	C10-C11-C12-C13
3	A	327	LFA	C7-C8-C9-C10
3	A	306	LFA	C7-C8-C9-C10
3	A	334	LFA	C7-C8-C9-C10
3	A	320	LFA	C5-C6-C7-C8
3	A	321	LFA	C1-C2-C3-C4
4	A	329	OLC	C7-C8-C9-C10
3	A	308	LFA	C3-C4-C5-C6
4	A	329	OLC	C4-C5-C6-C7
3	A	302	LFA	C7-C8-C9-C10
4	A	328	OLC	C7-C8-C9-C10
4	A	328	OLC	O20-C1-C2-C3
3	A	302	LFA	C3-C4-C5-C6
4	A	329	OLC	C13-C14-C15-C16
3	A	303	LFA	C7-C8-C9-C10
3	A	318	LFA	C3-C4-C5-C6
3	A	335	LFA	C12-C13-C14-C15
4	A	330	OLC	O23-C22-C24-O25
3	A	334	LFA	C17-C18-C19-C20
4	A	328	OLC	O19-C1-C2-C3
3	A	309	LFA	C7-C8-C9-C10


There are no ring outliers.




11 monomers are involved in 61 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	316	LFA	2	0
4	A	330	OLC	1	0
5	A	331	GOL	2	0
6	A	337	RET	7	0
4	A	329	OLC	1	0
3	A	335	LFA	31	0
3	A	315	LFA	1	0
3	A	307	LFA	1	0
3	A	319	LFA	1	0
5	A	333	GOL	11	3
3	A	314	LFA	2	0





The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.






















5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	271/288 (94%)	0.04	7 (2%) 57 56	23, 35, 66, 105	2 (0%)

All (7) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	230	VAL	3.5
1	A	270	SER	3.2
1	A	233	PHE	2.5
1	A	8	ALA	2.4
1	A	231	ASP	2.3
1	A	232	GLY	2.3
1	A	122	PHE	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	LFA	A	310	10/20	0.58	0.22	74,81,89,91	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	OLC	A	330	12/25	0.64	0.19	79,102,118,134	0
3	LFA	A	326	10/20	0.65	0.22	78,85,91,92	0
3	LFA	A	335	18/20	0.66	0.23	62,87,124,126	0
3	LFA	A	325	5/20	0.67	0.18	70,72,73,80	0
3	LFA	A	319	6/20	0.67	0.19	52,74,77,83	0
3	LFA	A	315	10/20	0.71	0.21	53,75,105,105	0
3	LFA	A	312	5/20	0.71	0.18	59,63,76,84	0
3	LFA	A	313	11/20	0.72	0.13	73,89,105,113	0
3	LFA	A	305	5/20	0.73	0.15	70,78,79,79	0
3	LFA	A	321	7/20	0.74	0.22	75,86,91,95	0
3	LFA	A	334	14/20	0.74	0.20	49,56,77,78	14
5	GOL	A	332	6/6	0.74	0.13	89,99,99,99	0
3	LFA	A	320	10/20	0.76	0.18	81,83,87,92	0
3	LFA	A	302	16/20	0.76	0.17	46,60,76,80	0
3	LFA	A	324	4/20	0.76	0.15	75,79,83,85	0
3	LFA	A	322	5/20	0.79	0.22	72,73,78,84	0
3	LFA	A	314	12/20	0.79	0.19	70,80,91,92	0
4	OLC	A	329	25/25	0.79	0.13	52,86,103,115	0
3	LFA	A	303	9/20	0.79	0.18	64,67,73,74	0
3	LFA	A	318	6/20	0.79	0.20	66,74,76,82	0
3	LFA	A	308	8/20	0.81	0.19	67,71,83,86	0
3	LFA	A	323	11/20	0.81	0.18	73,83,91,94	0
3	LFA	A	327	12/20	0.82	0.18	63,79,80,84	0
3	LFA	A	309	12/20	0.82	0.14	53,77,88,97	0
4	OLC	A	328	25/25	0.83	0.13	54,73,90,94	0
3	LFA	A	317	5/20	0.83	0.18	78,78,85,86	0
3	LFA	A	306	13/20	0.84	0.17	45,60,75,80	0
3	LFA	A	304	6/20	0.85	0.12	60,67,74,76	0
3	LFA	A	311	5/20	0.86	0.18	71,73,81,82	0
3	LFA	A	307	8/20	0.86	0.14	59,69,75,78	0
5	GOL	A	331	6/6	0.87	0.11	66,77,82,83	0
3	LFA	A	316	6/20	0.87	0.17	69,72,80,81	0
3	LFA	A	336	8/20	0.88	0.12	53,64,66,67	0
5	GOL	A	333	6/6	0.90	0.20	87,162,193,213	1
6	RET	A	337	20/21	0.94	0.08	25,30,37,41	0
2	NA	A	301	1/1	0.95	0.17	42,42,42,42	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around LFA A 310:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC A 330:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA A 326:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA A 335:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA A 319:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA A 315:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around LFA A 313:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA A 321:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA A 334:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA A 320:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA A 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA A 324:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA A 314:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC A 329:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA A 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA A 318:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA A 308:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA A 323:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA A 327:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA A 309:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC A 328:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA A 317:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LFA A 306:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LFA A 307:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around LFA A 336:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around RET A 337:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.