



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 25, 2026 – 01:42 AM EDT

PDB ID : 1RG5 / pdb_00001rg5
Title : Structure of the photosynthetic reaction centre from Rhodobacter sphaeroides carotenoidless strain R-26.1
Authors : Roszak, A.W.; Hashimoto, H.; Gardiner, A.T.; Cogdell, R.J.; Isaacs, N.W.
Deposited on : 2003-11-11
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION




The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	L	281	 2% 92% 6%
2	M	307	 2% 92% 6%
3	H	260	 3% 84% 8% 7%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
7	HTO	M	706	X	-	-	X

2 Entry composition [i](#)

There are 11 unique types of molecules in this entry. The entry contains 7451 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Reaction center protein L chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	L	281	Total	C	N	O	S	0	3	0
			2237	1509	355	365	8			


- Molecule 2 is a protein called Reaction center protein M chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	M	302	Total	C	N	O	S	0	6	0
			2440	1633	394	403	10			

- Molecule 3 is a protein called Reaction center protein H chain.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	H	241	Total	C	N	O	S	0	2	0
			1843	1176	319	339	9			

- Molecule 4 is BACTERIOCHLOROPHYLL A (CCD ID: BCL) (formula: $C_{55}H_{74}MgN_4O_6$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	L	1	Total 66	C 55	Mg 1	N 4	O 6	0	0
4	L	1	Total 66	C 55	Mg 1	N 4	O 6	0	0
4	M	1	Total 66	C 55	Mg 1	N 4	O 6	0	0
4	M	1	Total 66	C 55	Mg 1	N 4	O 6	0	0

- Molecule 5 is BACTERIOPHEOPHYTIN A (CCD ID: BPH) (formula: $C_{55}H_{76}N_4O_6$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	L	1	Total	C	N	O	0	0
			65	55	4	6		
5	M	1	Total	C	N	O	0	0
			65	55	4	6		

- Molecule 6 is UBIQUINONE-10 (CCD ID: U10) (formula: $C_{59}H_{90}O_4$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	L	1	Total	C	O	0	0
			48	44	4		
6	M	1	Total	C	O	0	0
			48	44	4		

- Molecule 7 is HEPTANE-1,2,3-TRIOL (CCD ID: HTO) (formula: $C_7H_{16}O_3$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	L	1	Total	C	O	0	0
			10	7	3		
7	M	1	Total	C	O	0	0
			10	7	3		

- Molecule 8 is FE (III) ION (CCD ID: FE) (formula: Fe).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	M	1	Total	Fe	0	0
			1	1		

- Molecule 9 is CARDIOLIPIN (CCD ID: CDL) (formula: $C_{81}H_{156}O_{17}P_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
9	M	1	Total	C	O	P	0	0
			81	62	17	2		

- Molecule 10 is LAURYL DIMETHYLAMINE-N-OXIDE (CCD ID: LDA) (formula: $C_{14}H_{31}NO$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
10	M	1	Total	C	N	O	0	0
			16	14	1	1		
10	M	1	Total	C	N	O	0	0
			16	14	1	1		
10	M	1	Total	C	N	O	0	0
			16	14	1	1		
10	M	1	Total	C	N	O	0	0
			16	14	1	1		
10	M	1	Total	C	N	O	0	0
			16	14	1	1		
10	H	1	Total	C	N	O	0	0
			16	14	1	1		


- Molecule 11 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	L	54	Total	O	0	0
			54	54		
11	M	74	Total	O	0	0
			74	74		
11	H	115	Total	O	0	0
			115	115		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: Reaction center protein L chain



- Molecule 2: Reaction center protein M chain



- Molecule 3: Reaction center protein H chain



4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	144.03Å 144.03Å 190.07Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	23.34 – 2.50 23.34 – 2.50	Depositor EDS
% Data completeness (in resolution range)	99.1 (23.34-2.50) 99.1 (23.34-2.50)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.15 (at 2.50Å)	Xtriage
Refinement program	REFMAC 5.1.9999	Depositor
R, R_{free}	0.155 , 0.182 0.159 , 0.186	Depositor DCC
R_{free} test set	3918 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å ²)	54.5	Xtriage
Anisotropy	0.020	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 76.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.012 for -h,-k,l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	7451	wwPDB-VP
Average B, all atoms (Å ²)	55.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.75% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: LDA, HTO, CDL, FE, U10, BPH, BCL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	L	1.04	2/2342 (0.1%)	1.02	3/3205 (0.1%)
2	M	1.00	1/2570 (0.0%)	0.98	1/3507 (0.0%)
3	H	1.09	4/1901 (0.2%)	1.06	2/2585 (0.1%)
All	All	1.04	7/6813 (0.1%)	1.02	6/9297 (0.1%)

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	H	175	MET	SD-CE	6.33	1.95	1.79
3	H	193	MET	SD-CE	-6.13	1.64	1.79
3	H	171	ILE	CA-CB	5.78	1.57	1.54
1	L	138	MET	SD-CE	5.75	1.94	1.79
2	M	146	THR	CA-CB	5.73	1.62	1.53
3	H	160	ILE	CA-CB	5.10	1.60	1.54
1	L	105	VAL	CA-CB	5.00	1.60	1.54

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	H	225	VAL	CB-CA-C	-7.31	99.73	110.62
3	H	249	LYS	N-CA-C	5.70	117.41	107.49
1	L	38	THR	N-CA-CB	5.58	118.42	110.16
1	L	235	LEU	N-CA-C	5.54	117.40	111.36
2	M	231	GLY	N-CA-C	5.47	120.40	113.24
1	L	219	LEU	N-CA-C	5.15	116.70	111.14

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	L	2237	0	2193	8	0
2	M	2440	0	2349	8	0
3	H	1843	0	1849	2	0
4	L	132	0	148	2	0
4	M	132	0	148	3	0
5	L	65	0	75	1	0
5	M	65	0	76	2	0
6	L	48	0	63	2	0
6	M	48	0	63	1	0
7	L	10	0	16	0	0
7	M	10	0	16	0	0
8	M	1	0	0	0	0
9	M	81	0	106	0	0
10	H	16	0	31	0	0
10	M	80	0	155	1	0
11	H	115	0	0	0	0
11	L	54	0	0	0	0
11	M	74	0	0	1	0
All	All	7451	0	7288	28	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (28) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:58:THR:HG21	1:L:63:LEU:HD12	1.66	0.78
6:L:502:U10:H252	6:L:502:U10:H211	1.73	0.69
1:L:271:TRP:H	1:L:271:TRP:CD1	2.15	0.64
2:M:199:ASN:HD22	2:M:199:ASN:C	2.07	0.63
2:M:162:PHE:O	2:M:166:ILE:HG12	2.02	0.60
3:H:199:GLN:OE1	3:H:202:ARG:HD2	2.02	0.59
6:L:502:U10:H211	6:L:502:U10:C25	2.35	0.57
4:M:501:BCL:H41	4:M:501:BCL:H72	1.89	0.54
1:L:34:PHE:O	1:L:38:THR:HG23	2.07	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:271:TRP:CD1	1:L:271:TRP:N	2.78	0.49
1:L:135:ARG:HB3	1:L:136:PRO:HD3	1.94	0.49
4:L:302:BCL:HMB3	4:L:302:BCL:CBB	2.44	0.47
4:M:501:BCL:HMB3	4:M:501:BCL:HBB2	1.98	0.46
2:M:175:VAL:HB	10:M:920:LDA:C11	2.46	0.46
1:L:58:THR:HG21	1:L:63:LEU:CD1	2.41	0.46
2:M:25:ASN:ND2	11:M:983:HOH:O	2.49	0.45
4:L:304:BCL:HBB2	4:L:304:BCL:HMB3	1.98	0.44
5:M:401:BPH:HBC3	5:M:401:BPH:HHD	1.99	0.44
5:M:401:BPH:H6C1	5:M:401:BPH:H4C1	1.64	0.44
1:L:38:THR:HG22	1:L:99:SER:HB3	2.00	0.43
1:L:219:LEU:O	2:M:132:ARG:NH1	2.51	0.43
2:M:21:THR:HG23	2:M:26:LEU:HD21	2.00	0.42
5:L:402:BPH:HBB3	5:L:402:BPH:HMB1	2.01	0.42
3:H:75:VAL:HA	3:H:76:PRO:C	2.45	0.41
2:M:136:ARG:NE	2:M:136:ARG:HA	2.35	0.41
2:M:51:TYR:O	2:M:132:ARG:NH2	2.54	0.41
6:M:503:U10:C4M	6:M:503:U10:O3	2.68	0.41
4:M:501:BCL:HMB3	4:M:501:BCL:CBB	2.50	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	L	282/281 (100%)	275 (98%)	7 (2%)	0	100	100
2	M	307/307 (100%)	300 (98%)	7 (2%)	0	100	100
3	H	241/260 (93%)	237 (98%)	4 (2%)	0	100	100
All	All	830/848 (98%)	812 (98%)	18 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	L	223/220 (101%)	208 (93%)	15 (7%)	15	31
2	M	243/240 (101%)	232 (96%)	11 (4%)	24	49
3	H	197/208 (95%)	181 (92%)	16 (8%)	11	23
All	All	663/668 (99%)	621 (94%)	42 (6%)	17	34

All (42) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	L	7	ARG
1	L	21	LEU
1	L	38	THR
1	L	54	VAL
1	L	58	THR
1	L	72	GLU
1	L	126	LEU
1	L	210	ASP
1	L	235	LEU
1	L	237[A]	SER
1	L	237[B]	SER
1	L	247	CYS
1	L	254	ILE
1	L	267	VAL
1	L	271	TRP
2	M	12	VAL
2	M	32	VAL
2	M	60[A]	LEU
2	M	60[B]	LEU
2	M	124	VAL
2	M	132	ARG
2	M	182	HIS
2	M	196	LEU
2	M	199	ASN
2	M	204	LEU
2	M	274	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	H	11	ASP
3	H	14	SER
3	H	15	LEU
3	H	60	LYS
3	H	70	ARG
3	H	85	ILE
3	H	115	VAL
3	H	175	MET
3	H	200	SER
3	H	202	ARG
3	H	220	LYS
3	H	221	SER
3	H	225	VAL
3	H	231	ASP
3	H	237	VAL
3	H	247	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	L	183	ASN
1	L	280	ASN
2	M	28	ASN
2	M	187	ASN
2	M	199	ASN
2	M	299	GLN
3	H	44	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 18 ligands modelled in this entry, 1 is monoatomic - leaving 17 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	BCL	M	501	2	69,74,74	1.33	6 (8%)	79,115,115	1.64	19 (24%)
10	LDA	M	902	-	13,15,15	2.04	1 (7%)	14,17,17	0.77	1 (7%)
10	LDA	M	903	-	13,15,15	2.14	2 (15%)	14,17,17	0.63	0
10	LDA	M	905	-	13,15,15	2.04	2 (15%)	14,17,17	0.57	0
4	BCL	L	304	1	69,74,74	1.22	3 (4%)	79,115,115	1.39	14 (17%)
10	LDA	M	907	-	13,15,15	2.13	2 (15%)	14,17,17	0.44	0
6	U10	M	503	-	48,48,63	1.11	3 (6%)	60,61,79	1.34	8 (13%)
10	LDA	M	920	-	13,15,15	1.82	2 (15%)	14,17,17	0.74	0
10	LDA	H	901	-	13,15,15	2.04	2 (15%)	14,17,17	1.46	2 (14%)
4	BCL	M	502	2	69,74,74	1.32	4 (5%)	79,115,115	1.58	14 (17%)
9	CDL	M	800	-	80,80,99	1.14	4 (5%)	86,92,111	1.23	9 (10%)
6	U10	L	502	-	48,48,63	1.08	2 (4%)	60,61,79	1.56	12 (20%)
7	HTO	L	707	-	9,9,9	0.60	0	10,10,10	1.54	2 (20%)
4	BCL	L	302	1	69,74,74	1.49	5 (7%)	79,115,115	1.58	16 (20%)
5	BPH	M	401	-	59,70,70	1.10	4 (6%)	59,101,101	1.98	14 (23%)
7	HTO	M	706	-	9,9,9	0.45	0	10,10,10	1.37	2 (20%)
5	BPH	L	402	-	59,70,70	1.19	5 (8%)	59,101,101	1.80	7 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	BCL	M	501	2	-	8/41/137/137	-
10	LDA	M	902	-	-	5/13/13/13	-
10	LDA	M	903	-	-	7/13/13/13	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
10	LDA	M	905	-	-	7/13/13/13	-
4	BCL	L	304	1	-	4/41/137/137	-
10	LDA	M	907	-	-	7/13/13/13	-
6	U10	M	503	-	-	6/45/69/87	0/1/1/1
10	LDA	M	920	-	-	11/13/13/13	-
10	LDA	H	901	-	-	10/13/13/13	-
4	BCL	M	502	2	-	6/41/137/137	-
9	CDL	M	800	-	-	25/91/91/110	-
6	U10	L	502	-	-	13/45/69/87	0/1/1/1
7	HTO	L	707	-	-	1/10/10/10	-
4	BCL	L	302	1	-	2/41/137/137	-
5	BPH	M	401	-	-	8/37/105/105	0/5/6/6
7	HTO	M	706	-	1/1/2/2	6/10/10/10	-
5	BPH	L	402	-	-	5/37/105/105	0/5/6/6

All (47) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	L	302	BCL	MG-NA	8.74	2.27	2.06
4	M	502	BCL	MG-NA	7.04	2.23	2.06
10	M	902	LDA	O1-N1	-6.78	1.25	1.42
10	M	907	LDA	O1-N1	-6.68	1.25	1.42
4	M	501	BCL	MG-NA	6.54	2.21	2.06
10	M	903	LDA	O1-N1	-6.46	1.26	1.42
10	M	905	LDA	O1-N1	-6.32	1.26	1.42
10	H	901	LDA	O1-N1	-6.28	1.26	1.42
10	M	920	LDA	O1-N1	-5.93	1.27	1.42
9	M	800	CDL	OB6-CB5	5.10	1.48	1.34
4	L	304	BCL	MG-NA	4.99	2.18	2.06
5	L	402	BPH	C1B-C2B	4.98	1.45	1.39
6	L	502	U10	O3-C3	4.65	1.48	1.36
5	M	401	BPH	C1B-C2B	4.51	1.44	1.39
9	M	800	CDL	OA8-CA7	4.49	1.46	1.33
9	M	800	CDL	OB8-CB7	4.48	1.46	1.33
4	L	304	BCL	MG-NB	4.27	2.14	2.05
9	M	800	CDL	OA6-CA5	4.23	1.46	1.34
10	M	903	LDA	C1-N1	-4.06	1.47	1.51
5	M	401	BPH	C1D-C2D	3.89	1.43	1.39
6	M	503	U10	O3-C3	3.83	1.46	1.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	L	502	U10	O4-C4	3.78	1.45	1.36
10	H	901	LDA	C1-N1	-3.72	1.47	1.51
4	M	501	BCL	MG-NB	3.66	2.13	2.05
6	M	503	U10	O4-C4	3.59	1.45	1.36
10	M	905	LDA	C1-N1	-3.57	1.47	1.51
4	M	502	BCL	MG-NB	3.55	2.12	2.05
4	M	502	BCL	C3B-C4B	3.42	1.47	1.41
10	M	907	LDA	C1-N1	-3.41	1.48	1.51
4	L	302	BCL	C3B-C4B	3.36	1.47	1.41
5	L	402	BPH	C1D-C2D	3.20	1.43	1.39
4	L	302	BCL	MG-NB	3.04	2.11	2.05
4	L	304	BCL	C3B-C4B	3.03	1.47	1.41
5	L	402	BPH	C2C-C3C	2.85	1.57	1.54
4	M	501	BCL	MG-NC	2.83	2.13	2.06
4	M	501	BCL	CHD-C1D	2.81	1.43	1.38
4	M	501	BCL	C3B-C4B	2.79	1.46	1.41
10	M	920	LDA	C1-N1	-2.71	1.48	1.51
4	L	302	BCL	MG-NC	2.68	2.12	2.06
4	L	302	BCL	C1B-NB	2.32	1.40	1.37
5	L	402	BPH	C3B-C4B	2.32	1.45	1.41
6	M	503	U10	O3-C3M	-2.30	1.40	1.45
4	M	502	BCL	CHD-C1D	2.20	1.42	1.38
4	M	501	BCL	C1D-ND	2.18	1.40	1.37
5	L	402	BPH	C3D-CAD	-2.12	1.43	1.47
5	M	401	BPH	C3B-C4B	2.09	1.44	1.41
5	M	401	BPH	C4D-ND	-2.06	1.35	1.38

All (120) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	L	402	BPH	C4D-CHA-CBD	-7.82	104.71	108.45
5	M	401	BPH	C2B-C1B-NB	-6.32	104.86	109.43
5	M	401	BPH	C4D-CHA-CBD	-6.29	105.44	108.45
5	M	401	BPH	O2D-CGD-CBD	5.28	116.75	110.95
9	M	800	CDL	OB6-CB5-C51	4.94	122.16	111.48
5	L	402	BPH	C2B-C1B-NB	-4.84	105.93	109.43
4	M	502	BCL	C1C-NC-C4C	4.79	108.86	106.68
5	L	402	BPH	O2D-CGD-CBD	4.61	116.01	110.95
5	M	401	BPH	C2D-C1D-ND	-4.35	106.29	109.43
4	M	501	BCL	C2B-C1B-NB	-4.33	105.84	110.33
4	M	502	BCL	C4D-CHA-C1A	4.19	126.25	121.24
4	M	501	BCL	C4-C3-C2	-4.14	113.00	123.63

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	L	302	BCL	C1C-NC-C4C	4.09	108.55	106.68
4	M	502	BCL	C2B-C1B-NB	-3.92	106.26	110.33
10	H	901	LDA	CM1-N1-C1	-3.91	102.01	110.23
4	L	302	BCL	C2B-C1B-NB	-3.89	106.29	110.33
5	L	402	BPH	CMA-C3A-C4A	-3.87	106.27	114.61
4	M	501	BCL	C1-O2A-CGA	3.76	125.75	116.65
4	M	501	BCL	C4-C3-C5	3.66	121.58	115.23
5	M	401	BPH	C1-O2A-CGA	3.62	125.40	116.65
9	M	800	CDL	OA6-CA5-C11	3.58	119.24	111.48
6	M	503	U10	C30-C29-C31	3.52	121.33	115.23
6	M	503	U10	C3M-O3-C3	3.49	128.75	116.47
4	L	304	BCL	C2B-C1B-NB	-3.45	106.75	110.33
4	M	502	BCL	CHA-C1A-NA	-3.39	118.71	126.39
4	L	304	BCL	C4A-NA-C1A	3.32	108.19	106.68
6	L	502	U10	C3M-O3-C3	3.24	127.87	116.47
6	L	502	U10	C1M-C1-C6	-3.21	119.18	124.45
4	M	501	BCL	CAA-CBA-CGA	3.20	122.31	113.21
4	M	501	BCL	C4D-CHA-C1A	3.18	125.04	121.24
6	L	502	U10	C7-C8-C9	-3.17	121.36	126.83
4	L	302	BCL	C4D-CHA-C1A	3.16	125.01	121.24
4	L	302	BCL	C1D-ND-C4D	3.15	108.52	106.31
5	M	401	BPH	CMA-C3A-C4A	-3.14	107.85	114.61
4	L	304	BCL	O2D-CGD-CBD	3.12	116.68	111.23
5	M	401	BPH	C1B-NB-C4B	3.10	113.33	108.82
6	M	503	U10	C32-C33-C34	-3.08	120.58	127.62
6	L	502	U10	O5-C5-C6	-3.03	115.93	121.79
4	L	302	BCL	C4A-NA-C1A	3.03	108.06	106.68
4	M	501	BCL	C3B-C4B-NB	-3.01	105.78	109.76
4	L	302	BCL	CAA-C2A-C3A	-3.01	104.86	113.00
5	L	402	BPH	C2D-C1D-ND	-3.00	107.26	109.43
4	M	502	BCL	O2D-CGD-O1D	-2.95	118.10	123.85
4	L	304	BCL	CED-O2D-CGD	2.92	122.53	115.92
6	L	502	U10	O2-C2-C3	-2.90	114.88	121.03
6	L	502	U10	C15-C14-C16	2.90	120.27	115.23
4	M	501	BCL	CHA-C1A-NA	-2.90	119.83	126.39
4	L	302	BCL	C3B-C4B-NB	-2.89	105.94	109.76
6	L	502	U10	C30-C29-C31	2.88	120.23	115.23
4	M	502	BCL	CMB-C2B-C1B	-2.88	121.03	125.42
6	L	502	U10	C35-C34-C36	2.87	120.21	115.23
4	M	501	BCL	C1D-ND-C4D	2.86	108.32	106.31
7	M	706	HTO	O1-C1-C2	-2.85	105.16	111.16
9	M	800	CDL	OA8-CA7-C31	2.85	120.53	111.83

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	L	707	HTO	C5-C4-C3	-2.82	109.49	114.11
10	H	901	LDA	CM2-N1-C1	2.82	116.15	110.23
4	M	502	BCL	CAC-C3C-C4C	-2.81	106.34	112.58
4	L	302	BCL	CHA-C1A-NA	-2.79	120.08	126.39
6	M	503	U10	C17-C18-C19	-2.78	121.25	127.62
4	L	304	BCL	OBB-CAB-C3B	2.74	125.28	120.43
4	M	502	BCL	C3B-C4B-NB	-2.71	106.18	109.76
7	L	707	HTO	O2-C2-C1	-2.66	102.98	109.03
9	M	800	CDL	OB2-PB2-OB3	-2.65	98.41	108.94
5	M	401	BPH	OBB-CAB-C3B	2.65	124.42	119.99
4	M	501	BCL	C2D-C1D-ND	-2.65	107.51	110.13
4	L	302	BCL	CMA-C3A-C2A	-2.64	103.76	113.98
4	M	501	BCL	CAA-C2A-C3A	-2.62	105.92	113.00
10	M	902	LDA	CM2-N1-C1	2.61	115.72	110.23
4	M	501	BCL	OBB-CAB-C3B	2.59	125.02	120.43
4	L	304	BCL	CAA-C2A-C3A	-2.56	106.08	113.00
5	L	402	BPH	O2A-CGA-O1A	-2.55	117.26	123.63
6	L	502	U10	C7-C6-C5	-2.53	115.58	118.52
4	M	501	BCL	C1C-NC-C4C	2.52	107.83	106.68
6	M	503	U10	C4M-O4-C4	2.50	125.26	116.47
5	M	401	BPH	C4A-C3A-C2A	2.50	105.22	102.84
6	L	502	U10	C35-C34-C33	-2.50	117.21	123.63
4	L	302	BCL	OBB-CAB-CBB	-2.50	114.18	119.77
4	M	501	BCL	C2C-C3C-C4C	2.48	105.05	101.34
4	L	302	BCL	C2D-C1D-ND	-2.46	107.69	110.13
4	L	304	BCL	CMA-C3A-C4A	-2.45	105.19	111.77
4	M	502	BCL	CHB-C1B-NB	2.45	127.72	124.05
4	L	302	BCL	C17-C16-C15	-2.45	102.32	113.28
6	L	502	U10	C12-C13-C14	-2.44	122.03	127.62
9	M	800	CDL	OB8-CB7-C71	2.44	119.28	111.83
9	M	800	CDL	CB6-OB8-CB7	2.44	126.03	117.12
4	M	501	BCL	OBB-CAB-CBB	-2.42	114.36	119.77
4	L	302	BCL	CBA-CAA-C2A	2.41	120.96	113.79
4	M	501	BCL	CMB-C2B-C1B	-2.41	121.75	125.42
4	M	502	BCL	C4A-NA-C1A	2.37	107.76	106.68
4	M	501	BCL	CHD-C1D-C2D	2.37	130.41	125.49
4	M	502	BCL	OBB-CAB-CBB	-2.36	114.49	119.77
5	M	401	BPH	C3B-C4B-NB	-2.36	104.62	108.05
4	L	304	BCL	C3B-C4B-NB	-2.34	106.67	109.76
4	L	304	BCL	OBB-CAB-CBB	-2.33	114.55	119.77
6	M	503	U10	C6-C1-C2	2.33	121.01	119.17
6	M	503	U10	C7-C6-C5	-2.33	115.81	118.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	L	302	BCL	O2A-CGA-O1A	-2.33	117.81	123.63
4	L	304	BCL	C4D-CHA-C1A	2.32	124.01	121.24
4	M	501	BCL	CMA-C3A-C2A	-2.29	105.14	113.98
5	M	401	BPH	O1D-CGD-CBD	-2.28	121.27	124.72
9	M	800	CDL	OA6-CA5-OA7	-2.25	118.45	123.70
4	L	302	BCL	CAC-C3C-C4C	-2.24	107.62	112.58
4	M	502	BCL	CHD-C1D-ND	-2.23	121.67	124.80
5	M	401	BPH	CMA-C3A-C2A	-2.21	105.58	114.13
9	M	800	CDL	CB2-C1-CA2	-2.20	106.33	112.65
9	M	800	CDL	OB4-PB2-OB3	2.18	122.60	112.44
7	M	706	HTO	O3-C3-C2	-2.14	105.08	109.57
4	L	304	BCL	CAA-CBA-CGA	2.14	119.28	113.21
6	L	502	U10	C17-C18-C19	-2.10	122.82	127.62
4	L	304	BCL	C2C-C3C-C4C	2.10	104.48	101.34
4	M	502	BCL	C1D-ND-C4D	2.06	107.76	106.31
5	M	401	BPH	CMB-C2B-C3B	2.06	128.79	124.68
4	L	304	BCL	CHD-C1D-C2D	2.05	129.75	125.49
5	L	402	BPH	C1B-NB-C4B	2.05	111.80	108.82
6	M	503	U10	C41-C39-C40	2.03	119.25	114.59
4	M	501	BCL	O2D-CGD-O1D	-2.02	119.92	123.85
5	M	401	BPH	CAA-C2A-C3A	-2.01	107.56	113.00
4	M	502	BCL	C1-O2A-CGA	2.01	121.52	116.65
4	L	302	BCL	CHD-C1D-C2D	2.01	129.66	125.49
4	L	304	BCL	CHD-C1D-ND	-2.00	121.98	124.80

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
7	M	706	HTO	C2

All (131) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	L	502	U10	C21-C22-C23-C24
6	L	502	U10	C35-C34-C36-C37
6	M	503	U10	C4-C3-O3-C3M
7	M	706	HTO	O2-C2-C3-O3
7	M	706	HTO	O2-C2-C3-C4
7	M	706	HTO	O3-C3-C4-C5
9	M	800	CDL	CA2-OA2-PA1-OA3
9	M	800	CDL	CA2-OA2-PA1-OA4
9	M	800	CDL	CA2-OA2-PA1-OA5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
10	M	902	LDA	C2-C1-N1-O1
10	M	902	LDA	C2-C1-N1-CM2
10	M	903	LDA	N1-C1-C2-C3
10	M	905	LDA	C2-C1-N1-O1
10	M	905	LDA	C2-C1-N1-CM2
10	M	920	LDA	C2-C1-N1-O1
10	M	920	LDA	C2-C1-N1-CM1
10	M	920	LDA	C2-C1-N1-CM2
10	H	901	LDA	C2-C1-N1-CM1
10	H	901	LDA	C2-C1-N1-CM2
10	H	901	LDA	N1-C1-C2-C3
4	M	501	BCL	C4-C3-C5-C6
5	M	401	BPH	C4-C3-C5-C6
6	L	502	U10	C33-C34-C36-C37
4	M	501	BCL	C2-C3-C5-C6
5	M	401	BPH	C2-C3-C5-C6
4	M	501	BCL	C6-C7-C8-C9
4	M	501	BCL	C11-C10-C8-C9
5	M	401	BPH	C14-C13-C15-C16
6	M	503	U10	C29-C31-C32-C33
4	M	501	BCL	C13-C15-C16-C17
9	M	800	CDL	C31-CA7-OA8-CA6
5	M	401	BPH	C10-C11-C12-C13
4	M	501	BCL	C8-C10-C11-C12
9	M	800	CDL	C11-CA5-OA6-CA4
9	M	800	CDL	OA7-CA5-OA6-CA4
9	M	800	CDL	O1-C1-CB2-OB2
5	M	401	BPH	C5-C6-C7-C8
9	M	800	CDL	C36-C37-C38-C39
9	M	800	CDL	C19-C20-C21-C22
9	M	800	CDL	OA9-CA7-OA8-CA6
10	M	905	LDA	C2-C3-C4-C5
10	M	907	LDA	C6-C7-C8-C9
9	M	800	CDL	C78-C79-C80-C81
10	M	905	LDA	C1-C2-C3-C4
6	L	502	U10	C19-C21-C22-C23
10	M	902	LDA	C1-C2-C3-C4
5	L	402	BPH	C8-C10-C11-C12
4	M	501	BCL	C6-C7-C8-C10
4	M	502	BCL	C12-C13-C15-C16
5	M	401	BPH	C12-C13-C15-C16
10	H	901	LDA	C1-C2-C3-C4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	M	401	BPH	C16-C17-C18-C19
10	H	901	LDA	C7-C8-C9-C10
7	L	707	HTO	C4-C5-C6-C7
5	L	402	BPH	C2-C3-C5-C6
10	M	920	LDA	N1-C1-C2-C3
9	M	800	CDL	C14-C15-C16-C17
10	M	903	LDA	C5-C6-C7-C8
10	M	903	LDA	C1-C2-C3-C4
10	H	901	LDA	C9-C10-C11-C12
6	L	502	U10	C34-C36-C37-C38
6	M	503	U10	C24-C26-C27-C28
4	M	502	BCL	C14-C13-C15-C16
10	M	907	LDA	C5-C6-C7-C8
9	M	800	CDL	OA5-CA3-CA4-CA6
9	M	800	CDL	C40-C41-C42-C43
6	M	503	U10	C30-C29-C31-C32
5	M	401	BPH	C16-C17-C18-C20
5	L	402	BPH	C4-C3-C5-C6
10	M	920	LDA	C4-C5-C6-C7
4	M	502	BCL	C13-C15-C16-C17
10	M	920	LDA	C3-C4-C5-C6
10	M	907	LDA	C7-C8-C9-C10
9	M	800	CDL	C18-C19-C20-C21
6	L	502	U10	C9-C11-C12-C13
10	M	905	LDA	C9-C10-C11-C12
10	M	920	LDA	C7-C8-C9-C10
9	M	800	CDL	C13-C14-C15-C16
10	M	920	LDA	C5-C6-C7-C8
6	M	503	U10	C28-C29-C31-C32
10	M	903	LDA	C3-C4-C5-C6
10	M	907	LDA	C11-C10-C9-C8
4	M	501	BCL	C2-C1-O2A-CGA
10	M	902	LDA	C2-C1-N1-CM1
9	M	800	CDL	CB2-C1-CA2-OA2
4	L	302	BCL	C16-C17-C18-C20
9	M	800	CDL	C34-C35-C36-C37
10	M	920	LDA	C2-C3-C4-C5
10	M	903	LDA	C6-C7-C8-C9
9	M	800	CDL	OA5-CA3-CA4-OA6
10	H	901	LDA	C11-C10-C9-C8
10	H	901	LDA	C2-C1-N1-O1
4	L	302	BCL	C16-C17-C18-C19

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
10	M	903	LDA	C9-C10-C11-C12
10	M	905	LDA	C6-C7-C8-C9
10	M	907	LDA	C4-C5-C6-C7
10	M	902	LDA	C7-C8-C9-C10
4	M	502	BCL	C16-C17-C18-C20
10	M	920	LDA	C11-C10-C9-C8
10	H	901	LDA	C2-C3-C4-C5
9	M	800	CDL	C21-C22-C23-C24
10	M	907	LDA	C1-C2-C3-C4
4	M	502	BCL	C15-C16-C17-C18
6	L	502	U10	C12-C11-C9-C10
4	L	304	BCL	C12-C13-C15-C16
7	M	706	HTO	C1-C2-C3-C4
6	L	502	U10	C30-C29-C31-C32
6	L	502	U10	C12-C11-C9-C8
6	M	503	U10	C2-C3-O3-C3M
10	M	903	LDA	C2-C3-C4-C5
9	M	800	CDL	C53-C54-C55-C56
4	L	304	BCL	C13-C15-C16-C17
9	M	800	CDL	C51-C52-C53-C54
6	L	502	U10	C24-C26-C27-C28
7	M	706	HTO	C2-C3-C4-C5
4	L	304	BCL	C14-C13-C15-C16
6	L	502	U10	C28-C29-C31-C32
10	M	907	LDA	C3-C4-C5-C6
4	M	502	BCL	C16-C17-C18-C19
9	M	800	CDL	C32-C31-CA7-OA8
7	M	706	HTO	C1-C2-C3-O3
10	M	905	LDA	C2-C1-N1-CM1
10	H	901	LDA	C5-C6-C7-C8
6	L	502	U10	C15-C14-C16-C17
10	M	920	LDA	C1-C2-C3-C4
9	M	800	CDL	C52-C51-CB5-OB6
4	L	304	BCL	C16-C17-C18-C20
5	L	402	BPH	O2A-C1-C2-C3
9	M	800	CDL	C32-C31-CA7-OA9
6	L	502	U10	C11-C12-C13-C14
5	L	402	BPH	CAD-CBD-CGD-O2D




There are no ring outliers.


8 monomers are involved in 12 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	M	501	BCL	3	0
4	L	304	BCL	1	0
6	M	503	U10	1	0
10	M	920	LDA	1	0
6	L	502	U10	2	0
4	L	302	BCL	1	0
5	M	401	BPH	2	0
5	L	402	BPH	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	L	281/281 (100%)	-0.09	6 (2%) 63 59	36, 52, 66, 75	3 (1%)
2	M	302/307 (98%)	-0.04	5 (1%) 69 65	37, 52, 65, 85	6 (1%)
3	H	241/260 (92%)	0.07	8 (3%) 49 45	34, 52, 67, 101	2 (0%)
All	All	824/848 (97%)	-0.02	19 (2%) 61 57	34, 52, 66, 101	11 (1%)

All (19) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	H	249	LYS	4.1
2	M	302	GLY	4.0
1	L	202	LYS	3.9
2	M	1	ALA	3.7
3	H	250	SER	3.7
3	H	10	PHE	3.7
3	H	18	TYR	3.3
2	M	2[A]	GLU	3.2
3	H	245	ALA	2.9
3	H	247	LYS	2.7
1	L	271	TRP	2.7
1	L	281	GLY	2.5
2	M	148	TRP	2.5
2	M	301	HIS	2.4
3	H	246	PRO	2.4
1	L	59	TRP	2.3
1	L	270[A]	PRO	2.2
3	H	208	LEU	2.1
1	L	46	ILE	2.1

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
7	HTO	M	706	10/10	0.59	0.47	48,53,56,57	10
6	U10	L	502	48/63	0.80	0.25	83,104,112,112	0
10	LDA	M	905	16/16	0.81	0.32	72,73,81,82	16
10	LDA	M	907	16/16	0.82	0.25	91,96,99,99	0
7	HTO	L	707	10/10	0.84	0.40	56,60,62,63	10
10	LDA	M	903	16/16	0.84	0.39	68,72,74,74	16
9	CDL	M	800	81/100	0.85	0.29	48,60,72,73	81
10	LDA	M	920	16/16	0.88	0.24	84,86,102,103	0
10	LDA	M	902	16/16	0.90	0.18	69,74,79,80	16
6	U10	M	503	48/63	0.93	0.13	51,64,91,93	0
4	BCL	M	501	66/66	0.94	0.11	49,54,106,107	0
5	BPH	M	401	65/65	0.94	0.11	50,54,112,113	0
10	LDA	H	901	16/16	0.94	0.17	65,68,79,80	16
5	BPH	L	402	65/65	0.96	0.08	47,52,59,61	0
4	BCL	L	302	66/66	0.97	0.08	43,48,67,76	0
4	BCL	M	502	66/66	0.97	0.09	43,48,73,77	0
4	BCL	L	304	66/66	0.97	0.08	45,49,76,78	0
8	FE	M	500	1/1	1.00	0.02	49,49,49,49	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around U10 L 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CDL M 800:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around U10 M 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around BCL M 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around BPH M 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BPH L 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BCL L 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around BCL M 502:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around BCL L 304:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.