



Full wwPDB NMR Structure Validation Report ⓘ

Mar 9, 2026 – 10:16 PM UTC

PDB ID : 1RGD / pdb_00001rgd
Title : STRUCTURE REFINEMENT OF THE GLUCOCORTICOID RECEPTOR-DNA BINDING DOMAIN FROM NMR DATA BY RELAXATION MATRIX CALCULATIONS
Authors : Van Tilborg, M.A.A.; Bonvin, A.M.J.J.; Hard, K.; Davis, A.; Maler, B.; Boelens, R.; Yamamoto, K.R.; Kaptein, R.
Deposited on : 1995-01-06

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
wwPDB-RCI	:	v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV	:	Wang et al. (2010)
wwPDB-ShiftChecker	:	v1.2
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment was not calculated.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	229148	14424
Ramachandran outliers	224038	12848
Sidechain outliers	223484	12823

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	71	

2 Ensemble composition and analysis

This entry contains 11 models. Model 7 is the overall representative, medoid model (most similar to other models).

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:1-A:37, A:43-A:70 (65)	1.45	7

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 2 clusters and 1 single-model cluster was found.

Cluster number	Models
1	2, 3, 4, 7, 9, 10
2	5, 6, 8, 11
Single-model clusters	1

3 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 550 atoms, of which 0 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called GLUCOCORTICOID RECEPTOR.

Mol	Chain	Residues	Atoms					Trace
1	A	71	Total	C	N	O	S	0
			548	333	107	97	11	

- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms	
2	A	2	Total	Zn
			2	2

4 Residue-property plots [i](#)

4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

• Molecule 1: GLUCOCORTICOID RECEPTOR




4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.


4.2.1 Score per residue for model 1


• Molecule 1: GLUCOCORTICOID RECEPTOR



4.2.2 Score per residue for model 2

• Molecule 1: GLUCOCORTICOID RECEPTOR






4.2.3 Score per residue for model 3

- Molecule 1: GLUCOCORTICOID RECEPTOR

Chain A: 25% 32% 21% 13% 8%



4.2.4 Score per residue for model 4

- Molecule 1: GLUCOCORTICOID RECEPTOR


Chain A: 21% 32% 27% 11% 8%



4.2.5 Score per residue for model 5

- Molecule 1: GLUCOCORTICOID RECEPTOR


Chain A: 21% 28% 25% 17% 8%



4.2.6 Score per residue for model 6

- Molecule 1: GLUCOCORTICOID RECEPTOR


Chain A: 25% 28% 23% 15% 8%



4.2.7 Score per residue for model 7 (medoid)

- Molecule 1: GLUCOCORTICOID RECEPTOR


Chain A: 20% 27% 34% 11% 8%



4.2.8 Score per residue for model 8

- Molecule 1: GLUCOCORTICOID RECEPTOR


Chain A: 17% 37% 21% 17% 8%



4.2.9 Score per residue for model 9

- Molecule 1: GLUCOCORTICOID RECEPTOR


Chain A: 18% 37% 20% 17% 8%



4.2.10 Score per residue for model 10



- Molecule 1: GLUCOCORTICOID RECEPTOR

Chain A: 25% 27% 24% 15% 8%



4.2.11 Score per residue for model 11

- Molecule 1: GLUCOCORTICOID RECEPTOR



5 Refinement protocol and experimental data overview

Of the ? calculated structures, 11 were deposited, based on the following criterion: ?.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
IRMA	refinement	
DINOSAUR	refinement	

No chemical shift data was provided.

6 Model quality i

6.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the (average) root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#Z>5	RMSZ	#Z>5
1	A	1.37±0.11	4±2/508 (0.8± 0.3%)	3.00±0.10	60±7/680 (8.8± 1.1%)
All	All	1.37	44/5588 (0.8%)	3.01	658/7480 (8.8%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	Chirality	Planarity
1	A	0.7±0.7	17.6±2.1
All	All	8	194

All unique bond outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)	Models	
								Worst	Total
1	A	26	LYS	CA-CB	-10.52	1.35	1.53	7	9
1	A	29	VAL	CA-CB	-10.09	1.43	1.54	4	10
1	A	3	VAL	CA-CB	-8.47	1.43	1.54	7	6
1	A	28	ALA	CA-CB	-6.69	1.43	1.53	10	1
1	A	26	LYS	CA-C	6.20	1.61	1.52	7	6
1	A	1	CYS	CA-CB	-5.73	1.42	1.53	5	1
1	A	56	CYS	CA-CB	-5.72	1.44	1.53	11	4
1	A	43	CYS	CA-CB	-5.53	1.45	1.53	5	2
1	A	33	HIS	CG-CD2	-5.25	1.30	1.35	9	3
1	A	12	HIS	CG-ND1	-5.09	1.32	1.38	5	1
1	A	17	THR	CA-CB	-5.05	1.46	1.53	4	1

All unique angle outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	35	TYR	CB-CG-CD2	-15.22	97.97	120.80	11	11
1	A	15	VAL	CB-CA-C	14.30	132.55	110.81	10	10
1	A	28	ALA	CA-C-N	14.12	138.35	120.70	6	11
1	A	28	ALA	C-N-CA	14.12	138.35	120.70	6	11
1	A	53	CYS	CB-CA-C	13.85	122.91	110.44	8	2
1	A	13	TYR	CB-CG-CD1	-13.84	100.05	120.80	3	9
1	A	29	VAL	CB-CA-C	13.20	128.31	111.81	6	8
1	A	8	ALA	N-CA-CB	-13.08	91.22	110.70	9	11
1	A	3	VAL	CA-CB-CG1	13.07	132.63	110.40	3	11
1	A	55	ALA	CA-C-N	12.56	137.50	120.54	2	5
1	A	55	ALA	C-N-CA	12.56	137.50	120.54	2	5
1	A	24	PHE	CB-CG-CD2	-12.22	99.92	120.70	3	9
1	A	33	HIS	CB-CG-CD2	-12.03	115.56	131.20	1	11
1	A	5	SER	N-CA-C	11.53	125.02	110.61	10	6
1	A	29	VAL	N-CA-CB	10.75	121.91	110.62	8	4
1	A	7	GLU	N-CA-C	10.62	127.91	108.58	10	4
1	A	46	ASP	N-CA-CB	10.45	125.21	110.26	3	7
1	A	8	ALA	N-CA-C	10.44	124.73	109.69	2	1
1	A	27	ARG	CA-C-N	10.36	134.33	120.65	11	11
1	A	27	ARG	C-N-CA	10.36	134.33	120.65	11	11
1	A	27	ARG	N-CA-C	10.24	125.03	112.54	5	10
1	A	16	LEU	N-CA-C	10.06	124.66	110.68	1	7
1	A	4	CYS	N-CA-CB	10.06	125.71	110.22	11	7
1	A	68	LEU	N-CA-CB	9.93	127.27	110.49	10	4
1	A	25	PHE	N-CA-C	-9.71	100.68	111.07	3	11
1	A	13	TYR	N-CA-CB	9.46	126.47	110.49	3	7
1	A	66	MET	N-CA-CB	9.32	123.76	110.24	10	1
1	A	30	GLU	CB-CA-C	9.28	125.67	110.92	6	1
1	A	62	LEU	CA-C-N	9.20	134.30	120.31	6	11
1	A	62	LEU	C-N-CA	9.20	134.30	120.31	6	11
1	A	18	CYS	N-CA-CB	9.20	123.49	109.97	8	6
1	A	44	ILE	CB-CA-C	9.04	126.12	111.29	5	6
1	A	2	LEU	N-CA-CB	8.96	125.62	110.49	4	3
1	A	46	ASP	CA-CB-CG	8.91	121.51	112.60	7	7
1	A	2	LEU	CA-CB-CG	-8.84	85.37	116.30	8	11
1	A	45	ILE	CA-CB-CG1	8.74	125.26	110.40	6	6
1	A	63	GLN	CB-CA-C	8.74	125.71	110.85	3	11
1	A	13	TYR	CB-CG-CD2	8.65	133.78	120.80	4	9
1	A	67	ASN	CA-CB-CG	8.60	121.20	112.60	2	4
1	A	37	CYS	N-CA-C	8.54	121.91	108.67	3	2
1	A	33	HIS	N-CA-C	8.52	122.65	111.75	4	1
1	A	24	PHE	CB-CG-CD1	-8.46	106.31	120.70	10	1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	15	VAL	N-CA-CB	8.40	121.77	110.26	4	1
1	A	44	ILE	N-CA-CB	8.38	125.06	111.23	2	4
1	A	55	ALA	N-CA-CB	8.38	123.27	110.28	5	1
1	A	24	PHE	CA-CB-CG	8.20	122.00	113.80	10	6
1	A	29	VAL	N-CA-C	-8.17	102.37	110.30	6	8
1	A	43	CYS	CB-CA-C	8.07	122.50	109.90	1	5
1	A	57	ARG	N-CA-CB	-7.84	98.57	110.26	7	4
1	A	33	HIS	CB-CG-ND1	7.81	134.42	122.70	9	10
1	A	48	ILE	N-CA-CB	-7.72	101.69	112.35	1	1
1	A	29	VAL	CA-CB-CG1	7.71	123.51	110.40	3	3
1	A	26	LYS	N-CA-CB	7.62	123.36	110.49	10	1
1	A	46	ASP	CA-C-N	7.61	136.08	121.54	1	4
1	A	46	ASP	C-N-CA	7.61	136.08	121.54	1	4
1	A	1	CYS	N-CA-CB	7.55	123.34	110.50	10	5
1	A	1	CYS	CB-CA-C	7.52	124.39	110.10	2	5
1	A	25	PHE	CA-C-N	7.49	135.85	121.54	10	3
1	A	25	PHE	C-N-CA	7.49	135.85	121.54	10	3
1	A	3	VAL	N-CA-CB	7.48	123.58	111.23	8	6
1	A	17	THR	N-CA-C	-7.46	100.68	110.53	1	6
1	A	48	ILE	CA-CB-CG2	7.43	123.13	110.50	8	9
1	A	28	ALA	CB-CA-C	7.35	122.28	110.96	11	3
1	A	67	ASN	CA-C-N	7.32	135.52	121.54	1	7
1	A	67	ASN	C-N-CA	7.32	135.52	121.54	1	7
1	A	56	CYS	N-CA-C	-7.29	102.36	111.11	2	3
1	A	67	ASN	N-CA-C	7.22	119.85	107.93	7	4
1	A	26	LYS	CA-CB-CG	7.21	128.52	114.10	2	7
1	A	33	HIS	CA-CB-CG	-7.15	106.65	113.80	6	1
1	A	20	SER	N-CA-C	7.03	118.59	111.07	9	3
1	A	26	LYS	CB-CA-C	7.01	124.38	110.42	2	9
1	A	28	ALA	N-CA-C	-7.00	103.26	111.03	1	4
1	A	52	ASN	CA-CB-CG	7.00	119.60	112.60	5	1
1	A	35	TYR	N-CA-CB	6.95	123.11	110.60	1	2
1	A	68	LEU	CB-CG-CD1	-6.94	89.87	110.70	11	4
1	A	25	PHE	CB-CG-CD1	-6.89	108.98	120.70	6	2
1	A	48	ILE	CA-CB-CG1	6.79	121.95	110.40	9	5
1	A	15	VAL	CA-CB-CG2	6.72	121.82	110.40	10	1
1	A	36	LEU	N-CA-C	6.72	125.11	110.80	10	3
1	A	23	VAL	CB-CA-C	6.68	123.08	112.26	11	6
1	A	17	THR	CA-CB-CG2	6.67	121.83	110.50	10	3
1	A	50	ARG	CA-C-N	6.60	129.43	120.38	10	1
1	A	50	ARG	C-N-CA	6.60	129.43	120.38	10	1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	58	TYR	CB-CG-CD2	-6.59	110.92	120.80	3	8
1	A	35	TYR	CB-CG-CD1	6.54	130.61	120.80	3	6
1	A	47	LYS	CA-C-N	6.47	130.91	120.55	11	4
1	A	47	LYS	C-N-CA	6.47	130.91	120.55	11	4
1	A	29	VAL	O-C-N	6.46	128.93	121.96	8	4
1	A	12	HIS	CB-CG-CD2	-6.45	122.81	131.20	9	3
1	A	58	TYR	CA-CB-CG	6.43	125.47	113.90	3	1
1	A	34	ASN	N-CA-CB	6.40	119.62	109.51	11	2
1	A	45	ILE	CB-CA-C	6.39	121.77	111.29	11	3
1	A	68	LEU	CB-CA-C	6.38	123.11	110.42	7	4
1	A	56	CYS	CA-CB-SG	6.36	129.03	114.40	2	3
1	A	20	SER	CA-C-O	-6.29	114.21	120.82	9	3
1	A	13	TYR	CB-CA-C	6.26	122.31	110.35	10	2
1	A	24	PHE	CA-C-N	6.25	128.90	120.65	8	8
1	A	24	PHE	C-N-CA	6.25	128.90	120.65	8	8
1	A	64	ALA	CA-C-N	6.19	133.55	121.41	5	8
1	A	64	ALA	C-N-CA	6.19	133.55	121.41	5	8
1	A	49	ARG	N-CA-C	6.16	120.87	112.68	7	1
1	A	22	LYS	N-CA-CB	-6.16	101.02	110.07	1	1
1	A	43	CYS	CA-C-N	6.12	132.98	121.97	11	3
1	A	43	CYS	C-N-CA	6.12	132.98	121.97	11	3
1	A	37	CYS	CA-C-N	6.11	130.05	120.89	4	2
1	A	37	CYS	C-N-CA	6.11	130.05	120.89	4	2
1	A	7	GLU	N-CA-CB	-6.11	100.17	110.49	6	2
1	A	22	LYS	CA-C-N	6.05	128.74	120.46	5	1
1	A	22	LYS	C-N-CA	6.05	128.74	120.46	5	1
1	A	26	LYS	CB-CG-CD	6.00	125.09	111.30	11	2
1	A	29	VAL	CA-C-N	5.97	129.09	120.79	8	2
1	A	29	VAL	C-N-CA	5.97	129.09	120.79	8	2
1	A	18	CYS	CB-CA-C	-5.95	99.47	109.65	8	1
1	A	53	CYS	CA-C-N	5.94	127.27	119.84	7	2
1	A	53	CYS	C-N-CA	5.94	127.27	119.84	7	2
1	A	48	ILE	O-C-N	5.93	127.72	121.91	6	2
1	A	58	TYR	N-CA-C	-5.92	104.75	111.14	1	1
1	A	51	LYS	CB-CA-C	5.89	121.23	112.03	1	1
1	A	63	GLN	CB-CG-CD	5.89	122.61	112.60	10	1
1	A	17	THR	N-CA-CB	5.85	119.69	110.56	3	3
1	A	23	VAL	CA-C-N	5.83	128.03	120.44	10	7
1	A	23	VAL	C-N-CA	5.83	128.03	120.44	10	7
1	A	29	VAL	CA-CB-CG2	-5.82	100.51	110.40	8	1
1	A	44	ILE	CA-C-N	5.80	132.41	121.97	2	1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	44	ILE	C-N-CA	5.80	132.41	121.97	2	1
1	A	23	VAL	O-C-N	5.78	127.47	121.87	1	1
1	A	37	CYS	CB-CA-C	5.77	121.89	110.42	6	1
1	A	48	ILE	CB-CA-C	5.76	117.15	110.88	1	1
1	A	25	PHE	N-CA-CB	-5.75	101.68	110.01	4	2
1	A	14	GLY	CA-C-N	5.72	131.30	121.63	9	3
1	A	14	GLY	C-N-CA	5.72	131.30	121.63	9	3
1	A	6	ASP	N-CA-C	-5.72	97.89	108.24	8	2
1	A	12	HIS	N-CA-C	5.71	122.96	110.80	4	1
1	A	45	ILE	CA-C-N	5.69	132.41	121.54	8	1
1	A	45	ILE	C-N-CA	5.69	132.41	121.54	8	1
1	A	43	CYS	CA-CB-SG	5.67	127.43	114.40	10	1
1	A	34	ASN	CA-C-N	-5.65	113.63	122.73	2	1
1	A	34	ASN	C-N-CA	-5.65	113.63	122.73	2	1
1	A	17	THR	CA-CB-OG1	5.65	118.07	109.60	1	2
1	A	47	LYS	N-CA-C	5.58	122.67	110.80	1	2
1	A	16	LEU	CA-C-O	5.49	126.45	120.58	11	2
1	A	22	LYS	CB-CA-C	5.48	119.45	110.95	9	2
1	A	6	ASP	CB-CA-C	5.43	121.23	110.42	10	1
1	A	18	CYS	N-CA-C	5.43	117.20	111.28	4	1
1	A	6	ASP	N-CA-CB	-5.42	101.33	110.49	10	3
1	A	5	SER	CA-C-N	5.39	130.03	122.05	2	2
1	A	5	SER	C-N-CA	5.39	130.03	122.05	2	2
1	A	48	ILE	CA-C-N	5.36	130.35	122.63	4	2
1	A	48	ILE	C-N-CA	5.36	130.35	122.63	4	2
1	A	47	LYS	N-CA-CB	-5.31	101.52	110.49	1	1
1	A	43	CYS	N-CA-CB	-5.27	102.49	110.35	2	1
1	A	6	ASP	CA-C-O	-5.24	116.02	122.36	3	1
1	A	26	LYS	CA-C-N	5.23	127.29	120.28	6	1
1	A	26	LYS	C-N-CA	5.23	127.29	120.28	6	1
1	A	7	GLU	CA-C-N	5.23	130.89	121.06	10	1
1	A	7	GLU	C-N-CA	5.23	130.89	121.06	10	1
1	A	20	SER	CA-C-N	5.18	127.74	120.28	4	2
1	A	20	SER	C-N-CA	5.18	127.74	120.28	4	2
1	A	34	ASN	CB-CA-C	5.17	119.06	109.54	2	2
1	A	69	GLU	N-CA-C	5.17	118.89	112.59	9	1
1	A	48	ILE	CB-CG1-CD1	5.16	124.63	113.80	11	1
1	A	23	VAL	CG1-CB-CG2	5.15	122.14	110.80	11	1
1	A	1	CYS	CA-CB-SG	5.13	126.19	114.40	9	1
1	A	30	GLU	N-CA-CB	-5.10	102.07	109.82	6	1
1	A	21	CYS	CA-C-N	5.10	127.56	120.63	2	1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	21	CYS	C-N-CA	5.10	127.56	120.63	2	1
1	A	1	CYS	CA-C-N	5.08	128.81	120.63	8	1
1	A	1	CYS	C-N-CA	5.08	128.81	120.63	8	1
1	A	29	VAL	CA-C-O	5.08	126.69	121.41	8	1
1	A	7	GLU	CA-C-O	5.08	127.77	120.51	9	1
1	A	61	CYS	N-CA-C	-5.06	105.85	111.36	2	1
1	A	46	ASP	CB-CA-C	5.03	120.44	110.42	8	1

All unique chiral outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Models (Total)
1	A	15	VAL	CA	6
1	A	44	ILE	CA	1
1	A	13	TYR	CA	1

All unique planar outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Group	Models (Total)
1	A	24	PHE	Sidechain,Mainchain	11
1	A	25	PHE	Mainchain,Sidechain	11
1	A	35	TYR	Sidechain	11
1	A	59	ARG	Mainchain	11
1	A	61	CYS	Mainchain	11
1	A	20	SER	Mainchain	9
1	A	64	ALA	Mainchain	9
1	A	6	ASP	Mainchain	8
1	A	13	TYR	Sidechain,Mainchain	8
1	A	57	ARG	Mainchain	8
1	A	7	GLU	Mainchain	7
1	A	15	VAL	Mainchain	7
1	A	43	CYS	Mainchain	6
1	A	55	ALA	Mainchain	6
1	A	58	TYR	Sidechain,Mainchain	6
1	A	16	LEU	Mainchain	5
1	A	4	CYS	Mainchain	5
1	A	22	LYS	Mainchain	5
1	A	46	ASP	Mainchain	4
1	A	5	SER	Mainchain	4
1	A	28	ALA	Mainchain	4
1	A	44	ILE	Mainchain	4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group	Models (Total)
1	A	56	CYS	Mainchain	4
1	A	29	VAL	Mainchain	3
1	A	49	ARG	Mainchain	3
1	A	3	VAL	Mainchain	3
1	A	37	CYS	Mainchain	2
1	A	69	GLU	Mainchain	2
1	A	50	ARG	Mainchain,Sidechain	2
1	A	65	GLY	Mainchain	2
1	A	45	ILE	Mainchain	1
1	A	68	LEU	Mainchain	1
1	A	11	CYS	Mainchain	1
1	A	34	ASN	Mainchain	1
1	A	1	CYS	Mainchain	1
1	A	21	CYS	Mainchain	1
1	A	54	PRO	Mainchain	1

6.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	500	0	497	17±2
All	All	5522	0	5473	183

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:12:HIS:H	1:A:22:LYS:HZ2	0.84	1.09	8	1
1:A:25:PHE:HE2	1:A:68:LEU:H	0.82	1.17	5	5
1:A:17:THR:H	1:A:22:LYS:NZ	0.73	1.82	7	3
1:A:12:HIS:H	1:A:22:LYS:NZ	0.70	1.84	8	1
1:A:25:PHE:O	1:A:29:VAL:HG23	0.70	1.86	1	6
1:A:1:CYS:HA	1:A:17:THR:HA	0.69	1.63	7	3
1:A:43:CYS:SG	1:A:53:CYS:HB3	0.65	2.31	5	5
1:A:35:TYR:O	1:A:55:ALA:HB2	0.63	1.94	10	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:24:PHE:C	1:A:24:PHE:CD1	0.62	2.77	11	8
1:A:17:THR:H	1:A:22:LYS:HZ3	0.61	1.37	4	2
1:A:51:LYS:H	1:A:51:LYS:NZ	0.60	1.93	3	1
1:A:13:TYR:CG	1:A:66:MET:HE3	0.60	2.31	9	1
1:A:49:ARG:CZ	1:A:52:ASN:HD22	0.60	2.08	5	1
1:A:60:LYS:HA	1:A:63:GLN:HB2	0.59	1.72	7	10
1:A:24:PHE:C	1:A:24:PHE:HD1	0.59	2.05	11	1
1:A:45:ILE:HB	1:A:56:CYS:SG	0.58	2.38	8	2
1:A:37:CYS:HB3	1:A:55:ALA:HB3	0.57	1.73	2	1
1:A:59:ARG:HE	1:A:60:LYS:HE3	0.57	1.58	6	1
1:A:13:TYR:HB2	1:A:22:LYS:HE2	0.57	1.75	1	1
1:A:29:VAL:HG11	1:A:68:LEU:HD22	0.57	1.76	9	1
1:A:4:CYS:HB2	1:A:46:ASP:O	0.57	1.99	8	1
1:A:25:PHE:O	1:A:28:ALA:HB3	0.56	2.00	1	5
1:A:13:TYR:CD1	1:A:68:LEU:HA	0.56	2.36	7	4
1:A:44:ILE:HB	1:A:52:ASN:HD21	0.56	1.60	5	1
1:A:49:ARG:HG3	1:A:50:ARG:H	0.56	1.61	10	1
1:A:49:ARG:HE	1:A:51:LYS:NZ	0.56	1.98	8	1
1:A:50:ARG:NE	1:A:52:ASN:HD21	0.55	1.99	1	1
1:A:19:GLY:O	1:A:22:LYS:HB2	0.55	2.01	10	4
1:A:60:LYS:NZ	1:A:63:GLN:HE22	0.55	1.99	4	1
1:A:45:ILE:H	1:A:60:LYS:NZ	0.54	2.01	9	2
1:A:12:HIS:N	1:A:22:LYS:HZ2	0.53	1.91	8	1
1:A:15:VAL:HB	1:A:66:MET:HA	0.53	1.80	9	1
1:A:25:PHE:C	1:A:29:VAL:HG23	0.53	2.28	9	2
1:A:53:CYS:O	1:A:56:CYS:HB3	0.52	2.04	7	1
1:A:36:LEU:H	1:A:36:LEU:HD23	0.52	1.64	10	1
1:A:50:ARG:CZ	1:A:52:ASN:HD21	0.52	2.17	1	2
1:A:6:ASP:O	1:A:18:CYS:HB3	0.52	2.05	3	5
1:A:45:ILE:H	1:A:60:LYS:HZ2	0.52	1.48	9	1
1:A:25:PHE:CD2	1:A:66:MET:HE1	0.52	2.39	3	1
1:A:59:ARG:CZ	1:A:63:GLN:HE22	0.52	2.18	1	3
1:A:24:PHE:CD1	1:A:24:PHE:C	0.51	2.88	5	2
1:A:1:CYS:HB2	1:A:18:CYS:H	0.50	1.65	1	1
1:A:53:CYS:HB3	1:A:56:CYS:SG	0.50	2.46	2	1
1:A:50:ARG:HB3	1:A:52:ASN:OD1	0.50	2.06	8	1
1:A:26:LYS:O	1:A:30:GLU:HB2	0.50	2.07	2	2
1:A:13:TYR:CD2	1:A:68:LEU:HD23	0.50	2.41	1	1
1:A:45:ILE:HD13	1:A:57:ARG:HB2	0.49	1.84	4	1
1:A:13:TYR:CD2	1:A:22:LYS:HG3	0.48	2.42	1	1
1:A:29:VAL:HG11	1:A:68:LEU:CD2	0.48	2.37	9	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:29:VAL:HG11	1:A:68:LEU:HD21	0.48	1.84	2	2
1:A:11:CYS:O	1:A:22:LYS:HD3	0.48	2.08	4	1
1:A:44:ILE:HA	1:A:60:LYS:HZ3	0.48	1.69	1	1
1:A:25:PHE:CE1	1:A:62:LEU:HD21	0.48	2.43	9	4
1:A:34:ASN:HD21	1:A:36:LEU:HD12	0.47	1.69	1	1
1:A:19:GLY:O	1:A:22:LYS:HB3	0.47	2.08	8	1
1:A:53:CYS:SG	1:A:56:CYS:HB2	0.47	2.49	10	1
1:A:24:PHE:HD1	1:A:25:PHE:N	0.47	2.06	11	1
1:A:46:ASP:OD1	1:A:48:ILE:HG22	0.47	2.10	5	1
1:A:13:TYR:C	1:A:15:VAL:H	0.47	2.18	10	1
1:A:13:TYR:HB3	1:A:66:MET:HE3	0.47	1.85	10	2
1:A:13:TYR:CD2	1:A:68:LEU:HD12	0.47	2.44	11	1
1:A:32:GLN:O	1:A:35:TYR:HE1	0.46	1.93	1	1
1:A:45:ILE:HG12	1:A:60:LYS:HE3	0.46	1.86	9	1
1:A:24:PHE:HE2	1:A:57:ARG:HE	0.46	1.53	4	1
1:A:13:TYR:HB3	1:A:67:ASN:O	0.45	2.11	5	1
1:A:25:PHE:CD2	1:A:29:VAL:HG21	0.45	2.46	10	1
1:A:37:CYS:CB	1:A:55:ALA:HB3	0.45	2.42	5	1
1:A:22:LYS:HG2	1:A:23:VAL:N	0.45	2.26	6	1
1:A:45:ILE:HD11	1:A:57:ARG:HB2	0.45	1.87	6	1
1:A:13:TYR:HB3	1:A:67:ASN:C	0.45	2.37	7	1
1:A:19:GLY:O	1:A:22:LYS:HG2	0.45	2.12	9	1
1:A:2:LEU:HD12	1:A:16:LEU:O	0.44	2.12	10	2
1:A:24:PHE:CZ	1:A:35:TYR:HE2	0.44	2.30	10	1
1:A:13:TYR:HB2	1:A:22:LYS:HE3	0.44	1.88	3	1
1:A:3:VAL:HG11	1:A:57:ARG:HA	0.44	1.90	8	1
1:A:12:HIS:HB3	1:A:22:LYS:HD2	0.44	1.89	6	1
1:A:11:CYS:HB2	1:A:22:LYS:NZ	0.44	2.28	1	1
1:A:52:ASN:HD22	1:A:57:ARG:CZ	0.44	2.25	9	1
1:A:9:SER:H	1:A:12:HIS:CE1	0.43	2.31	6	1
1:A:24:PHE:CD1	1:A:25:PHE:N	0.43	2.86	10	1
1:A:53:CYS:HA	1:A:54:PRO:HD3	0.43	1.65	4	1
1:A:21:CYS:O	1:A:24:PHE:HB3	0.43	2.13	8	1
1:A:47:LYS:NZ	1:A:51:LYS:NZ	0.43	2.66	7	1
1:A:44:ILE:HG23	1:A:46:ASP:CG	0.43	2.39	4	1
1:A:4:CYS:HB2	1:A:46:ASP:C	0.43	2.39	8	1
1:A:24:PHE:CE1	1:A:35:TYR:CE2	0.42	3.07	5	2
1:A:26:LYS:CG	1:A:68:LEU:HD21	0.42	2.44	1	1
1:A:19:GLY:HA2	1:A:22:LYS:HE3	0.42	1.91	9	1
1:A:21:CYS:HB3	1:A:61:CYS:SG	0.42	2.53	9	1
1:A:1:CYS:HB2	1:A:18:CYS:N	0.42	2.30	1	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:29:VAL:HG22	1:A:58:TYR:OH	0.42	2.14	4	1
1:A:46:ASP:H	1:A:50:ARG:HB2	0.42	1.75	6	1
1:A:22:LYS:HA	1:A:66:MET:HE3	0.42	1.91	7	1
1:A:58:TYR:O	1:A:62:LEU:HG	0.41	2.15	9	1
1:A:44:ILE:O	1:A:45:ILE:HG22	0.41	2.15	3	1
1:A:37:CYS:HA	1:A:53:CYS:SG	0.41	2.55	6	1
1:A:17:THR:H	1:A:22:LYS:HZ1	0.41	1.54	7	2
1:A:12:HIS:HB3	1:A:22:LYS:HB2	0.41	1.92	5	1
1:A:50:ARG:HH21	1:A:57:ARG:CZ	0.41	2.29	5	1
1:A:59:ARG:NH2	1:A:63:GLN:HE22	0.41	2.13	1	1
1:A:13:TYR:CZ	1:A:26:LYS:HG3	0.41	2.51	4	2
1:A:12:HIS:HB2	1:A:22:LYS:HE3	0.41	1.93	7	1
1:A:17:THR:O	1:A:22:LYS:HE2	0.41	2.15	10	1
1:A:58:TYR:O	1:A:61:CYS:HB2	0.41	2.15	10	1
1:A:25:PHE:CE1	1:A:58:TYR:CZ	0.41	3.09	11	1
1:A:19:GLY:HA2	1:A:22:LYS:HD2	0.41	1.92	2	1
1:A:49:ARG:NH2	1:A:52:ASN:HD22	0.41	2.13	5	1
1:A:1:CYS:O	1:A:5:SER:HA	0.41	2.15	6	1
1:A:60:LYS:HZ1	1:A:63:GLN:HE22	0.40	1.58	4	1
1:A:58:TYR:C	1:A:58:TYR:CD1	0.40	2.99	10	1
1:A:13:TYR:HE2	1:A:26:LYS:HB2	0.40	1.75	3	1
1:A:26:LYS:NZ	1:A:27:ARG:HE	0.40	2.14	3	1
1:A:51:LYS:H	1:A:51:LYS:HZ3	0.40	1.60	3	1
1:A:49:ARG:HH21	1:A:50:ARG:CZ	0.40	2.29	10	1
1:A:3:VAL:CG2	1:A:64:ALA:HB2	0.40	2.46	11	1
1:A:49:ARG:HE	1:A:51:LYS:HZ3	0.40	1.59	8	1
1:A:25:PHE:HE1	1:A:58:TYR:CE1	0.40	2.35	11	1
1:A:24:PHE:HE2	1:A:57:ARG:HD3	0.40	1.76	2	1

6.3 Torsion angles ⓘ

6.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	64/71 (90%)	38±10 (59±15%)	14±5 (22±7%)	8±2 (12±4%)	1 7

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	651/781 (83%)	413 (63%)	154 (24%)	84 (13%)	0 6

All 28 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	7	GLU	10
1	A	36	LEU	7
1	A	14	GLY	6
1	A	45	ILE	6
1	A	44	ILE	5
1	A	54	PRO	5
1	A	11	CYS	4
1	A	37	CYS	4
1	A	68	LEU	4
1	A	12	HIS	4
1	A	47	LYS	3
1	A	70	ALA	3
1	A	46	ASP	3
1	A	50	ARG	2
1	A	53	CYS	2
1	A	18	CYS	2
1	A	19	GLY	2
1	A	43	CYS	2
1	A	26	LYS	1
1	A	13	TYR	1
1	A	51	LYS	1
1	A	69	GLU	1
1	A	35	TYR	1
1	A	32	GLN	1
1	A	49	ARG	1
1	A	5	SER	1
1	A	10	GLY	1
1	A	33	HIS	1

6.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	55/59 (93%)	37±15 (67±26%)	8±4 (15±7%)	5	42
All	All	494/649 (76%)	404 (82%)	90 (18%)	3	36

All 26 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	58	TYR	9
1	A	2	LEU	8
1	A	68	LEU	7
1	A	35	TYR	7
1	A	59	ARG	6
1	A	16	LEU	6
1	A	66	MET	5
1	A	45	ILE	5
1	A	30	GLU	5
1	A	26	LYS	4
1	A	47	LYS	4
1	A	7	GLU	3
1	A	48	ILE	3
1	A	51	LYS	2
1	A	22	LYS	2
1	A	43	CYS	2
1	A	50	ARG	2
1	A	69	GLU	2
1	A	44	ILE	1
1	A	27	ARG	1
1	A	3	VAL	1
1	A	12	HIS	1
1	A	32	GLN	1
1	A	36	LEU	1
1	A	18	CYS	1
1	A	23	VAL	1

6.3.3 RNA ⓘ

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

7 Chemical shift validation

No chemical shift data were provided