



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 01:55 AM UTC

PDB ID : 1RHH / pdb_00001rhh
Title : Crystal Structure of the Broadly HIV-1 Neutralizing Fab X5 at 1.90 Angstrom Resolution
Authors : Darbha, R.; Phogat, S.; Labrijn, A.F.; Shu, Y.; Gu, Y.; Andrykovitch, M.; Zhang, M.Y.; Pantophlet, R.; Martin, L.; Vita, C.; Burton, D.R.; Dimitrov, D.S.; Ji, X.
Deposited on : 2003-11-14
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7789 (1.90-1.90)
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)
RSRZ outliers	180081	7790 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	215	4% 78% 20% .
1	C	215	13% 76% 23% .
2	B	239	11% 79% 17% ..
2	D	239	23% 76% 19% ..

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 7366 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Fab X5, light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	215	Total	C	N	O	S	0	0	0
			1636	1018	280	333	5			
1	C	215	Total	C	N	O	S	0	0	0
			1636	1018	280	333	5			

- Molecule 2 is a protein called Fab X5, heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	233	Total	C	N	O	S	0	0	0
			1742	1098	290	346	8			
2	D	232	Total	C	N	O	S	0	0	0
			1733	1093	288	344	8			


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	217	Total	O	0	0
			217	217		
3	B	171	Total	O	0	0
			171	171		
3	C	138	Total	O	0	0
			138	138		
3	D	93	Total	O	0	0
			93	93		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Fab X5, light chain




- Molecule 1: Fab X5, light chain




- Molecule 2: Fab X5, heavy chain



- Molecule 2: Fab X5, heavy chain





4 Data and refinement statistics

Property	Value	Source
Space group	P 4 21 2	Depositor
Cell constants a, b, c, α , β , γ	139.60Å 139.60Å 120.34Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.41 – 1.90 29.41 – 1.90	Depositor EDS
% Data completeness (in resolution range)	99.8 (29.41-1.90) 99.9 (29.41-1.90)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.07 (at 1.91Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.224 , 0.227 0.224 , 0.226	Depositor DCC
R_{free} test set	4699 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	24.7	Xtriage
Anisotropy	0.537	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 39.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7366	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.48% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.37	0/1669	0.95	9/2264 (0.4%)
1	C	0.33	0/1669	0.91	6/2264 (0.3%)
2	B	0.38	0/1788	0.92	8/2432 (0.3%)
2	D	0.34	0/1779	0.91	7/2420 (0.3%)
All	All	0.36	0/6905	0.92	30/9380 (0.3%)

There are no bond length outliers.

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	113	SER	N-CA-C	-7.19	97.97	109.76
1	A	113	SER	N-CA-C	-7.10	98.11	109.76
2	D	215	SER	N-CA-C	6.97	121.63	113.20
2	D	100(B)	ASP	N-CA-C	6.85	117.29	108.24
2	B	124	LEU	N-CA-C	-6.62	95.82	107.73
1	C	136	ASN	N-CA-C	6.60	119.70	109.07
2	B	143	LYS	N-CA-C	6.56	120.73	110.17
1	A	76	GLY	N-CA-C	6.49	120.49	112.64
2	B	144	ASP	N-CA-C	6.35	120.01	111.24
1	A	164	GLU	N-CA-C	-6.24	102.49	110.53
1	C	99	GLY	N-CA-C	-6.04	103.12	112.85
1	A	136	ASN	N-CA-C	6.03	118.78	109.07
2	D	143	LYS	N-CA-C	5.98	118.50	109.41
2	B	67	VAL	N-CA-C	5.76	117.72	108.85
2	B	100(K)	ARG	CB-CA-C	-5.76	104.13	111.22
2	D	67	VAL	N-CA-C	5.68	117.53	108.89
1	C	132	VAL	N-CA-C	5.63	116.05	108.17
1	A	101	GLY	N-CA-C	5.54	119.18	112.48
2	B	120	SER	N-CA-C	-5.41	100.42	109.24
1	A	58	ILE	CA-C-N	5.40	125.40	119.89
1	A	58	ILE	C-N-CA	5.40	125.40	119.89
1	A	181	SER	N-CA-C	-5.38	103.29	110.55
2	D	31	SER	CB-CA-C	-5.33	110.41	116.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	190	VAL	N-CA-C	5.28	115.70	107.99
1	A	132	VAL	N-CA-C	5.20	115.45	108.17
2	B	44	GLY	N-CA-C	5.19	120.56	112.31
2	D	44	GLY	N-CA-C	5.18	120.53	112.60
1	C	164	GLU	N-CA-C	-5.14	103.89	110.53
2	B	92	CYS	N-CA-C	-5.10	101.00	109.46
2	D	92	CYS	N-CA-C	-5.01	101.08	109.24

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1636	0	1591	36	0
1	C	1636	0	1591	41	0
2	B	1742	0	1662	34	0
2	D	1733	0	1654	45	0
3	A	217	0	0	1	0
3	B	171	0	0	1	0
3	C	138	0	0	1	0
3	D	93	0	0	6	0
All	All	7366	0	6498	147	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (147) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:2:LEU:HD21	1:C:25:ALA:HB1	1.42	1.00
1:A:210:ARG:HH11	1:A:210:ARG:HB3	1.28	0.99
2:D:159:LEU:HD11	2:D:182:VAL:HG21	1.42	0.97
2:B:99:ASP:CG	2:B:100(D):ASP:HA	1.93	0.92
2:D:214:LYS:HE3	2:D:216:CYS:SG	2.12	0.89

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:91:TYR:HB2	2:B:100(L):GLY:HA3	1.55	0.87
2:B:3:GLN:HG3	2:B:4:LEU:H	1.40	0.87
1:C:91:TYR:HB2	2:D:100(L):GLY:HA3	1.59	0.84
2:D:99:ASP:CG	2:D:100(D):ASP:HA	2.03	0.83
1:C:148:LYS:HG2	1:C:153:LEU:HD23	1.61	0.82
2:D:214:LYS:HE2	3:D:284:HOH:O	1.80	0.82
3:A:430:HOH:O	2:B:100(I):SER:HB2	1.79	0.81
2:D:119:PRO:HB3	2:D:145:TYR:HB3	1.62	0.81
2:B:100:TRP:O	2:B:100(A):GLU:HB2	1.80	0.81
1:C:124:LEU:O	1:C:182:LYS:HD2	1.84	0.77
1:A:2:LEU:HD13	1:A:93:THR:HG21	1.67	0.76
2:D:210:LYS:NZ	2:D:210:LYS:HB3	2.02	0.75
1:A:11:LEU:HG	1:A:13:LEU:HD13	1.68	0.75
2:D:4:LEU:HA	2:D:26:SER:HB2	1.69	0.74
1:C:124:LEU:HD22	1:C:182:LYS:HG3	1.69	0.74
2:D:100(C):GLY:HA3	3:D:300:HOH:O	1.87	0.73
1:C:123:GLN:HG2	1:C:128:THR:O	1.88	0.73
1:A:139:TYR:O	1:A:140:PRO:C	2.31	0.73
1:A:91:TYR:CB	2:B:100(L):GLY:HA3	2.19	0.71
2:B:99:ASP:OD2	2:B:100(D):ASP:HA	1.91	0.71
2:D:152:VAL:HG21	2:D:180:SER:HB2	1.74	0.70
1:C:189:LYS:HG2	1:C:190:VAL:HG23	1.74	0.69
1:C:32:SER:OG	2:D:100(I):SER:HB3	1.92	0.69
1:C:109:VAL:HG22	1:C:198:GLN:HE21	1.59	0.67
1:A:32:SER:OG	2:B:100(I):SER:HB3	1.97	0.65
1:C:16:GLY:HA2	1:C:77:ARG:HG2	1.78	0.65
1:C:91:TYR:CB	2:D:100(L):GLY:HA3	2.27	0.65
2:B:210:LYS:HE3	2:B:212:GLU:OE1	1.96	0.65
2:D:195:ILE:HG12	2:D:210:LYS:HG2	1.79	0.65
1:C:148:LYS:HE2	1:C:153:LEU:HD21	1.78	0.64
2:D:127:SER:O	2:D:131:THR:HG23	1.98	0.64
1:A:12:SER:C	1:A:13:LEU:HD12	2.23	0.63
1:C:166:ASP:OD2	1:C:168:ARG:HG2	1.99	0.63
1:A:12:SER:O	1:A:13:LEU:HD12	1.99	0.62
1:A:210:ARG:HB3	1:A:210:ARG:NH1	2.08	0.61
2:B:32:MET:HG2	2:B:53:ILE:HD13	1.82	0.61
2:B:127:SER:O	2:B:131:THR:HG23	2.00	0.60
2:B:199:ASN:OD1	2:B:201:LYS:HE2	2.01	0.60
1:A:11:LEU:HG	1:A:13:LEU:CD1	2.32	0.60
2:B:5:LEU:HB2	2:B:102:PHE:CE2	2.37	0.60
1:A:184:ASP:O	1:A:187:LYS:HG2	2.03	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:100:TRP:HE1	2:B:100(F):TYR:HB3	1.68	0.58
1:C:109:VAL:CG2	1:C:198:GLN:HE21	2.15	0.58
2:B:32:MET:HG2	2:B:53:ILE:CD1	2.33	0.58
2:D:178:LEU:C	2:D:178:LEU:HD12	2.28	0.58
2:D:100:TRP:O	2:D:100(A):GLU:HB2	2.05	0.57
1:A:210:ARG:HH11	1:A:210:ARG:CB	2.10	0.57
1:C:121:ASP:O	1:C:125:LYS:HG3	2.04	0.56
1:C:37:GLN:HB2	1:C:47:LEU:HD21	1.88	0.56
2:D:33:TYR:CD1	2:D:96:PHE:HB3	2.41	0.56
2:D:99:ASP:OD2	2:D:100(D):ASP:HA	2.05	0.55
2:B:3:GLN:HG3	2:B:4:LEU:N	2.16	0.55
2:D:47:TRP:CZ2	2:D:49:GLY:HA2	2.42	0.54
1:C:13:LEU:HD12	1:C:78:LEU:HD11	1.90	0.54
2:D:4:LEU:HD22	2:D:4:LEU:N	2.23	0.54
1:A:185:TYR:CE2	1:A:210:ARG:HD2	2.42	0.53
2:B:199:ASN:ND2	3:B:334:HOH:O	2.41	0.53
1:C:59:PRO:HG2	1:C:62:PHE:CD2	2.43	0.53
1:A:187:LYS:NZ	1:A:187:LYS:HB3	2.23	0.53
1:C:80:PRO:HA	1:C:106:ILE:HD13	1.90	0.52
2:B:100:TRP:HZ2	2:B:100(G):ASP:HB2	1.75	0.52
1:C:186:GLU:O	1:C:210:ARG:NH2	2.43	0.52
1:A:140:PRO:HD2	1:A:197:HIS:CE1	2.45	0.51
2:D:214:LYS:NZ	3:D:264:HOH:O	2.43	0.51
2:D:117:LYS:HD2	2:D:118:GLY:N	2.25	0.51
1:A:187:LYS:HG3	1:A:188:HIS:CD2	2.46	0.51
2:D:70:THR:HG22	2:D:71:ALA:N	2.25	0.51
2:D:117:LYS:HE3	2:D:118:GLY:O	2.11	0.51
2:B:95:ASP:C	2:B:95:ASP:OD1	2.53	0.51
1:C:21:LEU:HD12	1:C:21:LEU:N	2.27	0.50
1:A:161:SER:OG	2:B:167:PRO:HG2	2.12	0.50
2:D:95:ASP:OD1	2:D:95:ASP:C	2.53	0.50
2:B:100:TRP:NE1	2:B:100(F):TYR:HB3	2.26	0.50
1:A:75:ILE:HG21	1:A:78:LEU:HD23	1.93	0.49
1:A:144:LYS:HB3	1:A:196:THR:HB	1.93	0.49
2:D:5:LEU:HG	2:D:23:CYS:SG	2.52	0.49
1:C:54:ARG:HG2	1:C:58:ILE:HB	1.93	0.49
2:D:105:GLN:HG2	3:D:309:HOH:O	2.13	0.49
1:C:109:VAL:HG22	1:C:198:GLN:NE2	2.25	0.49
2:D:210:LYS:HB3	2:D:210:LYS:HZ3	1.75	0.49
2:B:178:LEU:HD12	2:B:178:LEU:C	2.37	0.49
1:C:146:GLN:CG	1:C:153:LEU:HD22	2.43	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:112:PRO:HB3	1:A:138:PHE:HB3	1.93	0.48
1:C:59:PRO:HG2	1:C:62:PHE:HD2	1.77	0.48
1:C:37:GLN:HB3	1:C:47:LEU:HD11	1.94	0.48
2:D:33:TYR:HD1	2:D:96:PHE:HB3	1.78	0.48
1:C:37:GLN:CB	1:C:47:LEU:HD11	2.44	0.47
2:B:144:ASP:HB3	2:B:175:LEU:HD13	1.95	0.47
1:A:48:ILE:HD13	1:A:54:ARG:HA	1.97	0.47
2:D:138:LEU:HD23	2:D:138:LEU:N	2.29	0.47
1:A:83:LEU:HD21	1:A:164:GLU:HG3	1.97	0.47
1:C:209:ASN:HB2	1:C:212:GLU:CD	2.40	0.47
2:D:100(G):ASP:O	2:D:100(G):ASP:OD1	2.33	0.47
1:A:91:TYR:CG	2:B:100(L):GLY:HA3	2.50	0.47
2:D:210:LYS:HB3	2:D:210:LYS:HZ2	1.80	0.45
2:D:70:THR:CG2	2:D:71:ALA:N	2.79	0.45
1:C:54:ARG:HD3	1:C:58:ILE:O	2.16	0.45
1:A:123:GLN:HG2	1:A:128:THR:O	2.16	0.44
2:B:100(G):ASP:OD1	2:B:100(G):ASP:O	2.35	0.44
1:A:21:LEU:N	1:A:21:LEU:HD12	2.32	0.44
1:A:139:TYR:HB3	1:A:140:PRO:HD3	2.00	0.44
1:C:45:ARG:O	1:C:47:LEU:HD13	2.17	0.44
2:D:96:PHE:CD1	2:D:96:PHE:N	2.85	0.44
1:C:112:PRO:HB3	1:C:138:PHE:HB3	1.98	0.44
2:B:96:PHE:C	2:B:100(K):ARG:HG2	2.43	0.44
1:A:35:TRP:CD2	1:A:73:LEU:HB2	2.54	0.43
2:D:4:LEU:CA	2:D:26:SER:HB2	2.45	0.43
2:B:170:LEU:HD13	2:B:171:GLN:O	2.18	0.43
1:A:83:LEU:O	1:A:84:ALA:HB2	2.18	0.43
2:D:153:SER:OG	2:D:197:ASN:HB2	2.18	0.43
2:B:96:PHE:O	2:B:100(K):ARG:HG2	2.18	0.43
2:D:152:VAL:HG21	2:D:180:SER:CB	2.46	0.43
2:D:120:SER:HA	3:D:292:HOH:O	2.18	0.43
1:A:190:VAL:HG22	1:A:209:ASN:OD1	2.19	0.43
2:B:61:GLN:HE21	1:C:202:SER:HA	1.84	0.43
2:D:99:ASP:OD2	2:D:100(C):GLY:O	2.37	0.43
2:B:96:PHE:CD2	2:B:98:PRO:HD3	2.54	0.42
1:C:106:ILE:HD12	3:C:226:HOH:O	2.19	0.42
1:A:124:LEU:O	1:A:182:LYS:HD2	2.18	0.42
2:D:100(G):ASP:OD1	2:D:100(G):ASP:C	2.62	0.42
1:A:13:LEU:O	1:A:106:ILE:HA	2.19	0.42
1:A:187:LYS:HB3	1:A:187:LYS:HZ3	1.83	0.42
1:C:189:LYS:O	1:C:210:ARG:N	2.45	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:142:VAL:HG11	2:D:150:VAL:HG11	2.02	0.41
1:C:118:PRO:HG3	1:C:208:PHE:CD2	2.56	0.41
2:D:5:LEU:HB2	2:D:102:PHE:CE2	2.55	0.41
2:D:178:LEU:HA	3:D:255:HOH:O	2.21	0.41
1:C:2:LEU:CD2	1:C:25:ALA:HB1	2.31	0.41
1:A:206:LYS:HD2	1:A:206:LYS:HA	1.93	0.41
1:A:142:GLU:H	1:A:142:GLU:CD	2.28	0.41
1:C:20:THR:C	1:C:21:LEU:HD12	2.46	0.41
1:C:35:TRP:CD2	1:C:73:LEU:HB2	2.56	0.41
2:B:13:LYS:HE2	2:B:18:SER:O	2.21	0.41
2:B:139:GLY:HA2	2:B:154:TRP:CH2	2.56	0.41
1:C:35:TRP:CE2	1:C:73:LEU:HB2	2.56	0.41
1:C:122:GLU:O	1:C:125:LYS:HB2	2.22	0.41
1:C:146:GLN:CD	1:C:153:LEU:HD22	2.46	0.40
1:A:139:TYR:CD1	1:A:139:TYR:C	2.97	0.40
2:B:5:LEU:HB2	2:B:102:PHE:HE2	1.85	0.40
2:B:83:ARG:HA	2:B:83:ARG:HD3	1.88	0.40
2:D:4:LEU:HA	2:D:26:SER:CB	2.46	0.40
2:D:178:LEU:C	2:D:178:LEU:CD1	2.94	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	213/215 (99%)	208 (98%)	4 (2%)	1 (0%)	24	16
1	C	213/215 (99%)	208 (98%)	5 (2%)	0	100	100
2	B	231/239 (97%)	216 (94%)	13 (6%)	2 (1%)	14	6
2	D	230/239 (96%)	212 (92%)	16 (7%)	2 (1%)	14	6
All	All	887/908 (98%)	844 (95%)	38 (4%)	5 (1%)	21	13

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	100(A)	GLU
2	B	100(G)	ASP
2	D	100(C)	GLY
2	D	100(G)	ASP
1	A	139	TYR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	182/182 (100%)	179 (98%)	3 (2%)	55	54
1	C	182/182 (100%)	180 (99%)	2 (1%)	65	67
2	B	192/198 (97%)	188 (98%)	4 (2%)	47	44
2	D	191/198 (96%)	186 (97%)	5 (3%)	40	35
All	All	747/760 (98%)	733 (98%)	14 (2%)	50	47

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	47	LEU
1	A	187	LYS
1	A	210	ARG
2	B	138	LEU
2	B	149	PRO
2	B	150	VAL
2	B	178	LEU
1	C	184	ASP
1	C	186	GLU
2	D	138	LEU
2	D	149	PRO
2	D	178	LEU
2	D	207	VAL
2	D	210	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	38	GLN
1	A	137	ASN
1	A	159	GLN
2	B	3	GLN
2	B	39	GLN
2	B	192	GLN
1	C	38	GLN
1	C	42	GLN
1	C	159	GLN
1	C	188	HIS
1	C	198	GLN
2	D	39	GLN
2	D	199	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	215/215 (100%)	0.21	9 (4%) 40 43	17, 25, 36, 50	0
1	C	215/215 (100%)	0.80	27 (12%) 8 8	22, 32, 55, 71	0
2	B	233/239 (97%)	0.58	27 (11%) 9 10	16, 25, 63, 78	0
2	D	232/239 (97%)	1.47	56 (24%) 2 1	22, 37, 71, 80	0
All	All	895/908 (98%)	0.77	119 (13%) 7 7	16, 30, 58, 80	0

All (119) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	D	100	TRP	9.1
2	B	100	TRP	8.9
2	B	100(H)	GLY	8.9
2	D	100(C)	GLY	8.0
2	B	100(I)	SER	6.9
2	D	98	PRO	6.6
2	D	100(H)	GLY	6.6
2	D	100(I)	SER	6.6
2	D	100(F)	TYR	6.4
2	D	100(D)	ASP	6.3
2	D	4	LEU	6.2
2	D	216	CYS	6.1
2	B	100(F)	TYR	5.9
2	D	99	ASP	5.7
2	B	100(G)	ASP	5.7
2	D	100(G)	ASP	5.6
2	B	100(L)	GLY	5.0
2	B	4	LEU	4.9
2	B	100(C)	GLY	4.9
2	B	216	CYS	4.6
2	B	26	SER	4.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	100(E)	SER	4.3
2	D	207	VAL	4.3
2	D	100(J)	GLY	4.3
2	B	98	PRO	4.3
2	B	99	ASP	4.2
2	B	96	PHE	4.2
2	B	100(D)	ASP	4.1
2	D	100(B)	ASP	4.0
1	A	139	TYR	3.9
2	D	6	GLU	3.8
2	B	100(B)	ASP	3.7
2	B	100(A)	GLU	3.6
2	D	208	ASP	3.6
1	C	153	LEU	3.6
2	B	100(J)	GLY	3.5
2	D	210	LYS	3.5
2	D	100(A)	GLU	3.5
2	D	159	LEU	3.5
2	B	102	PHE	3.4
2	D	195	ILE	3.4
2	B	100(E)	SER	3.4
1	A	213	CYS	3.3
2	D	100(L)	GLY	3.3
1	A	140	PRO	3.3
1	C	213	CYS	3.3
2	D	213	PRO	3.2
1	C	125	LYS	3.2
2	D	211	VAL	3.2
2	B	100(K)	ARG	3.1
2	B	97	GLY	3.0
2	D	92	CYS	3.0
2	D	23	CYS	3.0
2	D	25	ALA	3.0
1	C	210	ARG	2.9
1	C	94	SER	2.9
2	B	215	SER	2.9
1	A	56	THR	2.8
1	C	180	LEU	2.8
1	C	122	GLU	2.8
2	D	152	VAL	2.7
2	D	214	LYS	2.7
1	C	144	LYS	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	190	VAL	2.7
2	D	96	PHE	2.7
2	D	189	LEU	2.7
1	C	187	LYS	2.7
2	D	70	THR	2.6
1	C	78	LEU	2.6
2	D	193	THR	2.6
2	D	209	LYS	2.6
2	B	3	GLN	2.6
2	D	215	SER	2.6
2	D	100(M)	PHE	2.6
2	D	117	LYS	2.6
2	B	92	CYS	2.5
1	C	124	LEU	2.5
2	D	102	PHE	2.5
2	D	134	GLY	2.5
2	D	26	SER	2.5
2	B	23	CYS	2.4
1	C	150	ASP	2.4
2	D	122	PHE	2.4
1	C	152	ALA	2.4
2	D	184	VAL	2.4
2	D	97	GLY	2.4
2	D	138	LEU	2.4
1	C	77	ARG	2.4
1	C	149	VAL	2.4
1	C	211	GLY	2.4
1	C	201	SER	2.4
1	A	63	SER	2.3
1	A	93	THR	2.3
1	C	151	ASN	2.3
1	C	189	LYS	2.3
2	D	199	ASN	2.3
2	B	27	GLY	2.3
1	C	106	ILE	2.2
2	D	29	THR	2.2
2	D	36	TRP	2.2
2	B	5	LEU	2.2
1	A	76	GLY	2.2
1	C	167	SER	2.2
1	C	182	LYS	2.2
2	D	143	LYS	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	93	THR	2.1
2	D	135	THR	2.1
2	D	198	VAL	2.1
2	D	206	LYS	2.1
1	A	193	CYS	2.1
1	C	209	ASN	2.1
1	C	129	ALA	2.1
2	D	113	SER	2.1
2	D	116	THR	2.1
1	A	78	LEU	2.1
2	D	203	SER	2.0
1	C	185	TYR	2.0
2	D	204	ASN	2.0
2	D	142	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.