



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 12:22 PM UTC

PDB ID : 3RIL / pdb_00003ril
Title : The acid beta-glucosidase active site exhibits plasticity in binding 3,4,5,6-tetrahydroxyazepane-based inhibitors: implications for pharmacological chaperone design for gaucher disease
Authors : Orwig, S.D.; Lieberman, R.L.
Deposited on : 2011-04-13
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4912 (2.40-2.40)
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	497	 85% 13% .
1	B	497	 80% 17% .
1	C	497	 81% 14% ..
1	D	497	 85% 13% ..

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	SO4	A	506	-	-	X	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 17164 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Glucosylceramidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	496	Total	C	N	O	S	0	0	0
			3921	2526	670	709	16			
1	B	497	Total	C	N	O	S	0	0	0
			3929	2532	671	710	16			
1	C	496	Total	C	N	O	S	0	0	0
			3921	2526	670	709	16			
1	D	497	Total	C	N	O	S	0	0	0
			3929	2532	671	710	16			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	495	HIS	ARG	variant	UNP P04062
B	495	HIS	ARG	variant	UNP P04062
C	495	HIS	ARG	variant	UNP P04062
D	495	HIS	ARG	variant	UNP P04062

- Molecule 2 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	D	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	B	1	Total	C	N	O	0	0
			14	8	1	5		
3	C	1	Total	C	N	O	0	0
			14	8	1	5		
3	D	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 4 is (3S,4R,5R,6S)-azepane-3,4,5,6-tetrol (CCD ID: 3RK) (formula: $C_6H_{13}NO_4$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			11	6	1	4		
4	B	1	Total	C	N	O	0	0
			11	6	1	4		
4	C	1	Total	C	N	O	0	0
			11	6	1	4		
4	D	1	Total	C	N	O	0	0
			11	6	1	4		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	305	Total	O	0	0
			305	305		
5	B	293	Total	O	0	0
			293	293		
5	C	322	Total	O	0	0
			322	322		
5	D	264	Total	O	0	0
			264	264		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Glucosylceramidase




• Molecule 1: Glucosylceramidase




• Molecule 1: Glucosylceramidase





• Molecule 1: Glucosylceramidase

Chain D: 85% 13% ..



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	109.22Å 91.42Å 152.66Å 90.00° 110.95° 90.00°	Depositor
Resolution (Å)	44.54 – 2.40 44.54 – 2.40	Depositor EDS
% Data completeness (in resolution range)	96.3 (44.54-2.40) 96.3 (44.54-2.40)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.10	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.95 (at 2.39Å)	Xtriage
Refinement program	REFMAC 5.0	Depositor
R, R_{free}	0.171 , 0.232 0.171 , 0.233	Depositor DCC
R_{free} test set	5292 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	25.2	Xtriage
Anisotropy	0.088	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 15.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.457 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	17164	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.51% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, 3RK, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.14	11/4041 (0.3%)	1.12	13/5509 (0.2%)
1	B	1.11	5/4050 (0.1%)	1.06	7/5523 (0.1%)
1	C	1.13	12/4041 (0.3%)	1.11	16/5509 (0.3%)
1	D	1.13	8/4050 (0.2%)	1.10	12/5523 (0.2%)
All	All	1.13	36/16182 (0.2%)	1.10	48/22064 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (36) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	365	HIS	CG-ND1	-6.43	1.31	1.38
1	B	273	HIS	CG-CD2	6.22	1.42	1.35
1	C	490	HIS	ND1-CE1	6.15	1.38	1.32
1	A	378	TRP	CD2-CE2	6.06	1.51	1.41
1	A	451	HIS	CG-CD2	5.99	1.42	1.35
1	D	235	GLU	C-O	5.92	1.26	1.23
1	B	145	HIS	CG-CD2	5.85	1.42	1.35
1	C	419	HIS	CG-CD2	5.82	1.42	1.35
1	D	273	HIS	CG-CD2	5.75	1.42	1.35
1	C	255	HIS	CG-CD2	5.68	1.42	1.35
1	C	290	HIS	CG-CD2	5.59	1.42	1.35
1	A	419	HIS	CG-CD2	5.58	1.42	1.35
1	A	490	HIS	CG-CD2	5.56	1.42	1.35
1	D	145	HIS	CG-CD2	5.53	1.42	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	312	TRP	CG-CD2	5.51	1.53	1.43
1	D	311	HIS	CG-CD2	5.47	1.41	1.35
1	D	290	HIS	CG-CD2	5.46	1.41	1.35
1	C	490	HIS	CG-CD2	5.45	1.41	1.35
1	A	60	HIS	CG-CD2	5.43	1.41	1.35
1	A	365	HIS	CG-ND1	-5.43	1.32	1.38
1	D	386	ASN	CA-C	5.39	1.60	1.53
1	C	274	HIS	CG-CD2	5.37	1.41	1.35
1	A	419	HIS	CE1-NE2	5.33	1.37	1.32
1	A	451	HIS	ND1-CE1	5.30	1.37	1.32
1	C	255	HIS	CE1-NE2	5.30	1.37	1.32
1	C	378	TRP	CD2-CE2	5.19	1.50	1.41
1	B	235	GLU	N-CA	5.18	1.50	1.46
1	B	378	TRP	CD2-CE2	5.15	1.50	1.41
1	C	451	HIS	CE1-NE2	5.06	1.37	1.32
1	D	378	TRP	CD2-CE2	5.06	1.50	1.41
1	A	60	HIS	CE1-NE2	5.05	1.37	1.32
1	B	274	HIS	CG-CD2	5.04	1.41	1.35
1	A	374	HIS	CG-CD2	5.03	1.41	1.35
1	C	75	PHE	CA-C	5.03	1.59	1.52
1	D	312	TRP	CD2-CE2	5.02	1.49	1.41
1	A	490	HIS	CE1-NE2	5.01	1.37	1.32

All (48) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	406	ILE	CB-CA-C	-10.37	96.92	112.05
1	C	406	ILE	CB-CA-C	-8.96	98.27	112.16
1	D	312	TRP	CA-CB-CG	7.48	127.82	113.60
1	A	313	TYR	CA-C-N	7.24	134.73	121.70
1	A	313	TYR	C-N-CA	7.24	134.73	121.70
1	C	138	THR	CA-C-N	6.67	126.65	119.78
1	C	138	THR	C-N-CA	6.67	126.65	119.78
1	C	312	TRP	CA-C-N	6.58	133.54	121.70
1	C	312	TRP	C-N-CA	6.58	133.54	121.70
1	D	80	GLY	N-CA-C	6.34	119.69	110.63
1	A	244	TYR	CA-C-N	6.11	125.66	119.19
1	A	244	TYR	C-N-CA	6.11	125.66	119.19
1	C	246	PHE	N-CA-C	6.08	118.45	109.69
1	D	71	PRO	N-CA-C	5.91	124.65	112.47
1	A	145	HIS	N-CA-C	-5.84	104.87	112.23
1	D	235	GLU	O-C-N	5.83	124.21	121.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	345	SER	N-CA-C	5.60	117.82	109.59
1	B	305	VAL	N-CA-C	5.58	116.44	107.73
1	C	36	THR	CB-CA-C	5.54	120.24	109.33
1	B	170	ARG	CA-C-N	-5.53	113.57	119.98
1	B	170	ARG	C-N-CA	-5.53	113.57	119.98
1	C	314	LEU	N-CA-C	-5.51	95.58	111.00
1	A	250	GLY	N-CA-C	5.45	118.65	111.03
1	A	2	ARG	CA-C-N	5.44	125.41	120.03
1	A	2	ARG	C-N-CA	5.44	125.41	120.03
1	A	480	LEU	CA-CB-CG	5.39	135.18	116.30
1	D	179	TRP	N-CA-C	-5.36	105.55	112.68
1	B	314	LEU	CA-CB-CG	5.35	135.02	116.30
1	D	330	LEU	CA-C-N	-5.32	116.71	123.15
1	D	330	LEU	C-N-CA	-5.32	116.71	123.15
1	C	397	PHE	CB-CA-C	-5.32	102.30	109.16
1	C	313	TYR	CA-C-N	5.22	131.10	121.70
1	C	313	TYR	C-N-CA	5.22	131.10	121.70
1	D	158	ILE	CA-C-N	-5.22	113.66	119.19
1	D	158	ILE	C-N-CA	-5.22	113.66	119.19
1	C	157	LYS	N-CA-C	5.22	116.66	110.97
1	A	148	SER	N-CA-C	5.20	116.74	108.79
1	C	397	PHE	N-CA-C	-5.18	108.22	114.75
1	B	173	SER	N-CA-C	5.16	117.17	108.96
1	C	312	TRP	O-C-N	-5.16	117.16	123.30
1	B	80	GLY	N-CA-C	5.14	117.69	110.38
1	D	314	LEU	CA-C-N	5.11	130.90	121.70
1	D	314	LEU	C-N-CA	5.11	130.90	121.70
1	C	344	GLY	CA-C-N	5.06	130.81	121.70
1	C	344	GLY	C-N-CA	5.06	130.81	121.70
1	D	314	LEU	CA-CB-CG	5.05	133.97	116.30
1	A	457	VAL	CB-CA-C	5.05	117.23	110.42
1	B	314	LEU	N-CA-C	5.04	121.55	110.80

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	349	GLU	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3921	0	3831	47	0
1	B	3929	0	3844	80	0
1	C	3921	0	3831	61	0
1	D	3929	0	3844	60	0
2	A	55	0	0	3	0
2	B	35	0	0	0	0
2	C	55	0	0	1	0
2	D	35	0	0	1	0
3	A	14	0	13	0	0
3	B	14	0	13	4	0
3	C	14	0	13	0	0
3	D	14	0	13	3	0
4	A	11	0	13	0	0
4	B	11	0	13	0	0
4	C	11	0	13	2	0
4	D	11	0	13	4	0
5	A	305	0	0	9	0
5	B	293	0	0	11	1
5	C	322	0	0	5	1
5	D	264	0	0	5	0
All	All	17164	0	15454	242	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (242) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:19:ASN:HD21	3:D:508:NAG:C1	1.12	1.59
1:B:19:ASN:HD21	3:B:508:NAG:C1	0.93	1.54
1:C:312:TRP:HA	1:C:313:TYR:O	1.24	1.26
1:B:329:ARG:HH11	1:B:329:ARG:HG2	0.94	1.04
1:C:312:TRP:CA	1:C:313:TYR:O	2.06	1.04
1:D:329:ARG:HG2	1:D:329:ARG:HH11	1.12	1.03
1:B:329:ARG:HG2	1:B:329:ARG:NH1	1.74	1.00

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:62:GLY:H	1:B:63:THR:HB	1.29	0.97
1:C:340:GLU:OE2	4:C:513:3RK:HAI	1.65	0.96
1:B:344:GLY:HA3	1:B:345:SER:HB2	1.49	0.92
1:D:350:GLN:CD	1:D:350:GLN:H	1.79	0.88
1:B:329:ARG:HH11	1:B:329:ARG:CG	1.84	0.88
1:D:312:TRP:HE3	1:D:313:TYR:HA	1.39	0.88
1:B:63:THR:HG23	1:B:64:GLY:H	1.37	0.88
1:D:329:ARG:HG2	1:D:329:ARG:NH1	1.85	0.86
1:D:313:TYR:HE2	1:D:342:CYS:HG	0.88	0.85
1:D:346:LYS:HD2	1:D:349:GLU:OE1	1.77	0.85
1:B:408:LYS:HB2	1:B:410:THR:HG22	1.57	0.84
1:D:313:TYR:HE2	1:D:342:CYS:SG	2.00	0.84
1:B:408:LYS:HB2	1:B:410:THR:CG2	2.09	0.82
1:A:313:TYR:HB3	1:A:314:LEU:HB2	1.59	0.81
1:D:344:GLY:HA3	1:D:345:SER:HB2	1.62	0.81
1:D:71:PRO:N	1:D:72:GLU:HB2	1.96	0.80
1:B:62:GLY:N	1:B:63:THR:HB	1.96	0.80
1:C:1:ALA:HB2	1:C:27:ASP:OD1	1.82	0.79
1:B:312:TRP:O	1:B:315:ASP:CB	2.30	0.78
1:A:1:ALA:HB2	1:A:27:ASP:OD1	1.83	0.78
1:A:341:ALA:HB2	5:A:885:HOH:O	1.83	0.77
1:C:73:GLN:HG3	5:C:868:HOH:O	1.85	0.76
1:D:312:TRP:O	1:D:315:ASP:CB	2.35	0.75
1:C:36:THR:HG22	5:C:610:HOH:O	1.87	0.75
1:D:344:GLY:CA	1:D:345:SER:HB2	2.15	0.74
1:D:312:TRP:O	1:D:315:ASP:HB2	1.86	0.74
1:B:350:GLN:CD	1:B:350:GLN:H	1.95	0.73
1:D:56:ILE:HG12	1:D:480:LEU:HD22	1.70	0.73
1:A:44:ARG:HD3	2:A:506:SO4:O2	1.88	0.73
1:D:343:VAL:HG11	1:D:359:ARG:HG2	1.71	0.72
1:A:349:GLU:HA	1:A:350:GLN:HB2	1.70	0.72
1:B:344:GLY:HA3	1:B:345:SER:CB	2.20	0.72
1:B:165:LEU:HD22	1:B:172:VAL:HB	1.70	0.71
1:D:340:GLU:OE2	4:D:509:3RK:HAFA	1.91	0.71
1:B:19:ASN:HD21	3:B:508:NAG:C2	1.96	0.71
1:B:314:LEU:HB3	1:B:316:PHE:CE2	2.26	0.70
1:B:312:TRP:O	1:B:315:ASP:HB2	1.92	0.70
1:B:406:ILE:HG22	5:B:659:HOH:O	1.91	0.70
1:B:408:LYS:CB	1:B:410:THR:HG22	2.21	0.70
1:C:312:TRP:HA	1:C:313:TYR:C	2.16	0.69
1:A:36:THR:HG22	5:A:752:HOH:O	1.93	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:313:TYR:CZ	4:D:509:3RK:HAE	2.29	0.68
1:D:165:LEU:HD22	1:D:172:VAL:HB	1.77	0.67
1:C:344:GLY:HA2	1:C:345:SER:HB3	1.77	0.67
1:D:312:TRP:CE3	1:D:313:TYR:HA	2.25	0.67
1:D:313:TYR:CE2	1:D:342:CYS:SG	2.80	0.66
1:A:349:GLU:CA	1:A:350:GLN:HB2	2.26	0.66
1:C:44:ARG:HD3	2:C:506:SO4:O1	1.96	0.66
1:B:343:VAL:HG21	1:B:359:ARG:HG2	1.78	0.65
1:B:63:THR:HG23	1:B:64:GLY:N	2.11	0.64
1:B:111:GLU:HG3	1:B:169:GLN:OE1	1.98	0.63
1:C:344:GLY:N	1:C:345:SER:HB2	2.13	0.63
1:C:313:TYR:HB3	1:C:314:LEU:HB2	1.79	0.63
1:C:344:GLY:H	1:C:345:SER:HB2	1.63	0.62
1:D:312:TRP:O	1:D:315:ASP:CG	2.42	0.62
1:B:19:ASN:ND2	3:B:508:NAG:C2	2.58	0.62
1:B:63:THR:CG2	1:B:64:GLY:H	2.10	0.62
1:A:312:TRP:HD1	1:A:341:ALA:HB1	1.64	0.62
1:D:71:PRO:HB2	1:D:450:MET:HE1	1.82	0.62
1:A:282:ASP:OD1	1:A:311:HIS:HE1	1.83	0.61
1:C:343:VAL:HG11	1:C:359:ARG:HG2	1.83	0.60
1:C:344:GLY:CA	1:C:345:SER:CB	2.79	0.60
1:B:321:LYS:HB3	5:B:832:HOH:O	2.02	0.60
1:C:344:GLY:HA2	1:C:345:SER:CB	2.32	0.59
1:A:235:GLU:OE2	1:A:311:HIS:HD2	1.85	0.59
1:B:319:PRO:HA	5:B:837:HOH:O	2.03	0.58
1:C:315:ASP:HB2	1:C:318:ALA:HB1	1.85	0.58
1:D:19:ASN:HD21	3:D:508:NAG:C2	2.04	0.57
1:B:312:TRP:CE3	1:B:341:ALA:HB1	2.39	0.57
1:A:312:TRP:HD1	1:A:341:ALA:CB	2.17	0.57
1:B:56:ILE:HG12	1:B:480:LEU:CD2	2.34	0.57
1:D:53:MET:HE3	5:D:864:HOH:O	2.04	0.57
1:D:80:GLY:C	1:D:118:ILE:HD12	2.30	0.57
1:D:169:GLN:HG2	1:D:170:ARG:HG3	1.86	0.56
1:A:59:ASN:HB3	5:A:789:HOH:O	2.05	0.56
1:D:329:ARG:HH11	1:D:329:ARG:CG	1.98	0.56
1:A:396:ASN:HA	5:A:889:HOH:O	2.05	0.56
1:B:56:ILE:HG12	1:B:480:LEU:HD22	1.88	0.56
1:D:344:GLY:HA3	1:D:345:SER:CB	2.27	0.56
1:A:312:TRP:CD1	1:A:341:ALA:HB1	2.41	0.55
1:B:168:ALA:O	5:B:824:HOH:O	2.18	0.55
1:B:350:GLN:NE2	1:B:353:ARG:HG2	2.21	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:350:GLN:HE22	1:B:353:ARG:HE	1.53	0.55
1:A:44:ARG:CD	2:A:506:SO4:O2	2.55	0.55
1:A:143:GLN:HA	1:A:211:ARG:NH1	2.21	0.55
1:B:127:ASP:HB3	1:B:246:PHE:CG	2.42	0.55
1:D:408:LYS:O	1:D:410:THR:HG23	2.07	0.55
1:D:286:LEU:HD23	1:D:314:LEU:O	2.07	0.54
1:D:457:VAL:HB	1:D:493:LEU:HD23	1.89	0.54
1:D:70:GLN:C	1:D:72:GLU:HB2	2.31	0.54
1:B:312:TRP:O	1:B:315:ASP:HB3	2.08	0.54
1:C:434:VAL:HG11	1:C:450:MET:HE2	1.89	0.53
1:D:395:ARG:NH1	5:D:749:HOH:O	2.41	0.53
1:A:235:GLU:OE2	1:A:311:HIS:CD2	2.61	0.53
1:B:5:ILE:HG12	1:B:22:TYR:CE2	2.44	0.53
1:C:284:GLN:HB2	1:C:286:LEU:HD13	1.90	0.52
1:D:31:PHE:HB3	1:D:32:PRO:C	2.35	0.52
1:D:350:GLN:HE21	1:D:353:ARG:HE	1.56	0.52
1:C:371:LEU:O	1:C:433:ARG:HD2	2.10	0.51
1:A:92:ASN:ND2	1:A:385:LEU:HA	2.24	0.51
1:C:287:LEU:HB3	1:C:291:TRP:CD1	2.46	0.51
1:D:235:GLU:CD	4:D:509:3RK:HAF	2.36	0.51
1:B:62:GLY:CA	1:B:63:THR:HB	2.40	0.51
1:D:82:GLY:HA3	1:D:118:ILE:O	2.11	0.51
1:B:106:LYS:O	1:B:110:SER:HB3	2.11	0.51
1:D:127:ASP:HB3	1:D:246:PHE:CG	2.46	0.51
1:A:328:HIS:HD2	5:A:622:HOH:O	1.94	0.50
1:B:329:ARG:NH1	1:B:329:ARG:CG	2.53	0.50
1:B:211:ARG:HD2	5:B:722:HOH:O	2.10	0.50
1:C:82:GLY:HA3	1:C:118:ILE:O	2.12	0.50
1:C:312:TRP:O	1:C:341:ALA:HA	2.12	0.50
1:D:12:SER:OG	2:D:501:SO4:O2	2.20	0.50
1:B:132:THR:HG22	1:B:247:GLN:NE2	2.28	0.49
1:B:95:ALA:HB1	1:B:406:ILE:HD13	1.94	0.49
1:D:56:ILE:HG12	1:D:480:LEU:CD2	2.40	0.49
1:D:203:ASP:OD1	1:D:203:ASP:C	2.56	0.49
1:B:406:ILE:HD11	1:C:191:VAL:HG22	1.93	0.49
1:D:66:LEU:HD11	1:D:473:LYS:HB2	1.94	0.49
1:D:235:GLU:OE2	4:D:509:3RK:HAF	2.13	0.49
1:D:196:SER:HB2	1:D:250:GLY:O	2.13	0.48
1:C:176:ALA:HB3	1:C:230:VAL:HG12	1.96	0.48
1:B:234:ASN:OD1	1:B:311:HIS:HE1	1.96	0.48
1:C:408:LYS:O	1:C:410:THR:HG23	2.14	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:79:LYS:HE2	1:C:228:TRP:CE2	2.49	0.47
1:A:408:LYS:O	1:A:410:THR:HG23	2.13	0.47
1:B:80:GLY:C	1:B:118:ILE:HD12	2.39	0.47
1:B:194:LYS:HB2	1:B:242:SER:HA	1.96	0.47
1:A:181:SER:HA	1:A:209:TRP:CZ3	2.49	0.47
1:B:408:LYS:CB	1:B:410:THR:CG2	2.84	0.47
1:D:31:PHE:HB3	1:D:32:PRO:CA	2.45	0.47
1:A:453:ASP:OD1	1:A:453:ASP:C	2.58	0.47
1:B:463:ARG:HB2	5:B:703:HOH:O	2.15	0.47
1:D:19:ASN:ND2	3:D:508:NAG:C2	2.70	0.47
1:B:328:HIS:HD2	5:B:765:HOH:O	1.96	0.47
1:A:246:PHE:HB3	1:A:394:VAL:HG21	1.98	0.46
1:D:343:VAL:HG23	1:D:363:TYR:HE1	1.81	0.46
1:A:109:PHE:O	1:A:168:ALA:HA	2.16	0.46
1:D:350:GLN:NE2	1:D:353:ARG:HE	2.14	0.46
1:D:343:VAL:HA	1:D:344:GLY:HA2	1.43	0.46
1:A:44:ARG:NH1	2:A:506:SO4:O3	2.44	0.46
1:A:37:PHE:CE2	1:A:480:LEU:HD13	2.52	0.45
1:B:343:VAL:HG23	1:B:345:SER:HB2	1.98	0.45
1:D:344:GLY:CA	1:D:345:SER:CB	2.83	0.45
1:D:391:PRO:HA	5:D:652:HOH:O	2.16	0.45
1:B:128:PHE:CZ	1:B:398:VAL:HG22	2.52	0.45
1:A:176:ALA:HB2	1:A:227:PHE:CE2	2.52	0.45
1:B:408:LYS:O	1:B:409:ASP:C	2.59	0.45
1:B:457:VAL:HB	1:B:493:LEU:HD23	1.98	0.45
1:C:344:GLY:CA	1:C:345:SER:HB2	2.47	0.45
1:C:236:PRO:O	1:C:250:GLY:HA2	2.17	0.45
1:D:139:PRO:HA	1:D:184:TRP:CD1	2.52	0.45
1:C:381:TRP:HA	1:C:381:TRP:CE3	2.52	0.44
1:A:316:PHE:CE1	1:B:317:LEU:HD21	2.53	0.44
1:C:313:TYR:HB3	1:C:314:LEU:CB	2.47	0.44
1:C:342:CYS:SG	1:C:398:VAL:HG21	2.58	0.44
1:B:284:GLN:OE1	1:B:313:TYR:O	2.35	0.44
1:C:313:TYR:HD1	1:C:314:LEU:HD23	1.83	0.44
1:A:262:ARG:NH1	5:A:733:HOH:O	2.50	0.44
1:D:184:TRP:CD1	1:D:184:TRP:H	2.36	0.44
1:A:318:ALA:N	1:B:317:LEU:O	2.51	0.44
1:A:408:LYS:O	1:A:410:THR:CG2	2.66	0.44
1:C:152:GLU:O	1:C:156:LEU:HB2	2.18	0.44
1:C:328:HIS:HD2	5:C:922:HOH:O	2.01	0.44
1:C:389:GLY:O	1:C:396:ASN:HB3	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:226:GLN:NE2	5:A:775:HOH:O	2.41	0.43
1:B:354:LEU:HA	1:B:414:GLN:OE1	2.19	0.43
1:D:450:MET:HE2	5:D:674:HOH:O	2.18	0.43
1:B:40:TYR:O	1:B:490:HIS:HA	2.19	0.43
1:C:406:ILE:H	1:C:406:ILE:HG13	1.70	0.43
1:A:178:PRO:HG2	1:A:233:GLU:HA	2.01	0.43
1:A:406:ILE:O	1:A:406:ILE:HG22	2.19	0.43
1:C:139:PRO:HA	1:C:184:TRP:CD1	2.52	0.43
1:A:108:TYR:CD2	1:A:116:TYR:CE1	3.06	0.43
1:C:22:TYR:C	1:C:22:TYR:CD2	2.96	0.43
1:B:314:LEU:HA	1:B:316:PHE:H	1.84	0.43
1:C:127:ASP:OD2	4:C:513:3RK:OAC	2.35	0.43
1:C:358:ASP:HB2	5:C:784:HOH:O	2.18	0.43
1:B:130:ILE:HD13	1:C:393:TRP:HA	2.01	0.42
1:A:79:LYS:HE2	1:A:228:TRP:CE2	2.53	0.42
1:B:406:ILE:HD12	5:B:707:HOH:O	2.19	0.42
1:C:108:TYR:CE1	1:C:402:ILE:HD12	2.54	0.42
1:C:381:TRP:HA	1:C:381:TRP:HE3	1.85	0.42
1:B:63:THR:CG2	1:B:64:GLY:N	2.78	0.42
1:B:319:PRO:O	1:B:320:ALA:C	2.63	0.42
1:C:160:LEU:HD23	1:C:160:LEU:HA	1.85	0.42
1:B:165:LEU:HD22	1:B:172:VAL:CB	2.46	0.42
1:A:314:LEU:H	1:A:316:PHE:HE2	1.66	0.42
1:B:19:ASN:CG	3:B:508:NAG:C1	2.76	0.42
1:B:181:SER:HA	1:B:209:TRP:CZ3	2.54	0.42
1:C:308:ILE:HB	1:C:336:LEU:HD23	2.00	0.42
1:C:453:ASP:OD1	1:C:453:ASP:C	2.63	0.42
1:B:196:SER:HB2	5:B:660:HOH:O	2.20	0.42
1:C:397:PHE:HZ	1:D:347:PHE:CD1	2.38	0.42
1:C:408:LYS:O	1:C:410:THR:CG2	2.68	0.42
1:C:116:TYR:OH	1:C:420:LEU:HD13	2.19	0.41
1:A:143:GLN:HA	1:A:211:ARG:HH12	1.85	0.41
1:B:7:LYS:HE3	1:B:9:PHE:CZ	2.56	0.41
1:B:82:GLY:HA3	1:B:118:ILE:O	2.20	0.41
1:B:451:HIS:ND1	1:B:452:PRO:HD2	2.35	0.41
1:C:92:ASN:ND2	1:C:385:LEU:HA	2.35	0.41
1:C:480:LEU:C	1:C:480:LEU:HD12	2.45	0.41
1:A:349:GLU:CB	1:A:350:GLN:HB2	2.50	0.41
1:D:138:THR:HA	1:D:139:PRO:HD3	1.89	0.41
1:D:341:ALA:HB2	5:D:661:HOH:O	2.21	0.41
1:A:354:LEU:HA	1:A:414:GLN:OE1	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:128:PHE:HZ	1:B:398:VAL:HG22	1.86	0.41
1:C:312:TRP:CE3	1:C:313:TYR:N	2.88	0.41
1:D:326:GLU:OE1	1:D:329:ARG:NH1	2.54	0.41
1:A:194:LYS:HB2	1:A:242:SER:HA	2.01	0.41
1:A:381:TRP:HA	1:A:381:TRP:CE3	2.55	0.41
1:C:95:ALA:HB1	1:C:406:ILE:HG23	2.02	0.41
1:C:341:ALA:HB1	1:C:378:TRP:CH2	2.56	0.41
1:A:316:PHE:O	1:B:317:LEU:HD13	2.21	0.41
1:B:176:ALA:HB2	1:B:227:PHE:CE2	2.55	0.41
1:B:345:SER:HA	1:B:346:LYS:HA	1.84	0.41
1:B:387:PRO:HD3	1:B:404:VAL:O	2.21	0.41
1:C:165:LEU:HD22	1:C:172:VAL:HB	2.02	0.41
1:C:386:ASN:HB2	1:C:387:PRO:CD	2.50	0.41
1:B:203:ASP:OD1	1:B:203:ASP:C	2.61	0.41
1:B:253:PRO:HB3	1:B:291:TRP:CD2	2.56	0.41
1:B:390:GLY:HA3	1:B:391:PRO:HA	1.78	0.41
1:B:155:LYS:HD3	5:B:786:HOH:O	2.19	0.40
1:B:408:LYS:C	1:B:410:THR:HG22	2.45	0.40
1:C:209:TRP:CZ3	1:C:212:TYR:CD2	3.09	0.40
1:C:272:THR:HG23	5:C:715:HOH:O	2.22	0.40
1:A:146:ASN:ND2	5:A:797:HOH:O	2.53	0.40
1:B:224:LYS:HE3	5:B:610:HOH:O	2.21	0.40
1:D:71:PRO:CB	1:D:450:MET:HE1	2.48	0.40
1:D:314:LEU:N	1:D:315:ASP:HB2	2.36	0.40
1:C:176:ALA:HB2	1:C:227:PHE:CE2	2.56	0.40
1:C:235:GLU:OE2	1:C:311:HIS:ND1	2.49	0.40
1:A:157:LYS:O	1:A:161:ILE:HG13	2.20	0.40
1:A:169:GLN:NE2	5:A:799:HOH:O	2.47	0.40
1:A:349:GLU:HB3	1:A:350:GLN:HB2	2.02	0.40
1:C:138:THR:HA	1:C:139:PRO:HD3	1.81	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:B:784:HOH:O	5:C:610:HOH:O[2_656]	2.06	0.14

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	492/497 (99%)	464 (94%)	26 (5%)	2 (0%)	30	43
1	B	495/497 (100%)	465 (94%)	22 (4%)	8 (2%)	7	11
1	C	492/497 (99%)	462 (94%)	26 (5%)	4 (1%)	16	25
1	D	495/497 (100%)	464 (94%)	23 (5%)	8 (2%)	7	11
All	All	1974/1988 (99%)	1855 (94%)	97 (5%)	22 (1%)	11	18

All (22) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	63	THR
1	B	233	GLU
1	C	313	TYR
1	C	345	SER
1	D	71	PRO
1	D	233	GLU
1	D	315	ASP
1	B	313	TYR
1	B	315	ASP
1	D	31	PHE
1	A	233	GLU
1	B	314	LEU
1	D	62	GLY
1	D	346	LYS
1	A	281	LEU
1	B	124	ALA
1	B	281	LEU
1	C	124	ALA
1	C	281	LEU
1	B	381	TRP
1	D	281	LEU
1	D	345	SER

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	423/424 (100%)	406 (96%)	17 (4%)	28	47
1	B	424/424 (100%)	403 (95%)	21 (5%)	22	38
1	C	423/424 (100%)	402 (95%)	21 (5%)	22	38
1	D	424/424 (100%)	407 (96%)	17 (4%)	28	47
All	All	1694/1696 (100%)	1618 (96%)	76 (4%)	24	42

All (76) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	36	THR
1	A	44	ARG
1	A	57	GLN
1	A	63	THR
1	A	165	LEU
1	A	278	LEU
1	A	312	TRP
1	A	335	MET
1	A	366	SER
1	A	381	TRP
1	A	396	ASN
1	A	398	VAL
1	A	406	ILE
1	A	410	THR
1	A	457	VAL
1	A	466	LYS
1	A	480	LEU
1	B	44	ARG
1	B	61	THR
1	B	165	LEU
1	B	200	GLN
1	B	201	PRO
1	B	262	ARG
1	B	313	TYR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	314	LEU
1	B	316	PHE
1	B	317	LEU
1	B	329	ARG
1	B	335	MET
1	B	350	GLN
1	B	378	TRP
1	B	406	ILE
1	B	410	THR
1	B	420	LEU
1	B	457	VAL
1	B	470	LEU
1	B	477	VAL
1	B	480	LEU
1	C	36	THR
1	C	44	ARG
1	C	57	GLN
1	C	63	THR
1	C	77	LYS
1	C	165	LEU
1	C	286	LEU
1	C	312	TRP
1	C	314	LEU
1	C	315	ASP
1	C	335	MET
1	C	366	SER
1	C	378	TRP
1	C	381	TRP
1	C	396	ASN
1	C	398	VAL
1	C	406	ILE
1	C	410	THR
1	C	420	LEU
1	C	450	MET
1	C	480	LEU
1	D	44	ARG
1	D	61	THR
1	D	63	THR
1	D	110	SER
1	D	242	SER
1	D	312	TRP
1	D	314	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	317	LEU
1	D	329	ARG
1	D	335	MET
1	D	350	GLN
1	D	420	LEU
1	D	450	MET
1	D	457	VAL
1	D	470	LEU
1	D	477	VAL
1	D	480	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (28) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	275	ASN
1	A	284	GLN
1	A	311	HIS
1	A	328	HIS
1	A	350	GLN
1	A	370	ASN
1	A	432	GLN
1	B	19	ASN
1	B	166	GLN
1	B	350	GLN
1	B	396	ASN
1	C	57	GLN
1	C	169	GLN
1	C	200	GLN
1	C	270	ASN
1	C	274	HIS
1	C	275	ASN
1	C	328	HIS
1	C	350	GLN
1	C	370	ASN
1	C	396	ASN
1	C	432	GLN
1	D	19	ASN
1	D	270	ASN
1	D	333	ASN
1	D	350	GLN
1	D	362	GLN
1	D	396	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

44 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	SO4	B	506	-	4,4,4	0.51	0	6,6,6	0.44	0
2	SO4	C	504	-	4,4,4	0.70	0	6,6,6	0.88	0
2	SO4	A	506	-	4,4,4	0.57	0	6,6,6	0.93	0
2	SO4	B	507	-	4,4,4	0.55	0	6,6,6	0.45	0
3	NAG	A	512	1	14,14,15	2.54	8 (57%)	17,19,21	1.54	4 (23%)
2	SO4	D	507	-	4,4,4	0.47	0	6,6,6	0.18	0
2	SO4	C	509	-	4,4,4	0.56	0	6,6,6	0.85	0
2	SO4	D	504	-	4,4,4	0.45	0	6,6,6	0.63	0
2	SO4	A	502	-	4,4,4	0.44	0	6,6,6	0.55	0
2	SO4	A	510	-	4,4,4	0.53	0	6,6,6	0.60	0
2	SO4	B	502	-	4,4,4	0.39	0	6,6,6	0.51	0
2	SO4	D	501	-	4,4,4	0.44	0	6,6,6	0.70	0
2	SO4	C	505	-	4,4,4	0.43	0	6,6,6	0.53	0
4	3RK	C	513	-	9,11,11	1.00	1 (11%)	8,15,15	1.30	1 (12%)
2	SO4	A	507	-	4,4,4	0.48	0	6,6,6	0.65	0
2	SO4	C	503	-	4,4,4	0.39	0	6,6,6	0.45	0
2	SO4	C	508	-	4,4,4	0.50	0	6,6,6	0.22	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SO4	A	501	-	4,4,4	0.49	0	6,6,6	0.64	0
4	3RK	D	509	-	9,11,11	1.41	1 (11%)	8,15,15	0.96	1 (12%)
2	SO4	C	507	-	4,4,4	0.54	0	6,6,6	0.37	0
2	SO4	C	502	-	4,4,4	0.47	0	6,6,6	0.80	0
2	SO4	C	506	-	4,4,4	0.48	0	6,6,6	0.70	0
3	NAG	C	512	1	14,14,15	2.06	5 (35%)	17,19,21	1.93	6 (35%)
3	NAG	D	508	1	14,14,15	2.10	4 (28%)	17,19,21	2.27	6 (35%)
2	SO4	D	505	-	4,4,4	0.47	0	6,6,6	0.51	0
2	SO4	B	505	-	4,4,4	0.50	0	6,6,6	0.36	0
2	SO4	A	509	-	4,4,4	0.49	0	6,6,6	0.71	0
2	SO4	D	503	-	4,4,4	0.46	0	6,6,6	0.26	0
4	3RK	B	509	-	9,11,11	1.33	1 (11%)	8,15,15	0.85	0
2	SO4	A	511	-	4,4,4	0.47	0	6,6,6	0.29	0
3	NAG	B	508	1	14,14,15	2.01	3 (21%)	17,19,21	2.42	5 (29%)
2	SO4	D	506	-	4,4,4	0.45	0	6,6,6	0.43	0
2	SO4	A	505	-	4,4,4	0.33	0	6,6,6	0.60	0
2	SO4	A	504	-	4,4,4	0.71	0	6,6,6	0.66	0
2	SO4	B	503	-	4,4,4	0.33	0	6,6,6	0.46	0
2	SO4	B	504	-	4,4,4	0.43	0	6,6,6	0.77	0
2	SO4	A	508	-	4,4,4	0.53	0	6,6,6	0.76	0
4	3RK	A	513	-	9,11,11	1.32	1 (11%)	8,15,15	1.43	1 (12%)
2	SO4	A	503	-	4,4,4	0.42	0	6,6,6	0.45	0
2	SO4	C	510	-	4,4,4	0.49	0	6,6,6	0.65	0
2	SO4	C	501	-	4,4,4	0.37	0	6,6,6	0.45	0
2	SO4	C	511	-	4,4,4	0.55	0	6,6,6	0.82	0
2	SO4	B	501	-	4,4,4	0.47	0	6,6,6	0.78	0
2	SO4	D	502	-	4,4,4	0.37	0	6,6,6	0.36	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	3RK	B	509	-	-	-	0/1/1/1
3	NAG	B	508	1	-	2/6/23/26	0/1/1/1
4	3RK	D	509	-	-	-	0/1/1/1
3	NAG	A	512	1	-	0/6/23/26	0/1/1/1
3	NAG	C	512	1	-	0/6/23/26	0/1/1/1
4	3RK	A	513	-	-	-	0/1/1/1
3	NAG	D	508	1	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	3RK	C	513	-	-	-	0/1/1/1

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	508	NAG	O4-C4	5.77	1.57	1.43
3	A	512	NAG	O5-C5	4.88	1.52	1.43
3	D	508	NAG	O4-C4	4.63	1.54	1.43
3	A	512	NAG	O4-C4	3.79	1.52	1.43
3	C	512	NAG	O4-C4	3.78	1.52	1.43
3	D	508	NAG	O5-C5	3.53	1.50	1.43
3	A	512	NAG	C2-N2	3.40	1.51	1.46
3	A	512	NAG	C4-C3	3.30	1.60	1.52
3	C	512	NAG	C8-C7	3.17	1.57	1.50
3	C	512	NAG	O5-C5	3.11	1.49	1.43
3	D	508	NAG	C8-C7	3.01	1.56	1.50
3	D	508	NAG	C1-C2	-2.96	1.48	1.52
3	C	512	NAG	C4-C3	2.96	1.60	1.52
3	A	512	NAG	C3-C2	2.77	1.58	1.52
3	C	512	NAG	C2-N2	2.65	1.50	1.46
3	A	512	NAG	C1-C2	2.63	1.55	1.52
3	A	512	NAG	C8-C7	2.57	1.55	1.50
4	D	509	3RK	CAE-NAG	-2.52	1.44	1.47
3	A	512	NAG	C4-C5	2.46	1.58	1.53
3	B	508	NAG	C8-C7	2.23	1.55	1.50
4	B	509	3RK	CAF-NAG	-2.19	1.44	1.47
4	C	513	3RK	CAE-NAG	-2.19	1.44	1.47
3	B	508	NAG	O5-C5	2.13	1.47	1.43
4	A	513	3RK	CAF-NAG	-2.03	1.44	1.47

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	508	NAG	O5-C5-C6	-6.20	95.60	107.66
3	B	508	NAG	O5-C5-C6	-6.07	95.85	107.66
3	C	512	NAG	C1-O5-C5	4.85	118.69	112.19
3	B	508	NAG	C1-O5-C5	3.93	117.46	112.19
3	B	508	NAG	O6-C6-C5	-3.59	99.10	111.33
3	A	512	NAG	C1-O5-C5	3.55	116.94	112.19
3	B	508	NAG	O4-C4-C5	3.10	116.95	109.32
3	D	508	NAG	C6-C5-C4	-3.04	105.55	113.02
3	C	512	NAG	O3-C3-C2	-3.02	103.13	109.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	508	NAG	O4-C4-C5	2.84	116.32	109.32
3	B	508	NAG	O4-C4-C3	2.79	116.96	110.38
3	D	508	NAG	O4-C4-C3	2.60	116.52	110.38
3	C	512	NAG	O4-C4-C5	2.54	115.59	109.32
3	D	508	NAG	O6-C6-C5	-2.52	102.74	111.33
3	C	512	NAG	O4-C4-C3	2.38	115.99	110.38
4	A	513	3RK	OAB-CAI-CAF	-2.33	102.14	107.95
4	D	509	3RK	OAA-CAH-CAE	-2.31	102.19	107.95
3	A	512	NAG	O4-C4-C3	2.29	115.78	110.38
3	C	512	NAG	C2-N2-C7	2.21	125.86	122.90
4	C	513	3RK	OAC-CAJ-CAH	2.18	114.17	107.90
3	D	508	NAG	O3-C3-C4	-2.16	105.29	110.38
3	A	512	NAG	O4-C4-C5	2.16	114.64	109.32
3	C	512	NAG	O7-C7-N2	2.13	125.74	121.98
3	A	512	NAG	O7-C7-C8	-2.03	118.43	122.05

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	508	NAG	C4-C5-C6-O6
3	B	508	NAG	O5-C5-C6-O6

There are no ring outliers.

7 monomers are involved in 18 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	506	SO4	3	0
2	D	501	SO4	1	0
4	C	513	3RK	2	0
4	D	509	3RK	4	0
2	C	506	SO4	1	0
3	D	508	NAG	3	0
3	B	508	NAG	4	0

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	496/497 (99%)	-1.74	0 100 100	12, 20, 41, 69	0
1	B	497/497 (100%)	-1.67	0 100 100	13, 22, 49, 93	0
1	C	496/497 (99%)	-1.72	0 100 100	11, 20, 39, 91	0
1	D	497/497 (100%)	-1.67	0 100 100	12, 22, 50, 84	0
All	All	1986/1988 (99%)	-1.70	0 100 100	11, 21, 44, 93	0

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	SO4	A	511	5/5	0.96	0.05	86,93,97,97	0
2	SO4	A	510	5/5	0.98	0.05	71,80,82,85	0
2	SO4	B	505	5/5	0.98	0.05	74,79,86,90	0
2	SO4	C	509	5/5	0.98	0.07	59,63,68,71	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	SO4	C	510	5/5	0.98	0.06	67,70,79,80	0
2	SO4	D	505	5/5	0.98	0.04	82,83,87,90	0
2	SO4	D	507	5/5	0.98	0.05	81,81,85,96	0
2	SO4	B	503	5/5	0.99	0.03	43,46,48,49	0
2	SO4	B	504	5/5	0.99	0.04	52,54,56,57	0
2	SO4	A	507	5/5	0.99	0.04	68,68,74,77	0
2	SO4	B	506	5/5	0.99	0.05	67,68,73,80	0
2	SO4	B	507	5/5	0.99	0.08	68,73,73,74	0
2	SO4	C	504	5/5	0.99	0.04	42,42,47,49	0
2	SO4	C	506	5/5	0.99	0.06	55,63,65,67	0
2	SO4	C	507	5/5	0.99	0.04	64,64,71,72	0
2	SO4	C	508	5/5	0.99	0.06	68,81,85,87	0
2	SO4	A	508	5/5	0.99	0.04	53,59,63,66	0
2	SO4	A	509	5/5	0.99	0.04	59,64,73,84	0
2	SO4	C	511	5/5	0.99	0.08	64,72,76,82	0
2	SO4	D	503	5/5	0.99	0.03	40,43,46,47	0
2	SO4	D	504	5/5	0.99	0.03	47,49,54,58	0
2	SO4	A	504	5/5	0.99	0.05	35,37,42,47	0
2	SO4	D	506	5/5	0.99	0.10	66,74,77,79	0
2	SO4	A	506	5/5	0.99	0.07	57,59,62,64	0
3	NAG	A	512	14/15	0.99	0.04	27,30,33,37	0
3	NAG	B	508	14/15	0.99	0.03	30,35,42,44	0
3	NAG	C	512	14/15	0.99	0.03	27,30,31,31	0
3	NAG	D	508	14/15	0.99	0.04	32,36,41,45	0
4	3RK	A	513	11/11	0.99	0.03	29,33,34,34	0
4	3RK	C	513	11/11	0.99	0.03	31,35,41,55	0
2	SO4	D	502	5/5	1.00	0.04	36,37,39,39	0
2	SO4	C	502	5/5	1.00	0.02	27,28,30,31	0
2	SO4	C	503	5/5	1.00	0.07	39,40,43,44	0
2	SO4	B	502	5/5	1.00	0.02	33,35,36,36	0
2	SO4	C	505	5/5	1.00	0.04	50,51,57,62	0
2	SO4	A	501	5/5	1.00	0.01	22,23,23,23	0
2	SO4	A	505	5/5	1.00	0.03	50,51,52,55	0
2	SO4	A	502	5/5	1.00	0.06	30,33,35,36	0
2	SO4	A	503	5/5	1.00	0.03	26,28,31,31	0
2	SO4	B	501	5/5	1.00	0.01	25,28,29,31	0
2	SO4	C	501	5/5	1.00	0.02	24,24,25,26	0
4	3RK	B	509	11/11	1.00	0.02	24,29,30,32	0
2	SO4	D	501	5/5	1.00	0.02	27,27,30,30	0
4	3RK	D	509	11/11	1.00	0.03	27,32,36,36	0

6.5 Other polymers ⓘ

There are no such residues in this entry.