



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 18, 2026 – 01:04 AM UTC

PDB ID : 8RIW / pdb_00008riw
Title : T2R-TTL-1-L01 complex
Authors : Protá, A.E.P.; Boiarska, Z.; Homer, J.A.; Steinmetz, M.O.; Moses, J.E.
Deposited on : 2023-12-19
Resolution : 2.57 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.57 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4770 (2.60-2.56)
Clashscore	190562	5124 (2.60-2.56)
Ramachandran outliers	187476	5046 (2.60-2.56)
Sidechain outliers	187428	5046 (2.60-2.56)
RSRZ outliers	180081	4770 (2.60-2.56)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	451	2% 86% 11% .
1	C	451	% 88% 10% .
2	B	445	84% 11% 5%
2	D	445	% 84% 12% .
3	E	142	3% 84% . 13%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	F	384	3% 79% 10% 10%

2 Entry composition

There are 14 unique types of molecules in this entry. The entry contains 17779 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tubulin alpha-1B chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	438	Total	C	N	O	S	0	0	0
			3424	2167	582	653	22			
1	C	440	Total	C	N	O	S	0	2	0
			3449	2181	586	658	24			

- Molecule 2 is a protein called Tubulin beta-2B chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	423	Total	C	N	O	S	0	1	0
			3345	2102	572	644	27			
2	D	427	Total	C	N	O	S	0	0	0
			3348	2101	571	649	27			

- Molecule 3 is a protein called Stathmin-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	E	123	Total	C	N	O	S	0	0	0
			1014	625	183	201	5			

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	3	MET	-	initiating methionine	UNP P63043
E	4	ALA	-	expression tag	UNP P63043
E	?	-	GLY	deletion	UNP P63043


- Molecule 4 is a protein called Tubulin tyrosine ligase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	F	344	Total	C	N	O	S	0	0	0
			2812	1803	482	513	14			

There are 39 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
F	?	-	ALA	deletion	UNP A0A8V0Z8P0
F	?	-	GLU	deletion	UNP A0A8V0Z8P0
F	?	-	MET	deletion	UNP A0A8V0Z8P0
F	?	-	GLN	deletion	UNP A0A8V0Z8P0
F	?	-	GLN	deletion	UNP A0A8V0Z8P0
F	?	-	GLN	deletion	UNP A0A8V0Z8P0
F	?	-	LEU	deletion	UNP A0A8V0Z8P0
F	?	-	LEU	deletion	UNP A0A8V0Z8P0
F	?	-	GLU	deletion	UNP A0A8V0Z8P0
F	?	-	GLY	deletion	UNP A0A8V0Z8P0
F	?	-	ASP	deletion	UNP A0A8V0Z8P0
F	?	-	GLN	deletion	UNP A0A8V0Z8P0
F	?	-	THR	deletion	UNP A0A8V0Z8P0
F	?	-	LEU	deletion	UNP A0A8V0Z8P0
F	?	-	VAL	deletion	UNP A0A8V0Z8P0
F	?	-	LEU	deletion	UNP A0A8V0Z8P0
F	?	-	ALA	deletion	UNP A0A8V0Z8P0
F	?	-	SER	deletion	UNP A0A8V0Z8P0
F	?	-	SER	deletion	UNP A0A8V0Z8P0
F	?	-	THR	deletion	UNP A0A8V0Z8P0
F	?	-	HIS	deletion	UNP A0A8V0Z8P0
F	?	-	PRO	deletion	UNP A0A8V0Z8P0
F	?	-	GLU	deletion	UNP A0A8V0Z8P0
F	?	-	SER	deletion	UNP A0A8V0Z8P0
F	?	-	VAL	deletion	UNP A0A8V0Z8P0
F	?	-	ASP	deletion	UNP A0A8V0Z8P0
F	?	-	SER	deletion	UNP A0A8V0Z8P0
F	?	-	ASP	deletion	UNP A0A8V0Z8P0
F	?	-	LYS	deletion	UNP A0A8V0Z8P0
F	?	-	ASN	deletion	UNP A0A8V0Z8P0
F	?	-	HIS	deletion	UNP A0A8V0Z8P0
F	?	-	GLY	deletion	UNP A0A8V0Z8P0
F	?	-	PHE	deletion	UNP A0A8V0Z8P0
F	379	HIS	-	expression tag	UNP A0A8V0Z8P0
F	380	HIS	-	expression tag	UNP A0A8V0Z8P0
F	381	HIS	-	expression tag	UNP A0A8V0Z8P0
F	382	HIS	-	expression tag	UNP A0A8V0Z8P0
F	383	HIS	-	expression tag	UNP A0A8V0Z8P0
F	384	HIS	-	expression tag	UNP A0A8V0Z8P0

- Molecule 5 is GUANOSINE-5'-TRIPHOSPHATE (CCD ID: GTP) (formula: $C_{10}H_{16}N_5O_{14}P_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
5	A	1	Total 32	C 10	N 5	O 14	P 3	0	0
5	C	1	Total 32	C 10	N 5	O 14	P 3	0	0

- Molecule 6 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total Mg 1 1	0	0
6	B	1	Total Mg 1 1	0	0
6	C	1	Total Mg 1 1	0	0
6	D	1	Total Mg 1 1	0	0
6	F	1	Total Mg 1 1	0	0

- Molecule 7 is CALCIUM ION (CCD ID: CA) (formula: Ca).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	2	Total Ca 2 2	0	0
7	B	1	Total Ca 1 1	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	C	1	Total	Ca	0	0
			1	1		

- Molecule 8 is IMIDAZOLE (CCD ID: IMD) (formula: $C_3H_5N_2$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total	C	N	0	0
			5	3	2		
8	B	1	Total	C	N	0	0
			5	3	2		
8	B	1	Total	C	N	0	0
			5	3	2		

- Molecule 9 is GUANOSINE-5'-DIPHOSPHATE (CCD ID: GDP) (formula: $C_{10}H_{15}N_5O_{11}P_2$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
9	B	1	Total	C	N	O	P	0	0
			28	10	5	11	2		
9	D	1	Total	C	N	O	P	0	0
			28	10	5	11	2		

- Molecule 10 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (CCD ID: MES) (formula: C₆H₁₃NO₄S).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
10	B	1	Total	C	N	O	S	0	0
			12	6	1	4	1		

- Molecule 11 is (2-methyl-1 {H}-indol-5-yl) 3,4,5-trimethoxybenzenesulfonate (CCD ID: A1H00) (formula: $C_{18}H_{19}NO_6S$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
11	B	1	Total	C	N	O	S	0	0
			26	18	1	6	1		
11	D	1	Total	C	N	O	S	0	0
			26	18	1	6	1		

- Molecule 12 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
12	C	1	Total	C	O	0	0
			6	3	3		

- Molecule 13 is PHOSPHOMETHYLPHOSPHONIC ACID ADENYLATE ESTER (CCD ID: ACP) (formula: $C_{11}H_{18}N_5O_{12}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
13	F	1	Total	C	N	O	P	0	0
			31	11	5	12	3		


- Molecule 14 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
14	A	17	Total	O	0	0
			17	17		
14	B	38	Total	O	0	0
			38	38		
14	C	76	Total	O	0	0
			76	76		
14	D	5	Total	O	0	0
			5	5		
14	E	3	Total	O	0	0
			3	3		
14	F	3	Total	O	0	0
			3	3		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Tubulin alpha-1B chain




• Molecule 1: Tubulin alpha-1B chain




• Molecule 2: Tubulin beta-2B chain





• Molecule 2: Tubulin beta-2B chain







● Molecule 3: Stathmin-4



● Molecule 4: Tubulin tyrosine ligase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	104.69Å 156.10Å 182.53Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.99 – 2.57 47.99 – 2.57	Depositor EDS
% Data completeness (in resolution range)	99.2 (47.99-2.57) 99.3 (47.99-2.57)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.50 (at 2.58Å)	Xtriage
Refinement program	PHENIX 1.21rc1_5058	Depositor
R, R_{free}	0.189 , 0.228 0.191 , 0.230	Depositor DCC
R_{free} test set	4735 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	82.2	Xtriage
Anisotropy	0.136	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 58.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	17779	wwPDB-VP
Average B, all atoms (Å ²)	104.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.74% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: A1H00, GDP, GTP, IMD, GOL, MG, CA, ACP, MES

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.08	0/3502	0.23	0/4754
1	C	0.09	0/3527	0.25	0/4789
2	B	0.08	0/3419	0.23	0/4629
2	D	0.07	0/3421	0.22	0/4633
3	E	0.06	0/1022	0.17	0/1356
4	F	0.07	0/2874	0.22	0/3880
All	All	0.08	0/17765	0.23	0/24041

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3424	0	3334	27	0
1	C	3449	0	3357	24	0
2	B	3345	0	3227	28	0
2	D	3348	0	3227	34	0
3	E	1014	0	1029	3	0
4	F	2812	0	2781	21	0
5	A	32	0	12	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	C	32	0	12	0	0
6	A	1	0	0	0	0
6	B	1	0	0	0	0
6	C	1	0	0	0	0
6	D	1	0	0	0	0
6	F	1	0	0	0	0
7	A	2	0	0	0	0
7	B	1	0	0	0	0
7	C	1	0	0	0	0
8	A	5	0	5	2	0
8	B	10	0	10	1	0
9	B	28	0	12	0	0
9	D	28	0	12	2	0
10	B	12	0	13	0	0
11	B	26	0	0	0	0
11	D	26	0	0	0	0
12	C	6	0	8	0	0
13	F	31	0	14	0	0
14	A	17	0	0	0	0
14	B	38	0	0	0	0
14	C	76	0	0	0	0
14	D	5	0	0	0	0
14	E	3	0	0	0	0
14	F	3	0	0	0	0
All	All	17779	0	17053	131	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (131) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:318:ILE:HD12	2:D:376:THR:HB	1.70	0.74
4:F:1:MET:HE3	4:F:28:LYS:HB2	1.71	0.70
2:B:270:PRO:HG2	2:B:302:MET:HB2	1.74	0.69
4:F:194:PRO:O	4:F:197:ARG:NH1	2.27	0.68
1:A:226:ASN:ND2	1:A:367:ASP:OD2	2.28	0.67
2:B:23:VAL:HG21	2:B:232:SER:HB3	1.77	0.67
2:D:385:GLN:HB2	2:D:429:VAL:HG13	1.77	0.66
2:B:326:LYS:NZ	2:B:330:GLU:OE2	2.28	0.65
4:F:225:SER:HB3	4:F:252:ASN:HB2	1.79	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:269:MET:HG3	2:D:303:ALA:HB3	1.81	0.62
1:A:209:ILE:HG23	1:A:230:LEU:HD23	1.83	0.61
2:D:75:MET:HG3	2:D:94:PHE:HB3	1.83	0.60
2:D:213:CYS:HA	2:D:217:LEU:HB2	1.84	0.59
2:B:6:HIS:CD2	2:B:21:TRP:HE1	2.20	0.59
2:D:172:MET:HG3	2:D:387:LEU:HD11	1.84	0.58
2:B:172:MET:HE2	2:B:387:LEU:HD21	1.84	0.58
1:A:71:GLU:OE2	1:A:73:THR:OG1	2.21	0.58
2:B:172:MET:HG3	2:B:387:LEU:HD11	1.85	0.58
1:A:381:THR:HG22	1:A:383:ALA:H	1.70	0.57
2:D:46:LEU:HA	2:D:49:ILE:HB	1.86	0.57
2:B:70:LEU:HD12	2:B:99:ALA:HB2	1.86	0.56
1:A:172:TYR:HB3	1:A:205:ASP:HA	1.88	0.56
2:D:294:GLN:HG2	2:D:300:ASN:HD21	1.71	0.55
2:D:70:LEU:HD12	2:D:99:ALA:HB2	1.89	0.55
2:D:2:ARG:HH21	2:D:133:GLN:HA	1.72	0.55
1:A:177:VAL:HG12	8:A:505:IMD:H5	1.90	0.54
1:C:172:TYR:HB3	1:C:205:ASP:HA	1.88	0.54
1:C:293:ASN:OD1	1:C:339:ARG:NH1	2.40	0.54
2:D:143:GLY:O	2:D:147:SER:OG	2.25	0.54
2:B:176:LYS:HD2	2:B:207:GLU:HG3	1.91	0.53
2:D:177:VAL:HG21	2:D:206:ASN:HB3	1.90	0.53
8:A:505:IMD:H2	2:B:247:GLN:OE1	2.10	0.52
4:F:199:PHE:HA	4:F:223:THR:HA	1.90	0.52
4:F:81:ILE:HG12	4:F:87:LEU:HD13	1.92	0.51
4:F:226:GLU:HB2	4:F:238:CYS:HB3	1.93	0.51
2:D:334:ASN:HD21	2:D:338:LYS:HE2	1.76	0.50
1:A:83:TYR:HB3	1:A:86:LEU:HD22	1.93	0.50
1:A:188:ILE:HG23	1:A:425:MET:HG3	1.94	0.50
2:B:274:PRO:HB3	2:B:286:LEU:HD22	1.94	0.49
4:F:280:GLU:HA	4:F:284:LEU:HB2	1.94	0.49
1:A:34:GLY:HA3	1:A:60:LYS:HG3	1.95	0.49
1:C:93:ILE:HG22	1:C:114:ILE:HD11	1.96	0.48
4:F:185:TYR:OH	4:F:198:LYS:NZ	2.44	0.48
2:D:6:HIS:CD2	2:D:21:TRP:HE1	2.31	0.48
2:B:158:ARG:NH1	2:B:196:GLU:O	2.47	0.48
1:A:274:PRO:HB3	1:A:286:LEU:HD12	1.95	0.48
2:B:295:MET:HG2	2:B:377:PHE:HB2	1.96	0.48
1:C:4[A]:CYS:SG	1:C:136:LEU:HG	2.54	0.47
2:B:46:LEU:HA	2:B:49:ILE:HB	1.96	0.47
1:A:25:CYS:SG	1:A:86:LEU:HD21	2.55	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:221:ARG:NH1	2:B:329:ASP:OD2	2.48	0.47
4:F:126:ASP:OD1	4:F:127:GLU:N	2.48	0.47
4:F:204:TRP:HB3	4:F:314:LEU:HD11	1.97	0.47
4:F:217:ARG:HG3	4:F:218:GLU:HG2	1.97	0.47
2:B:212:ILE:HG23	2:B:275:LEU:HD13	1.96	0.47
1:C:188:ILE:HG13	1:C:425:MET:HG3	1.96	0.47
1:C:7:ILE:HG21	1:C:153:LEU:HD21	1.97	0.47
2:D:180:THR:HB	2:D:183:GLU:HG3	1.97	0.47
2:D:194:LEU:O	2:D:198:THR:OG1	2.32	0.46
1:C:254:GLU:HG2	1:C:352:LYS:HE2	1.98	0.46
4:F:243:HIS:HE2	4:F:253:TYR:HH	1.59	0.46
1:A:211:ASP:OD2	1:A:304:LYS:NZ	2.48	0.46
1:C:141:PHE:HB2	1:C:173:PRO:HD3	1.97	0.46
1:A:210:TYR:CE1	1:A:222:PRO:HD2	2.50	0.46
8:B:506:IMD:HN1	8:B:507:IMD:H5	1.81	0.46
1:A:33:ASP:HA	1:A:85:GLN:HB2	1.98	0.45
1:A:216:ASN:HD22	1:A:275:VAL:HB	1.81	0.45
1:C:210:TYR:CE1	1:C:222:PRO:HD2	2.51	0.45
1:C:320:ARG:HA	1:C:356:ASN:O	2.17	0.45
2:D:21:TRP:CE3	2:D:24:ILE:HD11	2.51	0.45
1:A:88:HIS:CE1	1:A:91:GLN:HG3	2.51	0.45
2:B:136:GLN:HA	2:B:167:ASN:O	2.16	0.45
2:B:221:THR:HG21	1:C:325:PRO:HB2	1.98	0.45
2:D:12:CYS:HB2	9:D:501:GDP:C8	2.52	0.45
1:A:187:SER:HB3	1:A:391:LEU:HD21	1.98	0.45
2:D:294:GLN:HG2	2:D:300:ASN:ND2	2.31	0.45
2:B:203:CYS:SG	2:B:267:PHE:HB3	2.57	0.45
2:B:295:MET:CG	2:B:377:PHE:HB2	2.48	0.44
1:C:187:SER:HB3	1:C:391:LEU:HD21	1.98	0.44
2:D:292:THR:HG22	2:D:319:PHE:CZ	2.52	0.44
1:A:21:TRP:CZ3	1:A:63:PRO:HB3	2.52	0.44
1:A:245:ASP:O	3:E:16:SER:OG	2.36	0.44
2:D:334:ASN:ND2	2:D:338:LYS:HE2	2.33	0.44
2:D:136:GLN:HA	2:D:167:ASN:O	2.18	0.43
4:F:279:LEU:HD12	4:F:283:ILE:HB	2.00	0.43
1:A:147:SER:HB2	1:A:190:THR:HB	1.99	0.43
2:D:69:ASP:HA	2:D:145:THR:HG21	2.01	0.43
4:F:338:CYS:SG	4:F:339:ALA:N	2.92	0.43
1:A:254:GLU:HG2	1:A:258:ASN:ND2	2.33	0.43
1:A:335:ILE:HG23	1:A:339:ARG:HG3	2.01	0.43
4:F:96:GLU:OE2	4:F:98:TYR:OH	2.33	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:F:168:GLU:N	4:F:168:GLU:OE1	2.52	0.43
2:B:402:LYS:N	2:B:402:LYS:HD2	2.34	0.43
1:C:27:GLU:OE2	1:C:236:SER:OG	2.24	0.43
1:C:248:LEU:HD13	1:C:355:ILE:HD12	2.00	0.43
2:B:276:THR:HG21	2:B:371:LEU:HD21	2.00	0.42
2:D:141:LEU:HA	2:D:147:SER:HB3	2.01	0.42
1:C:159:VAL:HA	3:E:94:ILE:HG23	2.01	0.42
2:D:271:GLY:O	2:D:377:PHE:N	2.41	0.42
1:C:119:LEU:HD11	1:C:156:ARG:HB3	2.01	0.42
2:B:21:TRP:CZ3	2:B:63:PRO:HB3	2.54	0.42
2:B:291:LEU:HD11	2:B:373:MET:HB3	2.00	0.42
4:F:69:ASP:OD1	4:F:69:ASP:N	2.52	0.42
4:F:348:GLN:NE2	4:F:352:ASP:OD1	2.53	0.42
1:C:244:PHE:CE1	1:C:358:GLN:HG3	2.55	0.42
2:D:105:LYS:O	2:D:110:GLU:N	2.46	0.42
2:B:165:ILE:HG21	2:B:252:LEU:HB3	2.02	0.42
1:C:320:ARG:HG3	1:C:360:PRO:HG3	2.02	0.41
2:D:206:ASN:ND2	9:D:501:GDP:O2'	2.53	0.41
1:A:209:ILE:HG22	1:A:227:LEU:HD22	2.02	0.41
1:C:220:GLU:HB3	2:D:326:LYS:HD3	2.01	0.41
2:D:109:THR:HG21	3:E:137:LYS:NZ	2.35	0.41
1:C:167:LEU:HG	1:C:200:CYS:HB3	2.01	0.41
2:D:102:ASN:ND2	2:D:407:TRP:HB3	2.35	0.41
2:D:2:ARG:HB3	2:D:133:GLN:CG	2.51	0.41
1:A:233:GLN:HG3	1:A:368:LEU:HD13	2.03	0.41
2:B:9:ALA:HA	2:B:68:VAL:O	2.21	0.41
4:F:225:SER:OG	4:F:260:ASN:ND2	2.50	0.41
1:A:25:CYS:HB3	1:A:30:ILE:O	2.21	0.41
2:B:69:ASP:O	2:B:94:PHE:HA	2.21	0.41
2:B:96:GLN:HB3	1:C:1:MET:HE2	2.02	0.41
1:C:93:ILE:HD11	1:C:121:ARG:HG3	2.01	0.41
2:D:270:PRO:HB2	2:D:302:MET:HB2	2.03	0.41
4:F:223:THR:OG1	4:F:257:GLU:OE2	2.34	0.41
4:F:224:SER:HB2	4:F:241:THR:HG22	2.02	0.41
1:C:46:ASP:OD1	1:C:46:ASP:N	2.54	0.40
1:C:166:LYS:HE2	1:C:197:HIS:O	2.21	0.40
1:A:139:HIS:CD2	1:A:150:THR:HG21	2.56	0.40
2:D:2:ARG:HB3	2:D:133:GLN:HG3	2.02	0.40
2:B:414:ASP:OD1	2:B:415:GLU:N	2.54	0.40
2:D:83:PHE:O	2:D:86:ILE:HG22	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	436/451 (97%)	429 (98%)	7 (2%)	0	100	100
1	C	440/451 (98%)	434 (99%)	6 (1%)	0	100	100
2	B	420/445 (94%)	412 (98%)	8 (2%)	0	100	100
2	D	423/445 (95%)	419 (99%)	4 (1%)	0	100	100
3	E	119/142 (84%)	119 (100%)	0	0	100	100
4	F	332/384 (86%)	324 (98%)	8 (2%)	0	100	100
All	All	2170/2318 (94%)	2137 (98%)	33 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	369/379 (97%)	367 (100%)	2 (0%)	81	91
1	C	373/379 (98%)	370 (99%)	3 (1%)	73	87
2	B	368/383 (96%)	367 (100%)	1 (0%)	86	94
2	D	368/383 (96%)	365 (99%)	3 (1%)	73	87
3	E	110/127 (87%)	109 (99%)	1 (1%)	70	85
4	F	308/342 (90%)	307 (100%)	1 (0%)	86	94
All	All	1896/1993 (95%)	1885 (99%)	11 (1%)	78	89

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	71	GLU
1	A	437	VAL
2	B	16	ILE
1	C	71	GLU
1	C	177	VAL
1	C	368	LEU
2	D	8	GLN
2	D	15	GLN
2	D	318	ILE
3	E	22	VAL
4	F	251	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	35	GLN
1	A	85	GLN
1	A	258	ASN
1	A	300	ASN
1	A	301	GLN
1	A	309	HIS
1	A	393	HIS
2	B	11	GLN
2	B	136	GLN
2	B	249	ASN
2	B	293	GLN
2	B	300	ASN
2	B	331	GLN
2	B	336	GLN
1	C	356	ASN
1	C	393	HIS
2	D	136	GLN
2	D	300	ASN
2	D	331	GLN
3	E	18	GLN
3	E	64	GLN
4	F	180	HIS
4	F	333	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 21 ligands modelled in this entry, 9 are monoatomic - leaving 12 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	IMD	A	505	-	5,5,5	0.30	0	5,5,5	0.81	0
5	GTP	C	501	6	33,34,34	1.02	4 (12%)	50,54,54	1.52	8 (16%)
11	A1H00	B	505	-	28,28,28	1.06	2 (7%)	40,41,41	1.38	6 (15%)
9	GDP	D	501	6	29,30,30	1.16	3 (10%)	45,47,47	1.75	7 (15%)
10	MES	B	504	-	12,12,12	1.11	1 (8%)	15,16,16	0.70	0
5	GTP	A	501	6	33,34,34	1.06	4 (12%)	50,54,54	1.56	8 (16%)
11	A1H00	D	503	-	28,28,28	1.04	2 (7%)	40,41,41	1.34	7 (17%)
8	IMD	B	507	-	5,5,5	0.30	0	5,5,5	0.84	0
13	ACP	F	401	6	31,33,33	2.16	3 (9%)	47,52,52	0.92	2 (4%)
12	GOL	C	504	-	5,5,5	0.34	0	5,5,5	0.32	0
8	IMD	B	506	-	5,5,5	0.30	0	5,5,5	0.84	0
9	GDP	B	501	6	29,30,30	1.18	3 (10%)	45,47,47	1.72	6 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	IMD	B	506	-	-	-	0/1/1/1
8	IMD	A	505	-	-	-	0/1/1/1
5	GTP	C	501	6	-	9/22/38/38	0/3/3/3
9	GDP	D	501	6	-	2/16/32/32	0/3/3/3
10	MES	B	504	-	-	0/6/14/14	0/1/1/1
5	GTP	A	501	6	-	8/22/38/38	0/3/3/3
11	A1H00	D	503	-	-	4/17/17/17	0/3/3/3
13	ACP	F	401	6	-	2/19/38/38	0/3/3/3
8	IMD	B	507	-	-	-	0/1/1/1
12	GOL	C	504	-	-	2/4/4/4	-
11	A1H00	B	505	-	-	4/17/17/17	0/3/3/3
9	GDP	B	501	6	-	3/16/32/32	0/3/3/3

All (22) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
13	F	401	ACP	PB-O3A	10.87	1.70	1.58
9	D	501	GDP	C5-C4	3.15	1.47	1.38
9	B	501	GDP	C5-C4	3.06	1.47	1.38
10	B	504	MES	C8-S	2.92	1.81	1.77
13	F	401	ACP	PA-O3A	2.49	1.62	1.59
9	B	501	GDP	C6-N1	-2.42	1.34	1.38
5	A	501	GTP	PA-O3A	2.41	1.62	1.59
11	D	503	A1H00	C16-N1	2.38	1.42	1.37
11	B	505	A1H00	C16-N1	2.38	1.42	1.37
9	D	501	GDP	C6-N1	-2.38	1.34	1.38
5	A	501	GTP	PB-O3A	2.30	1.62	1.59
5	C	501	GTP	PA-O3A	2.25	1.61	1.59
11	B	505	A1H00	C11-C10	2.24	1.42	1.38
5	A	501	GTP	C2-N3	2.22	1.38	1.33
11	D	503	A1H00	C11-C10	2.17	1.42	1.38
5	A	501	GTP	PB-O3B	2.17	1.61	1.59
13	F	401	ACP	PB-O2B	-2.14	1.51	1.56
5	C	501	GTP	C2-N3	2.10	1.38	1.33
5	C	501	GTP	PB-O3A	2.07	1.61	1.59
9	D	501	GDP	C5-N7	-2.07	1.34	1.39
5	C	501	GTP	PB-O3B	2.06	1.61	1.59
9	B	501	GDP	PA-O3A	2.04	1.61	1.59

All (44) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	D	501	GDP	C5-C4-N3	-6.05	118.77	128.39
9	B	501	GDP	C5-C4-N3	-5.93	118.94	128.39
9	B	501	GDP	C2-N3-C4	5.01	120.93	112.30
9	D	501	GDP	C2-N3-C4	4.98	120.88	112.30
5	A	501	GTP	C5-C4-N3	-4.95	120.51	128.39
5	C	501	GTP	C5-C4-N3	-4.61	121.05	128.39
5	A	501	GTP	C2-N3-C4	4.57	120.17	112.30
9	D	501	GDP	N9-C4-N3	4.48	134.90	125.95
5	C	501	GTP	C2-N3-C4	4.45	119.96	112.30
9	B	501	GDP	N9-C4-N3	4.31	134.57	125.95
9	B	501	GDP	C6-C5-N7	3.46	136.58	130.29
9	D	501	GDP	C6-C5-N7	3.23	136.18	130.29
5	A	501	GTP	N9-C4-N3	3.15	132.26	125.95
5	A	501	GTP	C2-N1-C6	-2.92	119.82	125.11
5	C	501	GTP	N9-C4-N3	2.90	131.75	125.95
13	F	401	ACP	O2B-PB-O1B	2.82	119.14	109.95
11	D	503	A1H00	C10-O6-S1	2.78	123.77	119.05
5	C	501	GTP	N9-C8-N7	-2.75	108.30	113.40
13	F	401	ACP	O1G-PG-C3B	-2.74	105.39	111.37
11	B	505	A1H00	O1-C2-C3	2.73	119.82	115.14
5	C	501	GTP	C2-N1-C6	-2.71	120.19	125.11
9	B	501	GDP	C4-C5-N7	-2.67	106.45	110.67
5	A	501	GTP	N9-C8-N7	-2.65	108.48	113.40
9	D	501	GDP	C4-C5-N7	-2.56	106.62	110.67
11	D	503	A1H00	O2-C3-C4	-2.55	116.46	120.12
5	A	501	GTP	C5-C6-N1	2.50	119.63	113.25
11	B	505	A1H00	C10-O6-S1	2.50	123.29	119.05
5	A	501	GTP	C8-N7-C5	2.49	108.70	104.26
5	C	501	GTP	C8-N7-C5	2.48	108.67	104.26
5	A	501	GTP	O6-C6-C5	-2.45	120.06	126.53
11	D	503	A1H00	C17-C16-N1	2.44	109.49	107.60
5	C	501	GTP	C5-C6-N1	2.41	119.38	113.25
11	D	503	A1H00	O1-C2-C3	2.40	119.25	115.14
5	C	501	GTP	O6-C6-C5	-2.39	120.23	126.53
11	D	503	A1H00	O2-C3-C2	2.30	123.42	120.12
11	B	505	A1H00	C17-C16-N1	2.27	109.36	107.60
11	D	503	A1H00	C14-C15-C10	-2.22	117.94	120.46
11	B	505	A1H00	O2-C3-C2	2.18	123.25	120.12
11	B	505	A1H00	O1-C2-C1	-2.16	120.36	124.08
11	B	505	A1H00	C14-C15-C10	-2.13	118.04	120.46
9	D	501	GDP	O6-C6-C5	-2.09	121.02	126.53
9	D	501	GDP	C3'-C2'-C1'	2.08	105.40	101.46
9	B	501	GDP	O6-C6-C5	-2.08	121.04	126.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	D	503	A1H00	C13-N1-C16	-2.07	106.97	110.55

There are no chirality outliers.

All (34) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
5	A	501	GTP	C5'-O5'-PA-O3A
5	A	501	GTP	C5'-O5'-PA-O1A
5	C	501	GTP	C5'-O5'-PA-O3A
5	C	501	GTP	C5'-O5'-PA-O1A
5	C	501	GTP	C5'-O5'-PA-O2A
9	B	501	GDP	C5'-O5'-PA-O3A
9	B	501	GDP	C5'-O5'-PA-O1A
9	B	501	GDP	C5'-O5'-PA-O2A
9	D	501	GDP	C5'-O5'-PA-O3A
9	D	501	GDP	C5'-O5'-PA-O2A
12	C	504	GOL	O1-C1-C2-C3
13	F	401	ACP	C5'-O5'-PA-O1A
13	F	401	ACP	C5'-O5'-PA-O3A
11	D	503	A1H00	C3-C2-O1-C7
11	D	503	A1H00	C3-C4-O3-C9
11	D	503	A1H00	C1-C2-O1-C7
11	D	503	A1H00	C5-C4-O3-C9
12	C	504	GOL	O1-C1-C2-O2
5	A	501	GTP	PB-O3B-PG-O2G
5	A	501	GTP	C3'-C4'-C5'-O5'
5	A	501	GTP	PB-O3A-PA-O2A
11	B	505	A1H00	C3-C4-O3-C9
5	A	501	GTP	C5'-O5'-PA-O2A
11	B	505	A1H00	C3-C2-O1-C7
5	C	501	GTP	PB-O3A-PA-O2A
5	A	501	GTP	O4'-C4'-C5'-O5'
11	B	505	A1H00	C5-C4-O3-C9
5	C	501	GTP	PB-O3B-PG-O1G
5	C	501	GTP	PB-O3B-PG-O2G
5	C	501	GTP	PB-O3B-PG-O3G
5	C	501	GTP	C4'-C5'-O5'-PA
5	A	501	GTP	C4'-C5'-O5'-PA
11	B	505	A1H00	C1-C2-O1-C7
5	C	501	GTP	PB-O3A-PA-O1A

There are no ring outliers.


4 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	A	505	IMD	2	0
9	D	501	GDP	2	0
8	B	507	IMD	1	0
8	B	506	IMD	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand A1H00 B 505




Bond lengths



Bond angles




Torsions




Rings


Ligand GDP D 501




Bond lengths





Bond angles




Torsions



Rings





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	438/451 (97%)	0.01	8 (1%) 67 64	68, 95, 139, 210	0
1	C	440/451 (97%)	-0.23	3 (0%) 84 82	35, 74, 110, 137	2 (0%)
2	B	423/445 (95%)	-0.21	1 (0%) 91 90	40, 82, 128, 178	1 (0%)
2	D	427/445 (95%)	0.08	3 (0%) 84 82	72, 115, 158, 193	0
3	E	123/142 (86%)	0.12	4 (3%) 49 44	74, 108, 161, 210	0
4	F	344/384 (89%)	0.28	13 (3%) 44 39	85, 140, 200, 254	0
All	All	2195/2318 (94%)	-0.02	32 (1%) 72 69	35, 98, 170, 254	3 (0%)

All (32) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	179	THR	3.8
4	F	155	ALA	3.5
1	A	68	VAL	3.4
4	F	160	ILE	3.2
4	F	315	PHE	3.0
4	F	125	THR	2.9
1	A	179	THR	2.9
1	A	67	PHE	2.9
4	F	330	ILE	2.8
1	A	316	CYS	2.8
4	F	194	PRO	2.6
4	F	159	GLY	2.6
2	B	285	ALA	2.6
1	A	66	VAL	2.5
1	A	304	LYS	2.4
4	F	362	ALA	2.4
2	D	161	TYR	2.4
4	F	90	SER	2.3
2	D	333	LEU	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	178	SER	2.3
4	F	231	ALA	2.3
2	D	172	MET	2.2
3	E	143	ALA	2.2
4	F	149	ALA	2.2
3	E	11	LEU	2.2
3	E	26	PRO	2.1
1	C	341	ILE	2.1
4	F	192	LEU	2.0
1	A	381	THR	2.0
4	F	296	MET	2.0
1	A	282	TYR	2.0
3	E	28	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	MG	F	402	1/1	0.81	0.08	174,174,174,174	0
8	IMD	A	505	5/5	0.81	0.18	106,108,119,122	0
12	GOL	C	504	6/6	0.85	0.19	71,84,90,99	0
7	CA	A	504	1/1	0.88	0.14	137,137,137,137	0
13	ACP	F	401	31/31	0.89	0.08	138,158,174,182	0
8	IMD	B	507	5/5	0.90	0.08	98,108,111,114	0
9	GDP	D	501	28/28	0.91	0.10	91,110,125,145	0
11	A1H00	D	503	26/26	0.92	0.17	65,94,104,112	26
6	MG	D	502	1/1	0.93	0.05	125,125,125,125	0
8	IMD	B	506	5/5	0.93	0.15	123,123,125,127	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
11	A1H00	B	505	26/26	0.93	0.13	70,88,101,120	0
6	MG	B	502	1/1	0.94	0.14	80,80,80,80	0
10	MES	B	504	12/12	0.94	0.08	71,79,94,95	0
7	CA	A	503	1/1	0.96	0.05	133,133,133,133	0
7	CA	B	503	1/1	0.97	0.07	117,117,117,117	0
9	GDP	B	501	28/28	0.97	0.07	45,65,71,77	0
5	GTP	C	501	32/32	0.97	0.06	47,62,74,85	0
5	GTP	A	501	32/32	0.97	0.06	64,72,87,93	0
7	CA	C	503	1/1	0.98	0.03	103,103,103,103	0
6	MG	C	502	1/1	0.99	0.04	63,63,63,63	0
6	MG	A	502	1/1	1.00	0.03	74,74,74,74	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around ACP F 401:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GDP D 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1H00 D 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1H00 B 505:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GDP B 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GTP C 501:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around GTP A 501:**

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.