



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 20, 2026 – 10:52 AM UTC

PDB ID : 4RKC / pdb_00004rkc
Title : Psychrophilic aromatic amino acids aminotransferase from Psychrobacter sp. B6
Authors : Bujacz, A.; Rutkiewicz-Krotewicz, M.; Bujacz, G.; Nowakowska-Sapota, K.; Turkiewicz, M.
Deposited on : 2014-10-12
Resolution : 2.19 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.19 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	398	 79% 18% .
1	B	398	 81% 18% .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	PMP	A	409	-	-	X	-
4	PMP	B	405	-	-	X	-

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 7088 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Aromatic amino acid aminotransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	398	Total	C	N	O	S	0	2	0
			3113	1980	517	594	22			
1	B	398	Total	C	N	O	S	0	5	0
			3130	1990	518	600	22			

- Molecule 2 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Mg	0	0
			1	1		
2	B	1	Total	Mg	0	0
			1	1		

- Molecule 3 is NITRATE ION (CCD ID: NO3) (formula: NO₃).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total N O 4 1 3	0	0
3	A	1	Total N O 4 1 3	0	0
3	A	1	Total N O 4 1 3	0	0
3	A	1	Total N O 4 1 3	0	0
3	A	1	Total N O 4 1 3	0	0
3	A	1	Total N O 4 1 3	0	0
3	A	1	Total N O 4 1 3	0	0
3	B	1	Total N O 4 1 3	0	0
3	B	1	Total N O 4 1 3	0	0
3	B	1	Total N O 4 1 3	0	0

- Molecule 4 is 4'-DEOXY-4'-AMINOPYRIDOXAL-5'-PHOSPHATE (CCD ID: PMP) (formula: $C_8H_{13}N_2O_5P$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C N O P 16 8 2 5 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	B	1	Total	C	N	O	P	0	0
			16	8	2	5	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	374	Total	O	0	0
			374	374		
5	B	397	Total	O	0	0
			397	397		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Aromatic amino acid aminotransferase



- Molecule 1: Aromatic amino acid aminotransferase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	74.69Å 62.11Å 85.89Å 90.00° 102.91° 90.00°	Depositor
Resolution (Å)	43.00 – 2.19 43.00 – 2.19	Depositor EDS
% Data completeness (in resolution range)	99.6 (43.00-2.19) 99.7 (43.00-2.19)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	0.09	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.24 (at 2.18Å)	Xtriage
Refinement program	REFMAC 5.7.0032	Depositor
R, R_{free}	0.142 , 0.203 0.142 , 0.202	Depositor DCC
R_{free} test set	1989 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	20.2	Xtriage
Anisotropy	0.070	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 36.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	7088	wwPDB-VP
Average B, all atoms (Å ²)	25.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.16% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NO3, MG, PMP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.27	5/3188 (0.2%)	1.34	22/4319 (0.5%)
1	B	1.31	8/3211 (0.2%)	1.26	9/4350 (0.2%)
All	All	1.29	13/6399 (0.2%)	1.30	31/8669 (0.4%)

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	193	GLN	C-O	-6.83	1.16	1.24
1	A	259	SER	C-O	5.69	1.30	1.23
1	B	81	LEU	C-O	5.63	1.30	1.24
1	B	318	ILE	C-O	-5.48	1.17	1.24
1	B	215	GLN	C-O	5.35	1.30	1.23
1	A	280	ARG	C-O	5.30	1.30	1.24
1	A	92	ASP	C-O	-5.25	1.17	1.24
1	B	283	TYR	N-CA	5.23	1.51	1.46
1	A	388	VAL	C-O	-5.20	1.18	1.24
1	B	311	VAL	C-O	5.19	1.29	1.24
1	A	65	TYR	CA-C	-5.09	1.46	1.52
1	B	309	GLY	N-CA	5.04	1.52	1.45
1	B	287	PRO	C-O	5.00	1.29	1.23

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	206	LEU	CA-C-N	-10.21	115.65	122.60
1	A	206	LEU	C-N-CA	-10.21	115.65	122.60
1	A	132	ASN	N-CA-C	9.48	122.80	111.33
1	B	262	CYS	CA-C-N	-7.13	112.44	119.64
1	B	262	CYS	C-N-CA	-7.13	112.44	119.64
1	A	103	GLY	N-CA-C	-6.53	104.62	113.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	43	MET	CA-C-N	-6.40	113.19	119.78
1	A	43	MET	C-N-CA	-6.40	113.19	119.78
1	B	20	PHE	N-CA-C	-6.14	103.91	111.40
1	B	273	GLY	N-CA-C	-6.12	105.41	112.50
1	A	5	ILE	N-CA-C	-6.05	100.85	108.84
1	A	148	PRO	CB-CA-C	-5.60	104.43	111.71
1	B	276	ASN	N-CA-C	-5.58	104.82	111.69
1	A	241	SER	N-CA-C	-5.53	100.23	109.24
1	A	11	ASP	CA-C-N	5.50	126.72	119.84
1	A	11	ASP	C-N-CA	5.50	126.72	119.84
1	B	279	VAL	N-CA-C	-5.44	105.07	110.62
1	A	61	SER	CA-C-N	-5.40	114.14	119.92
1	A	61	SER	C-N-CA	-5.40	114.14	119.92
1	B	104	SER	CA-C-N	5.35	126.82	120.14
1	B	104	SER	C-N-CA	5.35	126.82	120.14
1	B	228	ILE	N-CA-C	-5.27	105.36	110.42
1	A	122	LYS	CA-C-N	-5.21	115.37	122.93
1	A	122	LYS	C-N-CA	-5.21	115.37	122.93
1	A	200	VAL	N-CA-C	-5.21	105.63	110.53
1	A	207	ILE	CA-C-N	-5.16	114.31	120.13
1	A	207	ILE	C-N-CA	-5.16	114.31	120.13
1	A	397	LYS	N-CA-C	5.09	121.24	113.61
1	A	207	ILE	N-CA-C	5.06	112.17	107.56
1	A	343	ALA	N-CA-C	-5.01	105.91	112.23
1	A	393	VAL	N-CA-C	-5.01	105.61	110.42

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3113	0	3055	64	0
1	B	3130	0	3069	62	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	28	0	0	0	0
3	B	12	0	0	2	0
4	A	16	0	10	7	0
4	B	16	0	11	9	0
5	A	374	0	0	9	0
5	B	397	0	0	14	0
All	All	7088	0	6145	126	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (126) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:246:LYS:NZ	4:B:405:PMP:HNA2	1.51	1.07
4:B:405:PMP:H6	5:B:870:HOH:O	1.52	1.07
1:B:14:LEU:HA	1:B:17:VAL:HG12	1.39	1.04
1:B:130:TRP:HE3	1:B:133:HIS:CD2	1.82	0.97
1:B:360:ARG:HH12	1:B:398:ASP:HB2	1.31	0.95
1:B:13:ILE:CD1	1:B:14:LEU:HD12	2.04	0.86
1:B:130:TRP:CE3	1:B:133:HIS:CD2	2.64	0.84
1:B:246:LYS:HZ3	4:B:405:PMP:HNA2	1.26	0.84
1:B:360:ARG:NH1	1:B:398:ASP:HB2	1.97	0.78
1:B:13:ILE:HD11	1:B:14:LEU:HD12	1.64	0.77
1:B:143:GLU:HB2	5:B:794:HOH:O	1.84	0.76
1:A:130:TRP:HE3	1:A:133:HIS:CD2	2.03	0.76
1:B:86:ASP:HB3	1:B:91[A]:LYS:HE2	1.68	0.73
1:B:246:LYS:CE	4:B:405:PMP:HNA2	2.01	0.72
1:A:246:LYS:NZ	4:A:409:PMP:H4A2	2.07	0.69
1:B:13:ILE:HD12	1:B:14:LEU:HD12	1.73	0.69
1:A:157:ILE:CD1	1:A:189:LEU:HD23	2.23	0.69
1:B:246:LYS:NZ	4:B:405:PMP:N4A	2.34	0.68
1:B:281:ARG:NH1	5:B:855:HOH:O	2.29	0.66
1:B:211:ASP:OD2	4:B:405:PMP:N1	2.28	0.65
1:A:211:ASP:OD2	4:A:409:PMP:N1	2.30	0.65
1:A:130:TRP:CE3	1:A:133:HIS:CD2	2.86	0.64
1:B:103:GLY:HA3	5:B:870:HOH:O	1.97	0.64
1:A:246:LYS:HZ3	4:A:409:PMP:H4A2	1.62	0.64
1:B:233:ASP:HB3	5:B:745:HOH:O	1.97	0.63
1:A:157:ILE:HD13	1:A:189:LEU:HD23	1.80	0.62
1:B:76:LYS:HE2	5:B:793:HOH:O	1.99	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:35:ILE:HG23	1:B:43:MET:HE2	1.81	0.61
1:A:33:ILE:HD12	1:A:34:GLY:H	1.65	0.60
1:A:36:TYR:HA	1:A:347:MET:HE1	1.84	0.60
1:A:244:PHE:HB2	1:A:255:VAL:HG23	1.84	0.60
1:A:363:SER:HA	5:A:836:HOH:O	2.01	0.59
1:B:219:GLU:HG2	5:B:740:HOH:O	2.03	0.59
1:B:130:TRP:HA	5:B:765:HOH:O	2.04	0.58
1:B:130:TRP:CE3	1:B:133:HIS:HD2	2.16	0.57
1:B:11:ASP:HB3	1:B:14:LEU:HD13	1.86	0.56
1:A:253:GLU:HG2	1:B:63:ARG:HG2	1.88	0.55
1:A:354:THR:OG1	1:A:357:GLN:HG3	2.05	0.55
1:A:319:LYS:NZ	5:A:733:HOH:O	2.40	0.55
1:B:360:ARG:HH12	1:B:398:ASP:CB	2.13	0.54
1:A:157:ILE:HD13	1:A:189:LEU:CD2	2.36	0.54
1:A:246:LYS:HZ3	4:A:409:PMP:C4A	2.20	0.54
1:B:14:LEU:HA	1:B:17:VAL:CG1	2.25	0.54
1:A:43:MET:HE2	1:A:251:TYR:CE2	2.43	0.54
1:A:202:GLN:HB2	1:A:236:LEU:HD21	1.90	0.53
1:B:171:LYS:O	1:B:172:ASP:HB2	2.08	0.52
1:B:33:ILE:HG13	1:B:34:GLY:H	1.74	0.52
1:B:210:MET:O	1:B:240:VAL:HA	2.10	0.52
1:B:157:ILE:HD11	1:B:187:VAL:HG12	1.92	0.52
1:A:246:LYS:NZ	4:A:409:PMP:C4A	2.73	0.51
4:B:405:PMP:C6	5:B:870:HOH:O	2.29	0.51
1:A:148:PRO:O	1:A:162:MET:HB2	2.11	0.51
1:A:363:SER:N	5:A:836:HOH:O	2.43	0.51
1:A:19[B]:LYS:NZ	5:A:677:HOH:O	2.44	0.50
1:A:357:GLN:HB3	1:A:395:VAL:CG1	2.41	0.50
1:A:208:PRO:HG2	1:A:238:LEU:HA	1.93	0.50
1:B:35:ILE:CG2	1:B:43:MET:HE2	2.40	0.50
1:A:192:GLU:HG3	5:A:651:HOH:O	2.11	0.50
1:B:360:ARG:HD3	5:B:776:HOH:O	2.11	0.50
1:B:246:LYS:HZ1	4:B:405:PMP:HNA2	1.51	0.50
1:A:340:TYR:CE1	1:A:341:LEU:HG	2.47	0.49
1:A:33:ILE:CD1	1:A:34:GLY:H	2.25	0.49
1:A:130:TRP:CZ2	1:A:132:ASN:HB3	2.48	0.49
1:A:19[B]:LYS:NZ	1:A:362:GLN:HE21	2.11	0.49
1:B:14:LEU:HG	1:B:17:VAL:CG1	2.44	0.48
1:A:363:SER:CA	5:A:836:HOH:O	2.60	0.48
1:B:13:ILE:HD12	1:B:13:ILE:C	2.39	0.47
1:A:24:ASN:O	1:A:26:PRO:HD3	2.13	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:19[B]:LYS:HZ2	1:A:362:GLN:HE21	1.63	0.47
1:A:368:TYR:CD1	1:A:368:TYR:N	2.83	0.47
1:A:140:CYS:O	1:A:141:ASP:HB2	2.14	0.47
1:A:171:LYS:HG2	1:A:205:GLU:HB2	1.97	0.47
1:B:306:GLN:O	1:B:310:GLU:HG3	2.14	0.47
1:A:397:LYS:HE3	5:A:819:HOH:O	2.15	0.47
1:B:130:TRP:CZ2	1:B:132:ASN:HB3	2.51	0.46
1:B:140:CYS:O	1:B:141[A]:ASP:HB2	2.15	0.46
1:B:246:LYS:CE	4:B:405:PMP:N4A	2.75	0.46
1:A:19[B]:LYS:HZ2	1:A:362:GLN:NE2	2.14	0.46
1:B:76:LYS:HE2	5:B:726:HOH:O	2.15	0.46
1:A:311:VAL:HA	1:A:314:MET:HE3	1.96	0.46
1:A:157:ILE:HD12	1:A:189:LEU:HD23	1.99	0.46
1:B:34:GLY:HA3	3:B:402:NO3:O1	2.16	0.46
1:A:63:ARG:HG2	1:B:253:GLU:HG2	1.99	0.45
1:B:179:PRO:HG2	1:B:212:ILE:HB	1.99	0.45
1:B:311:VAL:HA	1:B:314:MET:CE	2.47	0.45
1:B:337:ASN:ND2	5:B:718:HOH:O	2.50	0.45
1:A:333:ILE:HD11	1:A:393:VAL:HA	1.99	0.45
4:A:409:PMP:H4A1	4:A:409:PMP:O4P	2.16	0.45
1:A:17:VAL:HG22	1:A:30:ASN:HD21	1.82	0.45
1:A:39[A]:GLU:H	1:A:39[A]:GLU:CD	2.25	0.45
1:A:347:MET:CE	1:A:378:ALA:CB	2.95	0.45
1:B:73:GLY:HA3	1:B:295:ASP:OD1	2.16	0.45
1:A:362:GLN:HB3	5:A:836:HOH:O	2.17	0.44
1:B:311:VAL:HA	1:B:314:MET:HE3	2.00	0.44
1:A:60:ILE:HG23	1:B:53:GLU:OE1	2.18	0.43
1:A:328:VAL:HG12	1:A:389:ALA:HB1	2.01	0.43
1:A:368:TYR:N	1:A:368:TYR:HD1	2.17	0.43
1:A:68:MET:HG2	1:A:284:SER:O	2.19	0.43
1:B:35:ILE:CG2	1:B:43:MET:CE	2.97	0.43
1:B:248:LEU:HB3	1:B:250:LEU:HB2	2.01	0.42
1:A:5:ILE:HG23	1:B:274:GLN:HG3	2.01	0.42
1:A:384:ASN:C	1:A:384:ASN:OD1	2.61	0.42
1:B:271:VAL:O	1:B:275:LEU:HG	2.19	0.42
1:A:130:TRP:CH2	1:A:132:ASN:HB3	2.55	0.42
1:A:130:TRP:CE3	1:A:133:HIS:HD2	2.37	0.41
1:A:336:ARG:HG3	5:A:872:HOH:O	2.20	0.41
1:B:14:LEU:HG	1:B:17:VAL:HG11	2.01	0.41
1:A:183:ASN:HA	1:A:184:PRO:HA	1.80	0.41
4:A:409:PMP:O1P	1:B:65:TYR:OH	2.31	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:354:THR:OG1	1:A:357:GLN:CG	2.68	0.41
1:B:12:PRO:HD2	5:B:862:HOH:O	2.20	0.41
1:B:244:PHE:HB2	1:B:255:VAL:HG23	2.02	0.41
1:A:336:ARG:HD3	1:A:338:PHE:CZ	2.54	0.41
1:B:83:PHE:CE2	1:B:95:VAL:HG11	2.56	0.41
1:A:33:ILE:CG1	1:A:34:GLY:H	2.34	0.41
1:A:133:HIS:CG	1:A:176:LEU:HD21	2.56	0.41
1:B:100:THR:HG21	1:B:106:ALA:HA	2.03	0.41
1:B:176:LEU:HD12	1:B:176:LEU:HA	1.88	0.41
1:A:330:GLU:HG3	1:A:338:PHE:HD2	1.85	0.41
1:B:11:ASP:O	1:B:12:PRO:C	2.63	0.41
1:A:254:ARG:HA	1:A:254:ARG:NH1	2.35	0.40
1:A:127:ASP:HA	1:A:128:PRO:HA	1.86	0.40
3:B:403:NO3:O3	5:B:771:HOH:O	2.22	0.40
1:A:364:GLU:HB2	1:A:365:PHE:CD2	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	398/398 (100%)	379 (95%)	19 (5%)	0	100	100
1	B	401/398 (101%)	391 (98%)	10 (2%)	0	100	100
All	All	799/796 (100%)	770 (96%)	29 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	339/337 (101%)	328 (97%)	11 (3%)	34	47
1	B	342/337 (102%)	337 (98%)	5 (2%)	57	73
All	All	681/674 (101%)	665 (98%)	16 (2%)	43	59

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	143	GLU
1	A	161	GLU
1	A	184	PRO
1	A	336	ARG
1	A	350	PHE
1	A	359	GLU
1	A	362	GLN
1	A	363	SER
1	A	364	GLU
1	A	368	TYR
1	A	395	VAL
1	B	33	ILE
1	B	184	PRO
1	B	248	LEU
1	B	350	PHE
1	B	395	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	242	ASN
1	A	362	GLN
1	B	133	HIS
1	B	242	ASN
1	B	345	ASN
1	B	362	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 14 ligands modelled in this entry, 2 are monoatomic - leaving 12 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NO3	A	405	-	1,3,3	0.57	0	0,3,3	-	-
3	NO3	A	402	-	1,3,3	0.20	0	0,3,3	-	-
3	NO3	A	406	-	1,3,3	0.24	0	0,3,3	-	-
3	NO3	A	404	-	1,3,3	0.40	0	0,3,3	-	-
3	NO3	B	404	-	1,3,3	0.10	0	0,3,3	-	-
3	NO3	B	403	-	1,3,3	0.17	0	0,3,3	-	-
3	NO3	B	402	-	1,3,3	0.50	0	0,3,3	-	-
3	NO3	A	408	-	1,3,3	0.53	0	0,3,3	-	-
4	PMP	A	409	-	16,16,16	3.89	6 (37%)	22,23,23	2.61	7 (31%)
3	NO3	A	407	-	1,3,3	0.40	0	0,3,3	-	-
4	PMP	B	405	-	16,16,16	3.62	5 (31%)	22,23,23	2.68	9 (40%)
3	NO3	A	403	-	1,3,3	0.03	0	0,3,3	-	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	PMP	A	409	-	-	6/8/8/8	0/1/1/1
4	PMP	B	405	-	-	4/8/8/8	0/1/1/1

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	409	PMP	C3-C2	8.77	1.50	1.41
4	B	405	PMP	C3-C2	8.71	1.50	1.41
4	A	409	PMP	C3-C4	8.28	1.52	1.40
4	B	405	PMP	C5-C4	7.29	1.50	1.40
4	A	409	PMP	C5-C4	7.26	1.50	1.40
4	B	405	PMP	C3-C4	7.19	1.50	1.40
4	A	409	PMP	C2A-C2	3.82	1.56	1.50
4	A	409	PMP	C2-N1	3.42	1.39	1.33
4	B	405	PMP	C2A-C2	3.34	1.55	1.50
4	A	409	PMP	P-O1P	-2.79	1.41	1.50
4	B	405	PMP	C2-N1	2.28	1.37	1.33

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	405	PMP	O4P-C5A-C5	7.64	123.67	109.36
4	A	409	PMP	O4P-C5A-C5	6.91	122.31	109.36
4	A	409	PMP	C6-N1-C2	5.10	128.44	119.20
4	B	405	PMP	C6-N1-C2	4.47	127.31	119.20
4	A	409	PMP	C2A-C2-N1	4.33	125.80	117.64
4	A	409	PMP	C3-C2-N1	-4.21	115.65	120.96
4	B	405	PMP	C3-C2-N1	-3.72	116.27	120.96
4	B	405	PMP	C2A-C2-N1	3.51	124.25	117.64
4	B	405	PMP	C5A-C5-C6	-3.18	114.18	119.36
4	B	405	PMP	C4-C4A-N4A	-3.18	98.34	114.85
4	B	405	PMP	C3-C4-C5	-2.89	116.11	118.73
4	B	405	PMP	O3P-P-O2P	2.39	116.76	107.80
4	A	409	PMP	C4-C4A-N4A	-2.30	102.88	114.85
4	B	405	PMP	C4A-C4-C5	2.20	124.69	120.27
4	A	409	PMP	O4P-P-O1P	-2.09	100.79	106.44
4	A	409	PMP	C5-C6-N1	-2.02	120.55	123.83

There are no chirality outliers.

All (10) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	409	PMP	C4-C5-C5A-O4P
4	A	409	PMP	C6-C5-C5A-O4P
4	B	405	PMP	C4-C5-C5A-O4P
4	B	405	PMP	C6-C5-C5A-O4P
4	B	405	PMP	C5A-O4P-P-O2P

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	A	409	PMP	C5A-O4P-P-O2P
4	A	409	PMP	C5A-O4P-P-O1P
4	A	409	PMP	C5A-O4P-P-O3P
4	B	405	PMP	C5A-O4P-P-O3P
4	A	409	PMP	C5-C4-C4A-N4A

There are no ring outliers.

4 monomers are involved in 18 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	403	NO3	1	0
3	B	402	NO3	1	0
4	A	409	PMP	7	0
4	B	405	PMP	9	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	398/398 (100%)	-0.75	1 (0%) 90 88	10, 20, 56, 95	2 (0%)
1	B	398/398 (100%)	-0.82	1 (0%) 90 88	10, 20, 42, 76	5 (1%)
All	All	796/796 (100%)	-0.78	2 (0%) 90 88	10, 20, 51, 95	7 (0%)

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	26	PRO	2.9
1	B	13	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	NO3	A	407	4/4	0.75	0.10	54,56,60,62	0
3	NO3	A	408	4/4	0.88	0.21	35,37,37,39	0
3	NO3	B	402	4/4	0.90	0.12	68,71,74,80	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	NO3	B	403	4/4	0.90	0.09	31,37,38,39	0
3	NO3	B	404	4/4	0.90	0.15	41,46,54,54	0
3	NO3	A	402	4/4	0.92	0.10	42,42,48,48	0
3	NO3	A	404	4/4	0.94	0.07	33,38,39,40	0
2	MG	A	401	1/1	0.95	0.05	37,37,37,37	0
3	NO3	A	403	4/4	0.95	0.08	34,36,40,40	0
4	PMP	A	409	16/16	0.95	0.09	18,25,28,28	0
3	NO3	A	406	4/4	0.96	0.10	34,37,39,41	0
4	PMP	B	405	16/16	0.96	0.08	19,26,32,32	0
3	NO3	A	405	4/4	0.97	0.05	30,33,36,38	0
2	MG	B	401	1/1	0.99	0.02	17,17,17,17	0

6.5 Other polymers [i](#)

There are no such residues in this entry.