



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 12, 2026 – 03:00 AM UTC

PDB ID : 4RLO / pdb_00004rlo
Title : Human p70s6k1 with ruthenium-based inhibitor EM5
Authors : Domsic, J.F.; Barber-Rotenberg, J.; Salami, J.; Qin, J.; Marmorstein, R.
Deposited on : 2014-10-17
Resolution : 2.53 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.53 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7383 (2.54-2.50)
Clashscore	190562	8079 (2.54-2.50)
Ramachandran outliers	187476	7944 (2.54-2.50)
Sidechain outliers	187428	7946 (2.54-2.50)
RSRZ outliers	180081	7387 (2.54-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	288	
1	B	288	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	CL	A	405	-	-	X	-

2 Entry composition [i](#)


There are 8 unique types of molecules in this entry. The entry contains 8408 atoms, of which 4172 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ribosomal protein S6 kinase beta-1.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	259	Total	C	H	N	O	S	0	0	0
			4123	1326	2077	350	357	13			
1	B	254	Total	C	H	N	O	S	0	0	0
			4039	1297	2041	343	345	13			

- Molecule 2 is [(amino-kappaN)methanethiolato](3-fluoro-9-hydroxypyrido[2,3-a]pyrrolo[3,4-c]carbazole-5,7(6H,12H)-dionato-kappa 2 N,N')(1,4,7-trithionane-kappa 3 S 1 ,S 4 ,S 7)ruthenium (CCD ID: 3T3) (formula: C₂₄H₂₂FN₄O₃RuS₄).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	F	N	O	Ru	0	0
			37	24	1	4	3	1		

- Molecule 3 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	H	O	0	0
			14	3	8	3		
3	B	1	Total	C	H	O	0	0
			14	3	8	3		
3	B	1	Total	C	H	O	0	0
			14	3	8	3		

- Molecule 4 is CHLORIDE ION (CCD ID: CL) (formula: Cl).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	3	Total	Cl	0	0
			3	3		
4	B	3	Total	Cl	0	0
			3	3		

- Molecule 5 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	O	S		0	0
			5	4	1			
5	B	1	Total	O	S		0	0
			5	4	1			

- Molecule 6 is STAUROSPORINE (CCD ID: STU) (formula: $C_{28}H_{26}N_4O_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	B	1	Total	C	H	N	O	
			59	28	24	4	3	
							0	0

- Molecule 7 is DIMETHYL SULFOXIDE (CCD ID: DMS) (formula: C_2H_6OS).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
7	B	1	Total	C	H	O	S	0	0
			10	2	6	1	1		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	36	Total	O	0	0
			36	36		
8	B	46	Total	O	0	0
			46	46		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Ribosomal protein S6 kinase beta-1



• Molecule 1: Ribosomal protein S6 kinase beta-1



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	78.52Å 62.88Å 86.72Å 90.00° 94.02° 90.00°	Depositor
Resolution (Å)	49.03 – 2.53 49.03 – 2.53	Depositor EDS
% Data completeness (in resolution range)	99.6 (49.03-2.53) 96.1 (49.03-2.53)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.18 (at 2.51Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8_1066)	Depositor
R, R_{free}	0.192 , 0.222 0.196 , 0.226	Depositor DCC
R_{free} test set	1415 reflections (4.96%)	wwPDB-VP
Wilson B-factor (Å ²)	41.0	Xtriage
Anisotropy	0.118	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.42 , 46.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	8408	wwPDB-VP
Average B, all atoms (Å ²)	44.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.75% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, STU, 3T3, SO4, CL, DMS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.00	2/2090 (0.1%)	0.92	8/2813 (0.3%)
1	B	0.86	4/2043 (0.2%)	0.82	3/2749 (0.1%)
All	All	0.93	6/4133 (0.1%)	0.87	11/5562 (0.2%)

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	220	LYS	C-O	-5.94	1.19	1.24
1	B	215	ILE	C-O	-5.74	1.17	1.24
1	B	206	LEU	C-O	-5.57	1.17	1.24
1	A	366	GLU	CA-C	-5.42	1.46	1.52
1	B	366	GLU	CA-C	-5.31	1.47	1.52
1	B	171	ILE	C-O	-5.12	1.17	1.23

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	241	LYS	N-CA-C	6.70	120.06	109.81
1	A	280	GLY	N-CA-C	6.62	120.18	112.50
1	A	87	ARG	N-CA-C	6.21	113.59	108.07
1	B	167	LYS	N-CA-C	6.05	118.60	109.23
1	B	125	LEU	N-CA-C	6.02	119.29	109.24
1	A	235	THR	N-CA-C	5.98	123.54	110.80
1	A	163	GLN	N-CA-C	5.93	118.89	109.81
1	A	216	TYR	N-CA-C	5.67	117.15	110.97
1	A	182	MET	N-CA-C	-5.51	105.81	112.54
1	A	270	HIS	N-CA-C	5.18	118.66	111.71
1	B	102	TYR	CB-CA-C	-5.01	104.48	111.85

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2046	2077	2070	79	0
1	B	1998	2041	2031	31	0
2	A	37	0	20	3	0
3	A	6	8	8	1	0
3	B	12	16	16	3	0
4	A	3	0	0	2	0
4	B	3	0	0	0	0
5	A	5	0	0	0	0
5	B	5	0	0	0	0
6	B	35	24	26	6	0
7	B	4	6	6	0	0
8	A	36	0	0	2	0
8	B	46	0	0	7	0
All	All	4236	4172	4177	114	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (114) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:110:LYS:NZ	1:B:114:ALA:O	1.75	1.18
1:B:211:GLN:OE1	8:B:540:HOH:O	1.71	1.06
1:A:321:ARG:HD2	4:A:405:CL:CL	1.96	1.03
1:A:100:GLY:N	2:A:401:3T3:S8	2.37	0.96
1:B:296:GLU:N	1:B:296:GLU:OE1	1.99	0.95
1:A:99:LYS:HD3	1:A:104:LYS:HG2	1.55	0.88
1:A:241:LYS:HE3	1:A:270:HIS:ND1	1.92	0.83
1:B:192:GLU:OE1	3:B:403:GOL:O1	1.95	0.82
6:B:401:STU:H261	6:B:401:STU:H16	1.61	0.81
1:A:181:PHE:CD2	1:A:221:PRO:HB3	2.20	0.76
1:A:282:LEU:HD23	1:A:286:MET:HE3	1.67	0.76

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:92:GLU:OE1	1:B:109:ARG:NH1	2.18	0.76
1:B:178:GLY:O	8:B:541:HOH:O	2.03	0.75
1:A:101:GLY:O	1:A:102:TYR:CB	2.33	0.75
1:A:221:PRO:O	8:A:532:HOH:O	2.03	0.74
1:A:92:GLU:OE1	1:A:109:ARG:NH1	2.21	0.73
1:A:297:ASN:OD1	1:A:298:ARG:N	2.20	0.73
1:A:99:LYS:HD3	1:A:104:LYS:CG	2.20	0.71
1:A:321:ARG:CD	4:A:405:CL:CL	2.74	0.71
1:A:211:GLN:NE2	8:A:530:HOH:O	2.17	0.71
1:A:312:LEU:HD22	1:A:321:ARG:HG3	1.73	0.71
1:B:225:MET:HG2	8:B:541:HOH:O	1.91	0.69
6:B:401:STU:C17	6:B:401:STU:H273	2.22	0.68
1:A:146:ILE:HG23	1:A:214:ILE:HD13	1.74	0.68
1:A:235:THR:HG23	1:A:236:ASP:N	2.09	0.67
1:A:300:LYS:O	1:A:304:LYS:HG3	1.94	0.67
1:A:181:PHE:CG	1:A:221:PRO:HB3	2.30	0.67
1:B:156:VAL:HG11	1:B:235:THR:HG22	1.78	0.65
1:B:345:GLU:OE2	8:B:517:HOH:O	2.15	0.65
1:A:304:LYS:O	1:A:308:CYS:HB3	1.97	0.65
1:A:241:LYS:HE3	1:A:270:HIS:CE1	2.34	0.63
1:A:147:LEU:HG	1:A:237:PHE:CE2	2.35	0.62
6:B:401:STU:H241	8:B:541:HOH:O	2.00	0.62
1:A:322:ASP:OD2	1:A:326:LYS:HE2	2.00	0.61
6:B:401:STU:H261	6:B:401:STU:C16	2.30	0.60
1:A:322:ASP:OD2	1:A:326:LYS:CE	2.49	0.60
1:A:282:LEU:CD2	1:A:286:MET:HE3	2.32	0.60
1:A:236:ASP:O	1:A:237:PHE:HD1	1.87	0.58
1:A:308:CYS:O	1:A:330:ARG:NH1	2.36	0.57
1:A:164:THR:HB	1:A:167:LYS:HA	1.84	0.57
1:A:297:ASN:HD22	1:A:299:LYS:HE2	1.70	0.57
1:A:143:GLU:CG	1:A:147:LEU:HD12	2.36	0.56
1:A:229:GLN:HG3	1:A:231:HIS:CD2	2.39	0.56
1:A:217:ARG:HD2	1:A:241:LYS:HD3	1.89	0.55
1:A:297:ASN:ND2	1:A:299:LYS:HG2	2.22	0.55
1:B:182:MET:HE2	1:B:182:MET:HA	1.88	0.55
1:A:229:GLN:HG3	1:A:231:HIS:HD2	1.73	0.53
1:A:302:ILE:HG22	1:B:257:ILE:HD13	1.89	0.53
1:A:111:VAL:HG23	1:A:112:THR:HG23	1.89	0.53
1:A:297:ASN:ND2	1:A:299:LYS:HE2	2.23	0.53
1:B:152:HIS:CG	1:B:153:PRO:HD2	2.45	0.52
1:A:218:ASP:OD2	1:A:239:LEU:CB	2.58	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:156:VAL:HG12	1:B:235:THR:HA	1.92	0.52
1:B:208:HIS:CE1	1:B:212:LYS:HD2	2.45	0.52
1:B:351:PHE:O	3:B:403:GOL:O2	2.28	0.51
1:A:143:GLU:HG3	1:A:147:LEU:HD12	1.93	0.51
1:A:92:GLU:CD	1:A:109:ARG:NH1	2.69	0.50
1:A:312:LEU:HD12	1:A:312:LEU:N	2.26	0.50
1:B:235:THR:HG23	3:B:402:GOL:H12	1.94	0.50
1:A:359:GLU:OE1	1:A:364:LYS:HE2	2.13	0.49
1:A:299:LYS:HG3	1:A:300:LYS:N	2.28	0.49
1:A:313:PRO:HB2	1:A:315:TYR:CE2	2.47	0.49
1:A:235:THR:HG23	1:A:236:ASP:H	1.77	0.49
1:A:105:VAL:HG23	2:A:401:3T3:S8	2.52	0.48
1:A:227:ASN:HD21	1:A:229:GLN:NE2	2.10	0.48
1:A:347:GLN:HB3	1:A:357:TRP:CZ2	2.48	0.48
1:A:236:ASP:C	1:A:237:PHE:HD1	2.21	0.47
1:A:196:CYS:SG	3:A:402:GOL:H31	2.54	0.47
6:B:401:STU:H273	6:B:401:STU:C16	2.44	0.47
1:A:322:ASP:CG	1:A:326:LYS:HE2	2.40	0.47
1:A:143:GLU:HG2	1:A:147:LEU:HD12	1.97	0.47
1:A:99:LYS:HE2	1:A:104:LYS:HG3	1.96	0.46
1:A:216:TYR:O	1:A:217:ARG:HB2	2.14	0.46
1:B:296:GLU:CD	1:B:300:LYS:NZ	2.74	0.46
1:A:152:HIS:CG	1:A:153:PRO:HD2	2.50	0.46
1:A:199:LEU:HD11	1:A:283:MET:HG3	1.98	0.46
1:A:181:PHE:CD1	1:A:184:LEU:HD22	2.51	0.45
1:B:369:PHE:O	8:B:507:HOH:O	2.20	0.45
1:A:235:THR:CG2	1:A:236:ASP:N	2.79	0.45
1:A:164:THR:OG1	1:A:169:TYR:HE2	2.00	0.45
1:B:323:LEU:HB2	1:B:349:HIS:CE1	2.52	0.45
1:A:236:ASP:C	1:A:237:PHE:CD1	2.95	0.45
1:A:241:LYS:CE	1:A:270:HIS:ND1	2.72	0.45
1:B:325:LYS:NZ	8:B:513:HOH:O	2.50	0.45
6:B:401:STU:C16	6:B:401:STU:C26	2.95	0.45
1:A:227:ASN:OD1	1:A:229:GLN:HG2	2.17	0.44
1:A:94:LEU:O	1:A:95:ARG:HB3	2.18	0.44
1:A:180:LEU:HD23	1:A:181:PHE:CE2	2.52	0.44
1:B:296:GLU:CD	1:B:300:LYS:HZ3	2.24	0.44
1:A:256:THR:CG2	1:B:220:LYS:HD3	2.48	0.44
1:A:218:ASP:OD2	1:A:239:LEU:HB2	2.17	0.44
1:B:156:VAL:CG1	1:B:235:THR:HG22	2.45	0.44
1:A:103:GLY:HA3	1:A:124:VAL:O	2.17	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:219:LEU:HD23	1:A:278:SER:HB3	1.99	0.43
1:A:239:LEU:C	1:A:240:CYS:SG	3.02	0.43
1:B:293:PHE:HB3	1:B:304:LYS:HB3	2.01	0.43
1:B:295:GLY:C	1:B:296:GLU:OE1	2.59	0.43
1:B:296:GLU:OE1	1:B:300:LYS:NZ	2.46	0.43
1:B:317:THR:O	1:B:321:ARG:HG3	2.19	0.43
1:A:146:ILE:O	1:A:150:VAL:HG22	2.19	0.42
1:A:164:THR:N	1:A:167:LYS:O	2.47	0.42
1:A:339:GLY:HA3	1:A:345:GLU:OE2	2.19	0.42
1:A:283:MET:HE1	1:A:323:LEU:HD23	2.01	0.42
1:B:284:TYR:CE1	1:B:292:PRO:HA	2.55	0.41
1:A:370:LYS:HA	1:A:371:PRO:HD2	1.80	0.41
1:A:284:TYR:CE1	1:A:292:PRO:HA	2.55	0.41
1:B:260:MET:HE3	1:B:264:ILE:HG21	2.02	0.41
1:B:111:VAL:HG23	1:B:112:THR:HG23	2.03	0.41
1:A:92:GLU:OE2	1:A:109:ARG:NH1	2.54	0.41
1:A:222:GLU:O	2:A:401:3T3:H16	2.21	0.41
1:B:156:VAL:HG23	1:B:173:GLU:HG2	2.03	0.41
1:A:302:ILE:O	1:A:306:LEU:HG	2.20	0.40
1:A:370:LYS:O	1:A:371:PRO:C	2.64	0.40
1:A:181:PHE:HD1	1:A:184:LEU:HD22	1.87	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	251/288 (87%)	234 (93%)	16 (6%)	1 (0%)	30	47
1	B	248/288 (86%)	241 (97%)	7 (3%)	0	100	100
All	All	499/576 (87%)	475 (95%)	23 (5%)	1 (0%)	43	62

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	102	TYR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	212/242 (88%)	200 (94%)	12 (6%)	18	36
1	B	207/242 (86%)	198 (96%)	9 (4%)	26	49
All	All	419/484 (87%)	398 (95%)	21 (5%)	22	42

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	93	LEU
1	A	149	GLU
1	A	172	LEU
1	A	185	GLU
1	A	216	TYR
1	A	217	ARG
1	A	219	LEU
1	A	220	LYS
1	A	234	LEU
1	A	258	GLU
1	A	282	LEU
1	A	303	ASP
1	B	85	LYS
1	B	89	GLU
1	B	92	GLU
1	B	155	ILE
1	B	182	MET
1	B	268	SER
1	B	296	GLU
1	B	304	LYS
1	B	329	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	211	GLN
1	A	223	ASN
1	A	229	GLN
1	B	183	GLN
1	B	211	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 14 ligands modelled in this entry, 6 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
7	DMS	B	408	-	3,3,3	0.71	0	3,3,3	0.72	0
6	STU	B	401	-	39,42,42	2.52	14 (35%)	50,68,68	2.75	17 (34%)
5	SO4	A	406	-	4,4,4	0.28	0	6,6,6	0.12	0
3	GOL	B	402	-	5,5,5	0.39	0	5,5,5	0.25	0
3	GOL	B	403	-	5,5,5	0.40	0	5,5,5	0.32	0
2	3T3	A	401	-	33,45,45	1.54	6 (18%)	39,80,80	3.01	18 (46%)
5	SO4	B	407	-	4,4,4	0.23	0	6,6,6	0.12	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	GOL	A	402	-	5,5,5	0.42	0	5,5,5	0.36	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	STU	B	401	-	-	1/4/42/42	-
3	GOL	B	402	-	-	0/4/4/4	-
3	GOL	B	403	-	-	4/4/4/4	-
2	3T3	A	401	-	-	-	0/9/9/9
3	GOL	A	402	-	-	2/4/4/4	-

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	B	401	STU	C12-C17	5.21	1.49	1.41
6	B	401	STU	C5-C20	5.01	1.48	1.41
6	B	401	STU	C9-C10	-4.95	1.46	1.50
6	B	401	STU	C11-C10	4.90	1.49	1.40
6	B	401	STU	C6-C7	4.67	1.49	1.40
6	B	401	STU	C7-C10	4.30	1.46	1.39
6	B	401	STU	C19-C18	4.16	1.49	1.40
6	B	401	STU	C25-N3	3.79	1.48	1.45
2	A	401	3T3	C30-N19	-3.70	1.32	1.38
6	B	401	STU	C11-C18	3.51	1.47	1.41
6	B	401	STU	C9-N1	3.48	1.49	1.45
6	B	401	STU	C18-N2	-3.45	1.36	1.40
2	A	401	3T3	C27-C28	-3.42	1.38	1.46
2	A	401	3T3	C32-C31	-3.20	1.39	1.49
2	A	401	3T3	C28-C21	-3.08	1.35	1.40
6	B	401	STU	C6-C19	2.90	1.46	1.41
6	B	401	STU	C17-N2	-2.44	1.37	1.40
6	B	401	STU	O5-C8	2.42	1.29	1.23
2	A	401	3T3	C31-N19	-2.35	1.35	1.38
2	A	401	3T3	C29-C30	-2.31	1.41	1.49

All (35) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	401	3T3	C28-C29-C32	-8.04	114.52	122.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	401	3T3	C29-C28-C21	8.01	123.23	114.77
6	B	401	STU	C11-C10-C7	-7.25	116.48	121.25
6	B	401	STU	C18-N2-C17	5.62	114.16	107.37
6	B	401	STU	C28-N4-C23	5.54	121.00	114.39
6	B	401	STU	C6-C7-C10	5.52	124.61	120.76
6	B	401	STU	C12-C17-N2	-5.43	105.37	108.94
6	B	401	STU	C16-C17-N2	5.04	137.78	130.22
6	B	401	STU	C9-C10-C11	4.88	132.44	128.73
2	A	401	3T3	C35-C34-C33	-4.86	116.48	124.23
2	A	401	3T3	C23-C22-C27	-4.71	116.08	121.59
2	A	401	3T3	C28-C29-C30	4.67	137.13	130.53
6	B	401	STU	C10-C7-C8	-4.60	104.24	108.09
2	A	401	3T3	C21-C37-C33	-4.44	116.20	120.69
6	B	401	STU	C1-C20-C5	-4.23	116.64	121.59
6	B	401	STU	C16-C17-C12	-4.06	116.84	121.59
2	A	401	3T3	O1-C30-C29	4.05	134.34	128.47
6	B	401	STU	C7-C8-N1	3.86	110.06	106.38
2	A	401	3T3	C11-S13-C6	3.84	114.68	101.87
2	A	401	3T3	C26-C27-C22	3.69	124.04	119.67
2	A	401	3T3	C31-N19-C30	-3.45	109.60	112.59
6	B	401	STU	C4-C5-C20	3.39	123.16	119.24
6	B	401	STU	C9-C10-C7	3.28	111.09	109.88
2	A	401	3T3	C7-C6-S13	3.14	122.95	112.67
2	A	401	3T3	C16-C5-S10	3.08	122.73	112.67
6	B	401	STU	C13-C12-C17	3.06	122.77	119.24
6	B	401	STU	C1-C20-N3	2.89	134.65	129.73
2	A	401	3T3	C15-S10-C5	-2.83	92.42	101.87
2	A	401	3T3	C11-C15-S10	2.75	121.66	112.67
2	A	401	3T3	O1-C30-N19	-2.53	118.36	125.60
6	B	401	STU	O5-C8-C7	-2.40	124.99	128.47
6	B	401	STU	C9-N1-C8	-2.36	111.71	113.86
2	A	401	3T3	C23-C22-N18	2.26	130.45	126.96
2	A	401	3T3	C6-C7-S14	2.09	119.49	112.67
2	A	401	3T3	C32-C33-C37	2.05	120.82	119.30

There are no chirality outliers.

All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	402	GOL	C1-C2-C3-O3
3	B	403	GOL	C1-C2-C3-O3
3	B	403	GOL	O1-C1-C2-C3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	A	402	GOL	O2-C2-C3-O3
3	B	403	GOL	O1-C1-C2-O2
3	B	403	GOL	O2-C2-C3-O3
6	B	401	STU	C22-C23-N4-C28


There are no ring outliers.

5 monomers are involved in 13 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	B	401	STU	6	0
3	B	402	GOL	1	0
3	B	403	GOL	2	0
2	A	401	3T3	3	0
3	A	402	GOL	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand STU B 401




Bond lengths




Bond angles



Torsions



Rings



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	259/288 (89%)	0.39	30 (11%) 9 8	22, 45, 78, 92	0
1	B	254/288 (88%)	0.05	15 (5%) 28 25	22, 38, 77, 98	0
All	All	513/576 (89%)	0.22	45 (8%) 15 14	22, 41, 78, 98	0

All (45) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	127	LYS	6.8
1	B	102	TYR	5.6
1	A	164	THR	4.9
1	A	167	LYS	4.9
1	A	126	LYS	4.8
1	B	244	ILE	4.6
1	A	238	GLY	4.4
1	A	181	PHE	4.4
1	A	85	LYS	4.2
1	B	372	LEU	4.2
1	A	101	GLY	3.9
1	A	239	LEU	3.9
1	A	371	PRO	3.9
1	A	163	GLN	3.4
1	A	86	ILE	3.4
1	A	255	GLY	3.3
1	A	235	THR	3.1
1	A	102	TYR	3.1
1	A	237	PHE	3.1
1	A	302	ILE	3.0
1	B	298	ARG	3.0
1	B	101	GLY	2.9
1	A	125	LEU	2.8
1	B	166	GLY	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	240	CYS	2.8
1	A	229	GLN	2.7
1	B	100	GLY	2.7
1	B	165	GLY	2.6
1	A	114	ALA	2.6
1	B	85	LYS	2.6
1	B	164	THR	2.4
1	B	125	LEU	2.4
1	A	182	MET	2.4
1	A	299	LYS	2.2
1	A	300	LYS	2.2
1	A	149	GLU	2.2
1	B	114	ALA	2.2
1	A	87	ARG	2.2
1	A	168	LEU	2.1
1	B	295	GLY	2.1
1	A	141	LYS	2.1
1	A	142	ALA	2.1
1	B	296	GLU	2.0
1	A	100	GLY	2.0
1	A	228	HIS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
7	DMS	B	408	4/4	0.68	0.26	48,61,61,76	0
3	GOL	B	403	6/6	0.80	0.18	43,51,60,60	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	SO4	A	406	5/5	0.84	0.14	59,61,81,84	0
3	GOL	A	402	6/6	0.84	0.22	41,59,72,78	0
4	CL	A	405	1/1	0.87	0.14	65,65,65,65	0
4	CL	A	404	1/1	0.91	0.21	62,62,62,62	0
4	CL	B	406	1/1	0.92	0.12	60,60,60,60	0
3	GOL	B	402	6/6	0.92	0.10	33,40,50,51	0
6	STU	B	401	35/35	0.92	0.11	22,31,43,45	0
4	CL	B	404	1/1	0.92	0.18	61,61,61,61	0
5	SO4	B	407	5/5	0.93	0.13	56,56,59,63	0
4	CL	B	405	1/1	0.96	0.17	57,57,57,57	0
2	3T3	A	401	37/37	0.97	0.10	29,43,63,82	0
4	CL	A	403	1/1	0.98	0.15	51,51,51,51	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around STU B 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around 3T3 A 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.