



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 02:25 PM UTC

PDB ID : 5RL8 / pdb_00005rl8
Title : PanDDA analysis group deposition – Crystal Structure of SARS-CoV-2 heli-
case in complex with Z53825177
Authors : Newman, J.A.; Yosaatmadja, Y.; Douangamath, A.; Aimon, A.; Powell, A.J.;
Dias, A.; Fearon, D.; Dunnett, L.; Brandao-Neto, J.; Krojer, T.; Skyner, R.;
Gorrie-Stone, T.; Thompson, W.; von Delft, F.; Arrowsmith, C.H.; Edwards,
A.; Bountra, C.; Gileadi, O.
Deposited on : 2020-09-16
Resolution : 2.21 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	: 4-5-2 with Phenix2.0
Mogul	: 2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	: 2.0
EDS	: 3.0
Buster-report	: wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	: 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	: 9.0.010 (Gargrove)
Density-Fitness	: 1.0.12
Ideal geometry (proteins)	: Engh & Huber (2001)


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.21 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7682 (2.24-2.20)
Clashscore	190562	8402 (2.24-2.20)
Ramachandran outliers	187476	8303 (2.24-2.20)
Sidechain outliers	187428	8304 (2.24-2.20)
RSRZ outliers	180081	7683 (2.24-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	601	10% 72% 22% • 5%
1	B	601	5% 77% 19% • •

Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 9431 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Helicase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	B	585	Total	C	N	O	S	0	1	0
			4508	2875	750	848	35			
1	A	572	Total	C	N	O	S	0	0	0
			4417	2816	737	832	32			

- Molecule 2 is N-(2-fluorophenyl)ethanesulfonamide (CCD ID: VVG) (formula: $C_8H_{10}FNO_2S$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	B	1	Total	C	F	N	O	0	0
			13	8	1	1	2		
2	B	1	Total	C	F	N	O	0	0
			13	8	1	1	2		

- Molecule 3 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	3	Total	Zn	0	0
			3	3		
3	A	3	Total	Zn	0	0
			3	3		

- Molecule 4 is PHOSPHATE ION (CCD ID: PO4) (formula: O_4P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	O	P	0	0
			5	4	1		
4	B	1	Total	O	P	0	0
			5	4	1		
4	A	1	Total	O	P	0	0
			5	4	1		
4	A	1	Total	O	P	0	0
			5	4	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	250	Total	O	0	0
			250	250		
5	A	204	Total	O	0	0
			204	204		


3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Helicase



• Molecule 1: Helicase





4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	59.11Å 70.21Å 85.09Å 102.61° 95.93° 112.44°	Depositor
Resolution (Å)	81.24 – 2.21 81.24 – 2.21	Depositor EDS
% Data completeness (in resolution range)	97.4 (81.24-2.21) 97.5 (81.24-2.21)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.08 (at 2.20Å)	Xtriage
Refinement program	REFMAC 5.8.0258	Depositor
R, R_{free}	0.209 , 0.270 0.224 , 0.276	Depositor DCC
R_{free} test set	3135 reflections (5.17%)	wwPDB-VP
Wilson B-factor (Å ²)	37.4	Xtriage
Anisotropy	0.174	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 36.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	9431	wwPDB-VP
Average B, all atoms (Å ²)	56.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.06% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, PO4, VVG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.09	0/4517	1.43	2/6156 (0.0%)
1	B	1.06	2/4610 (0.0%)	1.42	10/6283 (0.2%)
All	All	1.07	2/9127 (0.0%)	1.43	12/12439 (0.1%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	159	SER	CA-CB	-5.39	1.49	1.54
1	B	592	ILE	N-CA	5.15	1.50	1.46

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	415	GLY	CA-C-O	-6.20	117.27	122.29
1	B	534	ASP	CB-CA-C	5.76	120.65	110.85
1	B	133	PHE	CA-C-O	-5.62	114.63	120.92
1	B	359	THR	CA-CB-OG1	-5.54	101.30	109.60
1	B	213	GLY	CA-C-N	5.53	127.69	120.28
1	B	213	GLY	C-N-CA	5.53	127.69	120.28
1	B	253	TYR	CB-CA-C	5.39	117.35	110.34
1	B	103	VAL	N-CA-C	-5.33	107.11	112.17
1	B	196	GLY	CA-C-O	-5.32	117.98	122.29
1	B	298	TYR	CA-C-O	-5.29	114.81	120.42
1	A	168	GLU	CA-C-N	5.28	127.57	120.50
1	A	168	GLU	C-N-CA	5.28	127.57	120.50

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4417	0	4321	82	0
1	B	4508	0	4425	81	0
2	B	26	0	0	0	0
3	A	3	0	0	0	0
3	B	3	0	0	1	0
4	A	10	0	0	0	0
4	B	10	0	0	0	0
5	A	204	0	0	7	0
5	B	250	0	0	13	0
All	All	9431	0	8746	162	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (162) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:27:CYS:SG	5:B:869:HOH:O	1.97	1.19
1:B:5:CYS:HG	3:B:704:ZN:ZN	0.61	0.94
1:B:47:PRO:O	5:B:801:HOH:O	1.87	0.93
1:B:510:VAL:HG21	1:B:541:TYR:CD1	2.15	0.81
1:A:236:SER:OG	5:A:801:HOH:O	2.00	0.80
1:B:12:THR:HG21	1:B:25:LEU:O	1.83	0.79
1:A:60:VAL:HB	5:A:914:HOH:O	1.86	0.76
1:B:460:LYS:NZ	5:B:806:HOH:O	2.20	0.75
1:B:8:CYS:SG	1:B:99:GLY:N	2.59	0.74
1:B:51:ASN:OD1	5:B:802:HOH:O	2.07	0.72
1:A:368:ALA:O	1:A:393:ALA:HA	1.91	0.69
1:A:275:GLN:O	1:A:395:HIS:ND1	2.26	0.68
1:B:7:LEU:HD12	1:B:103:VAL:HG22	1.77	0.67
1:B:8:CYS:SG	1:B:99:GLY:O	2.53	0.67
1:B:7:LEU:CD1	1:B:103:VAL:HG22	2.26	0.66
1:A:367:THR:HA	1:A:392:ARG:O	1.96	0.65
1:B:279:THR:HB	1:B:429:MET:HE2	1.80	0.64
1:B:508:LYS:HD3	5:B:990:HOH:O	1.99	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:252:LEU:HB3	1:B:299:TYR:CD1	2.34	0.63
1:A:534:ASP:OD2	5:A:802:HOH:O	2.15	0.63
1:A:276:LYS:O	1:A:395:HIS:HA	1.99	0.62
1:B:32:ASP:O	1:B:36:SER:OG	2.17	0.62
1:B:376:ILE:HG22	1:B:400:GLY:HA3	1.81	0.62
1:A:146:LYS:NZ	1:A:228:THR:O	2.20	0.61
1:A:7:LEU:HD13	1:A:103:VAL:HG22	1.82	0.61
1:A:13:SER:OG	1:A:44:SER:HB2	2.00	0.61
1:A:510:VAL:HG21	1:A:541:TYR:CD1	2.35	0.61
1:A:269:TYR:OH	1:A:294:GLY:HA3	2.01	0.60
1:A:304:ILE:HG12	1:A:370:ILE:HB	1.83	0.60
1:B:12:THR:HG21	1:B:26:CYS:HA	1.85	0.59
1:A:37:THR:OG1	1:A:39:HIS:HB2	2.03	0.59
1:B:220:ASN:N	1:B:220:ASN:OD1	2.36	0.59
1:B:12:THR:CG2	1:B:26:CYS:HA	2.32	0.59
1:B:277:TYR:HA	1:B:396:TYR:O	2.04	0.58
1:B:48:TYR:O	5:B:804:HOH:O	2.17	0.58
1:A:512:ILE:O	1:A:546:PHE:HA	2.05	0.57
1:B:13:SER:O	1:B:44:SER:HA	2.05	0.57
1:A:21:ARG:NH1	5:A:812:HOH:O	2.38	0.56
1:A:519:ASN:HB3	1:A:530:THR:HG23	1.88	0.56
1:A:235:LEU:HD21	1:A:382:TYR:CE2	2.42	0.55
1:A:334:ILE:HD12	1:A:348:VAL:HG13	1.88	0.55
1:B:2:VAL:N	5:B:820:HOH:O	2.40	0.54
1:A:327:ILE:O	5:A:803:HOH:O	2.18	0.54
1:A:519:ASN:HB3	1:A:530:THR:CG2	2.38	0.54
1:A:152:ALA:HB2	1:A:167:TRP:CZ3	2.43	0.53
1:B:7:LEU:HD21	1:B:106:PHE:HB2	1.91	0.53
1:B:152:ALA:HB2	1:B:167:TRP:CH2	2.44	0.53
1:B:184:GLY:C	1:B:195:ILE:HG22	2.34	0.52
1:A:331:SER:HB2	1:A:353:GLU:HG3	1.91	0.52
1:A:163:LEU:HD23	1:A:211:TYR:CD2	2.44	0.52
1:A:561:PHE:CD2	1:A:581:LEU:HD22	2.45	0.52
1:A:304:ILE:HA	1:A:370:ILE:O	2.10	0.52
1:B:26:CYS:O	1:B:27:CYS:C	2.54	0.51
1:B:152:ALA:HB2	1:B:167:TRP:CZ3	2.45	0.51
1:B:195:ILE:HG23	1:B:195:ILE:O	2.10	0.51
1:A:83:LEU:O	1:A:89:VAL:HA	2.11	0.51
1:A:4:ALA:O	1:A:24:PHE:HB2	2.10	0.51
1:B:5:CYS:HB2	1:B:26:CYS:HB3	1.93	0.50
1:B:447:GLU:OE2	5:B:805:HOH:O	2.19	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:31:TYR:CE2	1:A:87:GLY:HA2	2.45	0.50
1:B:377:SER:O	1:B:406:PRO:HA	2.11	0.50
1:A:582:TYR:OH	1:A:589:SER:HB2	2.12	0.50
1:B:5:CYS:O	1:B:9:ASN:N	2.39	0.50
1:B:48:TYR:OH	1:B:90:PHE:O	2.23	0.50
1:A:281:GLN:HG3	1:A:402:PRO:HD2	1.93	0.50
1:B:47:PRO:O	1:B:49:VAL:HG12	2.12	0.49
1:B:376:ILE:HG12	1:B:425:VAL:HG11	1.93	0.49
1:B:279:THR:HB	1:B:429:MET:CE	2.41	0.49
1:A:401:ASP:OD2	1:A:457:TYR:OH	2.25	0.49
1:B:333:ILE:HB	1:B:358:CYS:SG	2.53	0.49
1:A:277:TYR:HA	1:A:396:TYR:O	2.12	0.49
1:A:34:VAL:HA	1:A:39:HIS:O	2.13	0.49
1:A:16:CYS:SG	1:A:18:ALA:HB3	2.53	0.49
1:A:333:ILE:HB	1:A:358:CYS:SG	2.53	0.48
1:A:303:ARG:NH1	1:A:353:GLU:O	2.46	0.48
1:A:280:LEU:HD11	1:A:438:LEU:HG	1.95	0.48
1:B:211:TYR:CD1	1:B:211:TYR:O	2.66	0.48
1:B:465:LYS:NZ	5:B:828:HOH:O	2.45	0.48
1:B:474[B]:MET:HG2	1:B:590:LEU:HB2	1.96	0.48
1:A:151:ILE:HG12	1:A:226:VAL:HG22	1.94	0.48
1:A:175:PRO:HG2	1:A:180:TYR:CE1	2.49	0.47
1:B:26:CYS:O	1:B:29:CYS:N	2.47	0.47
1:A:296:ALA:O	1:A:300:PRO:HA	2.15	0.47
1:B:512:ILE:O	1:B:546:PHE:HA	2.14	0.47
1:A:406:PRO:HB3	1:A:422:PHE:CD2	2.50	0.47
1:A:33:HIS:HA	1:A:107:ASN:OD1	2.15	0.47
1:A:44:SER:O	1:A:45:VAL:C	2.56	0.47
1:A:406:PRO:HB3	1:A:422:PHE:CE2	2.50	0.47
1:A:261:GLU:OE1	1:A:324:TYR:OH	2.32	0.47
1:A:307:THR:HA	1:A:358:CYS:O	2.15	0.47
1:A:320:LYS:NZ	5:A:823:HOH:O	2.46	0.46
1:B:372:VAL:CG1	1:B:399:ILE:HD12	2.45	0.46
1:B:445:PRO:HG2	1:B:448:ILE:HD12	1.97	0.46
1:B:103:VAL:O	1:B:103:VAL:CG1	2.63	0.46
1:A:5:CYS:HB2	1:A:26:CYS:HB3	1.98	0.46
1:A:282:GLY:O	1:A:288:LYS:HD3	2.16	0.46
1:A:376:ILE:HG12	1:A:425:VAL:HG11	1.96	0.46
1:B:254:PRO:HB3	1:B:298:TYR:CE2	2.50	0.46
1:A:7:LEU:HD21	1:A:106:PHE:HB2	1.98	0.46
1:A:128:GLU:OE2	1:A:239:THR:N	2.40	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:183:THR:N	1:A:226:VAL:O	2.44	0.46
1:A:12:THR:HG21	1:A:25:LEU:O	2.16	0.45
1:B:502:ARG:NH2	5:B:832:HOH:O	2.50	0.45
1:A:127:THR:HG22	1:A:130:LEU:HB2	1.99	0.45
1:A:558:VAL:HG13	5:A:961:HOH:O	2.15	0.45
1:B:103:VAL:O	1:B:103:VAL:HG13	2.16	0.45
1:B:14:LEU:HB2	1:B:25:LEU:O	2.17	0.45
1:B:510:VAL:HG21	1:B:541:TYR:CG	2.52	0.45
1:A:37:THR:C	1:A:39:HIS:H	2.25	0.45
1:B:280:LEU:HD11	1:B:438:LEU:HG	1.99	0.44
1:A:59:ASP:OD1	1:A:61:THR:OG1	2.30	0.44
1:A:260:ASP:HA	1:A:263:SER:OG	2.18	0.43
1:B:378:MET:O	1:B:407:ALA:HB2	2.18	0.43
1:B:136:GLU:CD	1:B:234:PRO:HA	2.44	0.43
1:A:181:VAL:HG11	1:A:197:GLU:OE1	2.17	0.43
1:B:270:GLN:O	1:B:274:MET:HG3	2.18	0.43
1:A:405:LEU:HD13	1:A:534:ASP:OD1	2.18	0.43
1:A:585:LEU:HD22	1:A:587:PHE:CZ	2.54	0.43
1:B:516:ASN:ND2	5:B:835:HOH:O	2.50	0.43
1:A:4:ALA:O	1:A:24:PHE:CB	2.67	0.43
1:A:289:SER:O	1:A:293:ILE:HG12	2.18	0.43
1:A:5:CYS:C	1:A:7:LEU:H	2.26	0.43
1:B:452:VAL:HG13	1:B:565:ILE:HD11	2.01	0.43
1:A:44:SER:O	1:A:46:ASN:N	2.52	0.43
1:A:283:PRO:HG2	1:A:461:LEU:HD13	2.01	0.43
1:B:9:ASN:O	1:B:10:SER:C	2.62	0.42
1:B:63:LEU:C	1:B:64:TYR:CD1	2.97	0.42
1:A:451:THR:HG21	1:A:585:LEU:HD23	1.99	0.42
1:A:308:ALA:O	1:A:359:THR:HA	2.20	0.42
1:B:7:LEU:HD12	1:B:103:VAL:CG2	2.46	0.42
1:B:77:PRO:HB2	1:B:78:PRO:HD2	2.00	0.42
1:B:505:ALA:O	1:B:508:LYS:HG2	2.20	0.42
1:B:367:THR:HA	1:B:392:ARG:O	2.20	0.42
1:B:278:SER:HB2	1:B:436:MET:HE2	2.00	0.42
1:B:284:PRO:HG2	1:B:566:THR:HG21	2.02	0.42
1:A:12:THR:OG1	1:A:26:CYS:HA	2.20	0.42
1:A:64:TYR:O	1:A:70:TYR:HA	2.20	0.42
1:B:16:CYS:O	1:B:22:ARG:HA	2.19	0.41
1:A:512:ILE:HA	1:A:531:GLN:O	2.20	0.41
1:A:34:VAL:O	1:A:40:LYS:NZ	2.46	0.41
1:A:117:ALA:O	1:A:120:TYR:N	2.51	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:133:PHE:HA	5:B:849:HOH:O	2.20	0.41
1:B:217:TYR:HD1	1:A:217:TYR:CE1	2.39	0.41
1:B:12:THR:HG22	1:B:14:LEU:H	1.85	0.41
1:B:254:PRO:HB3	1:B:298:TYR:CZ	2.56	0.41
1:A:59:ASP:OD1	1:A:59:ASP:C	2.64	0.41
1:A:510:VAL:HG21	1:A:541:TYR:CG	2.56	0.41
1:A:252:LEU:HB3	1:A:299:TYR:CD2	2.55	0.41
1:B:15:ARG:HG3	1:B:24:PHE:CD2	2.55	0.41
1:A:351:THR:HG23	1:A:364:PRO:HG3	2.03	0.41
1:A:490:ARG:HB2	1:A:491:PRO:HD3	2.03	0.41
1:B:28:LYS:O	1:B:32:ASP:OD1	2.39	0.41
1:B:160:ASP:OD2	1:B:161:ARG:N	2.54	0.41
1:B:136:GLU:OE2	1:B:235:LEU:N	2.37	0.40
1:B:115:THR:HA	1:B:411:LEU:O	2.22	0.40
1:B:544:VAL:O	1:B:572:ILE:HA	2.22	0.40
1:B:50:CYS:SG	1:B:71:TYR:HA	2.61	0.40
1:B:177:ASN:HB3	1:B:516:ASN:ND2	2.37	0.40
1:B:414:LYS:NZ	5:B:845:HOH:O	2.55	0.40
1:A:18:ALA:HB1	1:A:39:HIS:CD2	2.55	0.40
1:B:5:CYS:SG	1:B:29:CYS:HB2	2.62	0.40
1:B:307:THR:HA	1:B:358:CYS:O	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	564/601 (94%)	523 (93%)	35 (6%)	6 (1%)	11	9
1	B	580/601 (96%)	534 (92%)	41 (7%)	5 (1%)	14	13
All	All	1144/1202 (95%)	1057 (92%)	76 (7%)	11 (1%)	12	11

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	27	CYS
1	A	45	VAL
1	A	195	ILE
1	A	218	LYS
1	A	484	VAL
1	B	10	SER
1	B	48	TYR
1	A	283	PRO
1	A	6	VAL
1	B	6	VAL
1	B	195	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	485/523 (93%)	474 (98%)	11 (2%)	44	58
1	B	498/523 (95%)	481 (97%)	17 (3%)	32	42
All	All	983/1046 (94%)	955 (97%)	28 (3%)	37	50

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	7	LEU
1	B	69	SER
1	B	96	THR
1	B	103	VAL
1	B	104	THR
1	B	155	ARG
1	B	188	THR
1	B	191	SER
1	B	192	LYS
1	B	215	THR
1	B	220	ASN
1	B	231	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	259	SER
1	B	289	SER
1	B	327	ILE
1	B	359	THR
1	B	486	SER
1	A	46	ASN
1	A	69	SER
1	A	156	GLU
1	A	201	GLU
1	A	259	SER
1	A	344	ASP
1	A	485	SER
1	A	502	ARG
1	A	517	SER
1	A	530	THR
1	A	589	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	51	ASN
1	B	177	ASN
1	B	179	ASN
1	B	268	ASN
1	B	459	ASN
1	B	470	GLN
1	B	482	HIS
1	B	516	ASN
1	A	586	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 12 ligands modelled in this entry, 6 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	VVG	B	702	-	13,13,13	0.54	0	18,18,18	1.14	2 (11%)
4	PO4	B	706	-	4,4,4	0.98	0	6,6,6	0.39	0
2	VVG	B	701	-	13,13,13	0.81	1 (7%)	18,18,18	0.55	0
4	PO4	B	707	-	4,4,4	1.11	0	6,6,6	0.49	0
4	PO4	A	704	-	4,4,4	0.83	0	6,6,6	0.87	0
4	PO4	A	705	-	4,4,4	0.98	0	6,6,6	0.61	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	VVG	B	701	-	-	0/8/8/8	0/1/1/1
2	VVG	B	702	-	-	7/8/8/8	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	701	VVG	C2-S1	2.55	1.79	1.76

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	702	VVG	C1-C2-S1	-3.08	107.82	112.55

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	702	VVG	O1-S1-C2	-2.83	104.53	108.70

There are no chirality outliers.


All (7) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	B	702	VVG	C1-C2-S1-N1
2	B	702	VVG	C1-C2-S1-O1
2	B	702	VVG	C1-C2-S1-O2
2	B	702	VVG	C4-C3-N1-S1
2	B	702	VVG	C3-N1-S1-O2
2	B	702	VVG	C8-C3-N1-S1
2	B	702	VVG	C3-N1-S1-C2

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	572/601 (95%)	0.62	59 (10%)	12 9	26, 56, 116, 161	0
1	B	585/601 (97%)	0.17	31 (5%)	32 29	22, 45, 95, 140	1 (0%)
All	All	1157/1202 (96%)	0.39	90 (7%)	19 16	22, 50, 107, 161	1 (0%)

All (90) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	219	LEU	5.6
1	A	336	ALA	5.3
1	A	592	ILE	4.6
1	B	193	VAL	4.2
1	B	45	VAL	4.2
1	B	214	THR	4.0
1	A	149	TYR	3.8
1	A	170	GLY	3.7
1	A	157	VAL	3.5
1	B	2	VAL	3.5
1	A	6	VAL	3.4
1	A	94	LYS	3.4
1	A	151	ILE	3.3
1	A	229	SER	3.3
1	A	169	VAL	3.3
1	A	228	THR	3.2
1	B	187	VAL	3.2
1	A	208	ALA	3.1
1	B	217	TYR	3.1
1	B	163	LEU	3.1
1	B	415	GLY	3.1
1	B	98	VAL	3.1
1	A	221	VAL	3.0
1	B	12	THR	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	230	HIS	3.0
1	A	185	TYR	2.9
1	A	225	PHE	2.9
1	B	340	VAL	2.9
1	A	334	ILE	2.9
1	B	78	PRO	2.9
1	A	181	VAL	2.8
1	A	202	LYS	2.8
1	A	81	PHE	2.8
1	A	176	LEU	2.8
1	A	155	ARG	2.7
1	A	154	VAL	2.7
1	B	7	LEU	2.7
1	A	247	VAL	2.7
1	A	231	THR	2.7
1	B	196	GLY	2.7
1	A	222	GLY	2.7
1	A	152	ALA	2.6
1	A	253	TYR	2.6
1	A	361	ASN	2.6
1	A	209	VAL	2.6
1	A	90	PHE	2.6
1	A	7	LEU	2.6
1	A	92	LEU	2.5
1	A	227	LEU	2.5
1	A	210	VAL	2.5
1	B	227	LEU	2.5
1	A	25	LEU	2.5
1	A	226	VAL	2.5
1	A	352	LEU	2.5
1	B	180	TYR	2.4
1	B	208	ALA	2.4
1	B	92	LEU	2.4
1	B	593	PRO	2.4
1	B	44	SER	2.4
1	B	592	ILE	2.4
1	A	256	LEU	2.3
1	A	396	TYR	2.3
1	A	182	PHE	2.3
1	B	102	ASN	2.3
1	A	167	TRP	2.3
1	A	217	TYR	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	258	ILE	2.3
1	A	224	TYR	2.3
1	A	12	THR	2.3
1	A	393	ALA	2.2
1	B	218	LYS	2.2
1	A	333	ILE	2.2
1	A	158	LEU	2.2
1	A	79	ILE	2.2
1	A	223	ASP	2.2
1	B	97	CYS	2.2
1	B	158	LEU	2.2
1	A	297	LEU	2.2
1	A	373	PHE	2.2
1	A	338	ALA	2.2
1	B	352	LEU	2.1
1	B	81	PHE	2.1
1	A	2	VAL	2.1
1	B	181	VAL	2.1
1	A	387	VAL	2.1
1	A	328	ASP	2.1
1	B	6	VAL	2.1
1	B	195	ILE	2.0
1	B	336	ALA	2.0
1	A	43	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	VVG	B	702	13/13	0.81	0.26	35,37,49,50	13
2	VVG	B	701	13/13	0.85	0.25	32,33,36,38	13
3	ZN	A	703	1/1	0.97	0.05	95,95,95,95	0
4	PO4	B	706	5/5	0.97	0.05	30,42,43,44	0
4	PO4	A	705	5/5	0.97	0.06	44,46,49,52	0
3	ZN	A	702	1/1	0.98	0.03	55,55,55,55	0
4	PO4	B	707	5/5	0.98	0.05	35,40,43,52	0
4	PO4	A	704	5/5	0.98	0.05	34,35,36,41	0
3	ZN	B	704	1/1	0.98	0.04	65,65,65,65	0
3	ZN	B	705	1/1	0.99	0.04	78,78,78,78	0
3	ZN	A	701	1/1	0.99	0.02	58,58,58,58	0
3	ZN	B	703	1/1	1.00	0.02	40,40,40,40	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around VVG B 702:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.