



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 12:48 PM UTC

PDB ID : 5RLL / pdb_00005rll
Title : PanDDA analysis group deposition – Crystal Structure of SARS-CoV-2 heli-
case in complex with Z425387594
Authors : Newman, J.A.; Yosaatmadja, Y.; Douangamath, A.; Aimon, A.; Powell, A.J.;
Dias, A.; Fearon, D.; Dunnett, L.; Brandao-Neto, J.; Krojer, T.; Skyner, R.;
Gorrie-Stone, T.; Thompson, W.; von Delft, F.; Arrowsmith, C.H.; Edwards,
A.; Bountra, C.; Gileadi, O.
Deposited on : 2020-09-16
Resolution : 2.08 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.08 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	8172 (2.10-2.06)
Clashscore	190562	8714 (2.10-2.06)
Ramachandran outliers	187476	8641 (2.10-2.06)
Sidechain outliers	187428	8642 (2.10-2.06)
RSRZ outliers	180081	8177 (2.10-2.06)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	601	12% 79% 16% • 5%
1	B	601	4% 78% 18% • •

Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 9417 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Helicase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	572	Total	C	N	O	S	0	0	0
			4417	2816	737	832	32			
1	B	585	Total	C	N	O	S	0	1	0
			4508	2875	750	848	35			

- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	3	Total	Zn	0	0
			3	3		
2	B	3	Total	Zn	0	0
			3	3		

- Molecule 3 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total O P 5 4 1	0	0
3	A	1	Total O P 5 4 1	0	0
3	B	1	Total O P 5 4 1	0	0
3	B	1	Total O P 5 4 1	0	0

- Molecule 4 is 1-(2-ethoxyphenyl)piperazine (CCD ID: H04) (formula: C₁₂H₁₈N₂O) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	1	Total C N O 15 12 2 1	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	200	Total O 200 200	0	0
5	B	251	Total O 251 251	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Helicase



• Molecule 1: Helicase



VAL
ALA
THR
LEU
GLN

4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	59.28Å 70.22Å 85.49Å 102.36° 96.23° 112.60°	Depositor
Resolution (Å)	81.62 – 2.08 81.62 – 2.08	Depositor EDS
% Data completeness (in resolution range)	95.2 (81.62-2.08) 95.3 (81.62-2.08)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.04 (at 2.08Å)	Xtriage
Refinement program	REFMAC 5.8.0258	Depositor
R, R_{free}	0.215 , 0.267 0.230 , 0.279	Depositor DCC
R_{free} test set	3754 reflections (5.14%)	wwPDB-VP
Wilson B-factor (Å ²)	36.9	Xtriage
Anisotropy	0.237	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 37.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	9417	wwPDB-VP
Average B, all atoms (Å ²)	59.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.03% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, ZN, H04

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.09	0/4517	1.42	3/6156 (0.0%)
1	B	1.07	0/4610	1.41	4/6283 (0.1%)
All	All	1.08	0/9127	1.41	7/12439 (0.1%)

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	374	ASP	CA-CB-CG	6.13	118.73	112.60
1	B	406	PRO	CA-C-O	-5.67	114.99	121.96
1	B	415	GLY	CA-C-O	-5.37	118.53	122.23
1	A	587	PHE	CA-CB-CG	5.28	119.08	113.80
1	A	335	PRO	CA-C-N	5.06	127.32	120.38
1	A	335	PRO	C-N-CA	5.06	127.32	120.38
1	B	560	ARG	N-CA-C	-5.03	105.87	111.36

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4417	0	4321	48	0
1	B	4508	0	4425	62	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	3	0	0	0	0
2	B	3	0	0	0	0
3	A	10	0	0	0	0
3	B	10	0	0	0	0
4	B	15	0	0	0	0
5	A	200	0	0	5	0
5	B	251	0	0	11	0
All	All	9417	0	8746	108	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (108) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:60:VAL:HB	5:A:897:HOH:O	1.85	0.76
1:B:271:LYS:NZ	5:B:802:HOH:O	2.18	0.76
1:B:279:THR:HB	1:B:429:MET:HE2	1.69	0.74
1:A:510:VAL:HG21	1:A:541:TYR:CD1	2.23	0.73
1:B:510:VAL:HG21	1:B:541:TYR:CD1	2.26	0.71
1:B:12:THR:HG21	1:B:26:CYS:HA	1.73	0.71
1:B:554:HIS:ND1	5:B:804:HOH:O	2.25	0.70
1:B:48:TYR:O	5:B:801:HOH:O	2.14	0.66
1:B:27:CYS:SG	5:B:879:HOH:O	2.48	0.64
1:A:519:ASN:HB3	1:A:530:THR:CG2	2.28	0.63
1:B:195:ILE:HG23	1:B:195:ILE:O	1.99	0.62
1:A:519:ASN:HB3	1:A:530:THR:HG23	1.80	0.62
1:B:508:LYS:HD3	5:B:862:HOH:O	1.99	0.62
1:B:252:LEU:HB3	1:B:299:TYR:CD1	2.36	0.61
1:B:2:VAL:N	5:B:812:HOH:O	2.35	0.60
1:A:277:TYR:HA	1:A:396:TYR:O	2.00	0.60
1:A:368:ALA:O	1:A:393:ALA:HA	2.03	0.59
1:B:512:ILE:O	1:B:546:PHE:HA	2.04	0.58
1:B:220:ASN:O	1:B:223:ASP:OD2	2.22	0.57
1:B:7:LEU:HD13	1:B:103:VAL:HG22	1.85	0.57
1:B:12:THR:CG2	1:B:26:CYS:HA	2.36	0.55
1:B:8:CYS:SG	1:B:99:GLY:N	2.79	0.55
1:B:86:ASN:HB3	5:B:1009:HOH:O	2.07	0.55
1:B:278:SER:HB2	1:B:436:MET:HE2	1.89	0.55
1:A:275:GLN:O	1:A:395:HIS:ND1	2.38	0.54
1:B:504:PRO:HB3	1:B:507:ARG:HH21	1.71	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:157:VAL:HG21	1:B:220:ASN:HA	1.90	0.53
1:A:304:ILE:HA	1:A:370:ILE:O	2.08	0.53
1:A:312:ALA:HB1	5:A:973:HOH:O	2.09	0.53
1:A:200:PHE:N	5:A:804:HOH:O	2.30	0.52
1:B:32:ASP:O	1:B:36:SER:OG	2.26	0.52
1:A:352:LEU:HD11	1:B:234:PRO:HD3	1.91	0.52
1:B:276:LYS:NZ	5:B:816:HOH:O	2.42	0.52
1:B:474[B]:MET:HG2	1:B:590:LEU:HB2	1.90	0.52
1:B:504:PRO:HB3	1:B:507:ARG:NH2	2.23	0.52
1:B:13:SER:HG	1:B:44:SER:HG	1.59	0.51
1:B:177:ASN:HB3	1:B:516:ASN:ND2	2.25	0.51
1:A:329:LYS:HE2	1:A:354:GLN:OE1	2.10	0.51
1:B:315:ASP:O	1:B:318:CYS:HB2	2.12	0.51
1:B:133:PHE:HA	5:B:938:HOH:O	2.12	0.50
1:A:512:ILE:O	1:A:546:PHE:HA	2.12	0.49
1:B:15:ARG:HG3	1:B:24:PHE:CD2	2.47	0.49
1:A:445:PRO:HD2	1:A:448:ILE:HD12	1.94	0.49
1:B:277:TYR:HA	1:B:396:TYR:O	2.13	0.49
1:B:254:PRO:HB3	1:B:298:TYR:CE2	2.48	0.49
1:A:7:LEU:HD13	1:A:103:VAL:HG22	1.95	0.49
1:A:59:ASP:OD1	1:A:61:THR:OG1	2.28	0.48
1:B:14:LEU:HB2	1:B:25:LEU:O	2.14	0.48
1:A:163:LEU:HD12	1:A:209:VAL:HG12	1.96	0.48
1:A:329:LYS:HB2	1:A:329:LYS:HZ3	1.78	0.47
1:A:139:LYS:O	1:A:143:GLU:HG2	2.14	0.47
1:A:19:CYS:HB2	1:A:23:PRO:HD2	1.97	0.46
1:B:195:ILE:O	1:B:195:ILE:CG2	2.63	0.46
1:B:279:THR:HB	1:B:429:MET:CE	2.43	0.46
1:B:510:VAL:HG21	1:B:541:TYR:CG	2.51	0.46
1:B:459:ASN:HA	5:B:814:HOH:O	2.15	0.46
1:B:377:SER:O	1:B:406:PRO:HA	2.16	0.46
1:A:319:GLU:OE2	1:A:319:GLU:HA	2.15	0.46
1:B:19:CYS:SG	1:B:110:ALA:HB1	2.56	0.46
1:A:269:TYR:OH	1:A:294:GLY:HA3	2.16	0.45
1:B:115:THR:HA	1:B:411:LEU:O	2.16	0.45
1:A:280:LEU:HD11	1:A:438:LEU:HG	1.97	0.45
1:B:102:ASN:C	1:B:104:THR:H	2.24	0.45
1:A:376:ILE:HG12	1:A:425:VAL:HG11	1.98	0.45
1:A:235:LEU:HD21	1:A:382:TYR:CE2	2.51	0.45
1:A:297:LEU:HD11	1:A:324:TYR:HB3	1.99	0.45
1:B:167:TRP:CZ3	1:B:174:PRO:HD2	2.52	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:64:TYR:CD1	1:B:64:TYR:N	2.85	0.45
1:B:448:ILE:HD13	1:B:565:ILE:O	2.17	0.44
1:B:26:CYS:O	1:B:27:CYS:C	2.60	0.44
1:A:252:LEU:HB3	1:A:299:TYR:CD2	2.53	0.43
1:A:331:SER:HB2	1:A:353:GLU:HG3	2.00	0.43
1:A:451:THR:HG21	1:A:585:LEU:HD23	2.00	0.43
1:B:154:VAL:HG13	1:B:163:LEU:HD22	1.99	0.43
1:B:465:LYS:NZ	5:B:807:HOH:O	2.31	0.43
1:A:276:LYS:O	1:A:395:HIS:HA	2.18	0.43
1:A:519:ASN:HB3	1:A:530:THR:HG21	1.99	0.43
1:B:333:ILE:HB	1:B:358:CYS:SG	2.58	0.43
1:B:451:THR:HG21	1:B:585:LEU:HD23	1.99	0.43
1:A:200:PHE:HA	1:A:210:VAL:O	2.19	0.43
1:A:367:THR:HA	1:A:392:ARG:O	2.18	0.43
1:B:505:ALA:O	1:B:508:LYS:HG2	2.19	0.43
1:B:519:ASN:HD21	1:B:531:GLN:C	2.27	0.43
1:B:269:TYR:CD1	1:B:295:LEU:HD13	2.54	0.43
1:A:16:CYS:O	1:A:22:ARG:HA	2.18	0.42
1:B:183:THR:O	1:B:225:PHE:HA	2.19	0.42
1:A:376:ILE:HD12	1:A:376:ILE:HA	1.89	0.42
1:B:492:GLN:O	1:B:496:VAL:HG23	2.19	0.42
1:A:333:ILE:HB	1:A:358:CYS:SG	2.60	0.42
1:B:544:VAL:O	1:B:572:ILE:HA	2.20	0.42
1:B:49:VAL:HG23	1:B:58:THR:HG22	2.01	0.42
1:A:269:TYR:CD1	1:A:295:LEU:HD13	2.55	0.41
1:A:287:GLY:HA2	5:A:866:HOH:O	2.20	0.41
1:A:215:THR:HG22	1:B:193:VAL:HG21	2.01	0.41
1:A:14:LEU:HB2	1:A:25:LEU:O	2.19	0.41
1:B:401:ASP:OD2	1:B:457:TYR:OH	2.36	0.41
1:A:1:ALA:HB3	5:A:989:HOH:O	2.19	0.41
1:B:103:VAL:O	1:B:103:VAL:CG1	2.69	0.41
1:A:4:ALA:O	1:A:24:PHE:HB2	2.21	0.41
1:A:12:THR:HG21	1:A:26:CYS:HA	2.02	0.41
1:A:158:LEU:HD12	1:A:162:GLU:HB3	2.03	0.41
1:A:254:PRO:HA	1:A:298:TYR:O	2.21	0.41
1:A:533:VAL:HG11	1:A:560:ARG:O	2.20	0.41
1:B:386:VAL:O	1:B:390:ARG:HG2	2.20	0.41
1:A:409:ARG:NH2	1:A:422:PHE:O	2.53	0.41
1:B:83:LEU:O	1:B:89:VAL:HA	2.21	0.40
1:A:130:LEU:HD23	1:A:130:LEU:HA	1.87	0.40
1:B:376:ILE:HG12	1:B:425:VAL:HG11	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	564/601 (94%)	530 (94%)	28 (5%)	6 (1%)	11	7
1	B	580/601 (96%)	532 (92%)	46 (8%)	2 (0%)	36	36
All	All	1144/1202 (95%)	1062 (93%)	74 (6%)	8 (1%)	18	14

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	484	VAL
1	B	48	TYR
1	A	195	ILE
1	A	218	LYS
1	A	10	SER
1	A	219	LEU
1	B	27	CYS
1	A	283	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	485/523 (93%)	466 (96%)	19 (4%)	28	29
1	B	498/523 (95%)	475 (95%)	23 (5%)	24	23

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
All	All	983/1046 (94%)	941 (96%)	42 (4%)	26	26

All (42) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	12	THR
1	A	35	ILE
1	A	46	ASN
1	A	51	ASN
1	A	79	ILE
1	A	156	GLU
1	A	157	VAL
1	A	162	GLU
1	A	173	ARG
1	A	209	VAL
1	A	226	VAL
1	A	247	VAL
1	A	255	THR
1	A	344	ASP
1	A	365	GLU
1	A	485	SER
1	A	502	ARG
1	A	517	SER
1	A	530	THR
1	B	12	THR
1	B	51	ASN
1	B	69	SER
1	B	92	LEU
1	B	96	THR
1	B	103	VAL
1	B	124	ASN
1	B	144	THR
1	B	164	HIS
1	B	177	ASN
1	B	179	ASN
1	B	191	SER
1	B	192	LYS
1	B	195	ILE
1	B	256	LEU
1	B	275	GLN
1	B	278	SER
1	B	289	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	301	SER
1	B	353	GLU
1	B	361	ASN
1	B	484	VAL
1	B	592	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	179	ASN
1	A	230	HIS
1	A	270	GLN
1	A	404	GLN
1	B	75	HIS
1	B	179	ASN
1	B	268	ASN
1	B	459	ASN
1	B	470	GLN
1	B	516	ASN
1	B	519	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 11 ligands modelled in this entry, 6 are monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	PO4	B	706	-	4,4,4	0.93	0	6,6,6	0.82	0
3	PO4	B	705	-	4,4,4	1.31	0	6,6,6	0.64	0
3	PO4	A	705	-	4,4,4	0.91	0	6,6,6	0.69	0
4	H04	B	701	-	16,16,16	0.81	1 (6%)	20,20,20	1.12	2 (10%)
3	PO4	A	704	-	4,4,4	0.46	0	6,6,6	0.84	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	H04	B	701	-	-	2/7/15/15	0/2/2/2

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	701	H04	C8-N1	-3.03	1.34	1.41

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	701	H04	C9-N1-C8	2.78	122.79	116.19
4	B	701	H04	C12-N1-C8	2.64	122.44	116.19

There are no chirality outliers.


All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	701	H04	C3-C8-N1-C9
4	B	701	H04	C7-C8-N1-C9

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	572/601 (95%)	0.73	70 (12%) 8 9	27, 60, 130, 167	0
1	B	585/601 (97%)	0.27	26 (4%) 39 40	22, 47, 99, 126	1 (0%)
All	All	1157/1202 (96%)	0.50	96 (8%) 17 18	22, 54, 119, 167	1 (0%)

All (96) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	592	ILE	5.4
1	B	2	VAL	4.6
1	A	1	ALA	4.5
1	A	219	LEU	4.5
1	A	225	PHE	4.2
1	A	247	VAL	3.7
1	B	592	ILE	3.6
1	A	336	ALA	3.6
1	A	7	LEU	3.6
1	A	92	LEU	3.6
1	A	256	LEU	3.6
1	A	6	VAL	3.5
1	A	352	LEU	3.4
1	A	208	ALA	3.4
1	A	167	TRP	3.3
1	A	169	VAL	3.2
1	A	210	VAL	3.2
1	A	176	LEU	3.2
1	B	217	TYR	3.2
1	B	193	VAL	3.1
1	B	340	VAL	3.1
1	A	185	TYR	3.1
1	A	81	PHE	3.1
1	A	229	SER	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	593	PRO	3.1
1	A	195	ILE	3.0
1	A	149	TYR	3.0
1	A	226	VAL	2.9
1	B	187	VAL	2.9
1	A	94	LYS	2.9
1	B	208	ALA	2.9
1	A	103	VAL	2.9
1	A	43	LEU	2.8
1	A	258	ILE	2.8
1	A	181	VAL	2.8
1	B	97	CYS	2.8
1	B	12	THR	2.7
1	A	155	ARG	2.7
1	A	2	VAL	2.7
1	A	202	LYS	2.7
1	A	182	PHE	2.7
1	A	157	VAL	2.7
1	B	7	LEU	2.6
1	A	152	ALA	2.6
1	B	336	ALA	2.6
1	A	338	ALA	2.6
1	B	98	VAL	2.6
1	A	153	THR	2.5
1	A	158	LEU	2.5
1	A	334	ILE	2.5
1	A	13	SER	2.5
1	A	154	VAL	2.5
1	B	176	LEU	2.5
1	A	49	VAL	2.4
1	A	232	VAL	2.4
1	A	12	THR	2.4
1	A	333	ILE	2.4
1	A	45	VAL	2.4
1	B	57	VAL	2.4
1	A	215	THR	2.4
1	B	196	GLY	2.4
1	A	200	PHE	2.4
1	A	230	HIS	2.4
1	B	203	GLY	2.3
1	A	347	LYS	2.3
1	A	370	ILE	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	209	VAL	2.3
1	A	340	VAL	2.3
1	A	151	ILE	2.3
1	B	195	ILE	2.3
1	B	91	GLY	2.3
1	B	92	LEU	2.3
1	B	219	LEU	2.3
1	A	180	TYR	2.2
1	A	198	TYR	2.2
1	A	396	TYR	2.2
1	A	165	LEU	2.2
1	A	224	TYR	2.2
1	A	362	ALA	2.2
1	A	348	VAL	2.1
1	B	45	VAL	2.1
1	A	163	LEU	2.1
1	A	508	LYS	2.1
1	A	199	THR	2.1
1	A	179	ASN	2.1
1	A	253	TYR	2.1
1	A	305	VAL	2.1
1	B	229	SER	2.1
1	B	198	TYR	2.1
1	A	24	PHE	2.1
1	A	371	VAL	2.1
1	B	230	HIS	2.0
1	A	304	ILE	2.0
1	A	346	PHE	2.0
1	A	44	SER	2.0
1	B	163	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	H04	B	701	15/15	0.89	0.18	44,50,52,52	15
3	PO4	B	705	5/5	0.95	0.07	37,42,45,50	0
3	PO4	A	705	5/5	0.96	0.06	48,48,52,54	0
3	PO4	B	706	5/5	0.97	0.07	35,36,40,46	0
3	PO4	A	704	5/5	0.97	0.05	36,41,42,47	0
2	ZN	B	703	1/1	0.98	0.04	74,74,74,74	0
2	ZN	A	702	1/1	0.98	0.03	50,50,50,50	0
2	ZN	A	703	1/1	0.98	0.04	95,95,95,95	0
2	ZN	B	704	1/1	0.99	0.03	84,84,84,84	0
2	ZN	B	702	1/1	0.99	0.02	43,43,43,43	0
2	ZN	A	701	1/1	0.99	0.03	59,59,59,59	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around H04 B 701:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.