



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 05:27 PM UTC

PDB ID : 5RLV / pdb_00005rlv
Title : PanDDA analysis group deposition – Crystal Structure of SARS-CoV-2 heli-
case in complex with Z2467208649
Authors : Newman, J.A.; Yosaatmadja, Y.; Douangamath, A.; Aimon, A.; Powell, A.J.;
Dias, A.; Fearon, D.; Dunnett, L.; Brandao-Neto, J.; Krojer, T.; Skyner, R.;
Gorrie-Stone, T.; Thompson, W.; von Delft, F.; Arrowsmith, C.H.; Edwards,
A.; Bountra, C.; Gileadi, O.
Deposited on : 2020-09-16
Resolution : 2.21 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.21 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7682 (2.24-2.20)
Clashscore	190562	8402 (2.24-2.20)
Ramachandran outliers	187476	8303 (2.24-2.20)
Sidechain outliers	187428	8304 (2.24-2.20)
RSRZ outliers	180081	7683 (2.24-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	601	12% 77% 17% • 5%
1	B	601	3% 79% 17% • •

Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 9441 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Helicase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	572	Total	C	N	O	S	0	0	0
			4417	2816	737	832	32			
1	B	585	Total	C	N	O	S	0	1	0
			4508	2875	750	848	35			

- Molecule 2 is N-(propan-2-yl)-1H-benzimidazol-2-amine (CCD ID: VWJ) (formula: $C_{10}H_{13}N_3$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	N	0	0
			13	10	3		
2	A	1	Total	C	N	0	0
			13	10	3		
2	B	1	Total	C	N	0	0
			13	10	3		

- Molecule 3 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	3	Total	Zn	0	0
			3	3		
3	B	3	Total	Zn	0	0
			3	3		

- Molecule 4 is PHOSPHATE ION (CCD ID: PO4) (formula: O_4P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	P	0	0
			5	4	1		
4	A	1	Total	O	P	0	0
			5	4	1		
4	B	1	Total	O	P	0	0
			5	4	1		
4	B	1	Total	O	P	0	0
			5	4	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	208	Total	O	0	0
			208	208		
5	B	243	Total	O	0	0
			243	243		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Helicase



• Molecule 1: Helicase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	59.08Å 70.27Å 85.69Å 102.70° 96.47° 112.26°	Depositor
Resolution (Å)	81.60 – 2.21 81.60 – 2.21	Depositor EDS
% Data completeness (in resolution range)	96.6 (81.60-2.21) 96.7 (81.60-2.21)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.41 (at 2.20Å)	Xtriage
Refinement program	REFMAC 5.8.0258	Depositor
R, R_{free}	0.201 , 0.260 0.216 , 0.269	Depositor DCC
R_{free} test set	3152 reflections (5.17%)	wwPDB-VP
Wilson B-factor (Å ²)	38.7	Xtriage
Anisotropy	0.168	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 41.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	9441	wwPDB-VP
Average B, all atoms (Å ²)	61.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.35% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, VWJ, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.08	0/4517	1.42	1/6156 (0.0%)
1	B	1.06	1/4610 (0.0%)	1.38	4/6283 (0.1%)
All	All	1.07	1/9127 (0.0%)	1.40	5/12439 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	316	ALA	C-O	5.02	1.29	1.24

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	415	GLY	CA-C-O	-5.83	117.91	122.52
1	A	587	PHE	CA-CB-CG	5.32	119.12	113.80
1	B	103	VAL	CA-C-N	5.22	127.54	120.44
1	B	103	VAL	C-N-CA	5.22	127.54	120.44
1	B	530	THR	CA-CB-OG1	-5.11	101.94	109.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4417	0	4321	55	0
1	B	4508	0	4425	63	0
2	A	26	0	0	0	0
2	B	13	0	0	1	0
3	A	3	0	0	0	0
3	B	3	0	0	0	0
4	A	10	0	0	0	0
4	B	10	0	0	0	0
5	A	208	0	0	4	1
5	B	243	0	0	6	1
All	All	9441	0	8746	119	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (119) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:27:CYS:SG	5:B:874:HOH:O	2.17	1.03
1:B:460:LYS:NZ	5:B:801:HOH:O	1.91	0.99
2:B:701:VWJ:N2	5:B:802:HOH:O	2.12	0.81
1:A:368:ALA:O	1:A:393:ALA:HA	1.86	0.74
1:B:510:VAL:HG21	1:B:541:TYR:CD1	2.23	0.74
1:B:279:THR:HB	1:B:429:MET:HE2	1.70	0.73
1:B:278:SER:HB2	1:B:436:MET:HE2	1.74	0.70
1:B:124:ASN:OD1	1:B:381:ASN:ND2	2.24	0.69
1:A:60:VAL:HB	5:A:930:HOH:O	1.91	0.69
1:A:519:ASN:HB3	1:A:530:THR:HG23	1.76	0.68
1:A:264:SER:OG	5:A:801:HOH:O	2.13	0.66
1:A:329:LYS:HE2	1:A:354:GLN:OE1	1.96	0.65
1:A:331:SER:HB2	1:A:353:GLU:HG3	1.79	0.65
1:A:510:VAL:HG21	1:A:541:TYR:CD1	2.31	0.64
1:B:504:PRO:HB3	1:B:507:ARG:HH21	1.62	0.64
1:B:13:SER:OG	1:B:44:SER:OG	2.16	0.64
1:B:8:CYS:SG	1:B:99:GLY:O	2.57	0.63
1:B:92:LEU:HB3	1:B:93:TYR:CD2	2.34	0.63
1:B:12:THR:CG2	1:B:26:CYS:HA	2.31	0.61
1:A:269:TYR:OH	1:A:294:GLY:HA3	2.01	0.60
1:B:7:LEU:HD22	1:B:103:VAL:HG23	1.83	0.60
1:B:277:TYR:HA	1:B:396:TYR:O	2.02	0.60
1:B:12:THR:HG21	1:B:26:CYS:HA	1.84	0.59
1:B:195:ILE:HG23	1:B:195:ILE:O	2.02	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:183:THR:OG1	1:B:228:THR:OG1	2.21	0.58
1:A:519:ASN:HB3	1:A:530:THR:CG2	2.33	0.58
1:A:13:SER:OG	1:A:44:SER:OG	2.10	0.58
1:B:102:ASN:C	1:B:104:THR:H	2.12	0.58
1:B:252:LEU:HB3	1:B:299:TYR:CD1	2.40	0.57
1:B:187:VAL:HG23	5:B:862:HOH:O	2.06	0.55
1:A:277:TYR:HA	1:A:396:TYR:O	2.07	0.55
1:A:275:GLN:O	1:A:395:HIS:ND1	2.38	0.55
1:A:235:LEU:HD21	1:A:382:TYR:CE2	2.42	0.54
1:A:200:PHE:N	5:A:806:HOH:O	2.31	0.54
1:A:326:PRO:HD2	1:A:329:LYS:HZ1	1.72	0.54
1:A:127:THR:O	1:A:131:LYS:HG3	2.07	0.53
1:B:34:VAL:O	1:B:40:LYS:NZ	2.41	0.53
1:A:139:LYS:O	1:A:143:GLU:HG2	2.07	0.53
1:A:512:ILE:O	1:A:546:PHE:HA	2.09	0.53
1:A:6:VAL:O	1:A:6:VAL:HG23	2.09	0.52
1:A:158:LEU:HD12	1:A:162:GLU:HB3	1.91	0.52
1:A:20:ILE:HD11	1:A:140:ALA:HB3	1.93	0.51
1:B:474[A]:MET:SD	1:B:495:VAL:HG11	2.51	0.50
1:B:8:CYS:O	1:B:9:ASN:HB2	2.11	0.50
1:B:10:SER:O	1:B:11:GLN:O	2.29	0.49
1:A:177:ASN:ND2	1:A:179:ASN:HD22	2.11	0.49
1:A:296:ALA:O	1:A:300:PRO:HA	2.12	0.48
1:A:445:PRO:HD2	1:A:448:ILE:HD12	1.94	0.48
1:B:451:THR:HG21	1:B:585:LEU:HD23	1.95	0.48
1:B:10:SER:O	1:B:11:GLN:C	2.56	0.48
1:B:163:LEU:HG	1:B:211:TYR:CD2	2.49	0.48
1:B:195:ILE:O	1:B:195:ILE:CG2	2.61	0.48
1:B:477:LYS:NZ	1:B:551:GLU:OE2	2.41	0.48
1:B:376:ILE:HG22	1:B:400:GLY:HA3	1.95	0.48
1:A:59:ASP:OD1	1:A:61:THR:OG1	2.26	0.48
1:A:367:THR:HG22	1:A:392:ARG:HB3	1.96	0.48
1:B:510:VAL:HG21	1:B:541:TYR:CG	2.48	0.48
1:B:508:LYS:HD2	5:B:961:HOH:O	2.13	0.47
1:B:177:ASN:HB2	1:B:516:ASN:ND2	2.30	0.47
1:B:115:THR:HA	1:B:411:LEU:O	2.15	0.47
1:B:425:VAL:HG12	1:B:429:MET:HE3	1.97	0.47
1:B:8:CYS:HB3	1:B:10:SER:OG	2.16	0.46
1:A:327:ILE:HD11	1:A:345:LYS:O	2.16	0.46
1:A:290:HIS:HA	1:A:320:LYS:HE2	1.98	0.46
1:B:13:SER:O	1:B:44:SER:HA	2.15	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:19:CYS:HB2	1:A:23:PRO:HD2	1.98	0.46
1:B:371:VAL:HG23	1:B:393:ALA:HB2	1.98	0.46
1:B:167:TRP:CZ3	1:B:174:PRO:HD2	2.51	0.46
1:B:429:MET:O	1:B:433:GLY:HA2	2.17	0.45
1:A:9:ASN:O	1:A:10:SER:C	2.59	0.45
1:A:63:LEU:HB2	1:A:83:LEU:HD12	1.98	0.45
1:A:140:ALA:O	1:A:144:THR:HG23	2.17	0.45
1:B:443:ARG:O	1:B:569:LYS:HA	2.17	0.45
1:A:490:ARG:HB2	1:A:491:PRO:HD3	1.99	0.45
1:A:276:LYS:O	1:A:395:HIS:HA	2.17	0.45
1:B:347:LYS:HD2	1:B:353:GLU:OE2	2.18	0.44
1:B:83:LEU:O	1:B:89:VAL:HA	2.18	0.44
1:A:304:ILE:HA	1:A:370:ILE:O	2.17	0.44
1:B:2:VAL:N	5:B:831:HOH:O	2.51	0.44
1:B:563:VAL:O	1:B:567:ARG:HG2	2.17	0.44
1:A:1:ALA:N	5:A:803:HOH:O	2.24	0.44
1:B:8:CYS:SG	1:B:99:GLY:N	2.90	0.44
1:A:244:GLU:HB2	1:A:276:LYS:HB2	2.01	0.43
1:A:4:ALA:O	1:A:24:PHE:HB2	2.17	0.43
1:A:31:TYR:CD2	1:A:87:GLY:HA2	2.53	0.43
1:A:303:ARG:NH1	1:A:353:GLU:O	2.51	0.43
1:B:31:TYR:CD2	1:B:87:GLY:HA2	2.54	0.43
1:B:14:LEU:HB2	1:B:25:LEU:O	2.19	0.43
1:A:376:ILE:HG12	1:A:425:VAL:HG11	2.00	0.43
1:B:31:TYR:CE2	1:B:87:GLY:HA2	2.53	0.43
1:B:46:ASN:HB2	1:B:70:TYR:HE1	1.83	0.43
1:A:456:VAL:HG23	1:A:457:TYR:CD2	2.55	0.42
1:B:474[B]:MET:HG2	1:B:590:LEU:HB2	2.00	0.42
1:B:503:ASN:N	1:B:504:PRO:CD	2.82	0.42
1:B:376:ILE:HG12	1:B:425:VAL:HG11	2.01	0.42
1:A:14:LEU:HB2	1:A:25:LEU:O	2.19	0.42
1:A:72:CYS:SG	1:A:74:SER:HB2	2.59	0.42
1:A:63:LEU:CB	1:A:83:LEU:HD12	2.50	0.42
1:A:304:ILE:HG12	1:A:370:ILE:HB	2.02	0.42
1:A:367:THR:HA	1:A:392:ARG:O	2.20	0.42
1:B:4:ALA:O	1:B:24:PHE:HB2	2.19	0.41
1:B:512:ILE:O	1:B:546:PHE:HA	2.20	0.41
1:B:28:LYS:O	1:B:32:ASP:OD1	2.37	0.41
1:B:50:CYS:SG	1:B:71:TYR:HA	2.61	0.41
1:B:188:THR:O	1:B:189:LYS:C	2.64	0.41
1:A:127:THR:HG22	1:A:130:LEU:HD12	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:7:LEU:HD22	1:A:103:VAL:HG22	2.02	0.41
1:A:83:LEU:O	1:A:89:VAL:HA	2.20	0.41
1:A:531:GLN:HE21	1:A:531:GLN:HA	1.85	0.41
1:B:64:TYR:CD1	1:B:64:TYR:N	2.89	0.41
1:B:177:ASN:CB	1:B:516:ASN:ND2	2.84	0.41
1:B:262:PHE:CE2	1:B:297:LEU:HD12	2.56	0.41
1:A:175:PRO:HD2	1:A:180:TYR:CE2	2.56	0.41
1:A:511:PHE:CD2	1:A:511:PHE:C	2.99	0.41
1:B:304:ILE:HA	1:B:370:ILE:O	2.22	0.40
1:B:368:ALA:O	1:B:393:ALA:HA	2.21	0.40
1:A:31:TYR:CE2	1:A:87:GLY:HA2	2.56	0.40
1:A:512:ILE:HA	1:A:531:GLN:O	2.22	0.40
1:B:531:GLN:OE1	1:B:535:SER:OG	2.36	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:958:HOH:O	5:B:970:HOH:O[1_554]	2.19	0.01

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	564/601 (94%)	528 (94%)	31 (6%)	5 (1%)	14	13
1	B	580/601 (96%)	543 (94%)	33 (6%)	4 (1%)	18	18
All	All	1144/1202 (95%)	1071 (94%)	64 (6%)	9 (1%)	16	15

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	11	GLN
1	A	6	VAL
1	A	484	VAL
1	B	103	VAL
1	A	10	SER
1	A	283	PRO
1	B	45	VAL
1	B	221	VAL
1	A	196	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	485/523 (93%)	461 (95%)	24 (5%)	22	27
1	B	498/523 (95%)	479 (96%)	19 (4%)	29	38
All	All	983/1046 (94%)	940 (96%)	43 (4%)	25	32

All (43) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	12	THR
1	A	35	ILE
1	A	46	ASN
1	A	51	ASN
1	A	69	SER
1	A	79	ILE
1	A	81	PHE
1	A	157	VAL
1	A	162	GLU
1	A	173	ARG
1	A	194	GLN
1	A	209	VAL
1	A	217	TYR
1	A	247	VAL
1	A	255	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	337	ARG
1	A	344	ASP
1	A	366	THR
1	A	367	THR
1	A	442	ARG
1	A	498	GLU
1	A	502	ARG
1	A	530	THR
1	A	531	GLN
1	B	7	LEU
1	B	11	GLN
1	B	12	THR
1	B	13	SER
1	B	69	SER
1	B	96	THR
1	B	124	ASN
1	B	158	LEU
1	B	160	ASP
1	B	179	ASN
1	B	191	SER
1	B	195	ILE
1	B	219	LEU
1	B	220	ASN
1	B	247	VAL
1	B	259	SER
1	B	347	LYS
1	B	351	THR
1	B	484	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	9	ASN
1	A	11	GLN
1	A	51	ASN
1	A	88	GLN
1	A	179	ASN
1	A	230	HIS
1	A	404	GLN
1	A	459	ASN
1	A	531	GLN
1	B	51	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	179	ASN
1	B	268	ASN
1	B	459	ASN
1	B	470	GLN
1	B	516	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 13 ligands modelled in this entry, 6 are monoatomic - leaving 7 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	VWJ	A	701	-	14,14,14	0.37	0	17,19,19	0.66	0
4	PO4	B	706	-	4,4,4	0.99	0	6,6,6	0.47	0
2	VWJ	B	701	-	14,14,14	0.44	0	17,19,19	0.73	0
4	PO4	B	705	-	4,4,4	0.89	0	6,6,6	0.44	0
2	VWJ	A	702	-	14,14,14	0.39	0	17,19,19	0.66	0
4	PO4	A	706	-	4,4,4	0.92	0	6,6,6	0.67	0
4	PO4	A	707	-	4,4,4	0.97	0	6,6,6	0.54	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	VWJ	A	701	-	-	3/4/4/4	0/2/2/2
2	VWJ	B	701	-	-	3/4/4/4	0/2/2/2
2	VWJ	A	702	-	-	3/4/4/4	0/2/2/2

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	701	VWJ	N3-C4-N1-C2
2	A	701	VWJ	N2-C4-N1-C2
2	A	702	VWJ	N3-C4-N1-C2
2	A	702	VWJ	N2-C4-N1-C2
2	A	702	VWJ	C3-C2-N1-C4
2	B	701	VWJ	N2-C4-N1-C2
2	B	701	VWJ	C1-C2-N1-C4
2	A	701	VWJ	C3-C2-N1-C4
2	B	701	VWJ	N3-C4-N1-C2


There are no ring outliers.


1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	701	VWJ	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient

equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	572/601 (95%)	0.67	73 (12%) 7 6	27, 63, 131, 167	0
1	B	585/601 (97%)	0.06	20 (3%) 48 45	21, 46, 100, 160	1 (0%)
All	All	1157/1202 (96%)	0.37	93 (8%) 18 16	21, 54, 121, 167	1 (0%)

All (93) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	592	ILE	4.3
1	A	208	ALA	4.2
1	A	225	PHE	4.2
1	B	340	VAL	3.9
1	B	2	VAL	3.8
1	A	305	VAL	3.7
1	A	6	VAL	3.6
1	A	247	VAL	3.5
1	A	352	LEU	3.5
1	A	336	ALA	3.4
1	A	200	PHE	3.4
1	B	208	ALA	3.3
1	A	258	ILE	3.3
1	A	181	VAL	3.2
1	A	370	ILE	3.2
1	A	176	LEU	3.0
1	B	336	ALA	3.0
1	A	169	VAL	3.0
1	A	226	VAL	2.9
1	A	209	VAL	2.9
1	B	193	VAL	2.9
1	B	203	GLY	2.9
1	B	217	TYR	2.9
1	B	96	THR	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	214	THR	2.8
1	A	149	TYR	2.8
1	A	81	PHE	2.8
1	A	2	VAL	2.8
1	A	224	TYR	2.8
1	A	296	ALA	2.8
1	A	103	VAL	2.8
1	B	57	VAL	2.8
1	A	304	ILE	2.7
1	A	25	LEU	2.7
1	A	43	LEU	2.7
1	A	152	ALA	2.6
1	A	339	ARG	2.6
1	A	195	ILE	2.6
1	A	210	VAL	2.5
1	A	299	TYR	2.5
1	B	97	CYS	2.5
1	A	154	VAL	2.5
1	A	92	LEU	2.5
1	B	196	GLY	2.5
1	A	227	LEU	2.5
1	A	1	ALA	2.5
1	A	222	GLY	2.5
1	A	27	CYS	2.4
1	A	217	TYR	2.4
1	A	178	ARG	2.4
1	A	251	GLY	2.4
1	A	90	PHE	2.4
1	A	221	VAL	2.4
1	A	249	ILE	2.4
1	B	230	HIS	2.4
1	A	371	VAL	2.4
1	A	185	TYR	2.3
1	A	199	THR	2.3
1	A	214	THR	2.3
1	A	44	SER	2.3
1	A	325	LEU	2.3
1	A	202	LYS	2.3
1	A	338	ALA	2.3
1	A	158	LEU	2.3
1	A	180	TYR	2.3
1	A	253	TYR	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	215	THR	2.3
1	A	241	VAL	2.3
1	B	53	PRO	2.2
1	A	230	HIS	2.2
1	A	167	TRP	2.2
1	A	45	VAL	2.2
1	A	153	THR	2.2
1	A	219	LEU	2.2
1	A	235	LEU	2.2
1	A	256	LEU	2.2
1	A	246	TYR	2.1
1	A	223	ASP	2.1
1	B	98	VAL	2.1
1	A	194	GLN	2.1
1	A	7	LEU	2.1
1	B	593	PRO	2.1
1	B	12	THR	2.1
1	A	91	GLY	2.1
1	A	393	ALA	2.1
1	A	151	ILE	2.1
1	A	179	ASN	2.1
1	A	374	ASP	2.1
1	A	163	LEU	2.0
1	B	101	ASP	2.0
1	A	334	ILE	2.0
1	B	187	VAL	2.0
1	B	54	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	VWJ	A	701	13/13	0.83	0.34	36,38,44,45	13
2	VWJ	B	701	13/13	0.83	0.23	48,53,56,58	13
2	VWJ	A	702	13/13	0.85	0.24	63,71,78,80	13
4	PO4	B	706	5/5	0.92	0.11	39,44,55,59	0
4	PO4	B	705	5/5	0.93	0.08	44,46,50,50	0
3	ZN	A	705	1/1	0.96	0.05	106,106,106,106	0
4	PO4	A	706	5/5	0.96	0.07	41,49,55,56	0
3	ZN	A	704	1/1	0.98	0.04	57,57,57,57	0
4	PO4	A	707	5/5	0.98	0.05	45,52,56,58	0
3	ZN	B	703	1/1	0.98	0.03	63,63,63,63	0
3	ZN	B	704	1/1	0.98	0.04	90,90,90,90	0
3	ZN	A	703	1/1	0.99	0.03	56,56,56,56	0
3	ZN	B	702	1/1	1.00	0.02	44,44,44,44	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around VWJ B 701:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around VWJ A 702:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.