



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 28, 2026 – 04:10 AM UTC

PDB ID : 5RLZ / pdb_00005rlz
Title : PanDDA analysis group deposition – Crystal Structure of SARS-CoV-2 heli-
case in complex with Z2293643386
Authors : Newman, J.A.; Yosaatmadja, Y.; Douangamath, A.; Aimon, A.; Powell, A.J.;
Dias, A.; Fearon, D.; Dunnett, L.; Brandao-Neto, J.; Krojer, T.; Skyner, R.;
Gorrie-Stone, T.; Thompson, W.; von Delft, F.; Arrowsmith, C.H.; Edwards,
A.; Bountra, C.; Gileadi, O.
Deposited on : 2020-09-16
Resolution : 1.97 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.97 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1506 (1.98-1.98)
Clashscore	190562	1534 (1.98-1.98)
Ramachandran outliers	187476	1518 (1.98-1.98)
Sidechain outliers	187428	1518 (1.98-1.98)
RSRZ outliers	180081	1506 (1.98-1.98)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	601	16% 77% 17% • 5%
1	B	601	8% 78% 18% • •

Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 9418 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Helicase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	B	585	Total	C	N	O	S	0	1	0
			4508	2875	750	848	35			
1	A	572	Total	C	N	O	S	0	0	0
			4417	2816	737	832	32			

- Molecule 2 is (3R)-1-acetyl-3-hydroxypiperidine-3-carboxylic acid (CCD ID: VWM) (formula: C₈H₁₃NO₄) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	B	1	Total	C	N	O	0	0
			13	8	1	4		

- Molecule 3 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	3	Total	Zn	0	0
			3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	3	Total	Zn	0	0
			3	3		

- Molecule 4 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	O	P	0	0
			5	4	1		
4	B	1	Total	O	P	0	0
			5	4	1		
4	A	1	Total	O	P	0	0
			5	4	1		
4	A	1	Total	O	P	0	0
			5	4	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	250	Total	O	0	0
			250	250		
5	A	204	Total	O	0	0
			204	204		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Helicase



• Molecule 1: Helicase





4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	59.21Å 70.39Å 85.35Å 102.74° 95.87° 112.42°	Depositor
Resolution (Å)	81.46 – 1.97 81.45 – 1.97	Depositor EDS
% Data completeness (in resolution range)	91.0 (81.46-1.97) 91.0 (81.45-1.97)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.10 (at 1.97Å)	Xtriage
Refinement program	REFMAC 5.8.0258	Depositor
R, R_{free}	0.222 , 0.273 0.235 , 0.283	Depositor DCC
R_{free} test set	4372 reflections (5.11%)	wwPDB-VP
Wilson B-factor (Å ²)	35.9	Xtriage
Anisotropy	0.271	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 31.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	9418	wwPDB-VP
Average B, all atoms (Å ²)	58.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.81% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: VWM, PO4, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.08	0/4517	1.40	0/6156
1	B	1.07	0/4610	1.39	1/6283 (0.0%)
All	All	1.08	0/9127	1.39	1/12439 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	103	VAL	N-CA-C	-5.35	107.51	112.43

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4417	0	4322	62	0
1	B	4508	0	4425	73	0
2	B	13	0	0	0	0
3	A	3	0	0	0	0
3	B	3	0	0	1	0
4	A	10	0	0	0	0
4	B	10	0	0	1	0
5	A	204	0	0	8	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	B	250	0	0	9	0
All	All	9418	0	8747	135	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (135) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:5:CYS:HG	3:B:703:ZN:ZN	0.67	0.96
1:B:27:CYS:SG	5:B:855:HOH:O	2.33	0.84
1:B:510:VAL:HG21	1:B:541:TYR:CD1	2.16	0.80
1:B:12:THR:HG21	1:B:25:LEU:O	1.81	0.79
1:B:48:TYR:O	5:B:801:HOH:O	2.01	0.77
1:B:271:LYS:NZ	5:B:803:HOH:O	2.16	0.73
1:A:60:VAL:HB	5:A:928:HOH:O	1.89	0.71
1:B:48:TYR:OH	1:B:90:PHE:O	2.05	0.71
1:A:368:ALA:O	1:A:393:ALA:HA	1.92	0.69
1:A:519:ASN:HB3	1:A:530:THR:HG23	1.77	0.66
1:B:8:CYS:SG	1:B:99:GLY:N	2.67	0.66
1:A:13:SER:OG	1:A:44:SER:HB2	1.94	0.66
1:A:510:VAL:HG21	1:A:541:TYR:CD1	2.30	0.65
1:A:275:GLN:O	1:A:395:HIS:ND1	2.30	0.64
1:B:51:ASN:OD1	5:B:802:HOH:O	2.15	0.64
1:A:367:THR:HA	1:A:392:ARG:O	1.99	0.62
1:A:519:ASN:HB3	1:A:530:THR:CG2	2.31	0.61
1:B:7:LEU:HD12	1:B:103:VAL:HG22	1.81	0.61
1:A:21:ARG:NH1	5:A:809:HOH:O	2.34	0.60
1:B:275:GLN:NE2	1:B:435:ASP:OD2	2.30	0.59
1:B:278:SER:HB2	1:B:436:MET:HE2	1.85	0.59
1:B:508:LYS:HD3	5:B:992:HOH:O	2.01	0.59
1:B:445:PRO:HB3	1:B:468:SER:HB3	1.85	0.59
1:B:554:HIS:ND1	5:B:810:HOH:O	2.32	0.57
1:B:376:ILE:HG22	1:B:400:GLY:HA3	1.85	0.57
1:A:5:CYS:SG	1:A:26:CYS:HB3	2.45	0.57
1:A:269:TYR:OH	1:A:294:GLY:HA3	2.05	0.57
1:A:163:LEU:HD23	1:A:211:TYR:CD2	2.40	0.56
1:A:4:ALA:O	1:A:24:PHE:HB2	2.06	0.56
1:B:13:SER:O	1:B:44:SER:HA	2.05	0.56
1:B:510:VAL:HG21	1:B:541:TYR:CG	2.41	0.55
1:B:28:LYS:O	1:B:32:ASP:OD1	2.24	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:467:LYS:NZ	5:A:814:HOH:O	2.39	0.55
1:B:12:THR:CG2	1:B:26:CYS:HA	2.37	0.55
1:A:7:LEU:HD13	1:A:103:VAL:HG22	1.88	0.54
1:B:277:TYR:HA	1:B:396:TYR:O	2.08	0.54
1:A:152:ALA:HB2	1:A:167:TRP:CZ3	2.42	0.54
1:B:279:THR:HB	1:B:429:MET:CE	2.39	0.53
1:B:220:ASN:N	1:B:220:ASN:OD1	2.41	0.53
1:B:385:SER:OG	5:B:804:HOH:O	2.18	0.53
1:B:12:THR:HG21	1:B:26:CYS:HA	1.92	0.52
1:A:16:CYS:SG	1:A:18:ALA:HB3	2.50	0.52
1:A:7:LEU:HD21	1:A:106:PHE:HB2	1.92	0.52
1:B:32:ASP:O	1:B:36:SER:OG	2.24	0.51
1:B:7:LEU:CD1	1:B:103:VAL:HG22	2.41	0.51
1:A:31:TYR:CE2	1:A:87:GLY:HA2	2.46	0.51
1:B:252:LEU:HB3	1:B:299:TYR:CD1	2.46	0.50
1:A:277:TYR:HA	1:A:396:TYR:O	2.10	0.50
1:A:350:SER:O	1:A:352:LEU:N	2.44	0.50
1:A:304:ILE:HA	1:A:370:ILE:O	2.11	0.50
1:B:220:ASN:O	1:B:223:ASP:OD2	2.30	0.50
1:B:7:LEU:HD21	1:B:106:PHE:HB2	1.95	0.49
1:A:331:SER:HB2	1:A:353:GLU:HG3	1.94	0.49
1:A:401:ASP:OD2	1:A:457:TYR:OH	2.25	0.49
1:B:184:GLY:C	1:B:195:ILE:HG22	2.38	0.49
1:B:333:ILE:HB	1:B:358:CYS:SG	2.52	0.49
1:B:477:LYS:NZ	1:B:551:GLU:OE2	2.37	0.48
1:A:296:ALA:O	1:A:300:PRO:HA	2.13	0.48
1:B:474[B]:MET:HG2	1:B:590:LEU:HB2	1.95	0.48
1:B:103:VAL:CG1	1:B:103:VAL:O	2.61	0.48
1:B:533:VAL:HG11	1:B:560:ARG:O	2.13	0.48
1:A:59:ASP:OD1	1:A:61:THR:OG1	2.23	0.48
1:A:1:ALA:N	5:A:819:HOH:O	2.47	0.48
1:B:2:VAL:N	5:B:828:HOH:O	2.47	0.47
1:A:235:LEU:HD21	1:A:382:TYR:CE2	2.49	0.47
1:B:59:ASP:OD1	1:B:59:ASP:C	2.57	0.47
1:B:14:LEU:HB2	1:B:25:LEU:O	2.15	0.47
1:B:115:THR:HA	1:B:411:LEU:O	2.15	0.47
1:B:16:CYS:O	1:B:22:ARG:HA	2.15	0.47
1:B:8:CYS:SG	1:B:99:GLY:O	2.71	0.47
1:A:12:THR:HG21	1:A:25:LEU:O	2.16	0.46
1:A:552:THR:C	5:A:892:HOH:O	2.58	0.46
1:A:512:ILE:O	1:A:546:PHE:HA	2.15	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:15:ARG:HG3	1:B:24:PHE:CD2	2.50	0.46
1:B:378:MET:O	1:B:407:ALA:HB2	2.15	0.46
1:B:401:ASP:OD2	1:B:457:TYR:OH	2.31	0.46
1:A:4:ALA:O	1:A:24:PHE:CB	2.63	0.46
1:A:318:CYS:HB3	1:A:343:PHE:CD2	2.51	0.45
1:A:351:THR:HG23	1:A:364:PRO:HG3	1.98	0.45
1:A:44:SER:O	1:A:45:VAL:C	2.59	0.45
1:A:376:ILE:HG12	1:A:425:VAL:HG11	1.97	0.45
1:A:64:TYR:O	1:A:70:TYR:HA	2.16	0.45
1:A:585:LEU:HD22	1:A:587:PHE:CE2	2.52	0.45
1:A:34:VAL:HA	1:A:39:HIS:O	2.17	0.45
1:A:512:ILE:HA	1:A:531:GLN:O	2.17	0.45
1:A:308:ALA:O	1:A:359:THR:HA	2.17	0.45
1:B:8:CYS:SG	1:B:99:GLY:CA	3.05	0.45
1:A:480:ILE:N	1:A:480:ILE:HD12	2.33	0.44
1:A:334:ILE:HD12	1:A:348:VAL:HG13	1.99	0.44
1:A:304:ILE:HG12	1:A:370:ILE:HB	1.98	0.44
1:B:245:HIS:HE1	5:B:930:HOH:O	2.00	0.44
1:B:284:PRO:HG2	1:B:566:THR:HG21	2.00	0.44
1:B:511:PHE:O	1:B:530:THR:HA	2.17	0.44
1:B:124:ASN:OD1	1:B:381:ASN:ND2	2.43	0.44
1:A:33:HIS:HA	1:A:107:ASN:OD1	2.18	0.44
1:B:14:LEU:O	1:B:24:PHE:HA	2.18	0.43
1:B:315:ASP:O	1:B:318:CYS:HB2	2.18	0.43
1:B:152:ALA:HB2	1:B:167:TRP:CZ3	2.52	0.43
1:A:591:GLU:O	1:A:592:ILE:HB	2.18	0.43
1:B:488:ILE:HD11	1:B:517:SER:HB3	2.00	0.43
1:A:490:ARG:HB2	1:A:491:PRO:HD3	2.00	0.43
1:B:254:PRO:HB3	1:B:298:TYR:CE2	2.54	0.43
1:B:282:GLY:O	1:B:288:LYS:HD3	2.19	0.43
1:B:372:VAL:CG1	1:B:399:ILE:HD12	2.49	0.43
1:A:85:ALA:O	1:A:86:ASN:C	2.61	0.42
1:B:152:ALA:HB2	1:B:167:TRP:CH2	2.55	0.42
1:B:386:VAL:O	1:B:390:ARG:HG2	2.18	0.42
1:A:5:CYS:C	1:A:7:LEU:H	2.27	0.42
1:B:377:SER:O	1:B:406:PRO:HA	2.19	0.42
1:A:72:CYS:SG	1:A:74:SER:HB2	2.60	0.42
1:B:5:CYS:O	1:B:9:ASN:N	2.45	0.42
1:B:452:VAL:CG1	1:B:565:ILE:HD11	2.50	0.42
1:B:544:VAL:O	1:B:572:ILE:HA	2.19	0.42
1:A:561:PHE:CD2	1:A:581:LEU:HD22	2.55	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:31:TYR:HB2	1:B:89:VAL:HG23	2.02	0.41
1:B:279:THR:HB	1:B:429:MET:HE3	2.01	0.41
1:A:280:LEU:HD11	1:A:438:LEU:HG	2.01	0.41
1:B:581:LEU:O	1:B:582:TYR:C	2.63	0.41
1:A:241:VAL:HG22	5:A:867:HOH:O	2.19	0.41
1:B:26:CYS:O	1:B:29:CYS:N	2.54	0.41
1:B:542:ASP:HA	1:B:569:LYS:HB2	2.02	0.41
1:A:152:ALA:HB2	1:A:167:TRP:CE3	2.56	0.41
1:A:584:LYS:NZ	5:A:818:HOH:O	2.44	0.41
1:A:585:LEU:HD22	1:A:587:PHE:CZ	2.55	0.41
1:B:404:GLN:NE2	4:B:706:PO4:O2	2.42	0.41
1:A:31:TYR:CD2	1:A:87:GLY:HA2	2.55	0.41
1:B:376:ILE:HD12	1:B:376:ILE:HA	1.96	0.41
1:B:504:PRO:HB3	1:B:507:ARG:NH2	2.36	0.41
1:A:276:LYS:O	1:A:395:HIS:HA	2.21	0.41
1:B:84:CYS:SG	1:B:84:CYS:O	2.79	0.41
1:A:377:SER:O	1:A:406:PRO:HA	2.21	0.41
1:A:151:ILE:HG12	1:A:226:VAL:HG22	2.03	0.41
1:B:9:ASN:O	1:B:10:SER:C	2.64	0.40
1:A:59:ASP:CG	1:A:61:THR:HG1	2.25	0.40
1:A:359:THR:OG1	5:A:801:HOH:O	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	564/601 (94%)	529 (94%)	27 (5%)	8 (1%)	9	2
1	B	580/601 (96%)	539 (93%)	36 (6%)	5 (1%)	14	6
All	All	1144/1202 (95%)	1068 (93%)	63 (6%)	13 (1%)	11	4

All (13) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	351	THR
1	B	48	TYR
1	B	97	CYS
1	A	195	ILE
1	A	218	LYS
1	B	10	SER
1	A	283	PRO
1	A	484	VAL
1	B	9	ASN
1	A	249	ILE
1	A	45	VAL
1	B	195	ILE
1	A	6	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	485/523 (93%)	473 (98%)	12 (2%)	42	33
1	B	498/523 (95%)	483 (97%)	15 (3%)	36	27
All	All	983/1046 (94%)	956 (97%)	27 (3%)	39	31

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	7	LEU
1	B	69	SER
1	B	96	THR
1	B	103	VAL
1	B	144	THR
1	B	155	ARG
1	B	188	THR
1	B	192	LYS
1	B	215	THR
1	B	220	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	229	SER
1	B	231	THR
1	B	259	SER
1	B	278	SER
1	B	327	ILE
1	A	12	THR
1	A	26	CYS
1	A	156	GLU
1	A	183	THR
1	A	201	GLU
1	A	255	THR
1	A	259	SER
1	A	351	THR
1	A	480	ILE
1	A	502	ARG
1	A	530	THR
1	A	589	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	51	ASN
1	B	177	ASN
1	B	179	ASN
1	B	459	ASN
1	B	470	GLN
1	B	482	HIS
1	B	516	ASN
1	B	519	ASN
1	A	179	ASN
1	A	275	GLN
1	A	404	GLN
1	A	459	ASN
1	A	586	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 11 ligands modelled in this entry, 6 are monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	PO4	A	705	-	4,4,4	1.12	0	6,6,6	0.71	0
4	PO4	A	704	-	4,4,4	0.82	0	6,6,6	0.60	0
4	PO4	B	706	-	4,4,4	1.29	0	6,6,6	0.59	0
4	PO4	B	705	-	4,4,4	0.77	0	6,6,6	0.45	0
2	VWM	B	701	-	13,13,13	0.87	1 (7%)	15,19,19	1.11	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	VWM	B	701	-	-	2/10/22/22	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	701	VWM	O4-C8	-2.57	1.21	1.30

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	701	VWM	O4-C8-C6	2.27	117.50	113.14

There are no chirality outliers.

All (2) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	B	701	VWM	C7-C6-C8-O3
2	B	701	VWM	C7-C6-C8-O4

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	706	PO4	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	572/601 (95%)	1.01	97 (16%) 4 5	27, 57, 123, 166	0
1	B	585/601 (97%)	0.61	51 (8%) 16 22	8, 46, 96, 132	1 (0%)
All	All	1157/1202 (96%)	0.81	148 (12%) 7 11	8, 51, 112, 166	1 (0%)

All (148) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	193	VAL	6.4
1	B	474[A]	MET	6.1
1	A	592	ILE	5.7
1	A	151	ILE	5.4
1	A	219	LEU	5.4
1	A	169	VAL	4.8
1	A	81	PHE	4.7
1	A	6	VAL	4.6
1	B	214	THR	4.5
1	B	45	VAL	4.4
1	A	226	VAL	4.2
1	A	176	LEU	4.0
1	A	185	TYR	4.0
1	B	7	LEU	4.0
1	B	98	VAL	4.0
1	B	203	GLY	3.9
1	A	152	ALA	3.9
1	A	157	VAL	3.9
1	A	167	TRP	3.9
1	B	336	ALA	3.9
1	B	187	VAL	3.8
1	A	195	ILE	3.8
1	A	221	VAL	3.8
1	A	247	VAL	3.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	7	LEU	3.7
1	A	149	TYR	3.7
1	A	158	LEU	3.7
1	A	485	SER	3.7
1	B	2	VAL	3.7
1	A	225	PHE	3.7
1	A	224	TYR	3.6
1	A	94	LYS	3.6
1	A	181	VAL	3.6
1	A	227	LEU	3.6
1	A	170	GLY	3.5
1	B	217	TYR	3.5
1	A	154	VAL	3.5
1	A	210	VAL	3.5
1	B	14	LEU	3.5
1	B	227	LEU	3.5
1	B	12	THR	3.4
1	A	90	PHE	3.4
1	B	92	LEU	3.4
1	A	484	VAL	3.4
1	A	336	ALA	3.4
1	A	256	LEU	3.4
1	A	228	THR	3.4
1	A	217	TYR	3.3
1	A	92	LEU	3.3
1	A	200	PHE	3.3
1	B	592	ILE	3.3
1	A	182	PHE	3.3
1	A	153	THR	3.2
1	B	208	ALA	3.1
1	A	202	LYS	3.1
1	A	222	GLY	3.1
1	A	43	LEU	3.0
1	B	340	VAL	3.0
1	A	45	VAL	3.0
1	B	91	GLY	3.0
1	A	352	LEU	2.9
1	A	180	TYR	2.9
1	A	49	VAL	2.8
1	A	208	ALA	2.8
1	A	215	THR	2.8
1	B	198	TYR	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	97	CYS	2.8
1	B	413	THR	2.8
1	A	209	VAL	2.8
1	A	199	THR	2.7
1	A	253	TYR	2.7
1	B	163	LEU	2.7
1	B	44	SER	2.7
1	B	176	LEU	2.7
1	B	215	THR	2.6
1	A	165	LEU	2.6
1	B	195	ILE	2.6
1	A	103	VAL	2.6
1	B	81	PHE	2.6
1	B	213	GLY	2.6
1	B	6	VAL	2.6
1	B	4	ALA	2.5
1	A	255	THR	2.5
1	B	593	PRO	2.5
1	A	334	ILE	2.5
1	A	229	SER	2.5
1	B	78	PRO	2.5
1	A	12	THR	2.5
1	B	102	ASN	2.4
1	A	396	TYR	2.4
1	B	219	LEU	2.4
1	A	130	LEU	2.4
1	A	147	LEU	2.4
1	A	79	ILE	2.4
1	B	96	THR	2.4
1	A	179	ASN	2.4
1	A	302	ALA	2.4
1	A	241	VAL	2.4
1	A	46	ASN	2.4
1	A	328	ASP	2.4
1	B	27	CYS	2.4
1	A	14	LEU	2.3
1	A	198	TYR	2.3
1	A	145	PHE	2.3
1	A	335	PRO	2.3
1	A	348	VAL	2.3
1	A	258	ILE	2.3
1	A	13	SER	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	42	VAL	2.3
1	B	26	CYS	2.3
1	A	24	PHE	2.3
1	A	155	ARG	2.3
1	A	333	ILE	2.3
1	A	44	SER	2.3
1	B	43	LEU	2.3
1	A	31	TYR	2.2
1	A	70	TYR	2.2
1	B	256	LEU	2.2
1	A	184	GLY	2.2
1	A	166	SER	2.2
1	A	25	LEU	2.2
1	A	507	ARG	2.2
1	A	223	ASP	2.1
1	B	101	ASP	2.1
1	A	216	THR	2.1
1	A	27	CYS	2.1
1	A	330	CYS	2.1
1	B	352	LEU	2.1
1	B	258	ILE	2.1
1	A	35	ILE	2.1
1	A	183	THR	2.1
1	B	196	GLY	2.1
1	A	230	HIS	2.1
1	A	232	VAL	2.1
1	A	18	ALA	2.1
1	A	393	ALA	2.1
1	B	186	ARG	2.1
1	B	94	LYS	2.0
1	B	182	PHE	2.0
1	A	304	ILE	2.0
1	B	222	GLY	2.0
1	B	157	VAL	2.0
1	A	19	CYS	2.0
1	B	161	ARG	2.0
1	A	148	SER	2.0
1	A	144	THR	2.0
1	A	214	THR	2.0
1	B	49	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	VWM	B	701	13/13	0.90	0.10	39,49,52,53	0
4	PO4	B	705	5/5	0.96	0.07	41,42,50,55	0
3	ZN	A	703	1/1	0.97	0.05	89,89,89,89	0
3	ZN	B	703	1/1	0.97	0.05	72,72,72,72	0
4	PO4	B	706	5/5	0.97	0.06	38,40,42,49	0
4	PO4	A	705	5/5	0.97	0.06	37,41,42,46	0
4	PO4	A	704	5/5	0.98	0.04	34,37,38,43	0
3	ZN	A	702	1/1	0.98	0.04	56,56,56,56	0
3	ZN	B	704	1/1	0.99	0.02	74,74,74,74	0
3	ZN	A	701	1/1	0.99	0.03	61,61,61,61	0
3	ZN	B	702	1/1	1.00	0.02	43,43,43,43	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers ⓘ

There are no such residues in this entry.