



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 6, 2026 – 02:49 PM UTC

PDB ID : 3RMT / pdb_00003rmt
Title : Crystal structure of putative 5-enolpyruvoylshikimate-3-phosphate synthase from *Bacillus halodurans* C-125
Authors : Malashkevich, V.N.; Toro, R.; Seidel, R.; Ramagopal, U.; Zencheck, W.; Almo, S.C.; New York Structural Genomics Research Consortium (NYSGRC)
Deposited on : 2011-04-21
Resolution : 2.80 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3866 (2.80-2.80)
Clashscore	190562	4276 (2.80-2.80)
Ramachandran outliers	187476	4196 (2.80-2.80)
Sidechain outliers	187428	4198 (2.80-2.80)
RSRZ outliers	180081	3869 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	455	
1	B	455	
1	C	455	
1	D	455	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 13027 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 3-phosphoshikimate 1-carboxyvinyltransferase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	432	Total 3200	C 2006	N 559	O 621	S 14	0	0	0
1	B	429	Total 3169	C 1984	N 554	O 617	S 14	0	0	0
1	C	436	Total 3231	C 2026	N 564	O 627	S 14	0	0	0
1	D	431	Total 3189	C 1998	N 557	O 620	S 14	0	0	0

There are 96 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	expression tag	UNP Q9KCA6
A	2	VAL	-	expression tag	UNP Q9KCA6
A	434	ALA	-	expression tag	UNP Q9KCA6
A	435	GLU	-	expression tag	UNP Q9KCA6
A	436	ASN	-	expression tag	UNP Q9KCA6
A	437	LEU	-	expression tag	UNP Q9KCA6
A	438	TYR	-	expression tag	UNP Q9KCA6
A	439	PHE	-	expression tag	UNP Q9KCA6
A	440	GLN	-	expression tag	UNP Q9KCA6
A	441	SER	-	expression tag	UNP Q9KCA6
A	442	HIS	-	expression tag	UNP Q9KCA6
A	443	HIS	-	expression tag	UNP Q9KCA6
A	444	HIS	-	expression tag	UNP Q9KCA6
A	445	HIS	-	expression tag	UNP Q9KCA6
A	446	HIS	-	expression tag	UNP Q9KCA6
A	447	HIS	-	expression tag	UNP Q9KCA6
A	448	TRP	-	expression tag	UNP Q9KCA6
A	449	SER	-	expression tag	UNP Q9KCA6
A	450	HIS	-	expression tag	UNP Q9KCA6
A	451	PRO	-	expression tag	UNP Q9KCA6
A	452	GLN	-	expression tag	UNP Q9KCA6

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	453	PHE	-	expression tag	UNP Q9KCA6
A	454	GLU	-	expression tag	UNP Q9KCA6
A	455	LYS	-	expression tag	UNP Q9KCA6
B	1	MET	-	expression tag	UNP Q9KCA6
B	2	VAL	-	expression tag	UNP Q9KCA6
B	434	ALA	-	expression tag	UNP Q9KCA6
B	435	GLU	-	expression tag	UNP Q9KCA6
B	436	ASN	-	expression tag	UNP Q9KCA6
B	437	LEU	-	expression tag	UNP Q9KCA6
B	438	TYR	-	expression tag	UNP Q9KCA6
B	439	PHE	-	expression tag	UNP Q9KCA6
B	440	GLN	-	expression tag	UNP Q9KCA6
B	441	SER	-	expression tag	UNP Q9KCA6
B	442	HIS	-	expression tag	UNP Q9KCA6
B	443	HIS	-	expression tag	UNP Q9KCA6
B	444	HIS	-	expression tag	UNP Q9KCA6
B	445	HIS	-	expression tag	UNP Q9KCA6
B	446	HIS	-	expression tag	UNP Q9KCA6
B	447	HIS	-	expression tag	UNP Q9KCA6
B	448	TRP	-	expression tag	UNP Q9KCA6
B	449	SER	-	expression tag	UNP Q9KCA6
B	450	HIS	-	expression tag	UNP Q9KCA6
B	451	PRO	-	expression tag	UNP Q9KCA6
B	452	GLN	-	expression tag	UNP Q9KCA6
B	453	PHE	-	expression tag	UNP Q9KCA6
B	454	GLU	-	expression tag	UNP Q9KCA6
B	455	LYS	-	expression tag	UNP Q9KCA6
C	1	MET	-	expression tag	UNP Q9KCA6
C	2	VAL	-	expression tag	UNP Q9KCA6
C	434	ALA	-	expression tag	UNP Q9KCA6
C	435	GLU	-	expression tag	UNP Q9KCA6
C	436	ASN	-	expression tag	UNP Q9KCA6
C	437	LEU	-	expression tag	UNP Q9KCA6
C	438	TYR	-	expression tag	UNP Q9KCA6
C	439	PHE	-	expression tag	UNP Q9KCA6
C	440	GLN	-	expression tag	UNP Q9KCA6
C	441	SER	-	expression tag	UNP Q9KCA6
C	442	HIS	-	expression tag	UNP Q9KCA6
C	443	HIS	-	expression tag	UNP Q9KCA6
C	444	HIS	-	expression tag	UNP Q9KCA6
C	445	HIS	-	expression tag	UNP Q9KCA6
C	446	HIS	-	expression tag	UNP Q9KCA6

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	447	HIS	-	expression tag	UNP Q9KCA6
C	448	TRP	-	expression tag	UNP Q9KCA6
C	449	SER	-	expression tag	UNP Q9KCA6
C	450	HIS	-	expression tag	UNP Q9KCA6
C	451	PRO	-	expression tag	UNP Q9KCA6
C	452	GLN	-	expression tag	UNP Q9KCA6
C	453	PHE	-	expression tag	UNP Q9KCA6
C	454	GLU	-	expression tag	UNP Q9KCA6
C	455	LYS	-	expression tag	UNP Q9KCA6
D	1	MET	-	expression tag	UNP Q9KCA6
D	2	VAL	-	expression tag	UNP Q9KCA6
D	434	ALA	-	expression tag	UNP Q9KCA6
D	435	GLU	-	expression tag	UNP Q9KCA6
D	436	ASN	-	expression tag	UNP Q9KCA6
D	437	LEU	-	expression tag	UNP Q9KCA6
D	438	TYR	-	expression tag	UNP Q9KCA6
D	439	PHE	-	expression tag	UNP Q9KCA6
D	440	GLN	-	expression tag	UNP Q9KCA6
D	441	SER	-	expression tag	UNP Q9KCA6
D	442	HIS	-	expression tag	UNP Q9KCA6
D	443	HIS	-	expression tag	UNP Q9KCA6
D	444	HIS	-	expression tag	UNP Q9KCA6
D	445	HIS	-	expression tag	UNP Q9KCA6
D	446	HIS	-	expression tag	UNP Q9KCA6
D	447	HIS	-	expression tag	UNP Q9KCA6
D	448	TRP	-	expression tag	UNP Q9KCA6
D	449	SER	-	expression tag	UNP Q9KCA6
D	450	HIS	-	expression tag	UNP Q9KCA6
D	451	PRO	-	expression tag	UNP Q9KCA6
D	452	GLN	-	expression tag	UNP Q9KCA6
D	453	PHE	-	expression tag	UNP Q9KCA6
D	454	GLU	-	expression tag	UNP Q9KCA6
D	455	LYS	-	expression tag	UNP Q9KCA6

- Molecule 2 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	21	Total	O	0	0
			21	21		
3	B	38	Total	O	0	0
			38	38		
3	C	15	Total	O	0	0
			15	15		
3	D	19	Total	O	0	0
			19	19		

- Molecule 1: 3-phosphoshikimate 1-carboxyvinyltransferase 1



- Molecule 1: 3-phosphoshikimate 1-carboxyvinyltransferase 1



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	87.86Å 140.75Å 193.62Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.80 20.00 – 2.80	Depositor EDS
% Data completeness (in resolution range)	99.4 (20.00-2.80) 99.0 (20.00-2.80)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.84 (at 2.79Å)	Xtrriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.222 , 0.286 0.222 , 0.281	Depositor DCC
R_{free} test set	2998 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	63.2	Xtrriage
Anisotropy	0.148	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 50.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	13027	wwPDB-VP
Average B, all atoms (Å ²)	74.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.67% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.57	0/3245	0.93	0/4390
1	B	0.59	0/3213	0.90	0/4348
1	C	0.54	0/3277	0.88	2/4434 (0.0%)
1	D	0.54	0/3234	0.88	0/4376
All	All	0.56	0/12969	0.90	2/17548 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	125	ARG	CA-C-N	5.18	125.09	119.76
1	C	125	ARG	C-N-CA	5.18	125.09	119.76

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3200	0	3287	93	0
1	B	3169	0	3253	80	0
1	C	3231	0	3323	70	0
1	D	3189	0	3270	58	0
2	A	40	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	40	0	0	3	0
2	C	45	0	0	0	0
2	D	20	0	0	0	0
3	A	21	0	0	0	0
3	B	38	0	0	0	0
3	C	15	0	0	0	0
3	D	19	0	0	0	0
All	All	13027	0	13133	300	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

The worst 5 of 300 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:73:ARG:HG2	1:D:73:ARG:HH11	1.11	1.13
1:A:249:MET:CE	1:A:326:LEU:HA	1.84	1.08
1:A:73:ARG:HG2	1:A:73:ARG:HH11	1.25	1.00
1:A:183:ARG:HH11	1:A:183:ARG:HG2	1.29	0.98
1:A:78:GLY:HA3	1:A:79:LYS:HG2	1.48	0.94

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	428/455 (94%)	403 (94%)	23 (5%)	2 (0%)	24 55
1	B	425/455 (93%)	404 (95%)	19 (4%)	2 (0%)	24 55
1	C	434/455 (95%)	409 (94%)	23 (5%)	2 (0%)	24 55
1	D	427/455 (94%)	396 (93%)	22 (5%)	9 (2%)	5 20

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	1714/1820 (94%)	1612 (94%)	87 (5%)	15 (1%)	14 41

5 of 15 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	215	GLY
1	D	158	GLN
1	D	216	LEU
1	C	197	ARG
1	D	215	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	349/371 (94%)	311 (89%)	38 (11%)	6 21
1	B	345/371 (93%)	303 (88%)	42 (12%)	5 16
1	C	352/371 (95%)	313 (89%)	39 (11%)	6 20
1	D	347/371 (94%)	304 (88%)	43 (12%)	4 16
All	All	1393/1484 (94%)	1231 (88%)	162 (12%)	5 18

5 of 162 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	399	ILE
1	D	249	MET
1	D	18	THR
1	D	101	ARG
1	D	315	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 25 such sidechains are listed below:

Mol	Chain	Res	Type
1	C	252	HIS
1	C	391	HIS
1	D	440	GLN
1	C	288	GLN
1	C	436	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

29 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SO4	A	456	-	4,4,4	0.22	0	6,6,6	0.13	0
2	SO4	C	456	-	4,4,4	0.25	0	6,6,6	0.07	0
2	SO4	B	506	-	4,4,4	0.26	0	6,6,6	0.20	0
2	SO4	C	507	-	4,4,4	0.26	0	6,6,6	0.17	0
2	SO4	A	506	-	4,4,4	0.24	0	6,6,6	0.16	0
2	SO4	B	456	-	4,4,4	0.26	0	6,6,6	0.09	0
2	SO4	A	500	-	4,4,4	0.32	0	6,6,6	0.25	0
2	SO4	C	500	-	4,4,4	0.28	0	6,6,6	0.16	0
2	SO4	C	506	-	4,4,4	0.23	0	6,6,6	0.12	0
2	SO4	B	504	-	4,4,4	0.23	0	6,6,6	0.24	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SO4	C	504	-	4,4,4	0.24	0	6,6,6	0.15	0
2	SO4	B	505	-	4,4,4	0.26	0	6,6,6	0.13	0
2	SO4	A	502	-	4,4,4	0.24	0	6,6,6	0.14	0
2	SO4	A	504	-	4,4,4	0.27	0	6,6,6	0.08	0
2	SO4	B	500	-	4,4,4	0.29	0	6,6,6	0.33	0
2	SO4	C	505	-	4,4,4	0.21	0	6,6,6	0.28	0
2	SO4	A	503	-	4,4,4	0.21	0	6,6,6	0.14	0
2	SO4	B	501	-	4,4,4	0.27	0	6,6,6	0.15	0
2	SO4	D	503	-	4,4,4	0.26	0	6,6,6	0.18	0
2	SO4	C	503	-	4,4,4	0.24	0	6,6,6	0.05	0
2	SO4	B	502	-	4,4,4	0.26	0	6,6,6	0.32	0
2	SO4	D	501	-	4,4,4	0.27	0	6,6,6	0.21	0
2	SO4	C	502	-	4,4,4	0.25	0	6,6,6	0.10	0
2	SO4	C	501	-	4,4,4	0.23	0	6,6,6	0.13	0
2	SO4	B	503	-	4,4,4	0.25	0	6,6,6	0.29	0
2	SO4	D	505	-	4,4,4	0.25	0	6,6,6	0.17	0
2	SO4	D	502	-	4,4,4	0.20	0	6,6,6	0.27	0
2	SO4	A	505	-	4,4,4	0.24	0	6,6,6	0.15	0
2	SO4	A	507	-	4,4,4	0.27	0	6,6,6	0.13	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	504	SO4	1	0
2	B	500	SO4	1	0
2	B	502	SO4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	432/455 (94%)	-0.30	1 (0%) 91 88	35, 64, 97, 115	0
1	B	429/455 (94%)	-0.38	1 (0%) 91 88	31, 59, 88, 111	0
1	C	436/455 (95%)	-0.23	3 (0%) 84 77	46, 72, 107, 140	0
1	D	431/455 (94%)	-0.01	3 (0%) 84 77	46, 87, 154, 170	0
All	All	1728/1820 (94%)	-0.23	8 (0%) 87 82	31, 69, 120, 170	0

The worst 5 of 8 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	437	LEU	3.8
1	A	437	LEU	3.3
1	C	375	GLY	2.6
1	C	213	LYS	2.3
1	B	437	LEU	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	SO4	C	502	5/5	0.66	0.14	135,135,135,137	0
2	SO4	C	506	5/5	0.70	0.10	167,168,172,173	0
2	SO4	A	506	5/5	0.77	0.09	94,95,96,96	0
2	SO4	B	504	5/5	0.78	0.13	149,150,150,150	0
2	SO4	C	503	5/5	0.78	0.16	152,153,154,154	0
2	SO4	B	505	5/5	0.78	0.19	113,115,116,117	0
2	SO4	A	456	5/5	0.82	0.10	111,136,136,136	0
2	SO4	A	504	5/5	0.82	0.19	123,129,130,130	0
2	SO4	A	503	5/5	0.84	0.11	114,114,116,116	0
2	SO4	A	502	5/5	0.84	0.10	144,145,149,149	0
2	SO4	C	501	5/5	0.84	0.07	130,131,133,136	0
2	SO4	A	507	5/5	0.89	0.10	87,88,90,94	0
2	SO4	D	505	5/5	0.90	0.07	79,80,81,90	0
2	SO4	C	504	5/5	0.91	0.06	86,88,89,96	0
2	SO4	C	505	5/5	0.92	0.09	87,87,89,93	0
2	SO4	B	503	5/5	0.92	0.08	63,63,64,78	0
2	SO4	C	507	5/5	0.92	0.10	90,92,94,95	0
2	SO4	D	503	5/5	0.92	0.09	81,83,85,95	0
2	SO4	B	506	5/5	0.92	0.07	80,84,87,87	0
2	SO4	D	502	5/5	0.93	0.11	68,71,72,73	0
2	SO4	C	500	5/5	0.93	0.07	70,71,71,78	0
2	SO4	D	501	5/5	0.93	0.08	86,88,89,91	0
2	SO4	A	505	5/5	0.94	0.07	80,81,82,83	0
2	SO4	A	500	5/5	0.94	0.08	65,66,67,74	0
2	SO4	C	456	5/5	0.95	0.06	73,73,75,80	0
2	SO4	B	500	5/5	0.96	0.08	42,43,44,50	0
2	SO4	B	501	5/5	0.96	0.07	75,75,77,77	0
2	SO4	B	456	5/5	0.96	0.07	62,62,64,69	0
2	SO4	B	502	5/5	0.98	0.05	66,67,67,68	0

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.