



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 12, 2026 – 03:07 PM UTC

PDB ID : 5RM3 / pdb_00005rm3
Title : PanDDA analysis group deposition – Crystal Structure of SARS-CoV-2 heli-
case in complex with Z1745658474
Authors : Newman, J.A.; Yosaatmadja, Y.; Douangamath, A.; Aimon, A.; Powell, A.J.;
Dias, A.; Fearon, D.; Dunnett, L.; Brandao-Neto, J.; Krojer, T.; Skyner, R.;
Gorrie-Stone, T.; Thompson, W.; von Delft, F.; Arrowsmith, C.H.; Edwards,
A.; Bountra, C.; Gileadi, O.
Deposited on : 2020-09-16
Resolution : 2.09 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	: 4-5-2 with Phenix2.0
Mogul	: 2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	: 2.0
EDS	: 3.0
Buster-report	: wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	: 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	: 9.0.010 (Gargrove)
Density-Fitness	: 1.0.12
Ideal geometry (proteins)	: Engh & Huber (2001)


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.09 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	601	
1	B	601	

Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 9419 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Helicase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	B	585	Total	C	N	O	S	0	1	0
			4508	2875	750	848	35			
1	A	572	Total	C	N	O	S	0	0	0
			4417	2816	737	832	32			

- Molecule 2 is 2-(trifluoromethyl)pyrimidine-5-carboxamide (CCD ID: S7J) (formula: $C_6H_4F_3N_3O$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	B	1	Total	C	F	N	O	0	0
			13	6	3	3	1		

- Molecule 3 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	3	Total	Zn	0	0
			3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	3	Total	Zn	0	0
			3	3		

- Molecule 4 is PHOSPHATE ION (CCD ID: PO4) (formula: O_4P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	O	P	0	0
			5	4	1		
4	B	1	Total	O	P	0	0
			5	4	1		
4	A	1	Total	O	P	0	0
			5	4	1		
4	A	1	Total	O	P	0	0
			5	4	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	250	Total	O	0	0
			250	250		
5	A	205	Total	O	0	0
			205	205		


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Helicase



• Molecule 1: Helicase





4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	59.13Å 70.16Å 85.28Å 102.81° 96.13° 112.39°	Depositor
Resolution (Å)	81.27 – 2.09 81.27 – 2.09	Depositor EDS
% Data completeness (in resolution range)	96.7 (81.27-2.09) 97.0 (81.27-2.09)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.05 (at 2.08Å)	Xtriage
Refinement program	REFMAC 5.8.0238	Depositor
R, R_{free}	0.216 , 0.274 0.230 , 0.281	Depositor DCC
R_{free} test set	3699 reflections (5.15%)	wwPDB-VP
Wilson B-factor (Å ²)	36.8	Xtriage
Anisotropy	0.179	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 31.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	9419	wwPDB-VP
Average B, all atoms (Å ²)	57.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.88% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, S7J, PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.09	1/4517 (0.0%)	1.46	5/6156 (0.1%)
1	B	1.08	0/4610	1.45	10/6283 (0.2%)
All	All	1.09	1/9127 (0.0%)	1.45	15/12439 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	577	SER	CA-CB	-5.07	1.46	1.54

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	253	TYR	CB-CA-C	6.13	118.31	110.34
1	B	93	TYR	CA-C-N	5.72	127.94	120.28
1	B	93	TYR	C-N-CA	5.72	127.94	120.28
1	B	103	VAL	N-CA-C	-5.68	106.77	112.17
1	B	196	GLY	CA-C-O	-5.56	117.78	122.29
1	A	587	PHE	CA-CB-CG	5.32	119.12	113.80
1	A	133	PHE	CA-C-N	5.24	127.61	120.54
1	A	133	PHE	C-N-CA	5.24	127.61	120.54
1	B	580	ASP	CA-CB-CG	5.20	117.80	112.60
1	B	142	GLU	CA-C-O	-5.19	115.37	120.82

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	464	HIS	CA-CB-CG	-5.19	108.61	113.80
1	B	45	VAL	N-CA-C	-5.17	105.98	113.07
1	A	450	ASP	CB-CA-C	5.17	119.37	110.79
1	B	123	ALA	N-CA-C	-5.14	106.84	113.01
1	B	373	PHE	CA-CB-CG	5.07	118.87	113.80

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	474[A]	MET	Mainchain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4417	0	4321	80	0
1	B	4508	0	4424	90	0
2	B	13	0	0	2	0
3	A	3	0	0	0	0
3	B	3	0	0	0	0
4	A	10	0	0	0	0
4	B	10	0	0	1	0
5	A	205	0	0	8	0
5	B	250	0	0	13	0
All	All	9419	0	8745	169	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (169) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:593:PRO:HG3	2:B:701:S7J:F2	1.46	1.06
1:B:27:CYS:SG	5:B:917:HOH:O	2.23	0.94

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:12:THR:HG21	1:B:25:LEU:O	1.69	0.92
1:B:8:CYS:SG	1:B:99:GLY:N	2.52	0.81
1:B:279:THR:HB	1:B:429:MET:HE2	1.63	0.81
1:B:47:PRO:O	5:B:801:HOH:O	1.97	0.81
1:B:510:VAL:HG21	1:B:541:TYR:CD1	2.19	0.77
1:A:235:LEU:HD21	1:A:382:TYR:CE2	2.20	0.77
1:B:13:SER:O	1:B:44:SER:HA	1.84	0.77
1:B:51:ASN:OD1	5:B:802:HOH:O	2.04	0.76
1:B:7:LEU:HD12	1:B:103:VAL:HG22	1.68	0.75
1:A:236:SER:OG	5:A:801:HOH:O	2.03	0.75
1:B:2:VAL:N	5:B:806:HOH:O	2.19	0.73
1:A:486:SER:OG	5:A:802:HOH:O	2.06	0.73
1:B:133:PHE:HA	5:B:889:HOH:O	1.90	0.71
1:B:8:CYS:SG	1:B:99:GLY:O	2.49	0.70
1:A:480:ILE:HG12	1:A:550:THR:HG22	1.75	0.68
1:A:7:LEU:HD21	1:A:106:PHE:HB2	1.76	0.68
1:B:7:LEU:CD1	1:B:103:VAL:HG22	2.24	0.67
1:B:277:TYR:HA	1:B:396:TYR:O	1.94	0.67
1:B:376:ILE:HG22	1:B:400:GLY:HA3	1.77	0.66
1:B:12:THR:CG2	1:B:26:CYS:HA	2.27	0.65
1:A:13:SER:OG	1:A:44:SER:HB2	1.99	0.62
1:B:510:VAL:HG21	1:B:541:TYR:CG	2.35	0.62
1:B:252:LEU:HB3	1:B:299:TYR:CD1	2.36	0.60
1:B:508:LYS:HD3	5:B:959:HOH:O	2.01	0.60
1:A:275:GLN:O	1:A:395:HIS:ND1	2.33	0.60
1:A:368:ALA:O	1:A:393:ALA:HA	2.00	0.60
1:A:1:ALA:N	5:A:808:HOH:O	2.35	0.59
1:A:7:LEU:HD13	1:A:103:VAL:HG22	1.84	0.58
1:A:551:GLU:HB3	5:A:830:HOH:O	2.03	0.58
1:B:12:THR:HG21	1:B:26:CYS:HA	1.86	0.58
1:A:510:VAL:HG21	1:A:541:TYR:CD1	2.39	0.57
1:B:26:CYS:O	1:B:29:CYS:N	2.38	0.57
1:B:48:TYR:OH	1:B:90:PHE:O	2.14	0.57
1:A:163:LEU:HD23	1:A:211:TYR:CD2	2.39	0.56
1:A:60:VAL:HB	5:A:901:HOH:O	2.04	0.56
1:A:519:ASN:HB3	1:A:530:THR:HG23	1.86	0.56
1:B:376:ILE:HG12	1:B:425:VAL:HG11	1.86	0.56
1:A:296:ALA:O	1:A:300:PRO:HA	2.06	0.56
1:A:4:ALA:O	1:A:24:PHE:HB2	2.05	0.56
1:B:518:GLN:HA	1:B:518:GLN:OE1	2.06	0.55
1:B:533:VAL:HG11	1:B:560:ARG:O	2.06	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:334:ILE:HD12	1:A:348:VAL:HG13	1.89	0.55
1:B:103:VAL:CG1	1:B:103:VAL:O	2.55	0.55
1:A:235:LEU:HD21	1:A:382:TYR:CD2	2.42	0.54
1:B:184:GLY:C	1:B:195:ILE:HG22	2.32	0.54
1:B:550:THR:O	1:B:555:SER:OG	2.21	0.54
1:A:64:TYR:O	1:A:70:TYR:HA	2.07	0.54
1:A:512:ILE:O	1:A:546:PHE:HA	2.08	0.54
1:A:276:LYS:O	1:A:395:HIS:HA	2.08	0.53
1:B:200:PHE:O	5:B:805:HOH:O	2.19	0.53
1:B:409:ARG:NH2	5:B:821:HOH:O	2.42	0.53
1:A:37:THR:OG1	1:A:39:HIS:HB2	2.09	0.53
1:A:519:ASN:HB3	1:A:530:THR:CG2	2.39	0.53
1:B:152:ALA:HB2	1:B:167:TRP:CH2	2.45	0.52
1:B:220:ASN:O	1:B:223:ASP:OD2	2.28	0.52
1:B:477:LYS:HZ2	1:B:551:GLU:CD	2.16	0.52
1:B:279:THR:HB	1:B:429:MET:CE	2.36	0.52
1:B:26:CYS:O	1:B:27:CYS:C	2.52	0.52
1:A:7:LEU:HD21	1:A:130:LEU:HD21	1.91	0.52
1:B:282:GLY:O	1:B:288:LYS:NZ	2.39	0.51
1:A:44:SER:O	1:A:45:VAL:C	2.54	0.50
1:B:7:LEU:CD2	1:B:130:LEU:HD21	2.42	0.50
1:B:460:LYS:NZ	5:B:825:HOH:O	2.44	0.50
1:A:152:ALA:HB2	1:A:167:TRP:CZ3	2.47	0.49
1:A:283:PRO:HG3	1:A:457:TYR:CE1	2.47	0.49
1:A:63:LEU:HB3	1:A:83:LEU:HD12	1.95	0.49
1:A:185:TYR:HE2	1:A:194:GLN:HG3	1.78	0.49
1:B:44:SER:N	1:B:46:ASN:O	2.35	0.49
1:B:201:GLU:OE2	5:B:807:HOH:O	2.20	0.49
1:A:251:GLY:HA3	1:A:394:LYS:HD3	1.94	0.49
1:A:181:VAL:HG11	1:A:197:GLU:OE1	2.12	0.49
1:A:376:ILE:HG12	1:A:425:VAL:HG11	1.94	0.48
1:A:351:THR:HG23	1:A:364:PRO:HG3	1.94	0.48
1:B:474[B]:MET:HG2	1:B:590:LEU:HB2	1.95	0.48
1:B:215:THR:OG1	1:B:216:THR:N	2.46	0.48
1:B:333:ILE:HB	1:B:358:CYS:SG	2.54	0.48
1:A:277:TYR:HA	1:A:396:TYR:O	2.14	0.48
1:A:533:VAL:HG11	1:A:560:ARG:HG3	1.94	0.48
1:A:112:CYS:SG	1:A:114:TRP:CE2	3.07	0.47
1:B:453:SER:HA	1:B:457:TYR:HB2	1.96	0.47
1:A:561:PHE:CD2	1:A:581:LEU:HD22	2.49	0.47
1:B:473:LYS:HE3	1:B:582:TYR:CZ	2.50	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:139:LYS:HG2	1:A:232:VAL:HG22	1.96	0.47
1:B:152:ALA:HB2	1:B:167:TRP:CZ3	2.49	0.47
1:B:371:VAL:HG23	1:B:393:ALA:HB2	1.95	0.47
1:B:377:SER:O	1:B:406:PRO:HA	2.15	0.47
1:A:249:ILE:HD11	1:A:270:GLN:HG2	1.95	0.47
1:A:318:CYS:HB3	1:A:343:PHE:CD2	2.51	0.46
1:A:329:LYS:HE2	1:A:354:GLN:OE1	2.15	0.46
1:B:5:CYS:O	1:B:9:ASN:N	2.42	0.46
1:A:471:CYS:O	1:A:587:PHE:HB3	2.15	0.46
1:A:37:THR:C	1:A:39:HIS:H	2.22	0.46
1:B:7:LEU:HD21	1:B:106:PHE:HB2	1.98	0.46
1:A:34:VAL:HA	1:A:39:HIS:O	2.16	0.46
1:B:429:MET:O	1:B:433:GLY:HA2	2.15	0.46
1:B:136:GLU:CD	1:B:234:PRO:HA	2.41	0.45
1:A:304:ILE:HG12	1:A:370:ILE:HB	1.97	0.45
1:B:177:ASN:HB3	1:B:516:ASN:ND2	2.31	0.45
1:A:401:ASP:OD2	1:A:457:TYR:OH	2.30	0.45
1:A:7:LEU:HD11	1:A:106:PHE:CG	2.52	0.45
1:B:13:SER:HB2	1:B:92:LEU:HB2	1.98	0.45
1:A:367:THR:HA	1:A:392:ARG:O	2.17	0.45
1:A:293:ILE:HG13	1:A:320:LYS:CG	2.47	0.45
1:B:85:ALA:O	1:B:86:ASN:HB2	2.16	0.45
1:B:511:PHE:O	1:B:530:THR:HA	2.17	0.44
1:A:194:GLN:C	1:A:196:GLY:H	2.25	0.44
1:A:289:SER:HB3	5:A:896:HOH:O	2.17	0.44
1:B:333:ILE:HG12	1:B:358:CYS:HB2	1.99	0.44
1:A:31:TYR:CE2	1:A:87:GLY:HA2	2.52	0.44
1:B:474[B]:MET:HE3	1:B:474[B]:MET:HB3	1.80	0.44
1:B:385:SER:OG	5:B:804:HOH:O	2.18	0.44
1:B:544:VAL:O	1:B:572:ILE:HA	2.17	0.44
1:A:289:SER:O	1:A:293:ILE:HG12	2.17	0.44
1:A:540:GLU:HA	1:A:567:ARG:O	2.18	0.43
1:B:465:LYS:NZ	5:B:842:HOH:O	2.52	0.43
1:B:262:PHE:CE2	1:B:297:LEU:HD12	2.54	0.43
1:A:19:CYS:HB2	1:A:23:PRO:HD2	2.00	0.43
1:A:59:ASP:OD1	1:A:61:THR:OG1	2.27	0.43
1:A:353:GLU:HA	1:A:353:GLU:OE2	2.18	0.43
1:B:593:PRO:CG	2:B:701:S7J:F2	2.37	0.43
1:A:46:ASN:OD1	1:A:46:ASN:N	2.51	0.43
1:B:13:SER:O	1:B:44:SER:CA	2.63	0.43
1:B:159:SER:OG	1:B:160:ASP:O	2.33	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:151:ILE:HG12	1:A:226:VAL:HG22	2.01	0.42
1:B:372:VAL:CG1	1:B:399:ILE:HD12	2.49	0.42
1:A:31:TYR:CZ	1:A:35:ILE:HD12	2.53	0.42
1:A:239:THR:O	1:A:388:ASN:ND2	2.52	0.42
1:B:77:PRO:HB2	1:B:78:PRO:HD2	2.00	0.42
1:A:406:PRO:HB3	1:A:422:PHE:CD2	2.54	0.42
1:A:582:TYR:OH	1:A:589:SER:HB2	2.19	0.42
1:A:252:LEU:HB3	1:A:299:TYR:CD2	2.55	0.42
1:B:7:LEU:HD21	1:B:130:LEU:HD21	2.02	0.42
1:B:12:THR:CG2	1:B:25:LEU:O	2.56	0.42
1:B:404:GLN:NE2	4:B:706:PO4:O2	2.48	0.42
1:A:241:VAL:HG22	5:A:832:HOH:O	2.19	0.42
1:A:457:TYR:O	1:A:458:ASP:C	2.61	0.42
1:B:554:HIS:ND1	5:B:815:HOH:O	2.37	0.42
1:A:453:SER:OG	1:A:459:ASN:HA	2.20	0.42
1:B:269:TYR:CD1	1:B:295:LEU:HD13	2.55	0.42
1:B:72:CYS:O	1:B:76:LYS:HB3	2.20	0.42
1:B:532:THR:O	1:B:533:VAL:C	2.62	0.42
1:A:280:LEU:HD12	1:A:436:MET:O	2.20	0.42
1:A:152:ALA:HB2	1:A:167:TRP:CE3	2.55	0.41
1:A:510:VAL:HG21	1:A:541:TYR:CG	2.55	0.41
1:B:12:THR:OG1	1:B:26:CYS:HA	2.21	0.41
1:B:63:LEU:C	1:B:64:TYR:CD1	2.98	0.41
1:B:219:LEU:O	1:B:219:LEU:HD12	2.20	0.41
1:A:72:CYS:SG	1:A:74:SER:HB2	2.60	0.41
1:B:234:PRO:HD3	1:A:352:LEU:HD11	2.02	0.41
1:B:451:THR:HG23	1:B:584:LYS:O	2.21	0.41
1:A:533:VAL:CG1	1:A:560:ARG:HG3	2.51	0.41
1:B:269:TYR:O	1:B:299:TYR:OH	2.28	0.41
1:B:280:LEU:HD11	1:B:438:LEU:HG	2.02	0.41
1:B:492:GLN:O	1:B:496:VAL:HG23	2.20	0.41
1:B:542:ASP:OD1	1:B:569:LYS:HE3	2.21	0.41
1:A:480:ILE:HG21	1:A:550:THR:HG22	2.02	0.41
1:B:71:TYR:CD2	1:B:77:PRO:HD3	2.56	0.41
1:B:72:CYS:SG	1:B:74:SER:HB2	2.61	0.41
1:A:33:HIS:HA	1:A:107:ASN:OD1	2.21	0.41
1:B:8:CYS:SG	1:B:99:GLY:CA	3.09	0.41
1:A:358:CYS:HB3	1:A:363:LEU:HD23	2.02	0.41
1:B:15:ARG:HD3	1:B:24:PHE:CE2	2.57	0.40
1:A:289:SER:HB2	5:A:919:HOH:O	2.21	0.40
1:B:16:CYS:O	1:B:22:ARG:HA	2.21	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:504:PRO:HB3	1:B:507:ARG:NH2	2.37	0.40
1:A:130:LEU:HD23	1:A:130:LEU:HA	1.90	0.40
1:A:269:TYR:CD1	1:A:295:LEU:HD13	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	564/601 (94%)	525 (93%)	33 (6%)	6 (1%)	11	8
1	B	580/601 (96%)	531 (92%)	41 (7%)	8 (1%)	9	5
All	All	1144/1202 (95%)	1056 (92%)	74 (6%)	14 (1%)	10	7

All (14) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	351	THR
1	B	6	VAL
1	B	27	CYS
1	B	97	CYS
1	A	48	TYR
1	A	195	ILE
1	A	484	VAL
1	B	10	SER
1	B	48	TYR
1	A	45	VAL
1	A	218	LYS
1	B	221	VAL
1	B	195	ILE
1	B	283	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	485/523 (93%)	469 (97%)	16 (3%)	33	37
1	B	498/523 (95%)	478 (96%)	20 (4%)	28	29
All	All	983/1046 (94%)	947 (96%)	36 (4%)	30	33

All (36) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	7	LEU
1	B	12	THR
1	B	56	ASP
1	B	96	THR
1	B	103	VAL
1	B	104	THR
1	B	124	ASN
1	B	155	ARG
1	B	188	THR
1	B	191	SER
1	B	192	LYS
1	B	215	THR
1	B	229	SER
1	B	231	THR
1	B	247	VAL
1	B	259	SER
1	B	327	ILE
1	B	359	THR
1	B	486	SER
1	B	495	VAL
1	A	12	THR
1	A	26	CYS
1	A	35	ILE
1	A	46	ASN
1	A	51	ASN
1	A	148	SER
1	A	156	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	168	GLU
1	A	183	THR
1	A	201	GLU
1	A	255	THR
1	A	259	SER
1	A	485	SER
1	A	502	ARG
1	A	530	THR
1	A	591	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	179	ASN
1	B	268	ASN
1	B	459	ASN
1	B	470	GLN
1	B	516	ASN
1	B	519	ASN
1	A	179	ASN
1	A	257	ASN
1	A	404	GLN
1	A	531	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 11 ligands modelled in this entry, 6 are monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	PO4	A	705	-	4,4,4	0.53	0	6,6,6	0.69	0
2	S7J	B	701	-	13,13,13	0.32	0	19,19,19	0.98	0
4	PO4	B	706	-	4,4,4	1.29	1 (25%)	6,6,6	0.71	0
4	PO4	B	705	-	4,4,4	0.96	0	6,6,6	0.41	0
4	PO4	A	704	-	4,4,4	0.65	0	6,6,6	0.62	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	S7J	B	701	-	-	2/10/10/10	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	706	PO4	P-O3	-2.08	1.48	1.54

There are no bond angle outliers.

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	701	S7J	N-C-C1-C2
2	B	701	S7J	O-C-C1-C2

There are no ring outliers.

2 monomers are involved in 3 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	701	S7J	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	706	PO4	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	572/601 (95%)	0.78	85 (14%) 5 5	27, 55, 120, 176	0
1	B	585/601 (97%)	0.49	50 (8%) 16 17	15, 46, 92, 130	2 (0%)
All	All	1157/1202 (96%)	0.63	135 (11%) 9 9	15, 51, 109, 176	2 (0%)

All (135) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	592	ILE	7.1
1	B	45	VAL	5.6
1	A	169	VAL	5.5
1	B	474[A]	MET	5.0
1	A	149	TYR	5.0
1	A	151	ILE	4.6
1	B	2	VAL	4.3
1	A	170	GLY	4.2
1	A	219	LEU	4.1
1	A	210	VAL	4.1
1	B	193	VAL	3.9
1	A	181	VAL	3.9
1	A	167	TRP	3.8
1	A	225	PHE	3.8
1	A	224	TYR	3.8
1	B	336	ALA	3.8
1	A	152	ALA	3.7
1	A	336	ALA	3.7
1	B	502	ARG	3.7
1	A	157	VAL	3.6
1	B	214	THR	3.6
1	B	12	THR	3.5
1	B	593	PRO	3.5
1	B	187	VAL	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	6	VAL	3.4
1	A	103	VAL	3.4
1	A	7	LEU	3.4
1	A	195	ILE	3.4
1	A	182	PHE	3.4
1	A	185	TYR	3.4
1	A	90	PHE	3.3
1	B	463	ALA	3.3
1	A	247	VAL	3.2
1	A	352	LEU	3.2
1	A	200	PHE	3.2
1	A	45	VAL	3.2
1	A	202	LYS	3.2
1	B	7	LEU	3.2
1	A	176	LEU	3.2
1	A	229	SER	3.2
1	A	228	THR	3.2
1	B	97	CYS	3.1
1	B	340	VAL	3.1
1	B	592	ILE	3.1
1	A	49	VAL	3.1
1	A	165	LEU	3.1
1	B	217	TYR	3.1
1	A	208	ALA	3.1
1	B	44	SER	3.1
1	B	102	ASN	3.0
1	B	98	VAL	3.0
1	A	43	LEU	3.0
1	A	226	VAL	3.0
1	A	507	ARG	3.0
1	A	256	LEU	2.9
1	A	154	VAL	2.9
1	A	81	PHE	2.9
1	A	92	LEU	2.9
1	A	178	ARG	2.8
1	B	180	TYR	2.8
1	A	217	TYR	2.8
1	A	231	THR	2.8
1	B	101	ASP	2.8
1	B	176	LEU	2.8
1	A	46	ASN	2.7
1	A	94	LYS	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	221	VAL	2.7
1	B	48	TYR	2.7
1	A	12	THR	2.7
1	A	227	LEU	2.7
1	A	156	GLU	2.7
1	A	179	ASN	2.6
1	A	392	ARG	2.6
1	A	222	GLY	2.6
1	A	47	PRO	2.6
1	A	508	LYS	2.6
1	B	49	VAL	2.6
1	B	209	VAL	2.6
1	A	164	HIS	2.6
1	A	338	ALA	2.5
1	B	47	PRO	2.5
1	A	214	THR	2.5
1	A	147	LEU	2.5
1	A	145	PHE	2.5
1	B	203	GLY	2.5
1	B	6	VAL	2.4
1	B	157	VAL	2.4
1	A	8	CYS	2.4
1	A	48	TYR	2.4
1	A	180	TYR	2.4
1	B	413	THR	2.4
1	A	1	ALA	2.4
1	B	81	PHE	2.4
1	B	196	GLY	2.4
1	B	181	VAL	2.4
1	A	42	VAL	2.4
1	A	328	ASP	2.4
1	B	43	LEU	2.4
1	B	163	LEU	2.4
1	A	158	LEU	2.4
1	B	91	GLY	2.4
1	B	195	ILE	2.4
1	A	174	PRO	2.4
1	A	13	SER	2.4
1	A	335	PRO	2.3
1	A	198	TYR	2.3
1	A	258	ILE	2.3
1	A	2	VAL	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	17	GLY	2.3
1	A	199	THR	2.3
1	A	177	ASN	2.3
1	B	78	PRO	2.2
1	A	209	VAL	2.2
1	A	31	TYR	2.2
1	A	215	THR	2.2
1	B	26	CYS	2.2
1	A	24	PHE	2.2
1	B	68	MET	2.2
1	A	194	GLN	2.2
1	B	83	LEU	2.2
1	A	166	SER	2.2
1	A	347	LYS	2.2
1	B	124	ASN	2.2
1	B	10	SER	2.1
1	B	14	LEU	2.1
1	B	189	LYS	2.1
1	B	175	PRO	2.1
1	A	85	ALA	2.1
1	B	96	THR	2.1
1	B	219	LEU	2.0
1	A	11	GLN	2.0
1	A	70	TYR	2.0
1	A	44	SER	2.0
1	B	414	LYS	2.0
1	A	146	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,




median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	S7J	B	701	13/13	0.89	0.14	52,55,56,58	13
3	ZN	B	703	1/1	0.96	0.06	69,69,69,69	0
4	PO4	B	705	5/5	0.96	0.06	36,44,50,52	0
4	PO4	B	706	5/5	0.96	0.09	38,48,56,59	0
4	PO4	A	705	5/5	0.97	0.06	37,39,46,49	0
3	ZN	A	703	1/1	0.98	0.06	81,81,81,81	0
4	PO4	A	704	5/5	0.98	0.04	35,35,42,43	0
3	ZN	A	702	1/1	0.98	0.04	54,54,54,54	0
3	ZN	B	704	1/1	0.99	0.03	76,76,76,76	0
3	ZN	A	701	1/1	0.99	0.02	53,53,53,53	0
3	ZN	B	702	1/1	1.00	0.02	42,42,42,42	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around S7J B 701:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.