



Full wwPDB NMR Structure Validation Report ⓘ

Mar 6, 2026 – 03:41 AM UTC

PDB ID : 2RNK / pdb_00002rnk
Title : NMR structure of the domain 513-651 of the SARS-CoV nonstructural protein nsp3
Authors : Chatterjee, A.; Johnson, M.A.; Serrano, P.; Pedrini, B.; Joseph, J.; Saikatendu, K.; Neuman, B.W.; Wilson, I.A.; Stevens, R.C.; Buchmeier, M.J.; Kuhn, P.; Wuthrich, K.; Joint Center for Structural Genomics (JCSG)
Deposited on : 2008-01-11

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
wwPDB-RCI	:	v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV	:	Wang et al. (2010)
wwPDB-ShiftChecker	:	v1.2
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment was not calculated.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	229148	14424
Ramachandran outliers	224038	12848
Sidechain outliers	223484	12823

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	143	

2 Ensemble composition and analysis

This entry contains 20 models. Model 12 is the overall representative, medoid model (most similar to other models).

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:524-A:649 (126)	0.61	12

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 6 clusters and 1 single-model cluster was found.

Cluster number	Models
1	5, 6, 7, 12, 14, 20
2	2, 3, 9, 19
3	1, 8, 11
4	4, 15
5	17, 18
6	10, 13
Single-model clusters	16

3 Entry composition

There is only 1 type of molecule in this entry. The entry contains 2239 atoms, of which 1131 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Replicase polypeptide 1ab.

Mol	Chain	Residues	Atoms						Trace
1	A	143	Total	C	H	N	O	S	0
			2239	705	1131	187	207	9	

There are 4 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-4	GLY	-	expression tag	UNP P59641
A	-3	SER	-	expression tag	UNP P59641
A	-2	HIS	-	expression tag	UNP P59641
A	-1	MET	-	expression tag	UNP P59641

4 Residue-property plots

4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: Replicase polypeptide 1ab




4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.


4.2.1 Score per residue for model 1

- Molecule 1: Replicase polypeptide 1ab




4.2.2 Score per residue for model 2

- Molecule 1: Replicase polypeptide 1ab




4.2.3 Score per residue for model 3


- Molecule 1: Replicase polypeptide 1ab




- Molecule 1: Replicase polypeptide 1ab



- Molecule 1: Replicase polypeptide 1ab




- Molecule 1: Replicase polypeptide 1ab




4.2.7 Score per residue for model 7

- Molecule 1: Replicase polypeptide 1ab




4.2.8 Score per residue for model 8

- Molecule 1: Replicase polypeptide 1ab




4.2.9 Score per residue for model 9

- Molecule 1: Replicase polypeptide 1ab




4.2.10 Score per residue for model 10

- Molecule 1: Replicase polypeptide 1ab




4.2.11 Score per residue for model 11

- Molecule 1: Replicase polypeptide 1ab




4.2.12 Score per residue for model 12 (medoid)

- Molecule 1: Replicase polypeptide 1ab




4.2.13 Score per residue for model 13

- Molecule 1: Replicase polypeptide 1ab




4.2.14 Score per residue for model 14

- Molecule 1: Replicase polypeptide 1ab




4.2.15 Score per residue for model 15

- Molecule 1: Replicase polypeptide 1ab




4.2.16 Score per residue for model 16

- Molecule 1: Replicase polypeptide 1ab




4.2.17 Score per residue for model 17

- Molecule 1: Replicase polypeptide 1ab




4.2.18 Score per residue for model 18

- Molecule 1: Replicase polypeptide 1ab




4.2.19 Score per residue for model 19

- Molecule 1: Replicase polypeptide 1ab



4.2.20 Score per residue for model 20

- Molecule 1: Replicase polypeptide 1ab



5 Refinement protocol and experimental data overview ⓘ

The models were refined using the following method: *torsion angle dynamics*.

Of the 100 calculated structures, 20 were deposited, based on the following criterion: *target function*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CYANA	refinement	1.2

No chemical shift data was provided.

6 Model quality

6.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the (average) root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#Z>5	RMSZ	#Z>5
1	A	0.66±0.01	0±0/1008 (0.0± 0.0%)	1.47±0.03	5±3/1367 (0.4± 0.2%)
All	All	0.66	0/20160 (0.0%)	1.47	104/27340 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	Chirality	Planarity
1	A	0.0±0.0	2.0±1.8
All	All	0	41

There are no bond-length outliers.

All unique angle outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	597	ASN	CA-CB-CG	8.80	121.41	112.60	1	5
1	A	625	ARG	CD-NE-CZ	8.78	136.69	124.40	12	2
1	A	578	VAL	CB-CA-C	8.15	122.88	111.63	10	2
1	A	613	HIS	CA-CB-CG	7.48	121.28	113.80	5	2
1	A	611	VAL	CA-C-N	7.03	130.56	120.79	16	2
1	A	611	VAL	C-N-CA	7.03	130.56	120.79	16	2
1	A	570	GLN	OE1-CD-NE2	-6.85	115.75	122.60	17	5
1	A	552	ASP	CA-CB-CG	6.80	119.40	112.60	11	1
1	A	611	VAL	CB-CA-C	6.65	116.91	111.06	3	1
1	A	582	PHE	CA-CB-CG	6.60	120.40	113.80	16	2
1	A	622	ARG	N-CA-CB	-6.51	100.55	110.12	5	1
1	A	604	VAL	CB-CA-C	6.46	117.78	110.41	10	5
1	A	581	PHE	CA-CB-CG	6.16	119.96	113.80	20	2
1	A	615	PHE	CA-CB-CG	6.13	119.93	113.80	13	2
1	A	532	ASN	CA-CB-CG	-6.12	106.48	112.60	19	1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	578	VAL	CA-CB-CG1	6.08	120.73	110.40	13	2
1	A	613	HIS	CB-CG-CD2	-6.03	123.36	131.20	1	9
1	A	639	ASP	CA-CB-CG	6.03	118.63	112.60	19	1
1	A	588	PRO	CA-C-N	5.96	128.06	120.56	19	2
1	A	588	PRO	C-N-CA	5.96	128.06	120.56	19	2
1	A	564	TYR	CA-C-N	5.92	132.85	121.54	4	1
1	A	564	TYR	C-N-CA	5.92	132.85	121.54	4	1
1	A	551	MET	CA-C-N	5.88	128.15	120.28	11	1
1	A	551	MET	C-N-CA	5.88	128.15	120.28	11	1
1	A	540	ALA	CA-C-N	5.76	127.93	120.44	13	1
1	A	540	ALA	C-N-CA	5.76	127.93	120.44	13	1
1	A	641	VAL	CA-C-N	5.67	128.16	120.44	15	3
1	A	641	VAL	C-N-CA	5.67	128.16	120.44	15	3
1	A	589	VAL	CA-CB-CG2	5.63	119.97	110.40	20	1
1	A	569	ILE	CA-C-N	5.58	131.53	122.39	6	1
1	A	569	ILE	C-N-CA	5.58	131.53	122.39	6	1
1	A	649	THR	CA-C-N	5.45	127.53	120.44	18	1
1	A	649	THR	C-N-CA	5.45	127.53	120.44	18	1
1	A	630	PRO	N-CA-CB	5.37	108.11	103.27	14	1
1	A	535	GLU	CA-C-N	5.34	127.39	120.44	17	2
1	A	535	GLU	C-N-CA	5.34	127.39	120.44	17	2
1	A	621	ALA	CA-C-N	5.33	127.42	120.28	5	1
1	A	621	ALA	C-N-CA	5.33	127.42	120.28	5	1
1	A	638	PRO	CA-C-N	5.31	127.65	120.38	11	1
1	A	638	PRO	C-N-CA	5.31	127.65	120.38	11	1
1	A	598	SER	CA-C-N	5.31	127.65	120.65	11	1
1	A	598	SER	C-N-CA	5.31	127.65	120.65	11	1
1	A	568	LYS	CA-C-N	5.28	131.47	121.97	3	1
1	A	568	LYS	C-N-CA	5.28	131.47	121.97	3	1
1	A	619	GLU	CA-C-N	5.25	127.26	120.44	2	2
1	A	619	GLU	C-N-CA	5.25	127.26	120.44	2	2
1	A	539	HIS	CB-CG-CD2	-5.22	124.41	131.20	17	1
1	A	541	GLU	CA-C-N	5.20	127.25	120.28	13	2
1	A	541	GLU	C-N-CA	5.20	127.25	120.28	13	2
1	A	570	GLN	CG-CD-NE2	5.19	124.19	116.40	13	1
1	A	645	ASN	CA-C-N	5.17	125.83	119.99	16	3
1	A	645	ASN	C-N-CA	5.17	125.83	119.99	16	3
1	A	622	ARG	CD-NE-CZ	5.15	131.61	124.40	2	1
1	A	628	LYS	CG-CD-CE	-5.15	99.46	111.30	5	1
1	A	577	GLY	CA-C-N	5.14	129.51	121.85	13	2
1	A	577	GLY	C-N-CA	5.14	129.51	121.85	13	2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	580	PHE	CA-CB-CG	5.07	118.87	113.80	11	1

There are no chirality outliers.

All unique planar outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Group	Models (Total)
1	A	564	TYR	Sidechain,Peptide	8
1	A	625	ARG	Sidechain	6
1	A	583	TYR	Sidechain	5
1	A	610	TYR	Sidechain	4
1	A	622	ARG	Sidechain	3
1	A	534	ARG	Sidechain	2
1	A	544	ARG	Sidechain	2
1	A	579	ARG	Sidechain	2
1	A	631	ALA	Peptide	2
1	A	565	LYS	Peptide	1
1	A	576	TYR	Sidechain	1
1	A	634	SER	Peptide	1
1	A	562	ARG	Sidechain	1
1	A	644	TYR	Sidechain	1
1	A	554	ARG	Sidechain	1
1	A	578	VAL	Mainchain	1

6.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	988	1016	1014	5±2
All	All	19760	20320	20280	101

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:617:LEU:HD11	1:A:644:TYR:CD2	0.74	2.17	12	7
1:A:557:MET:HE1	1:A:582:PHE:CZ	0.69	2.22	9	6
1:A:578:VAL:O	1:A:578:VAL:HG12	0.65	1.90	17	1
1:A:536:MET:SD	1:A:604:VAL:HG22	0.65	2.30	7	1
1:A:546:LEU:HB3	1:A:603:LEU:HD23	0.64	1.69	8	1
1:A:604:VAL:HG13	1:A:632:VAL:HB	0.64	1.70	16	1
1:A:589:VAL:HG11	1:A:615:PHE:CE2	0.61	2.31	3	3
1:A:536:MET:HE1	1:A:606:MET:HE3	0.59	1.75	3	1
1:A:627:LEU:HD23	1:A:629:ALA:H	0.58	1.57	7	4
1:A:541:GLU:CB	1:A:578:VAL:HG22	0.57	2.29	12	1
1:A:605:THR:HG23	1:A:606:MET:O	0.55	2.01	2	1
1:A:557:MET:HE1	1:A:582:PHE:CE2	0.54	2.37	2	1
1:A:557:MET:HE2	1:A:561:GLN:OE1	0.53	2.04	9	2
1:A:578:VAL:HG13	1:A:580:PHE:CE1	0.52	2.39	13	2
1:A:617:LEU:HD12	1:A:647:TYR:CD2	0.52	2.39	8	7
1:A:526:LEU:HD13	1:A:527:GLY:H	0.52	1.63	14	1
1:A:617:LEU:O	1:A:617:LEU:HD13	0.52	2.04	18	6
1:A:541:GLU:HB3	1:A:578:VAL:CG2	0.52	2.35	12	1
1:A:567:ILE:HD11	1:A:570:GLN:HE22	0.52	1.63	1	5
1:A:617:LEU:HD12	1:A:647:TYR:CE2	0.51	2.41	12	5
1:A:578:VAL:HG22	1:A:580:PHE:CE1	0.51	2.41	10	2
1:A:574:VAL:HG13	1:A:580:PHE:HB2	0.49	1.84	9	1
1:A:578:VAL:O	1:A:579:ARG:C	0.47	2.58	17	1
1:A:564:TYR:O	1:A:567:ILE:HG22	0.46	2.11	16	3
1:A:607:PRO:HB2	1:A:620:ALA:HB1	0.46	1.87	20	1
1:A:596:LEU:HA	1:A:599:LEU:HD23	0.45	1.88	11	1
1:A:617:LEU:C	1:A:617:LEU:HD13	0.45	2.36	6	1
1:A:574:VAL:HG21	1:A:582:PHE:CD2	0.45	2.47	2	1
1:A:541:GLU:HB3	1:A:578:VAL:HG22	0.45	1.89	12	1
1:A:557:MET:HE3	1:A:561:GLN:OE1	0.45	2.11	18	1
1:A:537:LEU:CD2	1:A:563:LYS:HE3	0.44	2.42	14	2
1:A:627:LEU:CD2	1:A:629:ALA:H	0.44	2.25	7	1
1:A:541:GLU:CB	1:A:578:VAL:CG2	0.44	2.96	12	1
1:A:599:LEU:HD12	1:A:599:LEU:N	0.44	2.27	1	1
1:A:604:VAL:HG13	1:A:632:VAL:CB	0.44	2.41	16	1
1:A:610:TYR:CD2	1:A:611:VAL:HG23	0.43	2.49	20	1
1:A:546:LEU:HD22	1:A:547:MET:H	0.43	1.74	10	1
1:A:578:VAL:O	1:A:578:VAL:CG1	0.43	2.65	17	1
1:A:551:MET:HA	1:A:557:MET:SD	0.42	2.54	20	2
1:A:594:THR:HA	1:A:597:ASN:ND2	0.42	2.29	12	2
1:A:617:LEU:HD13	1:A:617:LEU:C	0.42	2.39	4	3
1:A:593:ILE:HG23	1:A:627:LEU:HG	0.42	1.91	7	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:627:LEU:HD23	1:A:628:LYS:N	0.42	2.30	17	1
1:A:617:LEU:C	1:A:617:LEU:CD1	0.42	2.92	6	1
1:A:578:VAL:HG13	1:A:580:PHE:HE1	0.42	1.71	13	1
1:A:564:TYR:CD1	1:A:577:GLY:HA3	0.42	2.50	5	1
1:A:537:LEU:CD2	1:A:563:LYS:HE2	0.42	2.44	7	1
1:A:606:MET:HA	1:A:634:SER:H	0.42	1.73	19	1
1:A:589:VAL:HG21	1:A:609:GLY:HA3	0.42	1.92	14	1
1:A:553:VAL:HG22	1:A:556:ILE:H	0.41	1.73	19	2
1:A:546:LEU:HD23	1:A:547:MET:N	0.41	2.30	8	1
1:A:546:LEU:HD22	1:A:603:LEU:HD22	0.41	1.91	8	1
1:A:617:LEU:HD11	1:A:644:TYR:HD2	0.41	1.66	12	1
1:A:617:LEU:HD13	1:A:617:LEU:O	0.40	2.16	6	1
1:A:569:ILE:CA	1:A:570:GLN:HE21	0.40	2.30	17	1

6.3 Torsion angles ⓘ

6.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	126/143 (88%)	108±2 (86±2%)	16±3 (13±2%)	2±1 (2±1%)	9	52
All	All	2520/2860 (88%)	2157 (86%)	318 (13%)	45 (2%)	9	52

All 12 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	569	ILE	14
1	A	608	ILE	14
1	A	565	LYS	3
1	A	532	ASN	3
1	A	566	GLY	2
1	A	572	GLY	2
1	A	573	ILE	2
1	A	612	THR	1
1	A	544	ARG	1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	611	VAL	1
1	A	578	VAL	1
1	A	579	ARG	1

6.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	109/123 (89%)	91±3 (84±3%)	18±3 (16±3%)	4	40
All	All	2180/2460 (89%)	1829 (84%)	351 (16%)	4	40

All 72 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	598	SER	19
1	A	594	THR	16
1	A	606	MET	15
1	A	570	GLN	14
1	A	541	GLU	13
1	A	567	ILE	12
1	A	533	LEU	10
1	A	563	LYS	10
1	A	611	VAL	10
1	A	525	ILE	10
1	A	557	MET	10
1	A	526	LEU	9
1	A	600	ASN	8
1	A	612	THR	8
1	A	592	ILE	8
1	A	623	CYS	8
1	A	635	VAL	7
1	A	617	LEU	7
1	A	643	THR	7
1	A	530	SER	6
1	A	622	ARG	6
1	A	584	THR	6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	628	LYS	6
1	A	596	LEU	6
1	A	648	LEU	6
1	A	626	SER	5
1	A	562	ARG	5
1	A	534	ARG	5
1	A	544	ARG	5
1	A	639	ASP	5
1	A	585	SER	4
1	A	595	LYS	4
1	A	645	ASN	4
1	A	613	HIS	4
1	A	634	SER	4
1	A	636	SER	4
1	A	524	GLU	4
1	A	587	GLU	3
1	A	552	ASP	3
1	A	553	VAL	3
1	A	591	SER	3
1	A	637	SER	3
1	A	624	MET	3
1	A	578	VAL	3
1	A	649	THR	3
1	A	529	VAL	2
1	A	556	ILE	2
1	A	568	LYS	2
1	A	535	GLU	2
1	A	536	MET	2
1	A	532	ASN	2
1	A	605	THR	2
1	A	571	GLU	2
1	A	573	ILE	2
1	A	561	GLN	2
1	A	586	LYS	1
1	A	597	ASN	1
1	A	542	GLU	1
1	A	579	ARG	1
1	A	627	LEU	1
1	A	528	THR	1
1	A	574	VAL	1
1	A	547	MET	1
1	A	565	LYS	1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	576	TYR	1
1	A	554	ARG	1
1	A	599	LEU	1
1	A	625	ARG	1
1	A	604	VAL	1
1	A	608	ILE	1
1	A	589	VAL	1
1	A	633	VAL	1

6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.6 Ligand geometry [i](#)

There are no ligands in this entry.

6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

7 Chemical shift validation

No chemical shift data were provided