



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 05:46 AM UTC

PDB ID : 3RNA / pdb_00003rna
Title : Structure of the Toluene/o-Xylene Monooxygenase Hydroxylase T201S/I100W Double Mutant
Authors : Gucinski, G.; Song, W.J.; Lippard, S.J.; Sazinsky, M.H.
Deposited on : 2011-04-22
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2672 (3.00-3.00)
Clashscore	190562	2977 (3.00-3.00)
Ramachandran outliers	187476	2877 (3.00-3.00)
Sidechain outliers	187428	2880 (3.00-3.00)
RSRZ outliers	180081	2671 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	498	71% 25% ..
2	B	330	71% 24% ..
3	C	86	64% 28% 5% .

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 7390 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Toluene o-xylene monooxygenase component.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	491	Total	C	N	O	S	0	0	0
			4023	2569	675	753	26			

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	100	TRP	ILE	engineered mutation	UNP Q6IV66
A	201	SER	THR	engineered mutation	UNP Q6IV66
A	445	LYS	GLU	engineered mutation	UNP Q6IV66

- Molecule 2 is a protein called Toluene o-xylene monooxygenase component.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	322	Total	C	N	O	S	0	0	0
			2641	1674	467	490	10			


- Molecule 3 is a protein called Toluene o-xylene monooxygenase component.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	83	Total	C	N	O	S	0	0	0
			676	425	120	126	5			

- Molecule 4 is FE (III) ION (CCD ID: FE) (formula: Fe).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	2	Total	Fe	0	0
			2	2		

- Molecule 5 is HYDROXIDE ION (CCD ID: OH) (formula: HO).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total O 1 1	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	25	Total O 25 25	0	0
6	B	16	Total O 16 16	0	0
6	C	6	Total O 6 6	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Toluene o-xylene monooxygenase component



• Molecule 2: Toluene o-xylene monooxygenase component



• Molecule 3: Toluene o-xylene monooxygenase component



4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	182.79Å 182.79Å 67.70Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	45.70 – 3.00 45.70 – 3.00	Depositor EDS
% Data completeness (in resolution range)	96.7 (45.70-3.00) 96.7 (45.70-3.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.10	Depositor
$\langle I/\sigma(I) \rangle$ ¹	10.16 (at 3.01Å)	Xtriage
Refinement program	REFMAC 5.5.0102	Depositor
R, R_{free}	0.177 , 0.241 0.181 , 0.241	Depositor DCC
R_{free} test set	1283 reflections (4.88%)	wwPDB-VP
Wilson B-factor (Å ²)	55.5	Xtriage
Anisotropy	0.165	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 23.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.025 for -h,-k,l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7390	wwPDB-VP
Average B, all atoms (Å ²)	52.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.33% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: FE, OH

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.89	0/4149	1.11	15/5639 (0.3%)
2	B	1.00	0/2713	1.16	10/3688 (0.3%)
3	C	0.90	0/690	1.10	2/934 (0.2%)
All	All	0.93	0/7552	1.13	27/10261 (0.3%)

There are no bond length outliers.

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	180	TYR	CA-C-N	7.80	127.86	119.28
2	B	180	TYR	C-N-CA	7.80	127.86	119.28
1	A	339	ARG	CA-C-N	-7.31	112.34	120.45
1	A	339	ARG	C-N-CA	-7.31	112.34	120.45
1	A	190	ILE	CB-CA-C	-7.28	102.48	111.87
2	B	55	GLN	N-CA-C	-7.12	103.44	111.14
2	B	227	LYS	CA-C-N	-7.10	111.47	119.28
2	B	227	LYS	C-N-CA	-7.10	111.47	119.28
1	A	250	LYS	N-CA-C	7.09	120.53	110.68
1	A	8	ASP	N-CA-C	6.58	119.27	111.71
2	B	239	GLY	N-CA-C	6.49	120.03	112.50
1	A	63	ARG	N-CA-C	-6.27	104.36	111.07
1	A	49	GLU	CA-C-N	-6.03	113.55	119.64
1	A	49	GLU	C-N-CA	-6.03	113.55	119.64
2	B	224	LEU	CA-C-N	-5.94	117.15	122.97
2	B	224	LEU	C-N-CA	-5.94	117.15	122.97
3	C	30	VAL	N-CA-C	-5.63	104.83	110.30
1	A	86	ASP	CA-C-N	-5.59	113.27	119.19
1	A	86	ASP	C-N-CA	-5.59	113.27	119.19
2	B	87	ASN	N-CA-C	5.55	117.42	111.36
1	A	227	ILE	CB-CA-C	-5.55	104.78	111.88

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	177	ASP	N-CA-C	-5.45	105.42	111.36
2	B	326	GLN	N-CA-C	-5.38	105.49	111.36
1	A	80	GLY	N-CA-C	5.36	125.89	113.18
3	C	82	ILE	N-CA-C	5.24	116.73	109.29
1	A	353	GLU	N-CA-C	-5.17	105.33	110.97
1	A	100	TRP	N-CA-C	5.11	119.99	113.55

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4023	0	3770	90	0
2	B	2641	0	2537	73	0
3	C	676	0	667	26	0
4	A	2	0	0	0	0
5	A	1	0	0	1	0
6	A	25	0	0	1	0
6	B	16	0	0	1	0
6	C	6	0	0	1	0
All	All	7390	0	6974	165	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (165) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:2:SER:N	2:B:105:ASN:HD22	1.30	1.27
1:A:2:SER:N	2:B:105:ASN:ND2	1.99	1.09
1:A:2:SER:HB2	2:B:105:ASN:HD21	1.16	1.06
2:B:174:ARG:HG2	2:B:174:ARG:HH21	1.27	0.97
2:B:111:GLN:HE21	2:B:111:GLN:H	1.09	0.97
2:B:111:GLN:H	2:B:111:GLN:NE2	1.63	0.95

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:427:HIS:HE1	3:C:76:THR:HG23	1.35	0.92
1:A:416:ASP:OD2	1:A:427:HIS:HD2	1.52	0.91
1:A:243:LYS:O	1:A:247:GLU:HG3	1.73	0.88
1:A:425:LEU:HD23	3:C:76:THR:HG22	1.57	0.87
2:B:174:ARG:HG2	2:B:174:ARG:NH2	1.84	0.86
1:A:289:SER:OG	1:A:292:GLU:HG3	1.77	0.84
1:A:2:SER:CB	2:B:105:ASN:HD21	1.93	0.82
1:A:139:GLN:HE22	2:B:83:TYR:H	1.27	0.81
1:A:47:TYR:CE1	1:A:240:PRO:HB2	2.16	0.80
1:A:2:SER:HB2	2:B:105:ASN:ND2	1.97	0.79
3:C:26:THR:CG2	3:C:65:GLY:HA2	2.12	0.79
2:B:174:ARG:HH21	2:B:174:ARG:CG	1.96	0.78
1:A:427:HIS:CE1	3:C:76:THR:HG23	2.17	0.76
1:A:2:SER:CA	2:B:105:ASN:ND2	2.49	0.75
3:C:3:THR:N	6:C:91:HOH:O	2.20	0.74
3:C:75:PRO:O	3:C:76:THR:HB	1.88	0.73
2:B:329:GLY:O	6:B:335:HOH:O	2.07	0.73
1:A:249:GLY:O	6:A:508:HOH:O	2.07	0.72
1:A:7:GLU:H	1:A:7:GLU:CD	1.97	0.72
1:A:416:ASP:OD2	1:A:427:HIS:CD2	2.40	0.72
2:B:111:GLN:HE21	2:B:111:GLN:N	1.87	0.72
1:A:294:MET:O	1:A:299:VAL:HG23	1.91	0.71
2:B:43:GLU:H	2:B:43:GLU:CD	1.99	0.71
1:A:305:GLN:HE21	1:A:305:GLN:HA	1.57	0.69
1:A:204:GLN:HB2	1:A:269:PHE:HZ	1.58	0.68
3:C:50:ILE:HD13	3:C:64:ARG:NH1	2.07	0.68
3:C:26:THR:HG23	3:C:65:GLY:HA2	1.75	0.67
3:C:26:THR:HG22	3:C:64:ARG:O	1.96	0.65
1:A:2:SER:CA	2:B:105:ASN:HD22	2.10	0.64
1:A:398:ASN:HD22	1:A:427:HIS:H	1.45	0.63
2:B:257:GLN:O	2:B:260:ASP:HB2	1.98	0.63
1:A:427:HIS:HE1	3:C:76:THR:CG2	2.11	0.62
1:A:418:GLN:HE22	3:C:78:THR:H	1.48	0.62
1:A:37:ARG:NH2	1:A:257:MET:HE1	2.15	0.62
3:C:54:ARG:HG3	3:C:80:ASP:HB2	1.82	0.61
3:C:56:HIS:HD2	3:C:80:ASP:OD1	1.82	0.61
1:A:36:ALA:HB2	1:A:119:LYS:HE3	1.81	0.61
1:A:139:GLN:NE2	2:B:83:TYR:H	1.97	0.61
3:C:75:PRO:O	3:C:76:THR:CB	2.47	0.61
2:B:82:VAL:HG22	2:B:85:THR:OG1	1.99	0.61
2:B:117:TRP:CZ2	2:B:242:ALA:HA	2.36	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:2:SER:CB	2:B:105:ASN:ND2	2.59	0.59
1:A:396:ILE:HG12	1:A:451:VAL:HG23	1.85	0.58
2:B:45:PRO:HD2	2:B:55:GLN:OE1	2.04	0.58
1:A:95:LEU:HD11	1:A:272:LEU:HD22	1.86	0.57
2:B:133:HIS:O	2:B:136:GLN:HB3	2.04	0.57
2:B:126:THR:N	2:B:127:PRO:CD	2.68	0.57
1:A:95:LEU:HD23	1:A:276:ILE:HD11	1.87	0.56
1:A:137:HIS:CD2	1:A:227:ILE:HG23	2.40	0.56
2:B:126:THR:N	2:B:127:PRO:HD2	2.22	0.54
1:A:317:TRP:O	1:A:321:MET:HG2	2.07	0.53
2:B:111:GLN:NE2	2:B:111:GLN:N	2.45	0.53
1:A:68:GLY:O	1:A:72:ILE:HD12	2.08	0.52
2:B:36:HIS:HE1	2:B:152:THR:OG1	1.92	0.52
2:B:276:LEU:HD22	2:B:282:ARG:HB2	1.91	0.52
2:B:143:HIS:CD2	2:B:143:HIS:C	2.86	0.52
3:C:11:GLU:HG2	3:C:12:ARG:HG3	1.92	0.52
1:A:372:CYS:O	1:A:376:ILE:HG12	2.09	0.52
2:B:219:PHE:CZ	2:B:271:LEU:HD23	2.45	0.52
1:A:391:GLU:HA	1:A:464:LEU:HD11	1.90	0.51
2:B:35:LEU:HB2	2:B:149:SER:HB3	1.92	0.51
1:A:128:THR:O	1:A:131:MET:HB3	2.10	0.51
3:C:63:PRO:HD2	3:C:66:MET:CE	2.40	0.51
1:A:92:THR:HG23	1:A:276:ILE:HD13	1.92	0.51
1:A:204:GLN:HB2	1:A:269:PHE:CZ	2.42	0.51
2:B:161:ASP:O	2:B:164:ARG:HB3	2.11	0.51
1:A:194:PHE:HB2	1:A:238:GLY:HA3	1.93	0.50
3:C:76:THR:HG23	3:C:76:THR:O	2.12	0.50
1:A:232:SER:HA	1:A:235:ALA:HB3	1.94	0.49
2:B:105:ASN:O	2:B:106:ASP:C	2.53	0.49
1:A:244:ILE:O	1:A:248:ASN:OD1	2.30	0.49
1:A:405:ALA:HA	3:C:14:PHE:O	2.12	0.49
2:B:304:CYS:O	2:B:307:LEU:HB2	2.11	0.49
1:A:87:PRO:HG2	1:A:483:HIS:CD2	2.48	0.49
1:A:97:PHE:CE1	1:A:145:PRO:HD3	2.48	0.49
1:A:104:GLU:O	1:A:107:ALA:HB3	2.11	0.49
1:A:282:PRO:O	1:A:286:ARG:HG3	2.13	0.49
1:A:296:GLU:HG2	1:A:297:TRP:CE2	2.47	0.49
1:A:19:THR:O	2:B:203:ARG:NH2	2.46	0.49
1:A:162:ILE:O	1:A:173:ARG:NH1	2.46	0.49
1:A:178:ASP:HA	2:B:48:LEU:HD11	1.94	0.49
3:C:28:ASP:OD1	3:C:64:ARG:HB3	2.12	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:9:TRP:O	1:A:10:TYR:C	2.56	0.49
2:B:288:TRP:O	2:B:292:TRP:HD1	1.96	0.49
1:A:86:ASP:OD1	1:A:88:GLY:N	2.47	0.48
1:A:137:HIS:CE1	5:A:501:OH:O	2.67	0.48
3:C:63:PRO:HD2	3:C:66:MET:HE2	1.95	0.48
2:B:15:TRP:HB3	2:B:17:HIS:CD2	2.49	0.47
2:B:59:LYS:HA	2:B:63:PHE:HD2	1.79	0.47
1:A:190:ILE:O	1:A:194:PHE:HB3	2.14	0.47
2:B:327:MET:HA	2:B:327:MET:HE2	1.96	0.47
2:B:132:PHE:HA	2:B:135:LEU:HD12	1.97	0.47
2:B:139:SER:OG	2:B:162:HIS:HD2	1.98	0.47
1:A:55:TYR:CE1	2:B:164:ARG:HG3	2.51	0.46
2:B:162:HIS:HE1	2:B:227:LYS:NZ	2.13	0.46
2:B:36:HIS:CE1	2:B:152:THR:OG1	2.69	0.46
1:A:195:ALA:O	1:A:199:GLY:HA3	2.16	0.45
1:A:154:LYS:O	1:A:157:TRP:HB2	2.17	0.45
2:B:117:TRP:NE1	2:B:247:ASP:HB2	2.32	0.45
1:A:460:GLN:HA	1:A:461:PRO:C	2.41	0.45
1:A:179:MET:HA	1:A:179:MET:HE2	1.98	0.45
2:B:135:LEU:O	2:B:136:GLN:C	2.60	0.45
2:B:145:ILE:HG13	2:B:145:ILE:O	2.16	0.45
2:B:94:GLU:OE1	2:B:94:GLU:HA	2.16	0.45
1:A:314:PRO:HD2	1:A:317:TRP:CE3	2.51	0.45
2:B:168:HIS:HD2	2:B:257:GLN:HE21	1.63	0.45
2:B:104:LEU:HD23	2:B:104:LEU:HA	1.74	0.44
1:A:131:MET:HB3	1:A:131:MET:HE2	1.83	0.44
2:B:194:GLU:HA	2:B:203:ARG:NH1	2.31	0.44
1:A:433:ASP:O	1:A:436:CYS:HB2	2.17	0.44
2:B:172:ARG:HD2	2:B:172:ARG:HA	1.73	0.44
1:A:136:ARG:HD2	2:B:83:TYR:CE1	2.53	0.44
2:B:17:HIS:HE1	2:B:33:THR:OG1	2.02	0.43
1:A:36:ALA:CB	1:A:119:LYS:HE3	2.45	0.43
1:A:416:ASP:H	3:C:56:HIS:CE1	2.36	0.43
2:B:34:ASN:HD22	2:B:34:ASN:N	2.16	0.43
1:A:105:TYR:HE1	2:B:153:ASN:HD21	1.66	0.43
2:B:253:LEU:HA	2:B:253:LEU:HD12	1.78	0.43
1:A:399:MET:HB2	1:A:428:PHE:HE1	1.83	0.43
3:C:25:ASP:O	3:C:67:ILE:HA	2.18	0.43
2:B:35:LEU:HB2	2:B:149:SER:CB	2.49	0.43
2:B:198:ALA:HA	2:B:302:ALA:O	2.18	0.43
1:A:338:TRP:CD1	1:A:390:PRO:HG3	2.54	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:139:SER:OG	2:B:162:HIS:CD2	2.72	0.42
1:A:344:TRP:O	1:A:346:PRO:HD3	2.20	0.42
1:A:449:ASN:OD1	1:A:449:ASN:C	2.62	0.42
3:C:50:ILE:HD13	3:C:64:ARG:HH12	1.81	0.42
1:A:305:GLN:HE21	1:A:305:GLN:CA	2.21	0.42
2:B:100:LEU:HD23	2:B:100:LEU:HA	1.75	0.42
1:A:371:GLN:O	1:A:374:ASP:HB2	2.20	0.42
3:C:74:ARG:O	3:C:75:PRO:C	2.62	0.42
1:A:399:MET:HB2	1:A:428:PHE:CE1	2.54	0.42
2:B:77:ASP:HA	2:B:78:PRO:HD2	1.81	0.42
2:B:105:ASN:O	2:B:107:ARG:N	2.53	0.42
2:B:105:ASN:C	2:B:107:ARG:N	2.76	0.41
1:A:274:GLY:HA2	1:A:290:PHE:CG	2.56	0.41
3:C:55:ARG:HD2	3:C:58:ASP:OD1	2.21	0.41
2:B:210:LEU:HD23	2:B:210:LEU:HA	1.87	0.41
1:A:4:LEU:HD23	1:A:4:LEU:HA	1.88	0.41
1:A:189:SER:O	1:A:193:THR:OG1	2.34	0.41
1:A:190:ILE:HD12	1:A:242:LEU:HG	2.02	0.41
3:C:13:ASP:OD2	3:C:42:ARG:NH1	2.53	0.41
1:A:377:THR:O	1:A:381:VAL:HG23	2.21	0.41
1:A:127:ALA:HB2	1:A:237:GLN:HE22	1.86	0.41
1:A:134:GLU:HA	1:A:134:GLU:OE1	2.21	0.41
2:B:241:LEU:O	2:B:242:ALA:C	2.64	0.41
1:A:20:PRO:HA	2:B:207:GLU:OE2	2.21	0.41
1:A:294:MET:HE3	1:A:294:MET:HB3	1.97	0.41
1:A:153:ARG:NH1	2:B:10:LYS:O	2.53	0.40
2:B:292:TRP:O	2:B:295:LEU:N	2.52	0.40
1:A:224:ILE:HA	1:A:224:ILE:HD13	1.74	0.40
1:A:368:THR:C	1:A:408:PRO:HG2	2.46	0.40
2:B:162:HIS:HE1	2:B:227:LYS:HZ2	1.70	0.40
1:A:368:THR:O	1:A:408:PRO:HG2	2.21	0.40
1:A:197:GLU:HA	1:A:201:SER:HB2	2.04	0.40
1:A:474:GLU:O	1:A:475:PRO:C	2.64	0.40
2:B:81:LEU:HD23	2:B:81:LEU:HA	1.89	0.40
2:B:307:LEU:HD23	2:B:307:LEU:HA	1.84	0.40
1:A:491:TYR:O	1:A:492:GLN:HB2	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	489/498 (98%)	438 (90%)	48 (10%)	3 (1%)	21	56
2	B	320/330 (97%)	302 (94%)	16 (5%)	2 (1%)	21	56
3	C	81/86 (94%)	69 (85%)	12 (15%)	0	100	100
All	All	890/914 (97%)	809 (91%)	76 (8%)	5 (1%)	21	56

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	248	ASN
1	A	489	LYS
2	B	106	ASP
1	A	408	PRO
2	B	126	THR

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	417/422 (99%)	398 (95%)	19 (5%)	24	58
2	B	274/282 (97%)	253 (92%)	21 (8%)	12	40
3	C	77/79 (98%)	71 (92%)	6 (8%)	11	39
All	All	768/783 (98%)	722 (94%)	46 (6%)	17	50

All (46) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	7	GLU
1	A	72	ILE
1	A	77	GLU
1	A	201	SER
1	A	206	LEU
1	A	241	SER
1	A	243	LYS
1	A	250	LYS
1	A	251	LYS
1	A	283	LEU
1	A	305	GLN
1	A	309	LEU
1	A	393	LEU
1	A	406	HIS
1	A	442	GLU
1	A	443	ARG
1	A	445	LYS
1	A	472	SER
1	A	477	VAL
2	B	13	LYS
2	B	23	ARG
2	B	43	GLU
2	B	84	ARG
2	B	89	LEU
2	B	94	GLU
2	B	107	ARG
2	B	111	GLN
2	B	119	GLU
2	B	140	VAL
2	B	143	HIS
2	B	166	LEU
2	B	174	ARG
2	B	188	ARG
2	B	206	ILE
2	B	248	THR
2	B	269	SER
2	B	287	LYS
2	B	298	LYS
2	B	315	VAL
2	B	328	MET
3	C	3	THR
3	C	66	MET
3	C	69	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	C	76	THR
3	C	82	ILE
3	C	85	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	139	GLN
1	A	204	GLN
1	A	237	GLN
1	A	248	ASN
1	A	305	GLN
1	A	379	ASN
1	A	401	ASN
1	A	418	GLN
1	A	427	HIS
1	A	447	HIS
1	A	483	HIS
2	B	17	HIS
2	B	34	ASN
2	B	36	HIS
2	B	105	ASN
2	B	111	GLN
2	B	144	GLN
2	B	153	ASN
2	B	162	HIS
2	B	168	HIS
3	C	17	GLN
3	C	40	ASN
3	C	56	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 2 are monoatomic and 1 is modelled with single atom - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	491/498 (98%)	-0.59	2 (0%) 88 76	38, 52, 67, 75	0
2	B	322/330 (97%)	-0.62	0 100 100	36, 47, 69, 94	0
3	C	83/86 (96%)	-0.36	0 100 100	53, 62, 71, 78	0
All	All	896/914 (98%)	-0.58	2 (0%) 91 83	36, 52, 69, 94	0

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	248	ASN	2.3
1	A	247	GLU	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	OH	A	501	1/1	0.97	0.05	55,55,55,55	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	FE	A	500	1/1	1.00	0.01	47,47,47,47	0
4	FE	A	499	1/1	1.00	0.02	60,60,60,60	0

6.5 Other polymers [i](#)

There are no such residues in this entry.